

N. Subhash
192312487

① write a c program to calculate the total salary by adding the basic salary and bonus amount

① Input

* Basic salary

* Bonus

Output

* Total salary

Pseudocode

START


Read Basic salary, Bonus

Total = Basic salary + Bonus

print Total

STOP

Flow chart



② write a c program to swap two numbers using a temporary variable.

Input

- A
- B


Output

- Swapped A and B

Pseudocode

```
START  
Read A, B  
Temp = A  
A = B  
B = Temp  
print A, B  
STOP
```

Flowchart



③ write a c program to swap two numbers with using a temporary variable

Input:

- A
- B

Output

• swapped A and B

Pseudo code

START

Read A, B

$A = A + B$


$B = A - B$

$A = A - B$

Print A, B

STOP

Flowchart



④ Write a C-program to calculate simple interest.

Input

- principal
- Rate
- Time

Output

• Simple interest

Pseudo code

START


Read P, R, T

$SI = (P \times R \times T) / 100$

Print SI

STOP

Flowchart



5) write a c-program to convert celsius into fahrenheit

Input

• Celsius

Output

• Fahrenheit

Pseudocode

START


Read Celsius

Fahrenheit = (Celsius $\times$ 9/5) + 32

Print Fahrenheit

STOP

Flow chart



6) write a c program to find the quotient and remainder of two integers.

Input

- Dividend
- Divisor

Output

- Quotient
- Remainder

Pseudocode

START

Read A, B


$Q = A / B$

$R = A \% B$

Print Q, R

STOP

Flow chart



7) write a C program to check whether a number is even or odd.


Input

- Number
- output
- even or odd

Pseudocode

START
Read N
If $N \% 2 == 0$
Print Even
Else
Print Odd
STOP

Flowchart



8) write a C program to find the roots of a Quadratic equation

Input

- a
- b
- c


Output

- Root1
- Root2

Pseudo code

START
Read a, b, c
 $D = b^2 - 4ac$
 $R1 = (-b + \sqrt{D}) / (2a)$
 $R2 = (-b - \sqrt{D}) / (2a)$
Print R1, R2
STOP

Flowchart



5) 9) write a c program to calculate the square and cube of a number

Input

- Number

Output

- Square

- Cube

Pseudocode

START

Read N

Square = $N \times N$


Cube = $N \times N \times N$

Print Square

Print cube

STOP

Flowchart



10) Largest Among Three Numbers - write a c program to find the largest among three numbers

Input

- A

- B

- C

Output

- largest number

Pseudocode

START

Read A, B, C

If $A > B$ and $A > C$

Print A

Else If $B > C$

Print B

Else

Print C

STOP

Flowchart

