DATA STRUCTURES

DAY-9

1. Hashing program

Program:

```
#include <stdio.h>
#include <stdlib.h>
#define SIZE 10
struct node {
 int data;
 struct node* next;
};
struct node* hashTable[SIZE];
void insert(int key) {
 int index = key % SIZE;
  struct node* newNode = (struct node*)malloc(sizeof(struct node));
  newNode->data = key;
  newNode->next = NULL;
 if (hashTable[index] == NULL) {
   hashTable[index] = newNode;
 } else {
   struct node* temp = hashTable[index];
   while (temp->next != NULL) {
     temp = temp->next;
   }
   temp->next = newNode;
```

```
}
}
void display() {
 for (int i = 0; i < SIZE; i++) {
    struct node* temp = hashTable[i];
    printf("Index %d:", i);
   while (temp != NULL) {
     printf(" %d", temp->data);
     temp = temp->next;
   }
   printf("\n");
 }
}
int main() {
  insert(5);
 insert(15);
  insert(25);
 insert(35);
  insert(6);
  insert(16);
  insert(26);
  insert(36);
  display();
  return 0;
}
```

Output: Index 0: Index 1: Index 2: Index 3: Index 4: Index 5: 5 15 25 35 Index 6: 6 16 26 36 Index 7: Index 8: Index 9: