

API Documentation

Base URL (Liberty): `http://localhost:9080`

Auth header: `Authorization: Bearer <jwt>`

Unless noted, all endpoints require authentication.

Authentication — `/auth`

Method	Path	Roles	Body / params	Response
POST	<code>/auth/login</code>	Public	<code>{ username, password }</code>	<code>{ token, ... }</code> (<code>LoginResponse</code>)
GET	<code>/auth/me</code>	Authenticated	—	<code>UserProfileResponse</code>
PUT	<code>/auth/password</code>	Authenticated	<code>ChangePasswordRequest</code>	204

Dashboard — `/dashboard`

Method	Path	Roles	Response
GET	<code>/dashboard</code>	Authenticated	Dashboard summary DTO

Customers — `/customers`

Method	Path	Roles	Notes
GET	<code>/customers? search&page&size&sortBy&sortDir</code>	ADMIN, EMPLOYEE, MANAGER	Page of <code>Customer</code>
GET	<code>/customers/{id}</code>	ADMIN, EMPLOYEE, MANAGER	
POST	<code>/customers</code>	ADMIN, EMPLOYEE	<code>CreateCustomerRequest</code> (optional account fields)
PUT	<code>/customers/{id}</code>	ADMIN, EMPLOYEE	<code>@Valid</code> <code>UpdateCustomerRequest</code>
DELETE	<code>/customers/{id}</code>	ADMIN	

CreateCustomerRequest (key fields)

`firstName`, `lastName`, `email`, `phoneNumber`, `dateOfBirth`, `address`, `status`, optional `branchCode`,
`accountType`, `currencyCode`, `openingDeposit`

Accounts — /accounts

Method	Path	Roles	Notes
POST	/accounts	ADMIN, EMPLOYEE	OpenAccountRequest
GET	/accounts?search&page&size&sortBy&sortDir	ADMIN, EMPLOYEE, MANAGER	Search page
GET	/accounts/customer/{customerId}?page&size&sortBy&sortDir	ADMIN, EMPLOYEE, MANAGER	
PUT	/accounts/{accountId}/status	ADMIN, EMPLOYEE	UpdateAccountStatusRequest
POST	/accounts/{accountId}/deposit	ADMIN, EMPLOYEE	DepositRequest { amount }

OpenAccountRequest

customerId, branchCode, accountType, currencyCode, openingDeposit, createdBy

AccountResponse

Includes accountId, accountNumber, balances, status, customerId, timestamps, etc.

Account policies — /account-policies

Method	Path	Roles	Notes
POST	/account-policies	Authenticated only*	CreateAccountPolicyRequest
GET	/account-policies?accountType=¤cyCode=	Authenticated only*	Active policy; default currency INR

*Deferred hardening: restrict create (and possibly GET) to ADMIN.

AccountPolicyResponse

policyId, accountType, currencyCode, openingDepositRequired, requiredOpeningDeposit, minimumBalance, active, effectiveFrom, effectiveTo

Users (employees) — `/users`

Method	Path	Roles	Notes
GET	<code>/users</code>	ADMIN	
POST	<code>/users</code>	ADMIN	
PUT	<code>/users/{id}</code>	ADMIN	

Misc

Method	Path	Roles
GET	<code>/api/hello</code>	Authenticated

Error shape

Handled by `GlobalExceptionHandler` under `com.bankone.common` (business exceptions → 4xx with message body). Exact payload may vary by exception type.

Frontend API clients

Service	File
Auth	<code>BankOne-Frontend/src/app/core/services/auth.ts</code>
Customer	<code>.../customer.ts</code>
Account	<code>.../account.ts</code>
Account policy	<code>.../account-policy.ts</code>
User	<code>.../user.ts</code>
Dashboard	<code>.../dashboard.service.ts</code>