

API_DOCUMENTATION

API Documentation

Base URL (Liberty): `http://localhost:9080`

Auth header: `Authorization: Bearer <jwt>`

Unless noted, all endpoints require authentication.

Authentication — /auth

Method	Path	Roles	Body / params	Response
POST	/auth/login	Public	{ username, password }	{ token, ... } (LoginResponse)
GET	/auth/me	Authenticated	—	UserProfileResponse
PUT	/auth/password	Authenticated	ChangePasswordRequest	204

Dashboard — /dashboard

Method	Path	Roles	Response
GET	/dashboard	Authenticated	Dashboard summary DTO

Customers — /customers

Method	Path	Roles	Notes
GET	/customers? search&page&size&sortBy&sortDir	ADMIN, EMPLOYEE, MANAGER	Page of Customer
GET	/customers/{id}	ADMIN, EMPLOYEE, MANAGER	
POST	/customers	ADMIN, EMPLOYEE	CreateCustomerRequest (optional account fields)
PUT	/customers/{id}	ADMIN, EMPLOYEE	@Valid UpdateCustomerRequest
DELETE	/customers/{id}	ADMIN	

CreateCustomerRequest (key fields)

firstName, lastName, email, phoneNumber, dateOfBirth, address, status, optional branchCode, accountType, currencyCode, openingDeposit

Accounts — /accounts

Method	Path	Roles	Notes
POST	/accounts	ADMIN, EMPLOYEE	OpenAccountRequest
GET	/accounts? search&page&size&sortBy&sortDir	ADMIN, EMPLOYEE, MANAGER	Search page
GET	/accounts/customer/{customerId}? page&size&sortBy&sortDir	ADMIN, EMPLOYEE, MANAGER	
PUT	/accounts/{accountId}/status	ADMIN, EMPLOYEE	UpdateAccountStatusRequest
POST	/accounts/{accountId}/deposit	ADMIN, EMPLOYEE	DepositRequest { amount }

OpenAccountRequest

customerId, branchCode, accountType, currencyCode, openingDeposit, createdBy

AccountResponse

Includes accountId, accountNumber, balances, status, customerId, timestamps, etc.

Account policies — /account-policies

Method	Path	Roles	Notes
POST	/account-policies	Authenticated only*	CreateAccountPolicyRequest
GET	/account-policies? accountType=¤cyCode=	Authenticated only*	Active policy; default currency INR

*Deferred hardening: restrict create (and possibly GET) to ADMIN.

AccountPolicyResponse

policyId, accountType, currencyCode, openingDepositRequired, requiredOpeningDeposit, minimumBalance, active, effectiveFrom, effectiveTo

Users (employees) — /users

Method	Path	Roles	Notes
GET	/users	ADMIN	
POST	/users	ADMIN	
PUT	/users/{id}	ADMIN	

Misc

Method	Path	Roles
GET	/api/hello	Authenticated

Error shape

Handled by `GlobalExceptionHandler` under `com.bankone.common` (business exceptions → 4xx with message body). Exact payload may vary by exception type.

Frontend API clients

Service	File
Auth	<code>BankOne-Frontend/src/app/core/services/auth.ts</code>
Customer	<code>.../customer.ts</code>
Account	<code>.../account.ts</code>
Account policy	<code>.../account-policy.ts</code>
User	<code>.../user.ts</code>
Dashboard	<code>.../dashboard.service.ts</code>