EduSphere Overseas Telecaller CRM — Documentation Analysis and Plan

Scope, features, roles, product findings and capture sessions (planning stage, not browser-verified)

Planned 2026-10-17

Contents

EduSphere Overseas Telecaller CRM — Documentation Analysis (Phase 1)

- 1. Application Overview
- 2. Module Inventory
- 3. Feature Inventory
- 4. User Role Inventory
- 5. Role Permission Matrix (summary; detail in appendices 02 §0.3, 03 §2–4)
- 6. Frontend Route Inventory (in scope)
- 7. Backend API Mapping
- 8. Major User Workflows
- 9. Required Screenshots
- 10. Required Test Data (created by capture specs, all `Docs` prefixed, `@example.test`)
- 11. Unknown Workflows Requiring Browser Verification
- 12. Product Findings and Open Questions (owner)

Overseas Telecaller CRM User Documentation — Implementation Plan (Phase 2)

- Global Constraints
- Review Focus
- File structure (created across sessions)
- Sessions
- Feature records
- Self-review (S1)

EduSphere Overseas Telecaller CRM — Documentation Analysis (Phase 1)

> Master planning session S1, 2026-10-17. Code baseline `main` @ `6fee294d`. Branch `docs/telecaller-crm-user-guide` (worktree `.claude/worktrees/tel-docs`). Read-only source discovery; **nothing here is browser-verified yet**. Where this file and the browser disagree, the browser wins and this file is annotated.
>
> Field-level evidence (file:line, literal UI strings, error messages) lives in the four appendices: - `discovery/01-telecaller-frontline.md` — the Overseas telecaller portal (`/telecaller/*`) - `discovery/02-telecaller-manager.md` — the Telecaller Manager portal (`/telecaller/manager/*`) - `discovery/03-access-admin-counselor.md` — account access, admin provisioning and lifecycle, counselor side, intake - `discovery/04-test-data-tooling-decisions.md` — seed data, capture tooling, tel-001..026 decisions, glossary

Owner scope answers (2026-10-17):

#	Question	Answer
D1	Approach	Full verified set, same pipeline as the School CRM docs (`docs/school-crm/`).
D2	Scope	Overseas `telecaller` + `telecaller_manager` (running an Overseas team) + Super Admin / Overseas Admin telecaller provisioning, deactivation and team move + the Overseas counselor side of handover/conversion. **IT-team telecallers are out of scope.**
D3	Stack	Claude may start, seed, reset and snapshot only the `teldocs` compose project (web 3030, api 8030, Mailpit 127.0.0.1:8027).
D4	Personas	**Both:** screenshots use `Docs` Overseas personas created through the real admin screens; an appendix maps them to the seeded demo accounts.
D5	Conversion	Drive the real UI: capture specs create and enrol the Overseas application through the existing application screens (setup only, not screenshotted).
D6	Time-based alerts	Set the Docs Overseas thresholds to 1 h, wait on the real beat job (~75 min), capture, then restore 24 h / 4 h.

---

1. Application Overview

1.1 What the Telecaller CRM is

The Telecaller CRM (EVID-019, backlog `docs/delivery/TELECALLER_CRM_BACKLOG.md` , tel-001..026, all merged) is the calling desk for enquiries. Leads arrive from the website, CSV imports, or manual entry. They are routed to a telecaller by product rule, city rule or round robin. The telecaller calls, qualifies, follows up, sends WhatsApp/email, books counselling appointments, and hands qualified leads to a **counselor**. The lead counts as **Converted** when the counselor links a student whose Overseas application reaches `enrolled` .

Two roles:

- **Telecaller** (`telecaller` , division = team = `overseas`). Signs in at `/overseas/login` ; works only their own leads.
- **Telecaller Manager** (`telecaller_manager` , division `global`). Signs in at `/admin/login` ; sees their direct reports' leads plus unassigned leads in those reports' teams; runs routing, imports, catalogue, content library, targets, alerts, performance and reports.

Supporting roles in scope: **Super Admin**, **Overseas Admin** (create/deactivate telecallers), **Counselor** (Overseas, receives handovers).

1.2 Technology (from code)

Next.js 15 web (`apps/web`), FastAPI (`apps/api` , routers under `/api/v1`), PostgreSQL, Celery worker + beat. The worker sends tel-014 emails; beat raises tel-020 time-based alerts every 900 s. WhatsApp is click-to-chat (`wa.me`) and calls are a `tel:` link plus a manual call log — there is no telephony or WhatsApp API.

1.3 Authentication (appendix 03 §1)

- Signed-out `/telecaller/*` → `/telecaller/sign-in` chooser (**IT team** / **Overseas team**); `/telecaller/manager/*` → `/admin/login` .
- Wrong portal: 403 "Use the correct EduSphere portal for this account: sign in at /overseas/login" (or `/admin/login`). Inactive: 401 "Invalid credentials".
- Landing: telecaller → `/telecaller/dashboard` ; manager → `/telecaller/manager/team` (no manager home page).
- Welcome link 72 h → `/overseas/reset-password` (telecaller) or `/admin/reset-password` (manager).
- Telecallers can change only their mobile (`PATCH /telecaller/profile` ; `PATCH /auth/me` refuses name changes with 403).

1.4 Cross-cutting rules worth explaining in every manual

- **Own-leads scope.** A telecaller opening a lead that is not theirs gets 404 "Lead not found".
- **Handover lock.** After handover the telecaller's lead view is read-only; the counselor owns it.
- **Daily caps.** 300 calls/day, 300 WhatsApp/day, 100 emails/day, 20 open follow-ups per lead.
- **Same-day windows.** Calls can be edited/deleted, and WhatsApp records deleted, only on the day they were logged.
- **Settings are not team-scoped** (appendix 02 §0.4): any manager can edit global products, campaigns, scripts, templates, brochures, and both teams' target defaults and alert thresholds. The manual documents this as built and tells Overseas managers to pick **Overseas** where forms default to IT (Rules, Targets).
- **Not built — never document:** telephony, ad-platform APIs, duplicate merge, automatic No Response, WhatsApp API and consent capture, email reply tracking, withdrawing a meeting request, quiet hours, working-day calendar, downstream Application/Visa CRMs (appendix 04 §4).

---

2. Module Inventory

Module	Code	Manual folder	Role(s)	Features
Account access	AUTH	`user-manual/account-access/`	telecaller, manager	8
Navigation & notifications	NAV	`user-manual/navigation/`	telecaller, manager	3
Telecaller dashboard	DASH	`user-manual/dashboard/`	telecaller	4
Leads	LEAD	`user-manual/leads/`	telecaller	7
Qualification	QUAL	`user-manual/leads/`	telecaller	1
Calls	CALL	`user-manual/calls/`	telecaller	2

Module	Code	Manual folder	Role(s)	Features
Follow-ups	FUP	`user-manual/follow-ups/`	telecaller	2
Counselling appointments	APPT	`user-manual/appointments/`	telecaller	2
WhatsApp & email	MSG	`user-manual/messages/`	telecaller	2
Content library	CONT	`user-manual/content/` (001) · `manager-manual/content/` (002–004)	telecaller, manager	4
BDM meeting requests	MEET	`user-manual/meeting-requests/`	telecaller	2
Handover & conversion	HAND	`user-manual/handover/`	telecaller	2
Lead timeline	TIME	`user-manual/leads/`	telecaller	1
Team	TEAM	`manager-manual/team/`	manager	2
Manager leads & assignment	MLEAD	`manager-manual/leads/`	manager	7
Distribution rules	DIST	`manager-manual/distribution/`	manager	3
Lead import	IMP	`manager-manual/imports/`	manager	3
Products & campaigns	CAT	`manager-manual/catalogue/`	manager	2
Targets	TGT	`manager-manual/targets/`	manager	2
Team follow-ups	MFUP	`manager-manual/follow-ups/`	manager	1
Alert settings	ALRT	`manager-manual/alerts/`	manager	1
Performance	PERF	`manager-manual/performance/`	manager	1
Reports	RPT	`manager-manual/reports/`	manager	3
Admin: telecaller accounts & lifecycle	ADM	`admin-manual/`	super_admin, overseas_admin	9
Counselor side	CNS	`admin-manual/counselor/`	counselor (+ overseas_admin)	6
Lead intake	INTAKE	`user-manual/intake/`	public / reference	2
Total				**82**

3. Feature Inventory

ID format `DOC-TEL-<MOD>-NNN`. “Src” = appendix row it was merged from.

AUTH — Account access (8)

ID	Feature	Route	Roles	Src
AUTH-001	Choose your portal (Telecaller sign-in chooser)	`/telecaller/sign-in`	telecaller, manager	03
AUTH-002	Sign in as an Overseas telecaller (where you land)	`/overseas/login`	telecaller	01 ACC-001, 03
AUTH-003	Sign in as a Telecaller Manager (lands on Team)	`/admin/login`	manager	02 MGRHOME-001, 03
AUTH-004	Set your first password from the welcome email	`/overseas/reset-password`, `/admin/reset-password`	both	03
AUTH-005	Forgot / reset your password	`/overseas/forgot-password`, `/admin/forgot-password`	both	03
AUTH-006	Change your password	`/account/password`	both	03
AUTH-007	Your profile: view details, update your mobile (name locked)	`/telecaller/profile`, `/account/profile`	telecaller	01 ACC-003/004, 03
AUTH-008	Sign out, ended sessions and “access unavailable” messages	sidebar	both	03

NAV — Navigation & notifications (3)

ID	Feature	Route	Roles
NAV-001	Telecaller portal tour: sidebar, role label, unread badge	`/telecaller/*`	telecaller
NAV-002	Manager portal tour: the 16-item sidebar	`/telecaller/manager/*`	manager
NAV-003	Notifications and the nine alert types	`/telecaller/notifications`	telecaller

DASH — Telecaller dashboard (4)

ID	Feature	Route
DASH-001	Today’s tiles (10 tiles with hints)	`/telecaller/dashboard`
DASH-002	Today’s follow-ups and appointments cards	`/telecaller/dashboard`
DASH-003	My targets (6 KPIs)	`/telecaller/dashboard`
DASH-004	Daily activity for a chosen day	`/telecaller/dashboard?date=`

LEAD / QUAL / TIME — Leads (9)

ID	Feature	Route
LEAD-001	My Leads: search, filters, paging	`/telecaller/leads`

ID	Feature	Route
LEAD-002	Create a lead	`/telecaller/leads/new`
LEAD-003	Duplicate warning and “Add enquiry to this lead”	`/telecaller/leads/new`
LEAD-004	Open a lead: header, Call button, panels, read-only state	`/telecaller/leads/[id]`
LEAD-005	Set priority	`/telecaller/leads/[id]`
LEAD-006	Edit lead details (contact, product)	`/telecaller/leads/[id]`
LEAD-007	Change stage / close a lead (reasons, no reopen)	`/telecaller/leads/[id]`
QUAL-001	Qualification form (Basic + Overseas requirement)	`/telecaller/leads/[id]`
TIME-001	Read the lead activity timeline	`/telecaller/leads/[id]`

CALL / FUP / APPT / MSG / CONT-001 — Working a lead (9)

ID	Feature	Route
CALL-001	Log a call (13 outcomes, stage effects, next follow-up)	`/telecaller/leads/[id]`
CALL-002	Edit or delete today’s call	`/telecaller/leads/[id]`
FUP-001	Add, reschedule, complete or cancel a follow-up on a lead	`/telecaller/leads/[id]`
FUP-002	Today’s and overdue follow-ups page	`/telecaller/follow-ups`
APPT-001	Book a counselling appointment	`/telecaller/leads/[id]`
APPT-002	Reschedule or cancel an appointment	`/telecaller/leads/[id]`
MSG-001	Send and record a WhatsApp message; delete today’s record	`/telecaller/leads/[id]`
MSG-002	Send an email and track delivery	`/telecaller/leads/[id]`
CONT-001	Use the call script, templates and brochure links on a lead	`/telecaller/leads/[id]`

MEET / HAND — Hand-offs (4)

ID	Feature	Route
MEET-001	Request a BDM meeting	`/telecaller/meeting-requests/new`
MEET-002	Track my BDM meeting requests	`/telecaller/meeting-requests`
HAND-001	Hand a lead over to a counselor	`/telecaller/leads/[id]`
HAND-002	Follow a handed-over lead: read-only view, returns, student link, milestones, conversion	`/telecaller/leads/[id]`

Manager modules (28, including CONT-002..004)

ID	Feature	Route
TEAM-001	View the telecallers who report to you	`/telecaller/manager/team`
TEAM-002	A telecaller’s daily activity and targets	`/telecaller/manager/team/[id]/activity`
MLEAD-001	Browse, search and filter team leads	`/telecaller/manager/leads`

ID	Feature	Route
MLEAD-002	Enter a new lead (distributed or queued; duplicate panel)	`/telecaller/manager/leads/new`
MLEAD-003	Open a team lead: stage, priority, details, qualification	`/telecaller/manager/leads/[id]`
MLEAD-004	Reopen a closed lead	`/telecaller/manager/leads/[id]`
MLEAD-005	Assign or change the counselor on a lead	`/telecaller/manager/leads/[id]`
MLEAD-006	Assign unassigned leads in bulk	`/telecaller/manager/assignment`
MLEAD-007	Reassign leads between telecallers	`/telecaller/manager/assignment?view=assigned`
DIST-001	How routing works (product → city → round robin → queue)	`/telecaller/manager/distribution`
DIST-002	Create a product or city rule	`/telecaller/manager/distribution`
DIST-003	Change or delete a rule	`/telecaller/manager/distribution`
IMP-001	Download and fill in the CSV template	`/telecaller/manager/imports`
IMP-002	Import leads for a campaign; read the per-row report	`/telecaller/manager/imports`
IMP-003	Review past imports	`/telecaller/manager/imports`
CAT-001	Manage products	`/telecaller/manager/products`
CAT-002	Manage campaigns	`/telecaller/manager/campaigns`
CONT-002	Write call scripts	`/telecaller/manager/scripts`
CONT-003	Create and preview WhatsApp/email templates	`/telecaller/manager/templates`
CONT-004	Upload brochures and copy 7-day links	`/telecaller/manager/brochures`
TGT-001	Set team default targets (daily/monthly)	`/telecaller/manager/targets?for=overseas`
TGT-002	Override targets for one telecaller	`/telecaller/manager/targets?for=<id>`
MFUP-001	Monitor team follow-ups	`/telecaller/manager/follow-ups`
ALRT-001	Set team alert thresholds (and what triggers each alert)	`/telecaller/manager/alerts`
PERF-001	Compare telecallers over a date range; export CSV	`/telecaller/manager/performance`
RPT-001	Source / Course / Campaign funnel reports	`/telecaller/manager/reports`
RPT-002	Telecaller activity report	`?report=telecaller`
RPT-003	Counselor handover report	`?report=handover`

ADM — Admin: telecaller accounts & lifecycle (9)

ID	Feature	Route	Roles
ADM-001	Create a Telecaller Manager	`/admin/users`	super_admin
ADM-002	Create an Overseas telecaller	`/overseas/admin/telecallers`, `/admin/telecallers`	overseas_admin, super_admin

ID	Feature	Route	Roles
ADM-003	Find and edit a telecaller (Employee ID, manager, mobile)	same	overseas_admin, super_admin
ADM-004	Re-send a set-password link	`/admin/users`, `/overseas/admin/users`	overseas_admin, super_admin
ADM-005	Deactivate a telecaller and hand over open leads	Telecallers page	overseas_admin, super_admin
ADM-006	Reassign the open work of an inactive telecaller	Telecallers page	overseas_admin, super_admin
ADM-007	Move a telecaller to the other team	Telecallers page	super_admin
ADM-008	Reactivate a telecaller	Telecallers page / Users	overseas_admin, super_admin
ADM-009	Deactivate a Telecaller Manager (with replacement)	`/admin/telecallers`	super_admin

CNS — Counselor side (6)

ID	Feature	Route	Roles
CNS-001	See leads handed to you	`/overseas/counselor/leads`	counselor
CNS-002	Open a handed-over lead (details, milestones, activity)	`/overseas/counselor/leads/[id]`	counselor
CNS-003	Link / unlink the student account	same	counselor
CNS-004	Return a lead to the telecaller	same	counselor
CNS-005	Conversion when the student enrols (and admin unlink)	counselor detail, `/overseas/admin/leads`	counselor, overseas_admin
CNS-006	BDM side of meeting requests (touchpoint note only)	`/bdm/meeting-requests`	bdm (reference)

INTAKE — Lead intake (2)

ID	Feature	Route
INTAKE-001	A website enquiry becomes (or joins) a lead	`/overseas/contact`
INTAKE-002	Lead sources reference (13 sources)	reference

---

4. User Role Inventory

Role	Label	Division	Sign-in	Landing	Created by	Manual
`telecaller` (Overseas team)	Overseas Telecaller	overseas	`/overseas/login`	`/telecaller/dashboard`	Overseas Admin or Super Admin	user-manual, role guide
`telecaller_manager`	Telecaller Manager	global	`/admin/login`	`/telecaller/manager/team`	Super Admin only	manager-manual, role guide

Role	Label	Division	Sign-in	Landing	Created by	Manual
`super_admin`	Super Admin	global	`/admin/login`	—	—	admin-manual
`overseas_admin`	Overseas Admin	overseas	`/overseas/login`	—	—	admin-manual
`counselor`	Counselor	overseas	`/overseas/login`	—	—	admin-manual/counselor
`bdm` (Agent/School)	BDM	overseas	`/overseas/login`	—	—	reference only (CNS-006)

5. Role Permission Matrix (summary; detail in appendices 02 §0.3, 03 §2–4)

Capability	Telecaller	Manager	Overseas Admin	Super Admin	Counselor
Work own leads (calls, messages, follow-ups, appointments)	✓ own	✗ (view only)	✗	✗	✗
Change stage / priority / details / qualification	✓ own, open	✓ team	✗	✗	✗
Reopen a closed lead	✗	✓ (to Follow-up, reason)	✗	✗	✗
Hand over to counselor	✓ own	✓ team	✗	✗	—
Link student / return lead	✗	✗	✗	✗	✓ handed-to-me
Assign / reassign leads, rules, imports	✗	✓	✗	✗	✗
Catalogue, content library, targets, alert thresholds	read (on lead)	✓ (global, both teams)	✗	by URL only	✗
Create telecaller	✗	✗	✓ Overseas	✓ both	✗
Create / deactivate manager	✗	✗	✗	✓	✗
Deactivate / reactivate telecaller	✗	✗	✓	✓	✗
Move team	✗	✗	✗ (needs both teams)	✓	✗
Unlink a converted lead	✗	✗	✓	✓	✗

6. Frontend Route Inventory (in scope)

- **Account:** `/telecaller/sign-in`, `/overseas/login`, `/admin/login`, `/overseas|admin/forgot-password`, `/overseas|admin/reset-password`, `/account/password`, `/account/profile`.
- **Telecaller (12):** `/telecaller`, `/dashboard`, `/leads`, `/leads/new`, `/leads/[id]`, `/follow-ups`, `/meeting-requests`, `/meeting-requests/new`, `/notifications`, `/profile`.
- **Manager (19):** `/telecaller/manager` + `team`, `team/[id]/activity`, `leads`, `leads/new`, `leads/[id]`, `assignment`, `distribution`, `imports`, `products`, `campaigns`, `scripts`, `templates`, `brochures`, `targets`, `follow-ups`, `alerts`,

`performance`, `reports`.

- **Admin:** `/admin/users`, `/admin/telecallers`, `/overseas/admin/telecallers`, `/overseas/admin/users`, `/overseas/admin/leads`.
- **Counselor:** `/overseas/counselor/leads`, `/overseas/counselor/leads/[id]`.
- **Public:** `/overseas/contact`.

7. Backend API Mapping

Per-feature endpoint lists are in appendix 01 §(a), 02 §A, 03 §(a). The full tel route list used by e2e tests is in appendix 04 §3. Routers: `api/api/telecaller*.py`, `lead_appointments.py`, `lead_handover.py`, `admin.py`, `counselor*.py`; services `api/services/lead_*.py`, `telecaller_*.py`.

8. Major User Workflows

1. **Account set-up:** Super Admin creates manager → Overseas Admin creates telecaller with manager + Employee ID → welcome email → set password → sign in.
2. **Lead arrival:** website enquiry / CSV import / manual entry → duplicate check → routing (product rule → city rule → round robin → unassigned queue) → "New lead assigned" alert.
3. **Working a lead:** open → call (`tel:`) → log outcome → qualification → WhatsApp/email → follow-up → stage changes.
4. **Counselling:** book appointment with counselor → reschedule/cancel.
5. **Handover & conversion:** hand over → counselor links student → (application enrolled) → Converted; or counselor returns the lead.
6. **Manager oversight:** team page → activity → follow-ups monitor → alerts → performance → reports → targets.
7. **Lifecycle:** deactivate telecaller → open work handed to a teammate or team queue → reactivate / move team.

9. Required Screenshots

Estimated ~170 PNGs: ~2 per feature, plus one per differing role on shared screens (lead detail as telecaller vs manager vs counselor; handed-over read-only state; closed lead). Path `docs/telecaller-crm/screenshots/<module>/NN-<feature>-<step>.png`.

10. Required Test Data (created by capture specs, all `Docs` prefixed, `@example.test`)

- **Personas (S2, via admin UI):** Docs Overseas Manager; Docs Telecaller A/B/C (Overseas, Employee IDs DOCS-TEL-A..C, reporting to Docs Overseas Manager); Docs Counselor (Overseas); Docs Student (Overseas student account, for linking/conversion).
- **Catalogue & content (S4):** Docs product(s) + campaign, a Docs call script with steps, Docs WhatsApp + email templates, one brochure PDF (generated, no real content).
- **Routing:** a product rule → Telecaller A, a city rule → Telecaller B.
- **Leads (S5):** ~20 Docs leads across all 11 open stages and 5 closed outcomes, priorities, sources; a CSV import with created / attached / rejected rows; a duplicate.
- **Activity (S6–S7):** calls with several outcomes, follow-ups today/overdue/future, WhatsApp + emails (delivered/failed via Mailpit), appointments, a BDM meeting request (Agent/School BDM), a handed-over lead, a returned lead, a converted lead (application enrolled via real UI, D5).
- **Alerts (S8):** 1-hour thresholds, untouched new/hot leads, ~75 min wait (D6).
- **Lifecycle (S10, last):** deactivate Telecaller C with open work; reactivate; Super Admin team move.
- Seeded demo accounts (Lakshmi, Imran, counselor@) are documented only in the demo-account appendix (D4).

11. Unknown Workflows Requiring Browser Verification

- What the **Call** button does on the manager lead page (appendix 02 Q5).
- "Management tasks" sidebar item for telecaller and manager (01, 02 Q10).

- Exact text of three alerts (“New lead assigned”, “Lead not contacted”, “Lead returned for follow-up”).
- Counselor handover API path from the manager page (02 MLEAD-005).
- Forgot-password delivery on the docs stack (webhook only, raw token — 03 Q1). Expect AUTH-005 to be PARTIAL, as in the School CRM docs.
- Email delivery status values as seen through Mailpit.

12. Product Findings and Open Questions (owner)

Recorded as found; the manuals document behaviour **as built**. None blocks documentation.

#	Finding	Source
P1	An Overseas telecaller can create a lead on an IT product; the lead becomes `division=it` but stays assigned to them (product picker not team-filtered).	01 Q1, `lead_intake.py:95-130`
P2	Priority, details and qualification stay editable on a **closed** lead; only handover blocks writes.	01 Q2
P3	Settings are not team-scoped: any manager can edit IT and Overseas products, content, target defaults, alert thresholds.	02 Q1, 03 Q8
P4	Rules and Targets forms default to IT; Performance offers IT to an Overseas-only manager while Reports hides the picker.	02 Q2–Q3
P5	Round robin spans the whole team, including other managers’ reports.	02 Q4
P6	Reports accept a future “To” date; Performance refuses it.	02 Q6
P7	Managers receive no alerts (no Notifications item).	02 Q7
P8	Forgot-password email is webhook-only (raw token, no link, no SMTP).	03 Q1, `PRODUCT_DECISION_REGISTER.md:2135`
P9	Counselor gets no notification on handover.	03 Q2
P10	Telecallers page has no “Re-send link”; admin must use Users.	03 Q3
P11	Overseas Admin cannot move teams (needs both teams).	03 Q4
P12	No reactivate control for managers on the managers card.	03 Q5
P13	Manager on `/account/password` gets no “Forgot your current password?” link; session-expired message lacks an admin sign-in link.	03 Q6
P14	Manager can edit own name on `/account/profile` (telecaller cannot).	03 Q7
P15	“Telecaller profile not set up” card’s “Go to your dashboard” loops.	03 Q9
P16	Sidebar sign-out lands on `/`, not the sign-in chooser.	03 Q10

#	Finding	Source
P17	Import history shows only the manager’s own imports.	02 Q9

Overseas Telecaller CRM User Documentation — Implementation Plan (Phase 2)

> **For agentic workers:** REQUIRED SUB-SKILL: use superpowers:executing-plans. Work one session at a time, in this plan's order (later sessions rely on data created earlier). Tick the checkboxes here and update `docs/telecaller-crm/documentation-progress.md` at the end of every session.

Goal: Produce verified end-user, manager, administrator and role-based documentation for the EduSphere **Overseas Telecaller CRM**, with screenshots captured by Playwright from the running app.

Scope (owner D2): Overseas `telecaller`, `telecaller_manager` running an Overseas team, Super Admin / Overseas Admin telecaller provisioning and lifecycle, and the Overseas counselor side of handover/conversion. IT-team telecallers are out of scope.

Architecture: - **Feature files.** One Markdown file per Doc ID (template below): - telecaller: `docs/telecaller-crm/user-manual/<module>/` - manager: `docs/telecaller-crm/manager-manual/<module>/` - Super Admin / Overseas Admin / Counselor: `docs/telecaller-crm/admin-manual/` (counselor in `admin-manual/counselor/`) - **Screenshots** in `docs/telecaller-crm/screenshots/<module>/`, indexed in `docs/telecaller-crm/screenshot-index.md`. - **Source of behaviour.** Code reviewed in Phase 1 (`documentation-analysis.md` + `discovery/`), confirmed in the browser before it is written. - **Reproducibility.** Test-only Playwright capture specs in `apps/web/tests/doc-capture/telecaller/`.

Tech stack: Next.js 15 / FastAPI / PostgreSQL / Celery worker + beat via Docker Compose; Playwright (Chromium) for capture; `browser-use` skill for exploration; Markdown.

Global Constraints

- **Scope.** The 82 Doc IDs in §Feature records. Anything else found goes into "Discovered functionality" in the progress file.
  - IT-team telecallers, BDM CRM (beyond CNS-006's touchpoint note) and Management dashboards are out of scope.
  - Never edit the Agent CRM docs (`docs/documentation-*.md`, `docs/user-manual/`, `docs/admin-manual/`, `docs/role-guides/`, `docs/screenshots/`, `docs/faq.md`, `docs/troubleshooting.md`, `docs/screenshot-index.md`) or `docs/school-crm/`.
- **Code baseline.** `main` @ `6fee294d`. When `main` moves, re-check features whose files changed (`git diff --stat 6fee294d..<new> -- apps/`).
- **No product code changes.** The capture tooling under `apps/web/tests/doc-capture/` and `docs/tooling/` is test/docs only.
- **Screenshot settings.** Viewport **1440 × 900**, Chromium, light scheme, `deviceScaleFactor: 1`, locale `en-IN`, timezone `Asia/Kolkata`. Viewport shots; `fullPage` only when a step needs the whole form (note it in the index). One 390 px mobile shot for NAV-001.
- **Screenshot path.** `docs/telecaller-crm/screenshots/<module>/<NN>-<feature>-<step>.png`. Module folders: `account-access`, `navigation`, `dashboard`, `leads`, `calls`, `follow-ups`, `appointments`, `messages`, `content`, `meeting-requests`, `handover`, `intake`, `manager-team`, `manager-leads`, `distribution`, `imports`, `catalogue`, `targets`, `alerts`, `performance`, `reports`, `admin`, `counselor`.
- **Never show passwords, tokens or keys.** Mask password inputs, the dev-only "Demo accounts" card and "Development only" boxes (`shoot()` does this). Never put a reset/welcome URL with a token in a doc or screenshot. Never paste the seed password into a file. Never screenshot Mailpit.
- **Test data only.** `*@example.test` for Docs personas; every lead, product, campaign, script, template and brochure created for the docs is prefixed `Docs`. Phone numbers from the reserved fictional range (`+91 90000 0xxxx`). No real people's data.
- **VERIFICATION REQUIRED.** Anything not confirmed in the browser is written as **VERIFICATION REQUIRED** and left out of the numbered steps.

- **As-built.** Document behaviour as built, including product findings P1–P17 (analysis §12), phrased neutrally ("The form opens with **IT** selected; choose **Overseas**.").
- **Writing style.** Simple English, numbered steps, bold UI labels exactly as on screen, one feature per file, mandatory template.
- **Terminology** (use exactly):
  - Roles: **Telecaller** (Overseas), **Telecaller Manager** ("Manager" after first use), **Super Admin**, **Overseas Admin**, **Counselor**, **BDM**.
  - Work items: **lead**, **enquiry** (one contact event on a lead), **stage** (open) / **outcome** (closed), **priority**, **source**, **product**, **campaign**, **call log**, **follow-up**, **counselling appointment**, **BDM meeting request**, **handover**, **conversion**.
  - Places: **My Leads**, **unassigned queue**, **distribution rule**, **round robin**, **content library** (scripts, templates, brochures), **targets**, **alert thresholds**.
- **Capture helpers.** Every spec calls `noPrefetch(context)` before navigating; long cards use `shoot(..., { element })`, messages `shoot(..., { center })`, `behavior: "instant"` scrolls. Passwords only from `DOCS_PASSWORD` / `DOCS_TEST_PASSWORD`. IDs and emails pass between specs through `DOCS_TEL_FILE` (JSON, scratchpad only).
- **Docker.** Owner approved (2026-10-17) Claude starting, seeding, resetting and snapshotting the `teldocs` project only. Never touch other compose projects. Never load the Caddy override.
- **Git.** Commit on `docs/telecaller-crm-user-guide` with `docs: add <module> Telecaller CRM guide`. Stage explicit paths only (`docs/telecaller-crm/`, `apps/web/tests/doc-capture/telecaller/`, and the shared tooling files when changed in S2). Never stage `graphify-out/`, `.env` or `docker-compose.docs.yml`. The owner pushes.

Review Focus

1. **Same screen, different role.** Lead detail differs for telecaller (full work panels), manager (stage/priority/qualification/reopen/counselor, no calls or messages) and counselor (link/return/milestones). Each such feature file has a **What each role sees** table and one screenshot per differing role.
2. **Locked states.** Handed-over (read-only), closed (no reopen for telecaller), deactivated telecaller, daily caps and same-day windows — document the exact message for each.
3. **Overseas-only screens.** Manager screens must show only Overseas data (Docs Overseas Manager has only Overseas reports). Where a form defaults to IT, the step tells the user to pick Overseas.
4. **Secrets in screenshots.** Open every new PNG before committing.
5. **Time-dependent behaviour.** Today/overdue follow-ups, same-day windows, targets starting tomorrow / next month, 72 h welcome links, 7-day brochure links, 1-hour alert thresholds (S8). Create data relative to the capture date; record the capture date in the index.

File structure (created across sessions)

```
docs/telecaller-crm/
  documentation-analysis.md   documentation-plan.md   documentation-progress.md   screenshot-index.md
  discovery/01..04-*.md
  user-manual/
    README.md
    account-access/  navigation/  dashboard/  leads/  calls/  follow-ups/  appointments/
    messages/  content/  meeting-requests/  handover/  intake/
  manager-manual/
    README.md
    team/  leads/  distribution/  imports/  catalogue/  content/  targets/  follow-ups/
    alerts/  performance/  reports/
  admin-manual/
    README.md   adm-001-… adm-009-…   counselor/cns-001-… cns-006-…
  role-guides/
    overseas-telecaller.md  telecaller-manager.md  overseas-admin-telecallers.md
    super-admin-telecallers.md  counselor-telecaller-leads.md
```

```
  demo-accounts.md            (D4: Docs personas ↔ seeded demo accounts)
  faq.md   troubleshooting.md   documentation-review-report.md
  screenshots/<module>/NN-<feature>-<step>.png
apps/web/tests/doc-capture/telecaller/   (capture specs, test-only)
```

Image links: from a manual feature file `../../screenshots/<module>/<file>.png`; from `admin-manual/*.md` `../screenshots/admin/<file>.png`; from `admin-manual/counselor/*.md` `../../screenshots/counselor/<file>.png`; from role guides `../screenshots/<module>/<file>.png`.

Feature file template (every feature)

```
# <Feature name>
> Doc ID: DOC-TEL-XXX-NNN · Verified on <date> against `main` @ <commit> · Roles: <roles>

## Purpose
## Who Can Use This Feature
## Prerequisites
## How to Access
<Sidebar > … > …>
## Steps
### Step 1 — <action>
<instruction with **UI label**>
![<alt text>](../../screenshots/<module>/<file>.png)
<expected result>
## Fields
| Field | Description | Required | Example |
|---|---|---|---|
## Expected Result
## Validation Messages
## Common Errors
**Problem:** … **Cause:** … **Resolution:** …
## Tips
## Related Features
```

Add a **What each role sees** table after "Who Can Use This Feature" whenever roles differ.

Sessions

Dependency order

- **S2** builds the stack and tooling and creates the Docs personas through the admin screens. Everything depends on it.
- **S3** uses the S2 welcome links to set passwords (all later sessions sign in as Docs personas).
- **S4** creates the catalogue, content library, routing rules, targets — needed by S5–S9.
- **S5** creates leads (intake, import, manual) — needed by S6–S10.
- **S6–S7** create activity, appointments, handovers and the converted lead — needed by S8–S9 dashboards/reports.
- **S8** includes the ~75-minute alert wait (D6).
- **S10** (lifecycle) runs last because it moves leads.
- **S11** writes guides from existing screenshots; **S12** reviews.

Rerun rule. Specs create data through the UI, so a rerun needs a fresh DB: reset the `teldocs` stack (`down -v`, `up -d`, migrate, seed), clear Mailpit, then rerun specs in session order. To iterate on one session, restore the `pg_dump` snapshot from the end of the previous session (scratchpad only).

Standard session loop (S2–S10)

- [ ] **L1** Read `documentation-analysis.md`, this plan, `documentation-progress.md`, `screenshot-index.md`, and the relevant `discovery/` sections.
- [ ] **L2** Fetch `origin/main`. If it moved past the baseline, list changed files touching this session's routes and re-review them. Check the `teldocs` stack is up (start it if not — D3). Record web URL and commit in the progress file.
- [ ] **L3** Explore each feature in the browser as each relevant role. Tick "Browser Verified" only for what was seen.
- [ ] **L4** Write or extend `apps/web/tests/doc-capture/telecaller/tel-sN-<module>.capture.ts` and run it. Open every PNG: readable, correct state, no secrets.
- [ ] **L5** Write one feature file per Doc ID using the template. Mark unconfirmed points **VERIFICATION REQUIRED**.
- [ ] **L6** Run `node docs/tooling/check-doc-links.mjs docs/telecaller-crm` and fix broken links.
- [ ] **L7** Update `screenshot-index.md` and `documentation-progress.md` (status, unresolved items, discovered functionality, session log). Snapshot the DB.
- [ ] **L8** Report to the owner. Commit explicit paths. The owner pushes.

S1 — Master planning — DONE 2026-10-17

- [x] Graphify orientation; four parallel discovery passes (frontline, manager, access/admin/counselor, test data/tooling/decisions).
- [x] Owner answers D1–D6; `documentation-analysis.md`, this plan, `documentation-progress.md`, `screenshot-index.md` skeleton, `discovery/` appendices.

S2 — Environment, capture tooling, admin provisioning (creates personas)

Features: ADM-001, ADM-002, ADM-003, ADM-004 (4).

- [ ] **S2.1** Stack: worktree `.claude/worktrees/tel-docs`, `docker compose -p teldocs -f docker-compose.yml -f docker-compose.docs.yml`. Untracked `docker-compose.docs.yml` adds Mailpit `127.0.0.1:8027:8025`. Untracked `.env` = repo `.env` with `WEB_PORT=3030`, `API_PORT=8030`, `FRONTEND_URL=http://localhost:3030`, `SMTP_HOST=mailpit`, `SMTP_PORT=1025`, `SMTP_USE_TLS=false`, no SMTP credentials, `SMTP_FROM_EMAIL=no-reply@edusphere.local`, `ENVIRONMENT=development`. Worker and beat must run. Seed from `6fee294d`. Scratchpad: `docs-env.sh` (DOCS_BASE_URL, DOCS_MAILPIT_URL, DOCS_PASSWORD from seed, random DOCS_TEST_PASSWORD), `reset-stack.sh`.
- [ ] **S2.2** Tooling (test-only): add `export const TELECALLER_ROOT` to `apps/web/tests/doc-capture/shoot.ts`; extend `signIn()` with an optional portal (`/admin/login`) keeping the default unchanged; create `apps/web/tests/doc-capture/telecaller/`. Prove Agent and School specs still list (`--list`).
- [ ] **S2.3** Masking check on `account-access/01-overseas-login.png` and `admin-login.png`.
- [ ] **S2.4** Standard loop. As Super Admin: create **Docs Overseas Manager** (ADM-001). As Overseas Admin: create **Docs Telecaller A/B/C** (Employee IDs `DOCS-TEL-A..C`, manager = Docs Overseas Manager) (ADM-002), duplicate Employee ID error, edit mobile/manager (ADM-003), re-send link from Users (ADM-004). Create **Docs Counselor** (Overseas) and a **Docs Student** (Overseas student registration) for later sessions.
- [ ] **S2.5** Snapshot `after-s2`.

S3 — Account access and navigation

Features: AUTH-001..008, NAV-001, NAV-002 (10).

- [ ] Standard loop. Set passwords from the S2 welcome links in Mailpit (AUTH-004) for each Docs persona. Wrong portal (telecaller on `/admin/login`, manager on `/overseas/login`), invalid credentials. AUTH-005: verify whether a reset email arrives (P8) — expect PARTIAL. Profile phone change + name-locked 403 (AUTH-007). Sign-out and ended session (AUTH-008). Sidebar tours; 390 px mobile shot (NAV-001).

S4 — Manager set-up: catalogue, content, routing, targets, thresholds

Features: CAT-001, CAT-002, CONT-002, CONT-003, CONT-004, DIST-001..003, TGT-001, TGT-002, ALRT-001 (11).

- [ ] Standard loop as Docs Overseas Manager. Create **Docs Study in UK** product + **Docs Autumn Intake** campaign; a Docs call script with steps; Docs WhatsApp and email templates with placeholders + preview; upload a generated Docs brochure PDF and copy a 7-day link (never paste the link). Product rule → Telecaller A, city rule → Telecaller B; change and delete a rule. Overseas team targets (daily from tomorrow, monthly from the 1st of next month) and an override for Telecaller A. View alert thresholds (24 h / 4 h) and the validation (1–168).

S5 — Lead intake and entry

Features: INTAKE-001, INTAKE-002, IMP-001..003, MLEAD-002, MLEAD-006, MLEAD-007, LEAD-001..003 (11).

- [ ] Standard loop. Website enquiry on `/overseas/contact` (new lead + repeat enquiry joins it). CSV import with created / attached / rejected rows + replay. Manager manual lead (distributed and queued). Bulk assign from the unassigned queue; reassign. As Telecaller A: My Leads filters; create a lead; duplicate warning + "Add enquiry to this lead". Build up ~20 Docs leads across stages, priorities and sources for later sessions.

S6 — Working a lead (telecaller)

Features: LEAD-004..007, QUAL-001, CALL-001, CALL-002, FUP-001, FUP-002, MSG-001, MSG-002, CONT-001, TIME-001 (13).

- [ ] Standard loop as Telecaller A. Log calls with several outcomes and stage effects; edit/delete today's call. Qualification form. Follow-ups today / overdue / future; reschedule, complete, cancel; follow-ups page. WhatsApp (template + custom, delete today's record; never follow the wa.me link). Email (check delivery in Mailpit, not screenshotted). Script + template + brochure use on the lead. Stage change and close with reason (telecaller cannot reopen). Timeline.

S7 — Appointments, BDM meetings, handover, counselor, conversion

Features: APPT-001, APPT-002, MEET-001, MEET-002, HAND-001, HAND-002, CNS-001..006, MLEAD-005 (13).

- [ ] Standard loop. Book / reschedule / cancel a counselling appointment with Docs Counselor. BDM meeting request (Agent/School BDM). Hand a lead over (telecaller) and set a counselor (manager). As Docs Counselor: list, open, link Docs Student, return another lead. Conversion: create the Docs Student's Overseas application and move it to `enrolled` through the real application screens (D5, setup only), then capture Converted on telecaller, counselor and manager views; Overseas Admin unlink (CNS-005). CNS-006 touchpoint: one BDM-side shot.

S8 — Alerts, notifications and dashboard

Features: NAV-003, DASH-001..004 (5).

- [ ] Standard loop. Event alerts from S5–S7 (new lead assigned, returned, appointment…). Time-based alerts (D6): as Docs Overseas Manager set Overseas thresholds to 1 h, create untouched new + hot leads for Telecaller B, wait ~75 min (beat runs every 900 s), capture both alerts, then restore 24 h / 4 h. Dashboard tiles, today cards, targets, daily activity for a past date and the future-date error.

S9 — Manager oversight

Features: TEAM-001, TEAM-002, MLEAD-001, MLEAD-003, MLEAD-004, MFUP-001, PERF-001, RPT-001..003 (10).

- [ ] Standard loop as Docs Overseas Manager. Team list; a telecaller's activity. Team leads filters; manager lead view (What each role sees); reopen a closed lead to Follow-up. Follow-ups monitor. Performance over a range + CSV (do not commit CSVs). Reports: source, course, campaign, telecaller, handover + CSV.

S10 — Lifecycle (runs last)

Features: ADM-005..009 (5).

- [ ] Standard loop. Deactivate Telecaller C with open work → hand to Telecaller B / team queue; reassign open work of an inactive telecaller; reactivate. As Super Admin: move a telecaller to IT and back (capture only the Overseas side); deactivate a spare **Docs Spare Manager** with replacement Docs Overseas Manager (create the spare in S10 first).

S11 — Role guides, FAQ, troubleshooting, indexes, demo accounts

- [ ] Five role guides, `faq.md`, `troubleshooting.md` (every error message from the feature files), `user-manual/README.md`, `manager-manual/README.md`, `admin-manual/README.md`, `demo-accounts.md` (D4: Docs Overseas Manager ↔ Lakshmi, Docs Telecaller A ↔ Imran `telecaller.overseas@`, Docs Counselor ↔ `counselor@`; note Lakshmi's team mixes IT and Overseas). Link check.

S12 — Final review

- [ ] Parallel reviewers (accuracy vs code, secrets/screenshots, links/consistency, role-matrix). Fix findings. Mark Reviewed PASSED / COMPLETE. Write `documentation-review-report.md` with product findings P1–P17 plus new ones.

Feature records

Status at end of S1: code-reviewed at `6fee294d`, browser not verified, not documented. "Appx" = discovery file § holding labels, messages and file:line. TC = telecaller, MGR = manager, SA = Super Admin, OA = Overseas Admin, CO = Counselor.

AUTH — `user-manual/account-access/`, shots → `account-access/`

ID	S	Roles	Capture (est. shots)	File	Appx
AUTH-001	S3	TC, MGR	chooser page; Overseas button keeps `next` (1)	`auth-001-choose-your-portal.md`	03 §1.1–1.2
AUTH-002	S3	TC	`/overseas/login` masked; invalid credentials; wrong portal; landing dashboard (4)	`auth-002-sign-in-telecaller.md`	03 §1.3
AUTH-003	S3	MGR	`/admin/login` masked; wrong portal; landing Team (3)	`auth-003-sign-in-manager.md`	03 §1.3, 02 §0.1
AUTH-004	S3	TC, MGR	reset page from welcome link (token hidden); success → login (2)	`auth-004-set-first-password.md`	03 §1.6–1.7
AUTH-005	S3	TC, MGR	forgot page; confirmation (2) — expect PARTIAL (P8)	`auth-005-forgot-password.md`	03 §1.8
AUTH-006	S3	TC, MGR	change password form; wrong current password (2)	`auth-006-change-password.md`	03 §1.9
AUTH-007	S3	TC	profile page; mobile saved; account page name-locked message (3)	`auth-007-profile-and-mobile.md`	01 §1.2–1.3, 03 §1.10
AUTH-008	S3	TC, MGR	sign-out; ended-session card; access-unavailable card (3)	`auth-008-sign-out-and-access-messages.md`	03 §0.2, 1.4–1.5

NAV — `user-manual/navigation/` , shots → `navigation/`

ID	S	Roles	Capture	File	Appx
NAV-001	S3	TC	sidebar + role label + badge; 390 px menu (2)	`nav-001-telecaller-portal-tour.md`	01 §1.1
NAV-002	S3	MGR	16-item sidebar (1) — placed in `manager-manual/`	`nav-002-manager-portal-tour.md`	02 §0.2
NAV-003	S8	TC	notification list with alerts; empty state (2)	`nav-003-notifications-and-alerts.md`	01 §1.4, 02 §8

DASH — `user-manual/dashboard/` , shots → `dashboard/`

ID	S	Capture	File	Appx
DASH-001	S8	tiles (1)	`dash-001-todays-tiles.md`	01 §2
DASH-002	S8	today's follow-ups + appointments cards (1)	`dash-002-todays-follow-ups-and-appointments.md`	01 §2
DASH-003	S8	My targets table (1)	`dash-003-my-targets.md`	01 §2
DASH-004	S8	daily activity past date; future-date error (2)	`dash-004-daily-activity.md`	01 §2

LEAD / QUAL / TIME — `user-manual/leads/` , shots → `leads/`

ID	S	Capture	File	Appx
LEAD-001	S5	list; filters applied; empty result (3)	`lead-001-my-leads.md`	01 §3.1
LEAD-002	S5	new-lead form; validation; created (3)	`lead-002-create-a-lead.md`	01 §3.2
LEAD-003	S5	duplicate panel; enquiry added (2)	`lead-003-duplicate-warning.md`	01 §3.2
LEAD-004	S6	lead header + panels; read-only (handed over) (2)	`lead-004-open-a-lead.md`	01 §3.3
LEAD-005	S6	priority control (1)	`lead-005-set-priority.md`	01 §3.3
LEAD-006	S6	details edit form (1)	`lead-006-edit-lead-details.md`	01 §3.3
LEAD-007	S6	stage control; close with reason; closed state (3)	`lead-007-change-stage.md`	01 §3.4
QUAL-001	S6	qualification form filled; saved (2)	`qual-001-qualification-form.md`	01 §3.9
TIME-001	S6	timeline with mixed events (1)	`time-001-lead-timeline.md`	01 §3.12

CALL / FUP / APPT / MSG / CONT-001 / MEET / HAND / INTAKE — telecaller manual

ID	S	Folder / shots folder	Capture	File	Appx
CALL-001	S6	`calls/`	call-log form; outcomes; logged call + stage effect (3)	`call-001-log-a-call.md`	01 §3.5
CALL-002	S6	`calls/`	edit today's call; delete confirm (2)	`call-002-edit-or-delete-a-call.md`	01 §3.5
FUP-001	S6	`follow-ups/`	add form; reschedule; complete/cancel (3)	`fup-001-follow-ups-on-a-lead.md`	01 §3.7
FUP-002	S6	`follow-ups/`	Today tab; Overdue tab (2)	`fup-002-follow-ups-page.md`	01 §4
APPT-001	S7	`appointments/`	booking form; booked card (2)	`appt-001-book-counselling.md`	01 §3.10
APPT-002	S7	`appointments/`	reschedule; cancelled (2)	`appt-002-reschedule-or-cancel.md`	01 §3.10
MSG-001	S6	`messages/`	WhatsApp composer template/custom; record; delete (3)	`msg-001-whatsapp.md`	01 §3.6
MSG-002	S6	`messages/`	email composer; delivery status (2)	`msg-002-email.md`	01 §3.6
CONT-001	S6	`content/`	call script panel; template/brochure in composer (2)	`cont-001-use-scripts-and-templates.md`	01 §3.8
MEET-001	S7	`meeting-requests/`	form; submitted (2)	`meet-001-request-a-bdm-meeting.md`	01 §5
MEET-002	S7	`meeting-requests/`	list with statuses (1)	`meet-002-track-meeting-requests.md`	01 §5
HAND-001	S7	`handover/`	handover form; handed-over banner (2)	`hand-001-hand-over-to-counselor.md`	01 §3.11
HAND-002	S7	`handover/`	read-only view; returned; converted milestones (3)	`hand-002-after-handover.md`	01 §3.11
INTAKE-001	S5	`intake/`	contact form; resulting lead in queue/My Leads (2)	`intake-001-website-enquiries.md`	03 §5.2
INTAKE-002	S5	`intake/`	reference table (0–1)	`intake-002-lead-sources.md`	03 §5.2, 04 §5

Manager manual — `manager-manual/<folder>/`

ID	S	Folder / shots	Capture	File	Appx
TEAM-001	S9	`team/` / `manager-team/`	team list (1)	`team-001-your-team.md`	02 §1
TEAM-002	S9	`team/` / `manager-team/`	activity + targets for a date (2)	`team-002-telecaller-activity.md`	02 §1.1
MLEAD-001	S9	`leads/` / `manager-leads/`	team leads; filters (2)	`mlead-001-team-leads.md`	02 §2.1
MLEAD-002	S5	`leads/` / `manager-leads/`	new lead; distributed notice; queued notice (3)	`mlead-002-enter-a-lead.md`	02 §2.2
MLEAD-003	S9	`leads/` / `manager-leads/`	manager lead view (What each role sees) (2)	`mlead-003-open-a-team-lead.md`	02 §2.3
MLEAD-004	S9	`leads/` / `manager-leads/`	reopen dialog; reopened (2)	`mlead-004-reopen-a-lead.md`	02 §2.3
MLEAD-005	S7	`leads/` / `manager-leads/`	counselor picker; set (2)	`mlead-005-assign-counselor.md`	02 §2.3, 03 §4.1
MLEAD-006	S5	`leads/` / `manager-leads/`	unassigned queue; bulk assign result (2)	`mlead-006-bulk-assign.md`	02 §4
MLEAD-007	S5	`leads/` / `manager-leads/`	assigned view; reassign (2)	`mlead-007-reassign.md`	02 §4
DIST-001	S4	`distribution/`	rules page explained (1)	`dist-001-how-routing-works.md`	02 §5
DIST-002	S4	`distribution/`	product rule; city rule; duplicate error (3)	`dist-002-create-a-rule.md`	02 §5
DIST-003	S4	`distribution/`	change telecaller; delete (2)	`dist-003-change-or-delete-a-rule.md`	02 §5
IMP-001	S5	`imports/`	template download area (1)	`imp-001-csv-template.md`	02 §6
IMP-002	S5	`imports/`	upload form; per-row report (2)	`imp-002-import-leads.md`	02 §6
IMP-003	S5	`imports/`	history list (1)	`imp-003-past-imports.md`	02 §6
CAT-001	S4	`catalogue/`	products list; create/edit (2)	`cat-001-products.md`	02 §11
CAT-002	S4	`catalogue/`	campaigns list; create (2)	`cat-002-campaigns.md`	02 §12
CONT-002	S4	`content/`	script editor with steps (2)	`cont-002-call-scripts.md`	02 §13.1
CONT-003	S4	`content/`	template editor; preview (2)	`cont-003-message-templates.md`	02 §13.2

ID	S	Folder / shots	Capture	File	Appx
CONT-004	S4	`content/`	brochure upload; link copied notice (2)	`cont-004-brochures.md`	02 §13.3
TGT-001	S4	`targets/`	Overseas team defaults; history (2)	`tgt-001-team-targets.md`	02 §7
TGT-002	S4	`targets/`	override for one telecaller (1)	`tgt-002-telecaller-override.md`	02 §7
MFUP-001	S9	`follow-ups/`	team follow-ups (1)	`mfup-001-team-follow-ups.md`	02 §3
ALRT-001	S4/S8	`alerts/`	thresholds form; validation (2)	`alrt-001-alert-thresholds.md`	02 §8, 03 §5.1
PERF-001	S9	`performance/`	range table; export (2)	`perf-001-performance.md`	02 §9
RPT-001	S9	`reports/`	source / course / campaign (3)	`rpt-001-funnel-reports.md`	02 §10
RPT-002	S9	`reports/`	telecaller report (1)	`rpt-002-telecaller-report.md`	02 §10
RPT-003	S9	`reports/`	handover report (1)	`rpt-003-handover-report.md`	02 §10

ADM / CNS — `admin-manual/`, shots → `admin/`, `counselor/`

ID	S	Roles	Capture	File	Appx
ADM-001	S2	SA	Users create form (Telecaller Manager); created (2)	`adm-001-create-telecaller-manager.md`	03 §2.1, 2.4
ADM-002	S2	OA, SA	Telecallers page; create form; created (3)	`adm-002-create-telecaller.md`	03 §2.2
ADM-003	S2	OA, SA	search; edit; duplicate Employee ID error (3)	`adm-003-edit-telecaller.md`	03 §2.2
ADM-004	S2	OA, SA	Users re-send link panel (1)	`adm-004-resend-set-password-link.md`	03 §2.2
ADM-005	S10	OA, SA	deactivate dialog with open work; result (2)	`adm-005-deactivate-telecaller.md`	03 §3
ADM-006	S10	OA, SA	reassign open work (1)	`adm-006-reassign-open-work.md`	03 §3
ADM-007	S10	SA	move-team dialog (1)	`adm-007-move-team.md`	03 §3

ID	S	Roles	Capture	File	Appx
ADM-008	S10	OA, SA	reactivated (1)	`adm-008-reactivate-telecaller.md`	03 §3
ADM-009	S10	SA	manager deactivate with replacement (2)	`adm-009-deactivate-manager.md`	03 §3.4
CNS-001	S7	CO	My leads list (1)	`counselor/cns-001-handed-over-leads.md`	03 §4.2
CNS-002	S7	CO	lead detail (1)	`counselor/cns-002-open-a-lead.md`	03 §4.3
CNS-003	S7	CO	link suggestions; linked (2)	`counselor/cns-003-link-student.md`	03 §4.3
CNS-004	S7	CO	return form; returned (2)	`counselor/cns-004-return-a-lead.md`	03 §4.3
CNS-005	S7	CO, OA	converted milestones; admin unlink (2)	`counselor/cns-005-conversion.md`	03 §4.3
CNS-006	S7	BDM	BDM meeting-request view (1)	`counselor/cns-006-bdm-meeting-requests.md`	03 §4.4

Self-review (S1)

- Every one of the 82 IDs in analysis §3 has exactly one record above and one row in the progress tracker.
- Each session lists its features; S2–S10 together cover all 82 (S2 4, S3 10, S4 11, S5 11, S6 13, S7 13, S8 5, S9 10, S10 5 = 82).
- Owner answers D1–D6 are reflected in S2 (personas), S7 (conversion), S8 (alerts), S11 (demo accounts).