

```
Administrator: Command Prompt - hw_server.bat - hw_server.bat
69 File(s)      559,567 bytes
 3 Dir(s)  583,705,600,000 bytes free

:\Xilinx\Vivado\2024.2\bin>hw_server.bat

**** Xilinx hw_server v2024.2
**** Build date : Oct 29 2024 at 10:25:41
** Copyright 1986-2022 Xilinx, Inc. All Rights Reserved.
** Copyright 2022-2024 Advanced Micro Devices, Inc. All Rights Reserved.

INFO: hw_server application started
INFO: Use Ctrl-C to exit hw_server application

INFO: To connect to this hw_server instance use url: TCP:Nice2behere:3121

Terminate batch job (Y/N)? y

:\Xilinx\Vivado\2024.2\bin>hw_server.bat

**** Xilinx hw_server v2024.2
**** Build date : Oct 29 2024 at 10:25:41
** Copyright 1986-2022 Xilinx, Inc. All Rights Reserved.
** Copyright 2022-2024 Advanced Micro Devices, Inc. All Rights Reserved.

INFO: hw_server application started
INFO: Use Ctrl-C to exit hw_server application

INFO: To connect to this hw_server instance use url: TCP:Nice2behere:3121
```

Target Connection Details

Edit Target Connection

Name

myTest

☒ Set as default target

Type

Hardware Server

Host

localhost

Port

3121

☒ Use Symbol Server

Advanced

☒ Automatically discover devices on JTAG chain



☐ Manual configuration of JTAG chain

NAME	ID CODE	IR LENGTH	FPGA?	FREQUENCY
▼ ◀ Digilent Zed 210248470385 (2)				15000000 ▼
◀ arm_dap	4ba00477	4		
◀ xc7z020	03727093	6	Yes	

Test Connection


Cancel

OK



Need Launch Configuration but there is target connection again!

Created in like myTest connection (again!)



Now I get into termination problem

Closed and reopened then tried to debug right away.

Vitis remained quiet!?

