Summary table

Naser Ahmadi

2022-12-09

Percentage of students who most of the time or always went hungry (because there was not enough food in their home during the 30 days before the survey):

	Total				Female	Male			
	Percer	ntag95% confi- dence interval	N	Percei	ntag@5 % confidence interval	N	Percen	ta §5 % confidence interval	N
Total	2.5	(1.7, 3.2)	3113	1.9	(1.2, 2.7)	1605	2.8	(1.8 , 3.9)	1453
Age		,			,			,	
12 or younger	2.8	(0.2, 5.3)	175	1.1	(0, 3.4)	93	5.6	(0.1, 11.1)	69
13 - 15	2.5	(1.7, 3.4)	1801	2.1	(1.1, 3.2)	928	3	(1.7, 4.2)	862
16 or 17	1.7	(1, 2.4)	976	1.1	(0.4, 1.8)	505	2.1	(0.7, 3.5)	458
13 - 17	2.2	(1.6, 2.8)	2777	1.8	$(1.2, \\ 2.4)$	1433	2.6	(1.6, 3.6)	1320
18 or older	4.6	(0.5, 8.6)	121	4.6	(0.2, 9)	67	4.6	(0 , 11.4)	53
Grade		,			,			,	
Octavo (8)	4.9	(2.2, 7.6)	656	4	(1.1,7)	324	5.5	(2.2, 8.9)	325
Noveno (9)	1.5	$(\ 0.3 \ , \ 2.6 \)$	681	1.2	(0, 2.5)	340	1.8	(0.2, 3.5)	332
Primer Curso (1)	2.5	(1.1, 3.8)	728	2	(0.1, 3.8)	363	3	(0.9, 5)	360
Segundo Curso (2)	1.4	(0.3, 2.5)	526	0.6	$(0.3, \\ 0.9)$	299	2.2	(0.1, 4.3)	223
Tercer Curso (3)	1.4	(0.3 , 2.5)	464	1.8	$(\ 0.4 \ , \ 3.3 \)$	259	1	(0, 2.4)	194

Percentage of students who did not eat fruit (during the 30 days before the survey):

	Total				Female			Male			
	Percen	tag 9 5%	N	Percen	tag 9 5 %	N	Percen	ıta §5 %	N		
		confi-			confi-			confi-			
		dence			dence			dence			
		interval			interval			interval			
Total	7.9	(6.6,	3093	8.2	(6.4,	1596	7.4	(6, 8.7)	1441		
		9.2)			10.1))			
Age											
12 or	6.4	(2.8,	177	5.7	(1.5,	93	4.5	(0, 9.6)	71		
younger		10)			9.8))			
13 -	7.5	(6.1,	1782	7.2	(5.4,9)	920	7.8	(6.2,	851		
15		8.9))			9.4)			
16 or	7.8	(5.8,	974	9.1	(6.4,	504	6.6	(4.3, 9)	457		
17		9.8)			11.9))			
13 -	7.6	(6.3,	2756	7.9	(6.2)	1424	7.3	(5.8,	1308		
17		8.9)			9.6)			8.8)			
18 or	12.6	(5.6,	119	14.2	(3.5)	67	11	(2.4,	51		
older		19.6)			24.8)			19.7)			
Grade		,			,			,			
Octavo	7.6	(5.7,	659	8	(4.6,	326	7.1	(4.1,	326		
(8)		9.4)			11.3)			10)			
Noveno	7.2	(5, 9.4)	666	6.2	(3.1,	335	8.1	(4.9,	323		
(9))			9.4)			11.3)			
$\stackrel{\circ}{\operatorname{Primer}}$	8.4	(6.3,	723	9.9	(6.2)	360	6.3	(3.8)	357		
Curso		10.4)			13.6)			8.9)			
(1)		,			,			,			
Segundo	8.6	(5.9,	527	10	(6.2,	299	7.2	(4.1,	223		
Curso		11.3)			13.8)			10.4)			
(2)		,			,			,			
Tercer	7.6	(4,	462	7	(1.8,	257	8.2	(4.8,	194		
Curso		11.3)			12.3)			11.7			
(3)		,			/			,			

Percentage of students who did not eat vegetables (during the 30 days before the survey):

	Total				Female		Male			
	Percei	Percentage5%		Percer	Percentage 5 % N		Percenta 95 %		N	
		confi-			confi-			confi-		
		dence			dence			dence		
		interval			interval			interval		
Total	4.6	(4, 5.3)	3118	3.9	(3, 4.8)	1608	5.1	(4, 6.1)	1455	
)))		
Age										
12 or	6.8	(2.3,	177	7.7	(1.1,	93	6.7	(1.9,	72	
younger		11.2)			14.3)			11.6)		
13 -	4.5	(3.4,	1801	3.5	(2.3,	930	5.2	(3.9,	860	
15		5.6)			4.8)			6.5)		
16 or	4.2	(3.1,	978	3.3	(1.8,	506	5.1	(3, 7.2)	459	
17		5.4)			4.7))		
13 -	4.4	(3.6,	2779	3.4	(2.4,	1436	5.2	(4, 6.3)	1319	
17		5.2)			4.5))		

		Total			Female			Male	
18 or older	2.6	(0,6.6)	120	3.5	(0,9.6)	66	1.7	(0,5.1)	53
Grade		,			ŕ			•	
Octavo (8)	4.8	(3,6.6)	659	4.6	(2.5, 6.8)	325	4.8	(2.3, 7.3)	327
Noveno (9)	4.8	$\stackrel{'}{(}3.2\;, \\ 6.4\;)$	679	3.7	$(\begin{array}{c} 1.5^{'}, \\ 5.9 \end{array})$	342	6	$(\begin{array}{c} 3.1 \\ 8.9 \end{array})$	329
Primer Curso (1)	5	$(\ 3.4\ ,\ 6.5\)$	734	4.3	(2,6.6)	366	5.1	$(\begin{array}{c} 2.6 \\ 7.6 \end{array})$	362
Segundo Curso (2)	4	(2,6)	528	3.6	(1.4, 5.9)	299	4.5	(1.6, 7.4)	224
Tercer Curso (3)	3.6	(1.9, 5.3)	462	2.8	(1.4, 4.2)	256	4.7	(1.2, 8.2)	195

Percentage of students who did not drink carbonated soft drinks (excluding diet soft drinks, during the 30 days before the survey):

	Total				Female			Male		
	Percer	ntag 9 5% confi-	N	Percen	tag 9 5 % confi-	N	Percen	ta 95 % confi-	N	
		dence			dence			dence		
_		interval			interval			interval		
Total	8.9	(7.5, 10.2)	3100	9.7	(7.4, 12)	1598	8.2	(6.7, 9.7)	1448	
Age										
12 or	7.5	(3.6,	176	7.3	(2.1,	94	9	(2.2,	70	
younger		11.4)			12.4)			15.8)		
13 -	8.7	(6.9,	1791	9	(6.1,	925	8.4	(6.7,	856	
15		10.4)			12)			10)		
16 or	9.9	(8,	978	12	(9,	506	7.8	(5.2,	459	
17		11.8)			14.9)			10.4)		
13 -	9.1	(7.7,	2769	10.1	(7.8,	1431	8.1	(6.7,	1315	
17		10.5)			12.4)			$9.6\;)$		
18 or	5.5	(0.4,	116	4.7	(0,	62	6.3	(0,	53	
older		10.5)			10.2)			13.8)		
Grade										
Octavo	9.6	(7.4,	656	8.8	(4.8,	325	10.7	(7,	325	
(8)		11.9)			12.7)			14.4)		
Noveno	8.4	(4.6,	673	9.5	(4.9,	339	7.5	(3.3,	327	
(9)		12.2)			14.1)			11.6)		
Primer	7.6	(5.7,	725	9	(6,	361	6.3	(4.4,	358	
Curso (1)		9.5)			11.9)			8.3)		
Segundo	10	(7.4,	528	10.1	(5.9,	299	9.6	(6.4,	224	
Curso (2)		12.5)			14.3)			12.8)		

	Total				Female		Male		
Tercer Curso (3)	8.5	(6,11)	461	10.7	(7.7, 13.8)	254	6	(1.9 , 10.1)	196

Percentage of students who did not eat food from a fast food restaurant (during the 7 days before the survey) :

	Total				Female			Male		
	Percen	tag95% confi-	N	Percen	tag 9 5 % confi-	N	Percen	ta §5 % confi-	N	
		dence interval			dence interval			dence interval		
Total	45.5	(41.4, 49.5)	3105	47.3	(42.8, 51.9)	1599	44.2	(39.9, 48.4)	1451	
Age		,			,			,		
12 or younger	41.8	(33.8, 49.9)	176	43.9	(33.3, 54.4)	94	40.7	(28.8, 52.5)	70	
13 - 15	45.7	(41.3, 50.1)	1797	45.5	(40.7), 50.4)	925	46	(41, 51.1)	862	
16 or 17	46.1	(40.1, 52.1)	973	50.5	(43.2, 57.8)	504	42.6	(36.6, 48.6)	456	
13 - 17	45.8	(41.5, 50.2)	2770	47.3	(42.5, 52.1)	1429	44.7	(40.1, 49.3)	1318	
18 or older	43.6	(31.8, 55.5)	118	50.9	(41.3, 60.5)	64	37	(20.4, 53.5)	53	
Grade										
Octavo (8)	43.2	(38.4, 48)	654	40.7	(34.2, 47.2)	322	46.6	(41.3, 51.9)	326	
Noveno (9)	41.6	(34.3, 48.8)	679	42.7	(35.2, 50.1)	341	41.1	(31.8, 50.4)	330	
Primer Curso (1)	51.4	(45.1, 57.7)	723	56.3	(48.2, 64.4)	360	46.8	(39.1, 54.5)	357	
Segundo Curso (2)	45.6	(37.6 , 53.7)	529	45.5	(36, 55)	300	46.4	(37.9, 54.9)	224	
Tercer Curso (3)	44.8	(38.1, 51.4)	463	51.8	(42.2, 61.4)	256	37.9	(31.1, 44.6)	196	