

MIT Scheme Reference Manual

Edition 1.96
for Scheme Release 7.7.0
13 March 2002

by Chris Hanson
the MIT Scheme Team
and a cast of thousands

Copyright © 1988-2002 Massachusetts Institute of Technology

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.1 or any later version published by the Free Software Foundation; with no Invariant Sections, with no Front-Cover Texts, and with no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Acknowledgements

While "a cast of thousands" may be an overstatement, it is certainly the case that this document represents the work of many people. First and foremost, thanks go to the authors of the *Revised⁴ Report on the Algorithmic Language Scheme*, from which much of this document is derived. Thanks also to BBN Advanced Computers Inc. for the use of parts of their *Butterfly Scheme Reference*, and to Margaret O'Connell for translating it from BBN's text-formatting language to ours.

Special thanks to Richard Stallman, Bob Chassell, and Brian Fox, all of the Free Software Foundation, for creating and maintaining the Texinfo formatting language in which this document is written.

This report describes research done at the Artificial Intelligence Laboratory and the Laboratory for Computer Science, both of the Massachusetts Institute of Technology. Support for this research is provided in part by the Advanced Research Projects Agency of the Department of Defense and by the National Science Foundation.

1 Overview

This manual is a detailed description of the MIT Scheme runtime system. It is intended to be a reference document for programmers. It does not describe how to run Scheme or how to interact with it — that is the subject of the *MIT Scheme User's Manual*.

This chapter summarizes the semantics of Scheme, briefly describes the MIT Scheme programming environment, and explains the syntactic and lexical conventions of the language. Subsequent chapters describe special forms, numerous data abstractions, and facilities for input and output.

Throughout this manual, we will make frequent references to *standard Scheme*, which is the language defined by the document *Revised⁴ Report on the Algorithmic Language Scheme*, by William Clinger, Jonathan Rees, et al., or by IEEE Std. 1178-1990, *IEEE Standard for the Scheme Programming Language* (in fact, several parts of this document are copied from the *Revised Report*). MIT Scheme is an extension of standard Scheme.

These are the significant semantic characteristics of the Scheme language:

Variables are statically scoped

Scheme is a *statically scoped* programming language, which means that each use of a variable is associated with a lexically apparent binding of that variable. Algol is another statically scoped language.

Types are latent

Scheme has *latent* types as opposed to *manifest* types, which means that Scheme associates types with values (or objects) rather than with variables. Other languages with latent types (also referred to as *weakly* typed or *dynamically* typed languages) include APL, Snobol, and other dialects of Lisp. Languages with manifest types (sometimes referred to as *strongly* typed or *statically* typed languages) include Algol 60, Pascal, and C.

Objects have unlimited extent

All objects created during a Scheme computation, including procedures and continuations, have unlimited extent; no Scheme object is ever destroyed. The system doesn't run out of memory because the garbage collector reclaims the storage occupied by an object when the object cannot possibly be needed by a future computation. Other languages in which most objects have unlimited extent include APL and other Lisp dialects.

Proper tail recursion

Scheme is *properly tail-recursive*, which means that iterative computation can occur in constant space, even if the iterative computation is described by a syntactically recursive procedure. With a tail-recursive implementation, you can express iteration using the ordinary procedure-call mechanics; special iteration expressions are provided only for syntactic convenience.

Procedures are objects

Scheme procedures are objects, which means that you can create them dynamically, store them in data structures, return them as the results of other procedures, and so on. Other languages with such procedure objects include Common Lisp and ML.

Continuations are explicit

In most other languages, continuations operate behind the scenes. In Scheme, continuations are objects; you can use continuations for implementing a variety of advanced control constructs, including non-local exits, backtracking, and coroutines.

Arguments are passed by value

Arguments to Scheme procedures are passed by value, which means that Scheme evaluates the argument expressions before the procedure gains control, whether or not the procedure needs the result of the evaluations. ML, C, and APL are three other languages that pass arguments by value. In languages such as SASL and Algol 60, argument expressions are not evaluated unless the values are needed by the procedure.

Scheme uses a parenthesized-list Polish notation to describe programs and (other) data. The syntax of Scheme, like that of most Lisp dialects, provides for great expressive power, largely due to its simplicity. An important consequence of this simplicity is the susceptibility of Scheme programs and data to uniform treatment by other Scheme programs. As with other Lisp dialects, the **read** primitive parses its input; that is, it performs syntactic as well as lexical decomposition of what it reads.

1.1 Notational Conventions

This section details the notational conventions used throughout the rest of this document.

1.1.1 Errors

When this manual uses the phrase “an error will be signalled,” it means that Scheme will call **error**, which normally halts execution of the program and prints an error message.

When this manual uses the phrase “it is an error,” it means that the specified action is not valid in Scheme, but the system may or may not signal the error. When this manual says that something “must be,” it means that violating the requirement is an error.

1.1.2 Examples

This manual gives many examples showing the evaluation of expressions. The examples have a common format that shows the expression being evaluated on the left hand side, an “arrow” in the middle, and the value of the expression written on the right. For example:

`(+ 1 2)` \Rightarrow `3`

Sometimes the arrow and value will be moved under the expression, due to lack of space. Occasionally we will not care what the value is, in which case both the arrow and the value are omitted.

If an example shows an evaluation that results in an error, an error message is shown, prefaced by ‘`error`’:

`(+ 1 'foo)` `error` Illegal datum

An example that shows printed output marks it with ‘`→`’:

```
(begin (write 'foo) 'bar)
  ↦ foo
  ⇒ bar
```

When this manual indicates that the value returned by some expression is *unspecified*, it means that the expression will evaluate to some object without signalling an error, but that programs should not depend on the value in any way.

1.1.3 Entry Format

Each description of an MIT Scheme variable, special form, or procedure begins with one or more header lines in this format:

template *category*
 where *category* specifies the kind of item (“variable”, “special form”, or “procedure”). The form of *template* is interpreted depending on *category*.

Variable *Template* consists of the variable’s name.

Special Form

Template starts with the syntactic keyword of the special form, followed by a description of the special form’s syntax. The description is written using the following conventions.

Named components are italicized in the printed manual, and uppercase in the Info file. “Noise” keywords, such as the **else** keyword in the **cond** special form, are set in a fixed width font in the printed manual; in the Info file they are not distinguished. Parentheses indicate themselves.

A horizontal ellipsis (...) describes repeated components. Specifically,

thing ...

indicates *zero* or more occurrences of *thing*, while

thing thing ...

indicates *one* or more occurrences of *thing*.

Brackets, [], enclose optional components.

Several special forms (e.g. **lambda**) have an internal component consisting of a series of expressions; usually these expressions are evaluated sequentially under conditions that are specified in the description of the special form. This sequence of expressions is commonly referred to as the *body* of the special form.

Procedure *Template* starts with the name of the variable to which the procedure is bound, followed by a description of the procedure’s arguments. The arguments are described using “lambda list” notation (see [Section 2.1 \[Lambda Expressions\]](#), [page 15](#)), except that brackets are used to denote optional arguments, and ellipses are used to denote “rest” arguments.

The names of the procedure’s arguments are italicized in the printed manual, and uppercase in the Info file.

When an argument names a Scheme data type, it indicates that the argument must be that type of data object. For example,

cdr *pair* procedure
 indicates that the standard Scheme procedure **cdr** takes one argument, which must be a pair.

Many procedures signal an error when an argument is of the wrong type; usually this error is a condition of type **condition-type:wrong-type-argument**.

In addition to the standard data-type names (*pair*, *list*, *boolean*, *string*, etc.), the following names as arguments also imply type restrictions:

- *object*: any object
- *thunk*: a procedure of no arguments
- *x*, *y*: real numbers
- *q*, *n*: integers
- *k*: an exact non-negative integer

Some examples:

list *object* ... procedure
 indicates that the standard Scheme procedure **list** takes zero or more arguments, each of which may be any Scheme object.

write-char *char* [*output-port*] procedure
 indicates that the standard Scheme procedure **write-char** must be called with a character, *char*, and may also be called with a character and an output port.

1.2 Scheme Concepts

1.2.1 Variable Bindings

Any identifier that is not a syntactic keyword may be used as a variable (see [Section 1.3.3 \[Identifiers\]](#), page 10). A variable may name a location where a value can be stored. A variable that does so is said to be *bound* to the location. The value stored in the location to which a variable is bound is called the variable's *value*. (The variable is sometimes said to *name* the value or to be *bound to* the value.)

A variable may be bound but still not have a value; such a variable is said to be *unassigned*. Referencing an unassigned variable is an error. When this error is signalled, it is a condition of type **condition-type:unassigned-variable**; sometimes the compiler does not generate code to signal the error. Unassigned variables are useful only in combination with side effects (see [Section 2.5 \[Assignments\]](#), page 22).

1.2.2 Environment Concepts

An *environment* is a set of variable bindings. If an environment has no binding for a variable, that variable is said to be *unbound* in that environment. Referencing an unbound variable signals a condition of type **condition-type:unbound-variable**.

A new environment can be created by *extending* an existing environment with a set of new bindings. Note that “extending an environment” does **not** modify the environment;

rather, it creates a new environment that contains the new bindings and the old ones. The new bindings *shadow* the old ones; that is, if an environment that contains a binding for x is extended with a new binding for x , then only the new binding is seen when x is looked up in the extended environment. Sometimes we say that the original environment is the *parent* of the new one, or that the new environment is a *child* of the old one, or that the new environment *inherits* the bindings in the old one.

Procedure calls extend an environment, as do `let`, `let*`, `letrec`, and `do` expressions. Internal definitions (see [Section 2.4.2 \[Internal Definitions\]](#), page 21) also extend an environment. (Actually, all the constructs that extend environments can be expressed in terms of procedure calls, so there is really just one fundamental mechanism for environment extension.) A top-level definition (see [Section 2.4.1 \[Top-Level Definitions\]](#), page 21) may add a binding to an existing environment.

1.2.3 Initial and Current Environments

MIT Scheme provides an *initial environment* that contains all of the variable bindings described in this manual. Most environments are ultimately extensions of this initial environment. In Scheme, the environment in which your programs execute is actually a child (extension) of the environment containing the system's bindings. Thus, system names are visible to your programs, but your names do not interfere with system programs.

The environment in effect at some point in a program is called the *current environment* at that point. In particular, every REP loop has a current environment. (REP stands for “read-eval-print”; the REP loop is the Scheme program that reads your input, evaluates it, and prints the result.) The environment of the top-level REP loop (the one you are in when Scheme starts up) starts as *user-initial-environment*, although it can be changed by the `ge` procedure. When a new REP loop is created, its environment is determined by the program that creates it.

1.2.4 Static Scoping

Scheme is a statically scoped language with block structure. In this respect, it is like Algol and Pascal, and unlike most other dialects of Lisp except for Common Lisp.

The fact that Scheme is statically scoped (rather than dynamically bound) means that the environment that is extended (and becomes current) when a procedure is called is the environment in which the procedure was created (i.e. in which the procedure's defining lambda expression was evaluated), not the environment in which the procedure is called. Because all the other Scheme *binding expressions* can be expressed in terms of procedures, this determines how all bindings behave.

Consider the following definitions, made at the top-level REP loop (in the initial environment):

```
(define x 1)
(define (f x) (g 2))
(define (g y) (+ x y))
(f 5)                                     ⇒  3 ; not 7
```

Here `f` and `g` are bound to procedures created in the initial environment. Because Scheme is statically scoped, the call to `g` from `f` extends the initial environment (the one in which

`g` was created) with a binding of `y` to 2. In this extended environment, `y` is 2 and `x` is 1. (In a dynamically bound Lisp, the call to `g` would extend the environment in effect during the call to `f`, in which `x` is bound to 5 by the call to `f`, and the answer would be 7.)

Note that with static scoping, you can tell what binding a variable reference refers to just from looking at the text of the program; the referenced binding cannot depend on how the program is used. That is, the nesting of environments (their parent-child relationship) corresponds to the nesting of binding expressions in program text. (Because of this connection to the text of the program, static scoping is also called *lexical* scoping.) For each place where a variable is bound in a program there is a corresponding *region* of the program text within which the binding is effective. For example, the region of a binding established by a `lambda` expression is the entire body of the `lambda` expression. The documentation of each binding expression explains what the region of the bindings it makes is. A use of a variable (that is, a reference to or assignment of a variable) refers to the innermost binding of that variable whose region contains the variable use. If there is no such region, the use refers to the binding of the variable in the global environment (which is an ancestor of all other environments, and can be thought of as a region in which all your programs are contained).

1.2.5 True and False

In Scheme, the boolean values `true` and `false` are denoted by `#t` and `#f`. However, any Scheme value can be treated as a boolean for the purpose of a conditional test. This manual uses the word *true* to refer to any Scheme value that counts as true, and the word *false* to refer to any Scheme value that counts as false. In conditional tests, all values count as true except for `#f`, which counts as false (see [Section 2.7 \[Conditionals\]](#), page 24).

Implementation note: In MIT Scheme, `#f` and the empty list are the same object, and the printed representation of `#f` is always `()`. As this contradicts the Scheme standard, MIT Scheme will be changed to make `#f` and the empty list different objects.

1.2.6 External Representations

An important concept in Scheme is that of the *external representation* of an object as a sequence of characters. For example, an external representation of the integer 28 is the sequence of characters `'28'`, and an external representation of a list consisting of the integers 8 and 13 is the sequence of characters `'(8 13)'`.

The external representation of an object is not necessarily unique. The integer 28 also has representations `'#e28.000'` and `'#x1c'`, and the list in the previous paragraph also has the representations `'(08 13)'` and `'(8 . (13 . ()))'`.

Many objects have standard external representations, but some, such as procedures and circular data structures, do not have standard representations (although particular implementations may define representations for them).

An external representation may be written in a program to obtain the corresponding object (see [Section 2.6 \[Quoting\]](#), page 22).

External representations can also be used for input and output. The procedure `read` parses external representations, and the procedure `write` generates them. Together, they provide an elegant and powerful input/output facility.

Note that the sequence of characters ‘(+ 2 6)’ is *not* an external representation of the integer 8, even though it *is* an expression that evaluates to the integer 8; rather, it is an external representation of a three-element list, the elements of which are the symbol + and the integers 2 and 6. Scheme’s syntax has the property that any sequence of characters that is an expression is also the external representation of some object. This can lead to confusion, since it may not be obvious out of context whether a given sequence of characters is intended to denote data or program, but it is also a source of power, since it facilitates writing programs such as interpreters and compilers that treat programs as data or data as programs.

1.2.7 Disjointness of Types

Every object satisfies at most one of the following predicates (but see [Section 1.2.5 \[True and False\]](#), page 8, for an exception):

bit-string?	environment?	port?	symbol?
boolean?	null?	procedure?	vector?
cell?	number?	promise?	weak-pair?
char?	pair?	string?	
condition?			

1.2.8 Storage Model

This section describes a model that can be used to understand Scheme’s use of storage.

Variables and objects such as pairs, vectors, and strings implicitly denote locations or sequences of locations. A string, for example, denotes as many locations as there are characters in the string. (These locations need not correspond to a full machine word.) A new value may be stored into one of these locations using the **string-set!** procedure, but the string continues to denote the same locations as before.

An object fetched from a location, by a variable reference or by a procedure such as **car**, **vector-ref**, or **string-ref**, is equivalent in the sense of **eqv?** to the object last stored in the location before the fetch.

Every location is marked to show whether it is in use. No variable or object ever refers to a location that is not in use. Whenever this document speaks of storage being allocated for a variable or object, what is meant is that an appropriate number of locations are chosen from the set of locations that are not in use, and the chosen locations are marked to indicate that they are now in use before the variable or object is made to denote them.

In many systems it is desirable for constants (i.e. the values of literal expressions) to reside in read-only memory. To express this, it is convenient to imagine that every object that denotes locations is associated with a flag telling whether that object is mutable or immutable. The constants and the strings returned by **symbol->string** are then the immutable objects, while all objects created by other procedures are mutable. It is an error to attempt to store a new value into a location that is denoted by an immutable object. Note that the MIT Scheme compiler takes advantage of this property to share constants, but that these constants are not immutable. Instead, two constants that are **equal?** may be **eq?** in compiled code.

1.3 Lexical Conventions

This section describes Scheme's lexical conventions.

1.3.1 Whitespace

Whitespace characters are spaces, newlines, tabs, and page breaks. Whitespace is used to improve the readability of your programs and to separate tokens from each other, when necessary. (A *token* is an indivisible lexical unit such as an identifier or number.) Whitespace is otherwise insignificant. Whitespace may occur between any two tokens, but not within a token. Whitespace may also occur inside a string, where it is significant.

1.3.2 Delimiters

All whitespace characters are *delimiters*. In addition, the following characters act as delimiters:

() ; " ' ` |

Finally, these next characters act as delimiters, despite the fact that Scheme does not define any special meaning for them:

[] { }

For example, if the value of the variable `name` is `"max"`:

`(list"Hi"name(+ 1 2))` \Rightarrow `("Hi" "max" 3)`

1.3.3 Identifiers

An *identifier* is a sequence of one or more non-delimiter characters. Identifiers are used in several ways in Scheme programs:

- An identifier can be used as a variable or as a syntactic keyword.
- When an identifier appears as a literal or within a literal, it denotes a symbol.

Scheme accepts most of the identifiers that other programming languages allow. MIT Scheme allows all of the identifiers that standard Scheme does, plus many more.

MIT Scheme defines a potential identifier to be a sequence of non-delimiter characters that does not begin with either of the characters `#` or `,`. Any such sequence of characters that is not a syntactically valid number (see [Chapter 4 \[Numbers\]](#), page 57) is considered to be a valid identifier. Note that, although it is legal for `#` and `,` to appear in an identifier (other than in the first character position), it is poor programming practice.

Here are some examples of identifiers:

<code>lambda</code>	<code>q</code>
<code>list->vector</code>	<code>soup</code>
<code>+</code>	<code>V17a</code>
<code><=?</code>	<code>a34kTMNs</code>
<code>the-word-recursion-has-many-meanings</code>	

1.3.4 Uppercase and Lowercase

Scheme doesn't distinguish uppercase and lowercase forms of a letter except within character and string constants; in other words, Scheme is *case-insensitive*. For example, 'Foo' is the same identifier as 'FOO', and '#x1AB' is the same number as '#X1ab'. But '#\a' and '#\A' are different characters.

1.3.5 Naming Conventions

A *predicate* is a procedure that always returns a boolean value (`#t` or `#f`). By convention, predicates usually have names that end in '?'.
 A *mutation procedure* is a procedure that alters a data structure. By convention, mutation procedures usually have names that end in '!'.

1.3.6 Comments

The beginning of a comment is indicated with a semicolon (`;`). Scheme ignores everything on a line in which a semicolon appears, from the semicolon until the end of the line. The entire comment, including the newline character that terminates it, is treated as whitespace.

An alternative form of comment (sometimes called an *extended comment*) begins with the characters `#|` and ends with the characters `|#`. This alternative form is an MIT Scheme extension. As with ordinary comments, all of the characters in an extended comment, including the leading `#|` and trailing `|#`, are treated as whitespace. Comments of this form may extend over multiple lines, and additionally may be nested (unlike the comments of the programming language C, which have a similar syntax).

```
;;; This is a comment about the FACT procedure. Scheme
;;; ignores all of this comment. The FACT procedure computes
;;; the factorial of a non-negative integer.

#|
This is an extended comment.
Such comments are useful for commenting out code fragments.
|#

(define fact
  (lambda (n)
    (if (= n 0)                                ;This is another comment:
        1                                       ;Base case: return 1
        (* n (fact (- n 1))))))
```

1.3.7 Additional Notations

The following list describes additional notations used in Scheme. See [Chapter 4 \[Numbers\]](#), [page 57](#), for a description of the notations used for numbers.

- + - . The plus sign, minus sign, and period are used in numbers, and may also occur in an identifier. A delimited period (not occurring within a number or identifier) is used in the notation for pairs and to indicate a “rest” parameter in a formal parameter list (see [Section 2.1 \[Lambda Expressions\]](#), [page 15](#)).

()	Parentheses are used for grouping and to notate lists (see Chapter 7 [Lists] , page 105).
"	The double quote delimits strings (see Chapter 6 [Strings] , page 87).
\	The backslash is used in the syntax for character constants (see Chapter 5 [Characters] , page 77) and as an escape character within string constants (see Chapter 6 [Strings] , page 87).
;	The semicolon starts a comment.
'	The single quote indicates literal data; it suppresses evaluation (see Section 2.6 [Quoting] , page 22).
`	The backquote indicates almost-constant data (see Section 2.6 [Quoting] , page 22).
,	The comma is used in conjunction with the backquote (see Section 2.6 [Quoting] , page 22).
,@	A comma followed by an at-sign is used in conjunction with the backquote (see Section 2.6 [Quoting] , page 22).
#	The sharp (or pound) sign has different uses, depending on the character that immediately follows it:
#t #f	These character sequences denote the boolean constants (see Section 10.1 [Booleans] , page 127).
#\	This character sequence introduces a character constant (see Chapter 5 [Characters] , page 77).
#(This character sequence introduces a vector constant (see Chapter 8 [Vectors] , page 119). A close parenthesis, ')', terminates a vector constant.
#e #i #b #o #d #l #s #x	These character sequences are used in the notation for numbers (see Chapter 4 [Numbers] , page 57).
#	This character sequence introduces an extended comment. The comment is terminated by the sequence ' #'. This notation is an MIT Scheme extension.
#!	This character sequence is used to denote a small set of named constants. Currently there are only two of these, <code>#!optional</code> and <code>#!rest</code> , both of which are used in the <code>lambda</code> special form to mark certain parameters as being “optional” or “rest” parameters. This notation is an MIT Scheme extension.
**	This character sequence introduces a bit string (see Chapter 9 [Bit Strings] , page 123). This notation is an MIT Scheme extension.
#[This character sequence is used to denote objects that do not have a readable external representation (see Section 14.7 [Custom Output] , page 193). A close bracket, ']', terminates the object's notation. This notation is an MIT Scheme extension.
#@	This character sequence is a convenient shorthand used to refer to objects by their hash number (see Section 14.7 [Custom Output] , page 193). This notation is an MIT Scheme extension.

#=
These character sequences introduce a notation used to show circular structures in printed output, or to denote them in input. The notation works much like that in Common Lisp, and is an MIT Scheme extension.

1.4 Expressions

A Scheme *expression* is a construct that returns a value. An expression may be a *literal*, a *variable reference*, a *special form*, or a *procedure call*.

1.4.1 Literal Expressions

Literal constants may be written by using an external representation of the data. In general, the external representation must be *quoted* (see [Section 2.6 \[Quoting\]](#), page 22); but some external representations can be used without quotation.

"abc"	⇒	"abc"
145932	⇒	145932
#t	⇒	#t
#\a	⇒	#\a

The external representation of numeric constants, string constants, character constants, and boolean constants evaluate to the constants themselves. Symbols, pairs, lists, and vectors require quoting.

1.4.2 Variable References

An expression consisting of an identifier (see [Section 1.3.3 \[Identifiers\]](#), page 10) is a *variable reference*; the identifier is the name of the variable being referenced. The value of the variable reference is the value stored in the location to which the variable is bound. An error is signalled if the referenced variable is unbound or unassigned.

(define x 28)	
x	⇒ 28

1.4.3 Special Form Syntax

(*keyword component ...*)

A parenthesized expression that starts with a *syntactic keyword* is a *special form*. Each special form has its own syntax, which is described later in the manual.

Note that syntactic keywords and variable bindings share the same namespace. A local variable binding may shadow a syntactic keyword, and a local syntactic-keyword definition may shadow a variable binding.

The following list contains all of the syntactic keywords that are defined when MIT Scheme is initialized:

access	and	begin
case	cond	cons-stream
declare	default-object?	define
define-integrable	define-structure	define-syntax
delay	do	er-macro-transformer

fluid-let	if	lambda
let	let*	let*-syntax
let-syntax	letrec	letrec-syntax
local-declare	named-lambda	non-hygienic-macro-transformer
or	quasiquote	quote
rsc-macro-transformer	sc-macro-transformer	set!
syntax-rules	the-environment	

1.4.4 Procedure Call Syntax

(*operator operand ...*)

A *procedure call* is written by simply enclosing in parentheses expressions for the procedure to be called (the *operator*) and the arguments to be passed to it (the *operands*). The *operator* and *operand* expressions are evaluated and the resulting procedure is passed the resulting arguments. See [Section 2.1 \[Lambda Expressions\]](#), [page 15](#), for a more complete description of this.

Another name for the procedure call expression is *combination*. This word is more specific in that it always refers to the expression; “procedure call” sometimes refers to the *process* of calling a procedure.

Unlike some other dialects of Lisp, Scheme always evaluates the operator expression and the operand expressions with the same evaluation rules, and the order of evaluation is unspecified.

(+ 3 4)	⇒	7
((if #f = *) 3 4)	⇒	12

A number of procedures are available as the values of variables in the initial environment; for example, the addition and multiplication procedures in the above examples are the values of the variables `+` and `*`. New procedures are created by evaluating `lambda` expressions.

If the *operator* is a syntactic keyword, then the expression is not treated as a procedure call: it is a special form.

2 Special Forms

A special form is an expression that follows special evaluation rules. This chapter describes the basic Scheme special forms.

2.1 Lambda Expressions

lambda *formals expression expression . . .* special form

A **lambda** expression evaluates to a procedure. The environment in effect when the **lambda** expression is evaluated is remembered as part of the procedure; it is called the *closing environment*. When the procedure is later called with some arguments, the closing environment is extended by binding the variables in the formal parameter list to fresh locations, and the locations are filled with the arguments according to rules about to be given. The new environment created by this process is referred to as the *invocation environment*.

Once the invocation environment has been constructed, the *expressions* in the body of the **lambda** expression are evaluated sequentially in it. This means that the region of the variables bound by the **lambda** expression is all of the *expressions* in the body. The result of evaluating the last *expression* in the body is returned as the result of the procedure call.

Formals, the formal parameter list, is often referred to as a *lambda list*.

The process of matching up formal parameters with arguments is somewhat involved. There are three types of parameters, and the matching treats each in sequence:

Required All of the *required* parameters are matched against the arguments first. If there are fewer arguments than required parameters, an error of type `condition-type:wrong-number-of-arguments` is signalled; this error is also signalled if there are more arguments than required parameters and there are no further parameters.

Optional Once the required parameters have all been matched, the *optional* parameters are matched against the remaining arguments. If there are fewer arguments than optional parameters, the unmatched parameters are bound to special objects called *default objects*. If there are more arguments than optional parameters, and there are no further parameters, an error of type `condition-type:wrong-number-of-arguments` is signalled.

The predicate `default-object?`, which is true only of default objects, can be used to determine which optional parameters were supplied, and which were defaulted.

Rest Finally, if there is a *rest* parameter (there can only be one), any remaining arguments are made into a list, and the list is bound to the rest parameter. (If there are no remaining arguments, the rest parameter is bound to the empty list.)

In Scheme, unlike some other Lisp implementations, the list to which a rest parameter is bound is always freshly allocated. It has infinite extent and may be modified without affecting the procedure's caller.

Specially recognized keywords divide the *formals* parameters into these three classes. The keywords used here are ‘#!optional’, ‘.’, and ‘#!rest’. Note that only ‘.’ is defined by standard Scheme — the other keywords are MIT Scheme extensions. ‘#!rest’ has the same meaning as ‘.’ in *formals*.

The use of these keywords is best explained by means of examples. The following are typical lambda lists, followed by descriptions of which parameters are required, optional, and rest. We will use ‘#!rest’ in these examples, but anywhere it appears ‘.’ could be used instead.

(a b c) a, b, and c are all required. The procedure must be passed exactly three arguments.

(a b #!optional c) a and b are required, c is optional. The procedure may be passed either two or three arguments.

(#!optional a b c) a, b, and c are all optional. The procedure may be passed any number of arguments between zero and three, inclusive.

a
(#!rest a) These two examples are equivalent. a is a rest parameter. The procedure may be passed any number of arguments. Note: this is the only case in which ‘.’ cannot be used in place of ‘#!rest’.

(a b #!optional c d #!rest e) a and b are required, c and d are optional, and e is rest. The procedure may be passed two or more arguments.

Some examples of lambda expressions:

(lambda (x) (+ x x)) ⇒ #[compound-procedure 53]

((lambda (x) (+ x x)) 4) ⇒ 8

(define reverse-subtract
 (lambda (x y)
 (- y x)))
(reverse-subtract 7 10) ⇒ 3

(define foo
 (let ((x 4))
 (lambda (y) (+ x y))))
(foo 6) ⇒ 10

named-lambda *formals expression expression ...* special form

The **named-lambda** special form is similar to **lambda**, except that the first “required parameter” in *formals* is not a parameter but the *name* of the resulting procedure; thus *formals* must have at least one required parameter. This name has no semantic meaning, but is included in the external representation of the procedure, making it

useful for debugging. In MIT Scheme, `lambda` is implemented as `named-lambda`, with a special name that means “unnamed”.

```
(named-lambda (f x) (+ x x))    ⇒  #[compound-procedure 53 f]
((named-lambda (f x) (+ x x)) 4) ⇒  8
```

2.2 Lexical Binding

The three binding constructs `let`, `let*`, and `letrec`, give Scheme block structure. The syntax of the three constructs is identical, but they differ in the regions they establish for their variable bindings. In a `let` expression, the initial values are computed before any of the variables become bound. In a `let*` expression, the evaluations and bindings are sequentially interleaved. And in a `letrec` expression, all the bindings are in effect while the initial values are being computed (thus allowing mutually recursive definitions).

let *((variable init) ...) expression expression ...* special form

The *inits* are evaluated in the current environment (in some unspecified order), the *variables* are bound to fresh locations holding the results, the *expressions* are evaluated sequentially in the extended environment, and the value of the last *expression* is returned. Each binding of a *variable* has the *expressions* as its region.

MIT Scheme allows any of the *inits* to be omitted, in which case the corresponding *variables* are unassigned.

Note that the following are equivalent:

```
(let ((variable init) ...) expression expression ...)
((lambda (variable ...) expression expression ...) init ...)
```

Some examples:

```
(let ((x 2) (y 3))
  (* x y))                ⇒  6

(let ((x 2) (y 3))
  (let ((foo (lambda (z) (+ x y z)))
        (x 7))
    (foo 4)))              ⇒  9
```

See [Section 2.9 \[Iteration\]](#), page 27, for information on “named `let`”.

let* *((variable init) ...) expression expression ...* special form

`let*` is similar to `let`, but the bindings are performed sequentially from left to right, and the region of a binding is that part of the `let*` expression to the right of the binding. Thus the second binding is done in an environment in which the first binding is visible, and so on.

Note that the following are equivalent:

```
(let* ((variable1 init1)
      (variable2 init2)
      ...
      (variableN initN))
  expression
  expression ...)
```

```
(let ((variable1 init1))
  (let ((variable2 init2))
    ...
    (let ((variableN initN))
      expression
      expression ...)
    ...))
```

An example:

```
(let ((x 2) (y 3))
  (let* ((x 7)
        (z (+ x y)))
    (* z x)))           ⇒ 70
```

letrec ((*variable init*) ...) *expression expression* ... special form

The *variables* are bound to fresh locations holding unassigned values, the *inits* are evaluated in the extended environment (in some unspecified order), each *variable* is assigned to the result of the corresponding *init*, the *expressions* are evaluated sequentially in the extended environment, and the value of the last *expression* is returned. Each binding of a *variable* has the entire **letrec** expression as its region, making it possible to define mutually recursive procedures.

MIT Scheme allows any of the *inits* to be omitted, in which case the corresponding *variables* are unassigned.

```
(letrec ((even?
  (lambda (n)
    (if (zero? n)
        #t
        (odd? (- n 1)))))
  (odd?
  (lambda (n)
    (if (zero? n)
        #f
        (even? (- n 1)))))
  (even? 88))           ⇒ #t
```

One restriction on **letrec** is very important: it shall be possible to evaluate each *init* without assigning or referring to the value of any *variable*. If this restriction is violated, then it is an error. The restriction is necessary because Scheme passes arguments by value rather than by name. In the most common uses of **letrec**, all the *inits* are **lambda** or **delay** expressions and the restriction is satisfied automatically.

2.3 Dynamic Binding

fluid-let ((*variable init*) ...) *expression expression* ... special form

The *inits* are evaluated in the current environment (in some unspecified order), the current values of the *variables* are saved, the results are assigned to the *variables*, the *expressions* are evaluated sequentially in the current environment, the *variables* are restored to their original values, and the value of the last *expression* is returned.

The syntax of this special form is similar to that of `let`, but `fluid-let` temporarily rebinds existing variables. Unlike `let`, `fluid-let` creates no new bindings; instead it *assigns* the value of each *init* to the binding (determined by the rules of lexical scoping) of its corresponding *variable*.

MIT Scheme allows any of the *inits* to be omitted, in which case the corresponding *variables* are temporarily unassigned.

An error of type `condition-type:unbound-variable` is signalled if any of the *variables* are unbound. However, because `fluid-let` operates by means of side effects, it is valid for any *variable* to be unassigned when the form is entered.

Here is an example showing the difference between `fluid-let` and `let`. First see how `let` affects the binding of a variable:

```
(define variable #t)
(define (access-variable) variable)
variable ⇒ #t
(let ((variable #f))
  (access-variable)) ⇒ #f
variable ⇒ #t
```

`access-variable` returns `#t` in this case because it is defined in an environment with `variable` bound to `#t`. `fluid-let`, on the other hand, temporarily reuses an existing variable:

```
variable ⇒ #t
(fluid-let ((variable #f))
  (access-variable)) ⇒ #f
variable ⇒ #t
```

;reuses old binding

The *extent* of a dynamic binding is defined to be the time period during which the variable contains the new value. Normally this time period begins when the body is entered and ends when it is exited; on a sequential machine it is normally a contiguous time period. However, because Scheme has first-class continuations, it is possible to leave the body and then reenter it, as many times as desired. In this situation, the extent becomes non-contiguous.

When the body is exited by invoking a continuation, the new value is saved, and the variable is set to the old value. Then, if the body is reentered by invoking a continuation, the old value is saved, and the variable is set to the new value. In addition, side effects to the variable that occur both inside and outside of body are preserved, even if continuations are used to jump in and out of body repeatedly.

Here is a complicated example that shows the interaction between dynamic binding and continuations:

```

(define (complicated-dynamic-binding)
  (let ((variable 1)
        (inside-continuation))
    (write-line variable)
    (call-with-current-continuation
     (lambda (outside-continuation)
       (fluid-let ((variable 2))
         (write-line variable)
         (set! variable 3)
         (call-with-current-continuation
          (lambda (k)
            (set! inside-continuation k)
            (outside-continuation #t))))
         (write-line variable)
         (set! inside-continuation #f))))
    (write-line variable)
    (if inside-continuation
        (begin
          (set! variable 4)
          (inside-continuation #f))))))

```

Evaluating ‘(complicated-dynamic-binding)’ writes the following on the console:

```

1
2
1
3
4

```

Commentary: the first two values written are the initial binding of `variable` and its new binding after the `fluid-let`’s body is entered. Immediately after they are written, `variable` is set to ‘3’, and then `outside-continuation` is invoked, causing us to exit the body. At this point, ‘1’ is written, demonstrating that the original value of `variable` has been restored, because we have left the body. Then we set `variable` to ‘4’ and reenter the body by invoking `inside-continuation`. At this point, ‘3’ is written, indicating that the side effect that previously occurred within the body has been preserved. Finally, we exit body normally, and write ‘4’, demonstrating that the side effect that occurred outside of the body was also preserved.

2.4 Definitions

define <i>variable</i> [<i>expression</i>]	special form
define <i>formals expression expression . . .</i>	special form

Definitions are valid in some but not all contexts where expressions are allowed. Definitions may only occur at the top level of a program and at the beginning of a lambda body (that is, the body of a `lambda`, `let`, `let*`, `letrec`, `fluid-let`, or “procedure **define**” expression). A definition that occurs at the top level of a program is called a *top-level definition*, and a definition that occurs at the beginning of a body is called an *internal definition*.

In the second form of **define** (called “*procedure define*”), the component *formals* is identical to the component of the same name in a **named-lambda** expression. In fact, these two expressions are equivalent:

```
(define (name1 name2 ...)
  expression
  expression ...)

(define name1
  (named-lambda (name1 name2 ...)
    expression
    expression ...))
```

2.4.1 Top-Level Definitions

A top-level definition,

```
(define variable expression)
```

has essentially the same effect as this assignment expression, if *variable* is bound:

```
(set! variable expression)
```

If *variable* is not bound, however, **define** binds *variable* to a new location in the current environment before performing the assignment (it is an error to perform a **set!** on an unbound variable). If you omit *expression*, the variable becomes unassigned; an attempt to reference such a variable is an error.

(define add3	
(lambda (x) (+ x 3)))	⇒ unspecified
(add3 3)	⇒ 6
(define first car)	⇒ unspecified
(first '(1 2))	⇒ 1
(define bar)	⇒ unspecified
bar	error Unassigned variable

2.4.2 Internal Definitions

An *internal definition* is a definition that occurs at the beginning of a *body* (that is, the body of a **lambda**, **let**, **let***, **letrec**, **fluid-let**, or “*procedure define*” expression), rather than at the top level of a program. The variable defined by an internal definition is local to the *body*. That is, *variable* is bound rather than assigned, and the region of the binding is the entire *body*. For example,

```
(let ((x 5))
  (define foo (lambda (y) (bar x y)))
  (define bar (lambda (a b) (+ (* a b) a)))
  (foo (+ x 3))) ⇒ 45
```

A *body* containing internal definitions can always be converted into a completely equivalent **letrec** expression. For example, the **let** expression in the above example is equivalent to

```
(let ((x 5))
  (letrec ((foo (lambda (y) (bar x y)))
            (bar (lambda (a b) (+ (* a b) a))))
    (foo (+ x 3))))
```

2.5 Assignments

set! *variable* [*expression*] special form

If *expression* is specified, evaluates *expression* and stores the resulting value in the location to which *variable* is bound. If *expression* is omitted, *variable* is altered to be unassigned; a subsequent reference to such a *variable* is an error. In either case, the value of the **set!** expression is unspecified.

Variable must be bound either in some region enclosing the **set!** expression, or at the top level. However, *variable* is permitted to be unassigned when the **set!** form is entered.

(define x 2)	⇒ unspecified
(+ x 1)	⇒ 3
(set! x 4)	⇒ unspecified
(+ x 1)	⇒ 5

Variable may be an **access** expression (see [Chapter 13 \[Environments\]](#), page 173). This allows you to assign variables in an arbitrary environment. For example,

(define x (let ((y 0)) (the-environment)))	
(define y 'a)	
y	⇒ a
(access y x)	⇒ 0
(set! (access y x) 1)	⇒ unspecified
y	⇒ a
(access y x)	⇒ 1

2.6 Quoting

This section describes the expressions that are used to modify or prevent the evaluation of objects.

quote *datum* special form

(**quote** *datum*) evaluates to *datum*. *Datum* may be any external representation of a Scheme object (see [Section 1.2.6 \[External Representations\]](#), page 8). Use **quote** to include literal constants in Scheme code.

(quote a)	⇒ a
(quote #(a b c))	⇒ #(a b c)
(quote (+ 1 2))	⇒ (+ 1 2)

(**quote** *datum*) may be abbreviated as '*datum*'. The two notations are equivalent in all respects.

<code>'a</code>	\Rightarrow	<code>a</code>
<code>'#(a b c)</code>	\Rightarrow	<code>#(a b c)</code>
<code>'(+ 1 2)</code>	\Rightarrow	<code>(+ 1 2)</code>
<code>'(quote a)</code>	\Rightarrow	<code>(quote a)</code>
<code>''a</code>	\Rightarrow	<code>(quote a)</code>

Numeric constants, string constants, character constants, and boolean constants evaluate to themselves, so they don't need to be quoted.

<code>'"abc"</code>	\Rightarrow	<code>"abc"</code>
<code>"abc"</code>	\Rightarrow	<code>"abc"</code>
<code>'145932</code>	\Rightarrow	<code>145932</code>
<code>145932</code>	\Rightarrow	<code>145932</code>
<code>'#t</code>	\Rightarrow	<code>#t</code>
<code>#t</code>	\Rightarrow	<code>#t</code>
<code>'#\a</code>	\Rightarrow	<code>#\a</code>
<code>#\a</code>	\Rightarrow	<code>#\a</code>

quasiquote *template*

special form

“Backquote” or “quasiquote” expressions are useful for constructing a list or vector structure when most but not all of the desired structure is known in advance. If no commas appear within the *template*, the result of evaluating `'template` is equivalent (in the sense of `equal?`) to the result of evaluating `'template`. If a comma appears within the *template*, however, the expression following the comma is evaluated (“unquoted”) and its result is inserted into the structure instead of the comma and the expression. If a comma appears followed immediately by an at-sign (`@`), then the following expression shall evaluate to a list; the opening and closing parentheses of the list are then “stripped away” and the elements of the list are inserted in place of the comma at-sign expression sequence.

<code>'(list ,(+ 1 2) 4)</code>	\Rightarrow	<code>(list 3 4)</code>
<code>(let ((name 'a)) '(list ,name ',name))</code>	\Rightarrow	<code>(list a 'a)</code>
<code>'(a ,(+ 1 2) ,@(map abs '(4 -5 6)) b)</code>	\Rightarrow	<code>(a 3 4 5 6 b)</code>
<code>'((foo ,(- 10 3)) ,@(cdr '(c)) . ,(car '(cons)))</code>	\Rightarrow	<code>((foo 7) . cons)</code>
<code>'#(10 5 ,(sqrt 4) ,@(map sqrt '(16 9)) 8)</code>	\Rightarrow	<code>#(10 5 2 4 3 8)</code>
<code>',(+ 2 3)</code>	\Rightarrow	<code>5</code>

Quasiquote forms may be nested. Substitutions are made only for unquoted components appearing at the same nesting level as the outermost backquote. The nesting level increases by one inside each successive quasiquotation, and decreases by one inside each unquotation.

```

'(a '(b ,(+ 1 2) ,(foo ,(+ 1 3) d) e) f)
⇒ (a '(b ,(+ 1 2) ,(foo 4 d) e) f)

```

```

(let ((name1 'x)
      (name2 'y))
  '(a '(b ,,name1 ,',name2 d) e))
⇒ (a '(b ,x ,',y d) e)

```

The notations *'template* and *(quasiquote template)* are identical in all respects. *,expression* is identical to *(unquote expression)* and *,@expression* is identical to *(unquote-splicing expression)*.

```

(quasiquote (list (unquote (+ 1 2)) 4))
⇒ (list 3 4)

```

```

'(quasiquote (list (unquote (+ 1 2)) 4))
⇒ '(list ,(+ 1 2) 4)
i.e., (quasiquote (list (unquote (+ 1 2)) 4))

```

Unpredictable behavior can result if any of the symbols *quasiquote*, *unquote*, or *unquote-splicing* appear in a *template* in ways otherwise than as described above.

2.7 Conditionals

The behavior of the *conditional expressions* is determined by whether objects are true or false. The conditional expressions count only *#f* as false. They count everything else, including *#t*, pairs, symbols, numbers, strings, vectors, and procedures as true (but see [Section 1.2.5 \[True and False\]](#), page 8).

In the descriptions that follow, we say that an object has “a true value” or “is true” when the conditional expressions treat it as true, and we say that an object has “a false value” or “is false” when the conditional expressions treat it as false.

if *predicate consequent [alternative]* special form

Predicate, *consequent*, and *alternative* are expressions. An *if* expression is evaluated as follows: first, *predicate* is evaluated. If it yields a true value, then *consequent* is evaluated and its value is returned. Otherwise *alternative* is evaluated and its value is returned. If *predicate* yields a false value and no *alternative* is specified, then the result of the expression is unspecified.

An *if* expression evaluates either *consequent* or *alternative*, never both. Programs should not depend on the value of an *if* expression that has no *alternative*.

```

(if (> 3 2) 'yes 'no)           ⇒ yes
(if (> 2 3) 'yes 'no)           ⇒ no
(if (> 3 2)
    (- 3 2)
    (+ 3 2))                   ⇒ 1

```

cond *clause clause . . .* special form

Each *clause* has this form:

(*predicate expression ...*)

where *predicate* is any expression. The last *clause* may be an **else clause**, which has the form:

(**else** *expression expression ...*)

A **cond** expression does the following:

1. Evaluates the *predicate* expressions of successive *clauses* in order, until one of the *predicates* evaluates to a true value.
2. When a *predicate* evaluates to a true value, **cond** evaluates the *expressions* in the associated *clause* in left to right order, and returns the result of evaluating the last *expression* in the *clause* as the result of the entire **cond** expression.
If the selected *clause* contains only the *predicate* and no *expressions*, **cond** returns the value of the *predicate* as the result.
3. If all *predicates* evaluate to false values, and there is no **else** clause, the result of the conditional expression is unspecified; if there is an **else** clause, **cond** evaluates its *expressions* (left to right) and returns the value of the last one.

```
(cond ((> 3 2) 'greater)
      ((< 3 2) 'less))           ⇒ greater
```

```
(cond ((> 3 3) 'greater)
      ((< 3 3) 'less)
      (else 'equal))           ⇒ equal
```

Normally, programs should not depend on the value of a **cond** expression that has no **else** clause. However, some Scheme programmers prefer to write **cond** expressions in which at least one of the *predicates* is always true. In this style, the final *clause* is equivalent to an **else** clause.

Scheme supports an alternative *clause* syntax:

(*predicate => recipient*)

where *recipient* is an expression. If *predicate* evaluates to a true value, then *recipient* is evaluated. Its value must be a procedure of one argument; this procedure is then invoked on the value of the *predicate*.

```
(cond ((assv 'b '((a 1) (b 2))) => cadr)
      (else #f))                ⇒ 2
```

case *key clause clause ...*

special form

Key may be any expression. Each *clause* has this form:

((*object ...*) *expression expression ...*)

No *object* is evaluated, and all the *objects* must be distinct. The last *clause* may be an **else clause**, which has the form:

(**else** *expression expression ...*)

A **case** expression does the following:

1. Evaluates *key* and compares the result with each *object*.
2. If the result of evaluating *key* is equivalent (in the sense of `eqv?`; see [Chapter 3 \[Equivalence Predicates\]](#), [page 51](#)) to an *object*, **case** evaluates the *expressions*

in the corresponding *clause* from left to right and returns the result of evaluating the last *expression* in the *clause* as the result of the **case** expression.

3. If the result of evaluating *key* is different from every *object*, and if there's an **else** clause, **case** evaluates its *expressions* and returns the result of the last one as the result of the **case** expression. If there's no **else** clause, **case** returns an unspecified result. Programs should not depend on the value of a **case** expression that has no **else** clause.

For example,

```
(case (* 2 3)
  ((2 3 5 7) 'prime)
  ((1 4 6 8 9) 'composite))      ⇒ composite

(case (car '(c d))
  ((a) 'a)
  ((b) 'b))                      ⇒ unspecified

(case (car '(c d))
  ((a e i o u) 'vowel)
  ((w y) 'semivowel)
  (else 'consonant))            ⇒ consonant
```

and *expression* . . . special form

The *expressions* are evaluated from left to right, and the value of the first *expression* that evaluates to a false value is returned. Any remaining *expressions* are not evaluated. If all the *expressions* evaluate to true values, the value of the last *expression* is returned. If there are no *expressions* then **#t** is returned.

```
(and (= 2 2) (> 2 1))           ⇒ #t
(and (= 2 2) (< 2 1))           ⇒ #f
(and 1 2 'c '(f g))             ⇒ (f g)
(and)                             ⇒ #t
```

or *expression* . . . special form

The *expressions* are evaluated from left to right, and the value of the first *expression* that evaluates to a true value is returned. Any remaining *expressions* are not evaluated. If all *expressions* evaluate to false values, the value of the last *expression* is returned. If there are no *expressions* then **#f** is returned.

```
(or (= 2 2) (> 2 1))            ⇒ #t
(or (= 2 2) (< 2 1))            ⇒ #t
(or #f #f #f)                  ⇒ #f
(or (memq 'b '(a b c)) (/ 3 0)) ⇒ (b c)
```

2.8 Sequencing

The **begin** special form is used to evaluate expressions in a particular order.

begin *expression expression . . .* special form

The *expressions* are evaluated sequentially from left to right, and the value of the last *expression* is returned. This expression type is used to sequence side effects such as input and output.

```
(define x 0)
(begin (set! x 5)
      (+ x 1))           ⇒ 6

(begin (display "4 plus 1 equals ")
      (display (+ 4 1)))
                               ⇐ 4 plus 1 equals 5
                               ⇒ unspecified
```

Often the use of **begin** is unnecessary, because many special forms already support sequences of expressions (that is, they have an implicit **begin**). Some of these special forms are:

```
case
cond
define           ;“procedure define” only
do
fluid-let
lambda
let
let*
letrec
named-lambda
```

The obsolete special form **sequence** is identical to **begin**. It should not be used in new code.

2.9 Iteration

The *iteration expressions* are: “named **let**” and **do**. They are also binding expressions, but are more commonly referred to as iteration expressions. Because Scheme is properly tail-recursive, you don’t need to use these special forms to express iteration; you can simply use appropriately written “recursive” procedure calls.

let *name ((variable init) . . .) expression expression . . .* special form

MIT Scheme permits a variant on the syntax of **let** called “named **let**” which provides a more general looping construct than **do**, and may also be used to express recursions.

Named **let** has the same syntax and semantics as ordinary **let** except that *name* is bound within the *expressions* to a procedure whose formal arguments are the *variables* and whose body is the *expressions*. Thus the execution of the *expressions* may be repeated by invoking the procedure named by *name*.

MIT Scheme allows any of the *inits* to be omitted, in which case the corresponding *variables* are unassigned.

Note: the following expressions are equivalent:

```

(let name ((variable init) ...)
  expression
  expression ...)

((letrec ((name
            (named-lambda (name variable ...)
              expression
              expression ...)))
  name)
 init ...)

```

Here is an example:

```

(let loop
  ((numbers '(3 -2 1 6 -5))
   (nonneg '())
   (neg '()))
  (cond ((null? numbers)
        (list nonneg neg))
        ((>= (car numbers) 0)
         (loop (cdr numbers)
               (cons (car numbers) nonneg)
               neg))
        (else
         (loop (cdr numbers)
               nonneg
               (cons (car numbers) neg))))))

⇒ ((6 1 3) (-5 -2))

```

do ((*variable init step*) ...) (*test expression* ...) *command* ... special form

do is an iteration construct. It specifies a set of variables to be bound, how they are to be initialized at the start, and how they are to be updated on each iteration. When a termination condition is met, the loop exits with a specified result value.

do expressions are evaluated as follows: The *init* expressions are evaluated (in some unspecified order), the *variables* are bound to fresh locations, the results of the *init* expressions are stored in the bindings of the *variables*, and then the iteration phase begins.

Each iteration begins by evaluating *test*; if the result is false, then the *command* expressions are evaluated in order for effect, the *step* expressions are evaluated in some unspecified order, the *variables* are bound to fresh locations, the results of the *steps* are stored in the bindings of the *variables*, and the next iteration begins.

If *test* evaluates to a true value, then the *expressions* are evaluated from left to right and the value of the last *expression* is returned as the value of the **do** expression. If no *expressions* are present, then the value of the **do** expression is unspecified in standard Scheme; in MIT Scheme, the value of *test* is returned.

The region of the binding of a *variable* consists of the entire **do** expression except for the *inits*. It is an error for a *variable* to appear more than once in the list of **do** variables.

A *step* may be omitted, in which case the effect is the same as if (*variable init variable*) had been written instead of (*variable init*).

```
(do ((vec (make-vector 5))
    (i 0 (+ i 1)))
    ((= i 5) vec)
    (vector-set! vec i i))           ⇒ #(0 1 2 3 4)

(let ((x '(1 3 5 7 9)))
  (do ((x x (cdr x))
      (sum 0 (+ sum (car x))))
      ((null? x) sum)))             ⇒ 25
```

2.10 Structure Definitions

This section provides examples and describes the options and syntax of **define-structure**, an MIT Scheme macro that is very similar to **defstruct** in Common Lisp. The differences between them are summarized at the end of this section. For more information, see Steele's Common Lisp book.

define-structure (*name structure-option . . .*) *slot-description . . .* special form

Each *slot-description* takes one of the following forms:

```
slot-name
(slot-name default-init [slot-option value]*)
```

The fields *name* and *slot-name* must both be symbols. The field *default-init* is an expression for the initial value of the slot. It is evaluated each time a new instance is constructed. If it is not specified, the initial content of the slot is undefined. Default values are only useful with a BOA constructor with argument list or a keyword constructor (see below).

Evaluation of a **define-structure** expression defines a structure descriptor and a set of procedures to manipulate instances of the structure. These instances are represented as records by default (see [Section 10.4 \[Records\], page 132](#)) but may alternately be lists or vectors. The accessors and modifiers are marked with compiler declarations so that calls to them are automatically transformed into appropriate references. Often, no options are required, so a simple call to **define-structure** looks like:

```
(define-structure foo a b c)
```

This defines a type descriptor **foo**, a constructor **make-foo**, a predicate **foo?**, accessors **foo-a**, **foo-b**, and **foo-c**, and modifiers **set-foo-a!**, **set-foo-b!**, and **set-foo-c!**.

In general, if no options are specified, **define-structure** defines the following (using the simple call above as an example):

type descriptor

The name of the type descriptor is the same as the name of the structure, e.g. **'foo'**. The type descriptor satisfies the predicate **record-type?**.

constructor

The name of the constructor is **"make-"** followed by the name of the structure, e.g. **'make-foo'**. The number of arguments accepted by the

constructor is the same as the number of slots; the arguments are the initial values for the slots, and the order of the arguments matches the order of the slot definitions.

- predicate The name of the predicate is the name of the structure followed by "?", e.g. 'foo?'. The predicate is a procedure of one argument, which returns **#t** if its argument is a record of the type defined by this structure definition, and **#f** otherwise.
- accessors For each slot, an accessor is defined. The name of the accessor is formed by appending the name of the structure, a hyphen, and the name of the slot, e.g. 'foo-a'. The accessor is a procedure of one argument, which must be a record of the type defined by this structure definition. The accessor extracts the contents of the corresponding slot in that record and returns it.
- modifiers For each slot, a modifier is defined. The name of the modifier is formed by appending "set-", the name of the accessor, and "!", e.g. 'set-foo-a!'. The modifier is a procedure of two arguments, the first of which must be a record of the type defined by this structure definition, and the second of which may be any object. The modifier modifies the contents of the corresponding slot in that record to be that object, and returns an unspecified value.

When options are not supplied, (*name*) may be abbreviated to *name*. This convention holds equally for *structure-options* and *slot-options*. Hence, these are equivalent:

```
(define-structure foo a b c)
(define-structure (foo) (a) b (c))
```

as are

```
(define-structure (foo keyword-constructor) a b c)
(define-structure (foo (keyword-constructor)) a b c)
```

When specified as option values, **false** and **nil** are equivalent to **#f**, and **true** and **t** are equivalent to **#t**.

Possible *slot-options* are:

read-only *value* slot option
 When given a *value* other than **#f**, this specifies that no modifier should be created for the slot.

type *type-descriptor* slot option
 This is accepted but not presently used.

Possible *structure-options* are:

predicate [*name*] structure option
 This option controls the definition of a predicate procedure for the structure. If *name* is not given, the predicate is defined with the default name (see above). If *name* is **#f**, the predicate is not defined at all. Otherwise, *name* must be a symbol, and the predicate is defined with that symbol as its name.

copier [*name*] structure option

This option controls the definition of a procedure to copy instances of the structure. This is a procedure of one argument, a structure instance, that makes a newly allocated copy of the structure and returns it. If *name* is not given, the copier is defined, and the name of the copier is "copy-" followed by the structure name (e.g. 'copy-foo'). If *name* is #f, the copier is not defined. Otherwise, *name* must be a symbol, and the copier is defined with that symbol as its name.

print-procedure *expression* structure option

Evaluating *expression* must yield a procedure of two arguments, which is used to print instances of the structure. The procedure is an *unparser method* (see [Section 14.7 \[Custom Output\]](#), page 193). If the structure instances are records, this option has the same effect as calling `set-record-type-unparser-method!`.

constructor [*name* [*argument-list*]] structure option

This option controls the definition of constructor procedures. These constructor procedures are called “BOA constructors”, for “By Order of Arguments”, because the arguments to the constructor specify the initial contents the structure’s slots by the order in which they are given. This is as opposed to “keyword constructors”, which specify the initial contents using keywords, and in which the order of arguments is irrelevant.

If *name* is not given, a constructor is defined with the default name and arguments (see above). If *name* is #f, no constructor is defined; *argument-list* may not be specified in this case. Otherwise, *name* must be a symbol, and a constructor is defined with that symbol as its name. If *name* is a symbol, *argument-list* is optionally allowed; if it is omitted, the constructor accepts one argument for each slot in the structure definition, in the same order in which the slots appear in the definition. Otherwise, *argument-list* must be a lambda list (see [Section 2.1 \[Lambda Expressions\]](#), page 15), and each of the parameters of the lambda list must be the name of a slot in the structure. The arguments accepted by the constructor are defined by this lambda list. Any slot that is not specified by the lambda list is initialized to the *default-init* as specified above; likewise for any slot specified as an optional parameter when the corresponding argument is not supplied.

If the `constructor` option is specified, the default constructor is not defined. Additionally, the `constructor` option may be specified multiple times to define multiple constructors with different names and argument lists.

```
(define-structure (foo
                  (constructor make-foo (#!optional a b)))
  (a 6 read-only #t)
  (b 9))
```

keyword-constructor [*name*] structure option

This option controls the definition of keyword constructor procedures. A *keyword constructor* is a procedure that accepts arguments that are alternating slot names and values. If *name* is omitted, a keyword constructor is defined, and the name of the constructor is "make-" followed by the name of the structure (e.g. 'make-foo').

Otherwise, *name* must be a symbol, and a keyword constructor is defined with this symbol as its name.

If the `keyword-constructor` option is specified, the default constructor is not defined. Additionally, the `keyword-constructor` option may be specified multiple times to define multiple keyword constructors; this is usually not done since such constructors would all be equivalent.

```
(define-structure (foo (keyword-constructor make-bar)) a b)
(foo-a (make-bar 'b 20 'a 19))      ⇒ 19
```

type-descriptor *name*

structure option

This option cannot be used with the `type` or `named` options.

By default, structures are implemented as records. The name of the structure is defined to hold the type descriptor of the record defined by the structure. The `type-descriptor` option specifies a different name to hold the type descriptor.

```
(define-structure foo a b)
foo                                ⇒ #[record-type 18]

(define-structure (bar (type-descriptor bar-rtd)) a b)
bar                               [error] Unbound variable: bar
bar-rtd                           ⇒ #[record-type 19]
```

conc-name [*name*]

structure option

By default, the prefix for naming accessors and modifiers is the name of the structure followed by a hyphen. The `conc-name` option can be used to specify an alternative. If *name* is not given, the prefix is the name of the structure followed by a hyphen (the default). If *name* is `#f`, the slot names are used directly, without prefix. Otherwise, *name* must be a symbol, and that symbol is used as the prefix.

```
(define-structure (foo (conc-name moby/)) a b)
defines accessors moby/a and moby/b, and modifiers set-moby/a! and set-moby/b!.

(define-structure (foo (conc-name #f)) a b)
defines accessors a and b, and modifiers set-a! and set-b!.
```

type *representation-type*

structure option

This option cannot be used with the `type-descriptor` option.

By default, structures are implemented as records. The `type` option overrides this default, allowing the programmer to specify that the structure be implemented using another data type. The option value *representation-type* specifies the alternate data type; it is allowed to be one of the symbols `vector` or `list`, and the data type used is the one corresponding to the symbol.

If this option is given, and the `named` option is not specified, the representation will not be tagged, and neither a predicate nor a type descriptor will be defined; also, the `print-procedure` option may not be given.

```
(define-structure (foo (type list)) a b)
(make-foo 1 2)                        ⇒ (1 2)
```

named [*expression*] structure option

This is valid only in conjunction with the **type** option and specifies that the structure instances be tagged to make them identifiable as instances of this structure type. This option cannot be used with the **type-descriptor** option.

In the usual case, where *expression* is not given, the **named** option causes a type descriptor and predicate to be defined for the structure (recall that the **type** option without **named** suppresses their definition), and also defines a default unparser method for the structure instances (which can be overridden by the **print-procedure** option). If the default unparser method is not wanted then the **print-procedure** option should be specified as **#F**. This causes the structure to be printed in its native representation, as a list or vector, which includes the type descriptor. The type descriptor is a unique object, *not* a record type, that describes the structure instances and is additionally stored in the structure instances to identify them: if the representation type is **vector**, the type descriptor is stored in the zero-th slot of the vector, and if the representation type is **list**, it is stored as the first element of the list.

```
(define-structure (foo (type vector) named) a b c)
(vector-ref (make-foo 1 2 3) 0) ⇒ #[structure-type 52]
```

If *expression* is specified, it is an expression that is evaluated to yield a tag object. The *expression* is evaluated once when the structure definition is evaluated (to specify the unparser method), and again whenever a predicate or constructor is called. Because of this, *expression* is normally a variable reference or a constant. The value yielded by *expression* may be any object at all. That object is stored in the structure instances in the same place that the type descriptor is normally stored, as described above. If *expression* is specified, no type descriptor is defined, only a predicate.

```
(define-structure (foo (type vector) (named 'foo)) a b c)
(vector-ref (make-foo 1 2 3) 0) ⇒ foo
```

safe-accessors [*boolean*] structure option

This option allows the programmer to have some control over the safety of the slot accessors (and modifiers) generated by **define-structure**. If **safe-accessors** is not specified, or if *boolean* is **#f**, then the accessors are optimized for speed at the expense of safety; when compiled, the accessors will turn into very fast inline sequences, usually one to three machine instructions in length. However, if **safe-accessors** is specified and *boolean* is either omitted or **#t**, then the accessors are optimized for safety, will check the type and structure of their argument, and will be close-coded.

```
(define-structure (foo safe-accessors) a b c)
```

initial-offset *offset* structure option

This is valid only in conjunction with the **type** option. *Offset* must be an exact non-negative integer and specifies the number of slots to leave open at the beginning of the structure instance before the specified slots are allocated. Specifying an *offset* of zero is equivalent to omitting the **initial-offset** option.

If the **named** option is specified, the structure tag appears in the first slot, followed by the “offset” slots, and then the regular slots. Otherwise, the “offset” slots come first, followed by the regular slots.

```
(define-structure (foo (type vector) (initial-offset 3))
  a b c)
(make-foo 1 2 3)           ⇒ #(() () () 1 2 3)
```

The essential differences between MIT Scheme’s `define-structure` and Common Lisp’s `defstruct` are:

- The default constructor procedure takes positional arguments, in the same order as specified in the definition of the structure. A keyword constructor may be specified by giving the option `keyword-constructor`.
- BOA constructors are described using Scheme lambda lists. Since there is nothing corresponding to `&aux` in Scheme lambda lists, this functionality is not implemented.
- By default, no `copier` procedure is defined.
- The side-effect procedure corresponding to the accessor `foo` is given the name `set-foo!`.
- Keywords are ordinary symbols – use `foo` instead of `:foo`.
- The option values `false`, `nil`, `true`, and `t` are treated as if the appropriate boolean constant had been specified instead.
- The `print-function` option is named `print-procedure`. Its argument is a procedure of two arguments (the unparser state and the structure instance) rather than three as in Common Lisp.
- By default, named structures are tagged with a unique object of some kind. In Common Lisp, the structures are tagged with symbols. This depends on the Common Lisp package system to help generate unique tags; MIT Scheme has no such way to generate unique symbols.
- The `named` option may optionally take an argument, which is normally the name of a variable (any expression may be used, but it is evaluated whenever the tag name is needed). If used, structure instances will be tagged with that variable’s value. The variable must be defined when `define-structure` is evaluated.
- The `type` option is restricted to the values `vector` and `list`.
- The `include` option is not implemented.

2.11 Macros

(This section is largely taken from the *Revised⁴ Report on the Algorithmic Language Scheme*. The section on Syntactic Closures is derived from a document written by Chris Hanson. The section on Explicit Renaming is derived from a document written by William Clinger.)

Scheme programs can define and use new derived expression types, called *macros*. Program-defined expression types have the syntax

```
(keyword datum ...)
```

where *keyword* is an identifier that uniquely determines the expression type. This identifier is called the *syntactic keyword*, or simply *keyword*, of the macro. The number of the *datums*, and their syntax, depends on the expression type.

Each instance of a macro is called a *use* of the macro. The set of rules that specifies how a use of a macro is transcribed into a more primitive expression is called the *transformer* of the macro.

MIT Scheme also supports *anonymous syntactic keywords*. This means that it's not necessary to binding a macro transformer to a syntactic keyword before it is used. Instead, any macro-transformer expression can appear as the first element of a form, and the form will be expanded by the transformer.

The macro definition facility consists of these parts:

- A set of expressions used to establish that certain identifiers are macro keywords, associate them with macro transformers, and control the scope within which a macro is defined.
- A standard high-level pattern language for specifying macro transformers, introduced by the `syntax-rules` special form.
- Two non-standard low-level languages for specifying macro transformers, *syntactic closures* and *explicit renaming*.

The syntactic keyword of a macro may shadow variable bindings, and local variable bindings may shadow keyword bindings. All macros defined using the pattern language are “hygienic” and “referentially transparent” and thus preserve Scheme’s lexical scoping:

- If a macro transformer inserts a binding for an identifier (variable or keyword), the identifier will in effect be renamed throughout its scope to avoid conflicts with other identifiers.
- If a macro transformer inserts a free reference to an identifier, the reference refers to the binding that was visible where the transformer was specified, regardless of any local bindings that may surround the use of the macro.

2.11.1 Binding Constructs for Syntactic Keywords

`let-syntax`, `letrec-syntax`, `let*-syntax` and `define-syntax` are analogous to `let`, `letrec`, `let*` and `define`, but they bind syntactic keywords to macro transformers instead of binding variables to locations that contain values.

let-syntax *bindings expression expression . . .* special form

Bindings should have the form

`((keyword transformer-spec) . . .)`

Each *keyword* is an identifier, each *transformer-spec* is a a macro-transformer expression, and the body is a sequence of one or more expressions. It is an error for a *keyword* to appear more than once in the list of keywords being bound.

The *expressions* are expanded in the syntactic environment obtained by extending the syntactic environment of the `let-syntax` expression with macros whose keywords are the *keywords*, bound to the specified transformers. Each binding of a *keyword* has the *expressions* as its region.

```

(let-syntax ((when (syntax-rules ()
                    ((when test stmt1 stmt2 ...)
                     (if test
                         (begin stmt1
                               stmt2 ...))))))

  (let ((if #t))
    (when if (set! if 'now))
    if))                                     ⇒  now

(let ((x 'outer))
  (let-syntax ((m (syntax-rules () ((m) x))))
    (let ((x 'inner))
      (m))))                               ⇒  outer

```

letrec-syntax *bindings expression expression ...* special form

The syntax of **letrec-syntax** is the same as for **let-syntax**.

The *expressions* are expanded in the syntactic environment obtained by extending the syntactic environment of the **letrec-syntax** expression with macros whose keywords are the *keywords*, bound to the specified transformers. Each binding of a *keyword* has the *bindings* as well as the *expressions* within its region, so the transformers can transcribe expressions into uses of the macros introduced by the **letrec-syntax** expression.

```

(letrec-syntax
  ((my-or (syntax-rules ()
            ((my-or) #f)
            ((my-or e) e)
            ((my-or e1 e2 ...)
             (let ((temp e1))
               (if temp
                   temp
                   (my-or e2 ...)))))))

  (let ((x #f)
        (y 7)
        (temp 8)
        (let odd?)
        (if even?))
    (my-or x
      (let temp)
      (if y)
      y)))                               ⇒  7

```

let*-syntax *bindings expression expression ...* special form

The syntax of **let*-syntax** is the same as for **let-syntax**.

The *expressions* are expanded in the syntactic environment obtained by extending the syntactic environment of the **letrec-syntax** expression with macros whose keywords are the *keywords*, bound to the specified transformers. Each binding of a *keyword* has the subsequent *bindings* as well as the *expressions* within its region. Thus

```
(let*-syntax
  ((a (syntax-rules ...))
   (b (syntax-rules ...)))
  ...)
```

is equivalent to

```
(let-syntax ((a (syntax-rules ...)))
  (let-syntax ((b (syntax-rules ...)))
    ...))
```

define-syntax *keyword transformer-spec* special form

Keyword is an identifier, and *transformer-spec* is a macro transformer expression. The syntactic environment is extended by binding the *keyword* to the specified transformer.

The region of the binding introduced by **define-syntax** is the entire block in which it appears. However, the *keyword* may only be used after it has been defined.

MIT Scheme permits **define-syntax** to appear both at top level and within **lambda** bodies. The Revised⁴ Report permits only top-level uses of **define-syntax**.

When compiling a program, a top-level instance of **define-syntax** both defines the syntactic keyword and generates code that will redefine the keyword when the program is loaded. This means that the same syntax can be used for defining macros that will be used during compilation and for defining macros to be used at run time.

Although macros may expand into definitions and syntax definitions in any context that permits them, it is an error for a definition or syntax definition to shadow a syntactic keyword whose meaning is needed to determine whether some form in the group of forms that contains the shadowing definition is in fact a definition, or, for internal definitions, is needed to determine the boundary between the group and the expressions that follow the group. For example, the following are errors:

```
(define define 3)

(begin (define begin list))

(let-syntax
  ((foo (syntax-rules ()
    ((foo (proc args ...) body ...)
      (define proc
        (lambda (args ...)
          body ...))))))
  (let ((x 3))
    (foo (plus x y) (+ x y))
    (define foo x)
    (plus foo x)))
```

2.11.2 Pattern Language

MIT Scheme supports a high-level pattern language for specifying macro transformers. This pattern language is defined by the Revised⁴ Report and is portable to other conform-

ing Scheme implementations. To use the pattern language, specify a *transformer-spec* as a **syntax-rules** form:

syntax-rules *literals syntax-rule* ... special form

Literals is a list of identifiers and each *syntax-rule* should be of the form

(*pattern template*)

The *pattern* in a *syntax-rule* is a list *pattern* that begins with the keyword for the macro.

A *pattern* is either an identifier, a constant, or one of the following

(*pattern* ...)

(*pattern pattern* *pattern*)

(*pattern* ... *pattern ellipsis*)

and a *template* is either an identifier, a constant, or one of the following

(*element* ...)

(*element element* *template*)

where an *element* is a *template* optionally followed by an *ellipsis* and an *ellipsis* is the identifier ‘...’ (which cannot be used as an identifier in either a *template* or a *pattern*).

An instance of **syntax-rules** produces a new macro transformer by specifying a sequence of hygienic rewrite rules. A use of a macro whose keyword is associated with a transformer specified by **syntax-rules** is matched against the patterns contained in the *syntax-rules*, beginning with the leftmost *syntax-rule*. When a match is found, the macro use is transcribed hygienically according to the *template*.

An identifier that appears in the *pattern* of a *syntax-rule* is a *pattern-variable*, unless it is the keyword that begins the *pattern*, is listed in *literals*, or is the identifier ‘...’. Pattern variables match arbitrary input elements and are used to refer to elements of the input in the *template*. It is an error for the same pattern variable to appear more than once in a *pattern*.

The keyword at the beginning of the *pattern* in a *syntax-rule* is not involved in the matching and is not considered a pattern variable or literal identifier.

Identifiers that appear in *literals* are interpreted as literal identifiers to be matched against corresponding subforms of the input. A subform in the input matches a literal identifier if and only if it is an identifier and either both its occurrence in the macro expression and its occurrence in the macro definition have the same lexical binding, or the two identifiers are equal and both have no lexical binding.

A subpattern followed by ... can match zero or more elements of the input. It is an error for ... to appear in *literals*. Within a *pattern* the identifier ... must follow the last element of a nonempty sequence of subpatterns.

More formally, an input form *F* matches a *pattern P* if and only if:

- *P* is a non-literal identifier; or
- *P* is a literal identifier and *F* is an identifier with the same binding; or
- *P* is a list (*P*₁ ... *P*_{*n*}) and *F* is a list of *n* forms that match *P*₁ through *P*_{*n*}, respectively; or

- P is an improper list $(P_1 P_2 \dots P_n . P_{n+1})$ and F is a list or improper list of n or more forms that match P_1 through P_n , respectively, and whose n th “cdr” matches P_{n+1} ; or
- P is of the form $(P_1 \dots P_n P_{n+1} \textit{ellipsis})$ where *ellipsis* is the identifier \dots and F is a proper list of at least n forms, the first n of which match P_1 through P_n , respectively, and each remaining element of F matches P_{n+1} ; or
- P is a datum and F is equal to P in the sense of the `equal?` procedure.

It is an error to use a macro keyword, within the scope of its binding, in an expression that does not match any of the patterns.

When a macro use is transcribed according to the template of the matching *syntax rule*, pattern variables that occur in the template are replaced by the subforms they match in the input. Pattern variables that occur in subpatterns followed by one or more instances of the identifier \dots are allowed only in subtemplates that are followed by as many instances of \dots . They are replaced in the output by all of the subforms they match in the input, distributed as indicated. It is an error if the output cannot be built up as specified.

Identifiers that appear in the template but are not pattern variables or the identifier \dots are inserted into the output as literal identifiers. If a literal identifier is inserted as a free identifier then it refers to the binding of that identifier within whose scope the instance of `syntax-rules` appears. If a literal identifier is inserted as a bound identifier then it is in effect renamed to prevent inadvertent captures of free identifiers.

```
(let ((=> #f))
  (cond (#t => 'ok)))           => ok
```

The macro transformer for `cond` recognizes `=>` as a local variable, and hence an expression, and not as the top-level identifier `=>`, which the macro transformer treats as a syntactic keyword. Thus the example expands into

```
(let ((=> #f))
  (if #t (begin => 'ok)))
```

instead of

```
(let ((=> #f))
  (let ((temp #t))
    (if temp
      ('ok temp)))))
```

which would result in an invalid procedure call.

2.11.3 Syntactic Closures

MIT Scheme’s syntax-transformation engine is an implementation of *syntactic closures*, a mechanism invented by Alan Bawden and Jonathan Rees. The main feature of the syntactic-closures mechanism is its simplicity and its close relationship to the environment models commonly used with Scheme. Using the mechanism to write macro transformers is somewhat cumbersome and can be confusing for the newly initiated, but it is easily mastered.

2.11.3.1 Syntax Terminology

This section defines the concepts and data types used by the syntactic closures facility.

- *Forms* are the syntactic entities out of which programs are recursively constructed. A form is any expression, any definition, any syntactic keyword, or any syntactic closure. The variable name that appears in a **set!** special form is also a form. Examples of forms:

```
17
#t
car
(+ x 4)
(lambda (x) x)
(define pi 3.14159)
if
define
```

- An *alias* is an alternate name for a given symbol. It can appear anywhere in a form that the symbol could be used, and when quoted it is replaced by the symbol; however, it does not satisfy the predicate **symbol?**. Macro transformers rarely distinguish symbols from aliases, referring to both as *identifiers*. Another name for an alias is *synthetic identifier*; this document uses both names.
- A *syntactic environment* maps identifiers to their meanings. More precisely, it determines whether an identifier is a syntactic keyword or a variable. If it is a keyword, the meaning is an interpretation for the form in which that keyword appears. If it is a variable, the meaning identifies which binding of that variable is referenced. In short, syntactic environments contain all of the contextual information necessary for interpreting the meaning of a particular form.
- A *syntactic closure* consists of a form, a syntactic environment, and a list of identifiers. All identifiers in the form take their meaning from the syntactic environment, except those in the given list. The identifiers in the list are to have their meanings determined later.

A syntactic closure may be used in any context in which its form could have been used. Since a syntactic closure is also a form, it may not be used in contexts where a form would be illegal. For example, a form may not appear as a clause in the **cond** special form.

A syntactic closure appearing in a quoted structure is replaced by its form.

2.11.3.2 Transformer Definition

This section describes the special forms for defining syntactic-closures macro transformers, and the associated procedures for manipulating syntactic closures and syntactic environments.

sc-macro-transformer *expression* special form

The *expression* is expanded in the syntactic environment of the **sc-macro-transformer** expression, and the expanded expression is evaluated in the transformer environment to yield a macro transformer as described below. This

macro transformer is bound to a macro keyword by the special form in which the `transformer` expression appears (for example, `let-syntax`).

In the syntactic closures facility, a *macro transformer* is a procedure that takes two arguments, a form and a syntactic environment, and returns a new form. The first argument, the *input form*, is the form in which the macro keyword occurred. The second argument, the *usage environment*, is the syntactic environment in which the input form occurred. The result of the transformer, the *output form*, is automatically closed in the *transformer environment*, which is the syntactic environment in which the `transformer` expression occurred.

For example, here is a definition of a `push` macro using `syntax-rules`:

```
(define-syntax push
  (syntax-rules ()
    ((push item list)
     (set! list (cons item list)))))
```

Here is an equivalent definition using `sc-macro-transformer`:

```
(define-syntax push
  (sc-macro-transformer
   (lambda (exp env)
     (let ((item (make-syntactic-closure env '() (cadr exp)))
           (list (make-syntactic-closure env '() (caddr exp))))
       '(set! ,list (cons ,item ,list))))))
```

In this example, the identifiers `set!` and `cons` are closed in the transformer environment, and thus will not be affected by the meanings of those identifiers in the usage environment `env`.

Some macros may be non-hygienic by design. For example, the following defines a `loop` macro that implicitly binds `exit` to an escape procedure. The binding of `exit` is intended to capture free references to `exit` in the body of the loop, so `exit` must be left free when the body is closed:

```
(define-syntax loop
  (sc-macro-transformer
   (lambda (exp env)
     (let ((body (cdr exp)))
       '(call-with-current-continuation
          (lambda (exit)
            (let f ()
              ,@(map (lambda (exp)
                        (make-syntactic-closure env '(exit)
                                                  exp))
                     body)
              (f))))))))
```

rsc-macro-transformer *expression*

special form

This form is an alternative way to define a syntactic-closures macro transformer. Its syntax and usage are identical to `sc-macro-transformer`, except that the roles of the usage environment and transformer environment are reversed. (Hence RSC stands for *Reversed Syntactic Closures*.) In other words, the procedure specified by *expression*

still accepts two arguments, but its second argument will be the transformer environment rather than the usage environment, and the returned expression is closed in the usage environment rather than the transformer environment.

The advantage of this arrangement is that it allows a simpler definition style in some situations. For example, here is the `push` macro from above, rewritten in this style:

```
(define-syntax push
  (rsc-macro-transformer
   (lambda (exp env)
     '(', (make-syntactic-closure env '() 'SET!)
        ,(caddr exp)
        '(', (make-syntactic-closure env '() 'CONS)
            ,(cadr exp)
            ,(caddr exp))))))
```

In this style only the introduced keywords are closed, while everything else remains open.

Note that `rsc-macro-transformer` and `sc-macro-transformer` are easily interchangeable. Here is how to emulate `rsc-macro-transformer` using `sc-macro-transformer`. (This technique can be used to effect the opposite emulation as well.)

```
(define-syntax push
  (sc-macro-transformer
   (lambda (exp usage-env)
     (capture-syntactic-environment
      (lambda (env)
        (make-syntactic-closure usage-env '()
          '(', (make-syntactic-closure env '() 'SET!)
              ,(caddr exp)
              '(', (make-syntactic-closure env '() 'CONS)
                  ,(cadr exp)
                  ,(caddr exp))))))))))
```

To assign meanings to the identifiers in a form, use `make-syntactic-closure` to close the form in a syntactic environment.

make-syntactic-closure *environment free-names form* procedure

Environment must be a syntactic environment, *free-names* must be a list of identifiers, and *form* must be a form. `make-syntactic-closure` constructs and returns a syntactic closure of *form* in *environment*, which can be used anywhere that *form* could have been used. All the identifiers used in *form*, except those explicitly excepted by *free-names*, obtain their meanings from *environment*.

Here is an example where *free-names* is something other than the empty list. It is instructive to compare the use of *free-names* in this example with its use in the `loop` example above: the examples are similar except for the source of the identifier being left free.

```

(define-syntax let1
  (sc-macro-transformer
    (lambda (exp env)
      (let ((id (cadr exp))
            (init (caddr exp))
            (exp (cadddr exp)))
        '((lambda (,id)
             ,(make-syntactic-closure env (list id) exp))
            ,(make-syntactic-closure env '() init))))))

```

`let1` is a simplified version of `let` that only binds a single identifier, and whose body consists of a single expression. When the body expression is syntactically closed in its original syntactic environment, the identifier that is to be bound by `let1` must be left free, so that it can be properly captured by the `lambda` in the output form.

In most situations, the *free-names* argument to `make-syntactic-closure` is the empty list. In those cases, the more succinct `close-syntax` can be used:

close-syntax *form environment* procedure
Environment must be a syntactic environment and *form* must be a form. Returns a new syntactic closure of *form* in *environment*, with no free names. Entirely equivalent to

```
(make-syntactic-closure environment '() form)
```

To obtain a syntactic environment other than the usage environment, use `capture-syntactic-environment`.

capture-syntactic-environment *procedure* procedure
`capture-syntactic-environment` returns a form that will, when transformed, call *procedure* on the current syntactic environment. *Procedure* should compute and return a new form to be transformed, in that same syntactic environment, in place of the form.

An example will make this clear. Suppose we wanted to define a simple `loop-until` keyword equivalent to

```

(define-syntax loop-until
  (syntax-rules ()
    ((loop-until id init test return step)
      (letrec ((loop
                  (lambda (id)
                    (if test return (loop step)))))
        (loop init)))))

```

The following attempt at defining `loop-until` has a subtle bug:

```

(define-syntax loop-until
  (sc-macro-transformer
    (lambda (exp env)
      (let ((id (cadr exp))
            (init (caddr exp))
            (test (caddrdr exp))
            (return (caddrdr (cdr exp)))
            (step (caddrdr (cddr exp))))
        (close
          (lambda (exp free)
            (make-syntactic-closure env free exp))))
      '(letrec ((loop
                  (lambda (,id)
                    (if ,(close test (list id))
                        ,(close return (list id))
                        (loop ,(close step (list id)))))))
          (loop ,(close init '()))))))))

```

This definition appears to take all of the proper precautions to prevent unintended captures. It carefully closes the subexpressions in their original syntactic environment and it leaves the `id` identifier free in the `test`, `return`, and `step` expressions, so that it will be captured by the binding introduced by the `lambda` expression. Unfortunately it uses the identifiers `if` and `loop` *within* that `lambda` expression, so if the user of `loop-until` just happens to use, say, `if` for the identifier, it will be inadvertently captured.

The syntactic environment that `if` and `loop` want to be exposed to is the one just outside the `lambda` expression: before the user's identifier is added to the syntactic environment, but after the identifier `loop` has been added. `capture-syntactic-environment` captures exactly that environment as follows:

```

(define-syntax loop-until
  (sc-macro-transformer
    (lambda (exp env)
      (let ((id (cadr exp))
            (init (caddr exp))
            (test (cadddr exp))
            (return (caddrr (cdr exp)))
            (step (caddrr (cddr exp))))
        (close
          (lambda (exp free)
            (make-syntactic-closure env free exp))))
      '(letrec ((loop
                  ,(capture-syntactic-environment
                     (lambda (env)
                       '(lambda (,id)
                         (,(make-syntactic-closure env '() 'if)
                          ,(close test (list id))
                          ,(close return (list id))
                          (,(make-syntactic-closure env '() 'loop)
                           ,(close step (list id))))))))))
          (loop ,(close init '()))))))))

```

In this case, having captured the desired syntactic environment, it is convenient to construct syntactic closures of the identifiers `if` and the `loop` and use them in the body of the `lambda`.

A common use of `capture-syntactic-environment` is to get the transformer environment of a macro transformer:

```

(sc-macro-transformer
  (lambda (exp env)
    (capture-syntactic-environment
      (lambda (transformer-env)
        ...))))

```

2.11.3.3 Identifiers

This section describes the procedures that create and manipulate identifiers. The identifier data type extends the syntactic closures facility to be compatible with the high-level `syntax-rules` facility.

As discussed earlier, an identifier is either a symbol or an *alias*. An alias is implemented as a syntactic closure whose *form* is an identifier:

`(make-syntactic-closure env '() 'a) ⇒ an alias`

Aliases are implemented as syntactic closures because they behave just like syntactic closures most of the time. The difference is that an alias may be bound to a new value (for example by `lambda` or `let-syntax`); other syntactic closures may not be used this way. If an alias is bound, then within the scope of that binding it is looked up in the syntactic environment just like any other identifier.

Aliases are used in the implementation of the high-level facility `syntax-rules`. A macro transformer created by `syntax-rules` uses a template to generate its output form, substi-

tuting subforms of the input form into the template. In a syntactic closures implementation, all of the symbols in the template are replaced by aliases closed in the transformer environment, while the output form itself is closed in the usage environment. This guarantees that the macro transformation is hygienic, without requiring the transformer to know the syntactic roles of the substituted input subforms.

identifier? *object*

procedure

Returns **#t** if *object* is an identifier, otherwise returns **#f**. Examples:

```
(identifier? 'a)           ⇒ #t
(identifier? (make-syntactic-closure env '() 'a))
                           ⇒ #t

(identifier? "a")          ⇒ #f
(identifier? #\a)          ⇒ #f
(identifier? 97)           ⇒ #f
(identifier? #f)           ⇒ #f
(identifier? '(a))         ⇒ #f
(identifier? '#(a))        ⇒ #f
```

The predicate **eq?** is used to determine if two identifiers are “the same”. Thus **eq?** can be used to compare identifiers exactly as it would be used to compare symbols. Often, though, it is useful to know whether two identifiers “mean the same thing”. For example, the **cond** macro uses the symbol **else** to identify the final clause in the conditional. A macro transformer for **cond** cannot just look for the symbol **else**, because the **cond** form might be the output of another macro transformer that replaced the symbol **else** with an alias. Instead the transformer must look for an identifier that “means the same thing” in the usage environment as the symbol **else** means in the transformer environment.

identifier=? *environment1 identifier1 environment2 identifier2*

procedure

Environment1 and *environment2* must be syntactic environments, and *identifier1* and *identifier2* must be identifiers. **identifier=?** returns **#t** if the meaning of *identifier1* in *environment1* is the same as that of *identifier2* in *environment2*, otherwise it returns **#f**. Examples:

```
(let-syntax
  ((foo
    (sc-macro-transformer
      (lambda (form env)
        (capture-syntactic-environment
          (lambda (transformer-env)
            (identifier=? transformer-env 'x env 'x)))))))
  (list (foo)
        (let ((x 3))
          (foo))))
      ⇒ (#t #f)
```



```

(let-syntax ((bar foo))
  (let-syntax
    ((foo
      (sc-macro-transformer
        (lambda (form env)
          (capture-syntactic-environment
            (lambda (transformer-env)
              (identifier=? transformer-env 'foo
                           env (cadr form))))))))
    (list (foo foo)
          (foo bar))))
⇒ (#f #t)

```

Sometimes it is useful to be able to introduce a new identifier that is guaranteed to be different from any existing identifier, similarly to the way that `generate-uninterned-symbol` is used.

make-synthetic-identifier *identifier* procedure
 Creates and returns a new synthetic identifier (alias) that is guaranteed to be different from all existing identifiers. *Identifier* is any existing identifier, which is used in deriving the name of the new identifier.

This is implemented by syntactically closing *identifier* in a special empty environment.

2.11.4 Explicit Renaming

Explicit renaming is an alternative facility for defining macro transformers. In the MIT Scheme implementation, explicit-renaming transformers are implemented as an abstraction layer on top of syntactic closures. An explicit-renaming macro transformer is defined by an instance of the `er-macro-transformer` keyword:

er-macro-transformer *expression* special form
 The *expression* is expanded in the syntactic environment of the `er-macro-transformer` expression, and the expanded expression is evaluated in the transformer environment to yield a macro transformer as described below. This macro transformer is bound to a macro keyword by the special form in which the `transformer` expression appears (for example, `let-syntax`).

In the explicit-renaming facility, a *macro transformer* is a procedure that takes three arguments, a form, a renaming procedure, and a comparison predicate, and returns a new form. The first argument, the *input form*, is the form in which the macro keyword occurred.

The second argument to a transformation procedure is a *renaming procedure* that takes the representation of an identifier as its argument and returns the representation of a fresh identifier that occurs nowhere else in the program. For example, the transformation procedure for a simplified version of the `let` macro might be written as

```
(lambda (exp rename compare)
  (let ((vars (map car (cadr exp)))
        (inits (map cadr (cadr exp)))
        (body (cddr exp)))
    '((lambda ,vars ,@body)
      ,@inits)))
```

This would not be hygienic, however. A hygienic `let` macro must rename the identifier `lambda` to protect it from being captured by a local binding. The renaming effectively creates a fresh alias for `lambda`, one that cannot be captured by any subsequent binding:

```
(lambda (exp rename compare)
  (let ((vars (map car (cadr exp)))
        (inits (map cadr (cadr exp)))
        (body (cddr exp)))
    '((lambda (rename 'lambda) ,vars ,@body)
      ,@inits)))
```

The expression returned by the transformation procedure will be expanded in the syntactic environment obtained from the syntactic environment of the macro application by binding any fresh identifiers generated by the renaming procedure to the denotations of the original identifiers in the syntactic environment in which the macro was defined. This means that a renamed identifier will denote the same thing as the original identifier unless the transformation procedure that renamed the identifier placed an occurrence of it in a binding position.

The renaming procedure acts as a mathematical function in the sense that the identifiers obtained from any two calls with the same argument will be the same in the sense of `eqv?`. It is an error if the renaming procedure is called after the transformation procedure has returned.

The third argument to a transformation procedure is a *comparison predicate* that takes the representations of two identifiers as its arguments and returns true if and only if they denote the same thing in the syntactic environment that will be used to expand the transformed macro application. For example, the transformation procedure for a simplified version of the `cond` macro can be written as

```
(lambda (exp rename compare)
  (let ((clauses (cdr exp)))
    (if (null? clauses)
        '((rename 'quote) unspecified)
        (let* ((first (car clauses))
                (rest (cdr clauses))
                (test (car first)))
          (cond ((and (identifier? test)
                      (compare test (rename 'else)))
                 '((rename 'begin) ,@(cdr first)))
                (else '((rename 'if)
                        ,test
                        ((rename 'begin) ,@(cdr first))
                        (cond ,@rest))))))))))
```

In this example the identifier `else` is renamed before being passed to the comparison predicate, so the comparison will be true if and only if the test expression is an identifier that denotes the same thing in the syntactic environment of the expression being transformed as `else` denotes in the syntactic environment in which the `cond` macro was defined. If `else` were not renamed before being passed to the comparison predicate, then it would match a local variable that happened to be named `else`, and the macro would not be hygienic.

Some macros are non-hygienic by design. For example, the following defines a `loop` macro that implicitly binds `exit` to an escape procedure. The binding of `exit` is intended to capture free references to `exit` in the body of the loop, so `exit` is not renamed.

```
(define-syntax loop
  (er-macro-transformer
    (lambda (x r c)
      (let ((body (cdr x)))
        '(', (r 'call-with-current-continuation)
          (, (r 'lambda) (exit)
            (, (r 'let) , (r 'f) () , @body (, (r 'f))))))))
```

Suppose a `while` macro is implemented using `loop`, with the intent that `exit` may be used to escape from the `while` loop. The `while` macro cannot be written as

```
(define-syntax while
  (syntax-rules ()
    ((while test body ...)
     (loop (if (not test) (exit #f))
           body ...))))
```

because the reference to `exit` that is inserted by the `while` macro is intended to be captured by the binding of `exit` that will be inserted by the `loop` macro. In other words, this `while` macro is not hygienic. Like `loop`, it must be written using the `er-macro-transformer` syntax:

```
(define-syntax while
  (er-macro-transformer
    (lambda (x r c)
      (let ((test (cadr x))
            (body (caddr x)))
        '(', (r 'loop)
          (, (r 'if) (, (r 'not) , test) (exit #f))
          , @body))))
```


3 Equivalence Predicates

A *predicate* is a procedure that always returns a boolean value (**#t** or **#f**). An *equivalence predicate* is the computational analogue of a mathematical equivalence relation (it is symmetric, reflexive, and transitive). Of the equivalence predicates described in this section, **eq?** is the finest or most discriminating, and **equal?** is the coarsest. **eqv?** is slightly less discriminating than **eq?**.

eqv? *obj1 obj2* procedure

The **eqv?** procedure defines a useful equivalence relation on objects. Briefly, it returns **#t** if *obj1* and *obj2* should normally be regarded as the same object.

The **eqv?** procedure returns **#t** if:

- *obj1* and *obj2* are both **#t** or both **#f**.
- *obj1* and *obj2* are both interned symbols and


```
(string=? (symbol->string obj1)
           (symbol->string obj2))
      ⇒ #t
```
- *obj1* and *obj2* are both numbers, are numerically equal according to the **=** procedure, and are either both exact or both inexact (see [Chapter 4 \[Numbers\]](#), [page 57](#)).
- *obj1* and *obj2* are both characters and are the same character according to the **char=?** procedure (see [Chapter 5 \[Characters\]](#), [page 77](#)).
- both *obj1* and *obj2* are the empty list.
- *obj1* and *obj2* are procedures whose location tags are equal.
- *obj1* and *obj2* are pairs, vectors, strings, bit strings, records, cells, or weak pairs that denote the same locations in the store.

The **eqv?** procedure returns **#f** if:

- *obj1* and *obj2* are of different types.
- one of *obj1* and *obj2* is **#t** but the other is **#f**.
- *obj1* and *obj2* are symbols but


```
(string=? (symbol->string obj1)
           (symbol->string obj2))
      ⇒ #f
```
- one of *obj1* and *obj2* is an exact number but the other is an inexact number.
- *obj1* and *obj2* are numbers for which the **=** procedure returns **#f**.
- *obj1* and *obj2* are characters for which the **char=?** procedure returns **#f**.
- one of *obj1* and *obj2* is the empty list but the other is not.
- *obj1* and *obj2* are procedures that would behave differently (return a different value or have different side effects) for some arguments.
- *obj1* and *obj2* are pairs, vectors, strings, bit strings, records, cells, or weak pairs that denote distinct locations.

Some examples:

```

(eqv? 'a 'a)           ⇒ #t
(eqv? 'a 'b)           ⇒ #f
(eqv? 2 2)             ⇒ #t
(eqv? '() '())         ⇒ #t
(eqv? 1000000000 1000000000) ⇒ #t
(eqv? (cons 1 2) (cons 1 2)) ⇒ #f
(eqv? (lambda () 1)
      (lambda () 2))    ⇒ #f
(eqv? #f 'nil)          ⇒ #f
(let ((p (lambda (x) x)))
  (eqv? p p))           ⇒ #t

```

The following examples illustrate cases in which the above rules do not fully specify the behavior of `eqv?`. All that can be said about such cases is that the value returned by `eqv?` must be a boolean.

```

(eqv? "" "")           ⇒ unspecified
(eqv? '#() '#())       ⇒ unspecified
(eqv? (lambda (x) x)
      (lambda (x) x))   ⇒ unspecified
(eqv? (lambda (x) x)
      (lambda (y) y))   ⇒ unspecified

```

The next set of examples shows the use of `eqv?` with procedures that have local state. `gen-counter` must return a distinct procedure every time, since each procedure has its own internal counter. `gen-loser`, however, returns equivalent procedures each time, since the local state does not affect the value or side effects of the procedures.

```

(define gen-counter
  (lambda ()
    (let ((n 0))
      (lambda () (set! n (+ n 1)) n))))
(let ((g (gen-counter)))
  (eqv? g g))           ⇒ #t
(eqv? (gen-counter) (gen-counter))
                                     ⇒ #f

(define gen-loser
  (lambda ()
    (let ((n 0))
      (lambda () (set! n (+ n 1)) 27))))
(let ((g (gen-loser)))
  (eqv? g g))           ⇒ #t
(eqv? (gen-loser) (gen-loser))
                                     ⇒ unspecified

```

```
(letrec ((f (lambda () (if (eqv? f g) 'both 'f)))
         (g (lambda () (if (eqv? f g) 'both 'g)))
         (eqv? f g))
```

⇒ unspecified

```
(letrec ((f (lambda () (if (eqv? f g) 'f 'both)))
         (g (lambda () (if (eqv? f g) 'g 'both)))
         (eqv? f g))
```

⇒ #f

Objects of distinct types must never be regarded as the same object.

Since it is an error to modify constant objects (those returned by literal expressions), the implementation may share structure between constants where appropriate. Thus the value of `eqv?` on constants is sometimes unspecified.

```
(let ((x '(a)))
  (eqv? x x))                ⇒ #t
(eqv? '(a) '(a))            ⇒ unspecified
(eqv? "a" "a")              ⇒ unspecified
(eqv? '(b) (cdr '(a b)))    ⇒ unspecified
```

Rationale: The above definition of `eqv?` allows implementations latitude in their treatment of procedures and literals: implementations are free either to detect or to fail to detect that two procedures or two literals are equivalent to each other, and can decide whether or not to merge representations of equivalent objects by using the same pointer or bit pattern to represent both.

eq? *obj1 obj2* procedure

eq? is similar to **eqv?** except that in some cases it is capable of discerning distinctions finer than those detectable by **eqv?**.

eq? and **eqv?** are guaranteed to have the same behavior on symbols, booleans, the empty list, pairs, records, and non-empty strings and vectors. **eq?**'s behavior on numbers and characters is implementation-dependent, but it will always return either true or false, and will return true only when **eqv?** would also return true. **eq?** may also behave differently from **eqv?** on empty vectors and empty strings.

(eq? 'a 'a)	⇒ #t
(eq? '(a) '(a))	⇒ unspecified
(eq? (list 'a) (list 'a))	⇒ #f
(eq? "a" "a")	⇒ unspecified
(eq? "" "")	⇒ unspecified
(eq? '() '())	⇒ #t
(eq? 2 2)	⇒ unspecified
(eq? #\A #\A)	⇒ unspecified
(eq? car car)	⇒ #t
(let ((n (+ 2 3))) (eq? n n))	⇒ unspecified
(let ((x '(a))) (eq? x x))	⇒ #t
(let ((x '#())) (eq? x x))	⇒ #t
(let ((p (lambda (x) x))) (eq? p p))	⇒ #t

Rationale: It will usually be possible to implement **eq?** much more efficiently than **eqv?**, for example, as a simple pointer comparison instead of as some more complicated operation. One reason is that it may not be possible to compute **eqv?** of two numbers in constant time, whereas **eq?** implemented as pointer comparison will always finish in constant time. **eq?** may be used like **eqv?** in applications using procedures to implement objects with state since it obeys the same constraints as **eqv?**.

equal? *obj1 obj2* procedure

equal? recursively compares the contents of pairs, vectors, and strings, applying **eqv?** on other objects such as numbers, symbols, and records. A rule of thumb is that objects are generally **equal?** if they print the same. **equal?** may fail to terminate if its arguments are circular data structures.

(equal? 'a 'a)	⇒	#t
(equal? '(a) '(a))	⇒	#t
(equal? '(a (b) c)		
'(a (b) c))	⇒	#t
(equal? "abc" "abc")	⇒	#t
(equal? 2 2)	⇒	#t
(equal? (make-vector 5 'a)		
(make-vector 5 'a))	⇒	#t
(equal? (lambda (x) x)		
(lambda (y) y))	⇒	unspecified

4 Numbers

(This section is largely taken from the *Revised⁴ Report on the Algorithmic Language Scheme*.)

Numerical computation has traditionally been neglected by the Lisp community. Until Common Lisp there was no carefully thought out strategy for organizing numerical computation, and with the exception of the MacLisp system little effort was made to execute numerical code efficiently. This report recognizes the excellent work of the Common Lisp committee and accepts many of their recommendations. In some ways this report simplifies and generalizes their proposals in a manner consistent with the purposes of Scheme.

It is important to distinguish between the mathematical numbers, the Scheme numbers that attempt to model them, the machine representations used to implement the Scheme numbers, and notations used to write numbers. This report uses the types *number*, *complex*, *real*, *rational*, and *integer* to refer to both mathematical numbers and Scheme numbers. Machine representations such as fixed point and floating point are referred to by names such as *fixnum* and *flonum*.

4.1 Numerical types

Mathematically, numbers may be arranged into a tower of subtypes in which each level is a subset of the level above it:

number
complex
real
rational
integer

For example, 3 is an integer. Therefore 3 is also a rational, a real, and a complex. The same is true of the Scheme numbers that model 3. For Scheme numbers, these types are defined by the predicates `number?`, `complex?`, `real?`, `rational?`, and `integer?`.

There is no simple relationship between a number's type and its representation inside a computer. Although most implementations of Scheme will offer at least two different representations of 3, these different representations denote the same integer.

Scheme's numerical operations treat numbers as abstract data, as independent of their representation as possible. Although an implementation of Scheme may use *fixnum*, *flonum*, and perhaps other representations for numbers, this should not be apparent to a casual programmer writing simple programs.

It is necessary, however, to distinguish between numbers that are represented exactly and those that may not be. For example, indexes into data structures must be known exactly, as must some polynomial coefficients in a symbolic algebra system. On the other hand, the results of measurements are inherently inexact, and irrational numbers may be approximated by rational and therefore inexact approximations. In order to catch uses of inexact numbers where exact numbers are required, Scheme explicitly distinguishes exact from inexact numbers. This distinction is orthogonal to the dimension of type.

4.2 Exactness

Scheme numbers are either *exact* or *inexact*. A number is exact if it was written as an exact constant or was derived from exact numbers using only exact operations. A number is inexact if it was written as an inexact constant, if it was derived using inexact ingredients, or if it was derived using inexact operations. Thus inexactness is a contagious property of a number.

If two implementations produce exact results for a computation that did not involve inexact intermediate results, the two ultimate results will be mathematically equivalent. This is generally not true of computations involving inexact numbers since approximate methods such as floating point arithmetic may be used, but it is the duty of each implementation to make the result as close as practical to the mathematically ideal result.

Rational operations such as `+` should always produce exact results when given exact arguments. If the operation is unable to produce an exact result, then it may either report the violation of an implementation restriction or it may silently coerce its result to an inexact value. See [Section 4.3 \[Implementation restrictions\]](#), page 58.

With the exception of `inexact->exact`, the operations described in this section must generally return inexact results when given any inexact arguments. An operation may, however, return an exact result if it can prove that the value of the result is unaffected by the inexactness of its arguments. For example, multiplication of any number by an exact zero may produce an exact zero result, even if the other argument is inexact.

4.3 Implementation restrictions

Implementations of Scheme are not required to implement the whole tower of subtypes (see [Section 4.1 \[Numerical types\]](#), page 57), but they must implement a coherent subset consistent with both the purposes of the implementation and the spirit of the Scheme language. For example, an implementation in which all numbers are real may still be quite useful.¹

Implementations may also support only a limited range of numbers of any type, subject to the requirements of this section. The supported range for exact numbers of any type may be different from the supported range for inexact numbers of that type. For example, an implementation that uses flonums to represent all its inexact real numbers may support a practically unbounded range of exact integers and rationals while limiting the range of inexact reals (and therefore the range of inexact integers and rationals) to the dynamic range of the flonum format. Furthermore the gaps between the representable inexact integers and rationals are likely to be very large in such an implementation as the limits of this range are approached.

An implementation of Scheme must support exact integers throughout the range of numbers that may be used for indexes of lists, vectors, and strings or that may result from computing the length of a list, vector, or string. The `length`, `vector-length`, and `string-length` procedures must return an exact integer, and it is an error to use anything but an

¹ MIT Scheme implements the whole tower of numerical types. It has unlimited-precision exact integers and exact rationals. Flonums are used to implement all inexact reals; on machines that support IEEE floating-point arithmetic these are double-precision floating-point numbers.

exact integer as an index. Furthermore any integer constant within the index range, if expressed by an exact integer syntax, will indeed be read as an exact integer, regardless of any implementation restrictions that may apply outside this range. Finally, the procedures listed below will always return an exact integer result provided all their arguments are exact integers and the mathematically expected result is representable as an exact integer within the implementation:

<code>*</code>	<code>gcd</code>	<code>modulo</code>
<code>+</code>	<code>imag-part</code>	<code>numerator</code>
<code>-</code>	<code>inexact->exact</code>	<code>quotient</code>
<code>abs</code>	<code>lcm</code>	<code>rationalize</code>
<code>angle</code>	<code>magnitude</code>	<code>real-part</code>
<code>ceiling</code>	<code>make-polar</code>	<code>remainder</code>
<code>denominator</code>	<code>make-rectangular</code>	<code>round</code>
<code>expt</code>	<code>max</code>	<code>truncate</code>
<code>floor</code>	<code>min</code>	

Implementations are encouraged, but not required, to support exact integers and exact rationals of practically unlimited size and precision, and to implement the above procedures and the `/` procedure in such a way that they always return exact results when given exact arguments. If one of these procedures is unable to deliver an exact result when given exact arguments, then it may either report a violation of an implementation restriction or it may silently coerce its result to an inexact number. Such a coercion may cause an error later.

An implementation may use floating point and other approximate representation strategies for inexact numbers. This report recommends, but does not require, that the IEEE 32-bit and 64-bit floating point standards be followed by implementations that use flonum representations, and that implementations using other representations should match or exceed the precision achievable using these floating point standards.

In particular, implementations that use flonum representations must follow these rules: A flonum result must be represented with at least as much precision as is used to express any of the inexact arguments to that operation. It is desirable (but not required) for potentially inexact operations such as `sqrt`, when applied to exact arguments, to produce exact answers whenever possible (for example the square root of an exact 4 ought to be an exact 2). If, however, an exact number is operated upon so as to produce an inexact result (as by `sqrt`), and if the result is represented as a flonum, then the most precise flonum format available must be used; but if the result is represented in some other way then the representation must have at least as much precision as the most precise flonum format available.

Although Scheme allows a variety of written notations for numbers, any particular implementation may support only some of them.² For example, an implementation in which all numbers are real need not support the rectangular and polar notations for complex numbers. If an implementation encounters an exact numerical constant that it cannot represent as an exact number, then it may either report a violation of an implementation restriction or it may silently represent the constant by an inexact number.

² MIT Scheme implements all of the written notations for numbers.

4.4 Syntax of numerical constants

A number may be written in binary, octal, decimal, or hexadecimal by the use of a radix prefix. The radix prefixes are **#b** (binary), **#o** (octal), **#d** (decimal), and **#x** (hexadecimal). With no radix prefix, a number is assumed to be expressed in decimal.

A numerical constant may be specified to be either exact or inexact by a prefix. The prefixes are **#e** for exact, and **#i** for inexact. An exactness prefix may appear before or after any radix prefix that is used. If the written representation of a number has no exactness prefix, the constant may be either inexact or exact. It is inexact if it contains a decimal point, an exponent, or a **#** character in the place of a digit, otherwise it is exact.

In systems with inexact numbers of varying precisions it may be useful to specify the precision of a constant. For this purpose, numerical constants may be written with an *exponent marker* that indicates the desired precision of the inexact representation. The letters **s**, **f**, **d**, and **l** specify the use of *short*, *single*, *double*, and *long* precision, respectively. (When fewer than four internal inexact representations exist, the four size specifications are mapped onto those available. For example, an implementation with two internal representations may map short and single together and long and double together.) In addition, the exponent marker **e** specifies the default precision for the implementation. The default precision has at least as much precision as *double*, but implementations may wish to allow this default to be set by the user.

```
3.14159265358979F0
    Round to single — 3.141593
0.6L0
    Extend to long — .6000000000000000
```

4.5 Numerical operations

See [Section 1.1.3 \[Entry Format\]](#), page 5, for a summary of the naming conventions used to specify restrictions on the types of arguments to numerical routines. The examples used in this section assume that any numerical constant written using an exact notation is indeed represented as an exact number. Some examples also assume that certain numerical constants written using an inexact notation can be represented without loss of accuracy; the inexact constants were chosen so that this is likely to be true in implementations that use flonums to represent inexact numbers.

number?	<i>object</i>	procedure
complex?	<i>object</i>	procedure
real?	<i>object</i>	procedure
rational?	<i>object</i>	procedure
integer?	<i>object</i>	procedure

These numerical type predicates can be applied to any kind of argument, including non-numbers. They return **#t** if the object is of the named type, and otherwise they return **#f**. In general, if a type predicate is true of a number then all higher type predicates are also true of that number. Consequently, if a type predicate is false of a number, then all lower type predicates are also false of that number.³

³ In MIT Scheme the **rational?** procedure is the same as **real?**, and the **complex?** procedure is the same as **number?**.

If z is an inexact complex number, then `(real? z)` is true if and only if `(zero? (imag-part z))` is true. If x is an inexact real number, then `(integer? x)` is true if and only if `(= x (round x))`.

```
(complex? 3+4i)      ⇒ #t
(complex? 3)         ⇒ #t
(real? 3)            ⇒ #t
(real? -2.5+0.0i)    ⇒ #t
(real? #e1e10)       ⇒ #t
(rational? 6/10)     ⇒ #t
(rational? 6/3)      ⇒ #t
(integer? 3+0i)      ⇒ #t
(integer? 3.0)       ⇒ #t
(integer? 8/4)       ⇒ #t
```

Note: The behavior of these type predicates on inexact numbers is unreliable, since any inaccuracy may affect the result.

exact? z procedure
inexact? z procedure

These numerical predicates provide tests for the exactness of a quantity. For any Scheme number, precisely one of these predicates is true.

exact-integer? $object$ procedure
exact-nonnegative-integer? $object$ procedure
exact-rational? $object$ procedure

These procedures test for some very common types of numbers. These tests could be written in terms of simpler predicates, but are more efficient.

```
=  $z1\ z2\ z3\ \dots$  procedure  

<  $x1\ x2\ x3\ \dots$  procedure  

>  $x1\ x2\ x3\ \dots$  procedure  

<=  $x1\ x2\ x3\ \dots$  procedure  

>=  $x1\ x2\ x3\ \dots$  procedure
```

These procedures return `#t` if their arguments are (respectively): equal, monotonically increasing, monotonically decreasing, monotonically nondecreasing, or monotonically nonincreasing.

These predicates are transitive. Note that the traditional implementations of these predicates in Lisp-like languages are not transitive.

Note: While it is not an error to compare inexact numbers using these predicates, the results may be unreliable because a small inaccuracy may affect the result; this is especially true of `=` and `zero?`. When in doubt, consult a numerical analyst.

zero? <i>z</i>	procedure
positive? <i>x</i>	procedure
negative? <i>x</i>	procedure
odd? <i>x</i>	procedure
even? <i>x</i>	procedure

These numerical predicates test a number for a particular property, returning **#t** or **#f**. See note above regarding inexact numbers.

max <i>x1 x2 ...</i>	procedure
min <i>x1 x2 ...</i>	procedure

These procedures return the maximum or minimum of their arguments.

<code>(max 3 4)</code>	\Rightarrow	<code>4</code>	; exact
<code>(max 3.9 4)</code>	\Rightarrow	<code>4.0</code>	; inexact

Note: If any argument is inexact, then the result will also be inexact (unless the procedure can prove that the inaccuracy is not large enough to affect the result, which is possible only in unusual implementations). If **min** or **max** is used to compare numbers of mixed exactness, and the numerical value of the result cannot be represented as an inexact number without loss of accuracy, then the procedure may report a violation of an implementation restriction.⁴

+ <i>z1 ...</i>	procedure
* <i>z1 ...</i>	procedure

These procedures return the sum or product of their arguments.

<code>(+ 3 4)</code>	\Rightarrow	<code>7</code>
<code>(+ 3)</code>	\Rightarrow	<code>3</code>
<code>(+)</code>	\Rightarrow	<code>0</code>
<code>(* 4)</code>	\Rightarrow	<code>4</code>
<code>(*)</code>	\Rightarrow	<code>1</code>

- <i>z1 z2 ...</i>	procedure
/ <i>z1 z2 ...</i>	procedure

With two or more arguments, these procedures return the difference or quotient of their arguments, associating to the left. With one argument, however, they return the additive or multiplicative inverse of their argument.

<code>(- 3 4)</code>	\Rightarrow	<code>-1</code>
<code>(- 3 4 5)</code>	\Rightarrow	<code>-6</code>
<code>(- 3)</code>	\Rightarrow	<code>-3</code>
<code>(/ 3 4 5)</code>	\Rightarrow	<code>3/20</code>
<code>(/ 3)</code>	\Rightarrow	<code>1/3</code>

1+ <i>z</i>	procedure
-1+ <i>z</i>	procedure

(**1+** *z*) is equivalent to `(+ z 1)`; (**-1+** *z*) is equivalent to `(- z 1)`.

⁴ MIT Scheme signals an error of type `condition-type:bad-range-argument` in this case.

abs *x* procedure

abs returns the magnitude of its argument.

(**abs** -7) \Rightarrow 7

quotient *n1 n2* procedure

remainder *n1 n2* procedure

modulo *n1 n2* procedure

These procedures implement number-theoretic (integer) division: for positive integers *n1* and *n2*, if *n3* and *n4* are integers such that

$$n_1 = n_2 n_3 + n_4$$

$$0 \leq n_4 < n_2$$

then

(**quotient** *n1 n2*) \Rightarrow *n3*

(**remainder** *n1 n2*) \Rightarrow *n4*

(**modulo** *n1 n2*) \Rightarrow *n4*

For integers *n1* and *n2* with *n2* not equal to 0,

(= *n1*
 (+ (* *n2* (**quotient** *n1 n2*))
 (**remainder** *n1 n2*)))
 \Rightarrow #t

provided all numbers involved in that computation are exact.

The value returned by **quotient** always has the sign of the product of its arguments. **remainder** and **modulo** differ on negative arguments — the **remainder** always has the sign of the dividend, the **modulo** always has the sign of the divisor:

(**modulo** 13 4) \Rightarrow 1
 (**remainder** 13 4) \Rightarrow 1

(**modulo** -13 4) \Rightarrow 3
 (**remainder** -13 4) \Rightarrow -1

(**modulo** 13 -4) \Rightarrow -3
 (**remainder** 13 -4) \Rightarrow 1

(**modulo** -13 -4) \Rightarrow -1
 (**remainder** -13 -4) \Rightarrow -1

(**remainder** -13 -4.0) \Rightarrow -1.0 ; inexact

Note that **quotient** is the same as **integer-truncate**.

integer-floor *n1 n2* procedure

integer-ceiling *n1 n2* procedure

integer-truncate *n1 n2* procedure

integer-round *n1 n2* procedure

These procedures combine integer division with rounding. For example, the following are equivalent:

```
(integer-floor n1 n2)
(floor (/ n1 n2))
```

However, the former is faster and does not produce an intermediate result.

Note that `integer-truncate` is the same as `quotient`.

integer-divide <i>n1 n2</i>	procedure
integer-divide-quotient <i>qr</i>	procedure
integer-divide-remainder <i>qr</i>	procedure

`integer-divide` is equivalent to performing both `quotient` and `remainder` at once. The result of `integer-divide` is an object with two components; the procedures `integer-divide-quotient` and `integer-divide-remainder` select those components. These procedures are useful when both the quotient and remainder are needed; often computing both of these numbers simultaneously is much faster than computing them separately.

For example, the following are equivalent:

```
(lambda (n d)
  (cons (quotient n d)
        (remainder n d)))

(lambda (n d)
  (let ((qr (integer-divide n d)))
    (cons (integer-divide-quotient qr)
          (integer-divide-remainder qr))))
```

gcd <i>n1</i> ...	procedure
lcm <i>n1</i> ...	procedure

These procedures return the greatest common divisor or least common multiple of their arguments. The result is always non-negative.

(gcd 32 -36)	⇒	4
(gcd)	⇒	0
(lcm 32 -36)	⇒	288
(lcm 32.0 -36)	⇒	288.0 ; inexact
(lcm)	⇒	1

numerator <i>q</i>	procedure
denominator <i>q</i>	procedure

These procedures return the numerator or denominator of their argument; the result is computed as if the argument was represented as a fraction in lowest terms. The denominator is always positive. The denominator of 0 is defined to be 1.

```
(numerator (/ 6 4)) ⇒ 3
(denominator (/ 6 4)) ⇒ 2
(denominator (exact->inexact (/ 6 4))) ⇒ 2.0
```

floor <i>x</i>	procedure
ceiling <i>x</i>	procedure
truncate <i>x</i>	procedure
round <i>x</i>	procedure

These procedures return integers. **floor** returns the largest integer not larger than *x*. **ceiling** returns the smallest integer not smaller than *x*. **truncate** returns the integer closest to *x* whose absolute value is not larger than the absolute value of *x*. **round** returns the closest integer to *x*, rounding to even when *x* is halfway between two integers.

Rationale: **round** rounds to even for consistency with the rounding modes required by the IEEE floating point standard.

Note: If the argument to one of these procedures is inexact, then the result will also be inexact. If an exact value is needed, the result should be passed to the **inexact->exact** procedure (or use one of the procedures below).

(floor -4.3)	⇒	-5.0	
(ceiling -4.3)	⇒	-4.0	
(truncate -4.3)	⇒	-4.0	
(round -4.3)	⇒	-4.0	
(floor 3.5)	⇒	3.0	
(ceiling 3.5)	⇒	4.0	
(truncate 3.5)	⇒	3.0	
(round 3.5)	⇒	4.0	; inexact
(round 7/2)	⇒	4	; exact
(round 7)	⇒	7	

floor->exact <i>x</i>	procedure
ceiling->exact <i>x</i>	procedure
truncate->exact <i>x</i>	procedure
round->exact <i>x</i>	procedure

These procedures are similar to the preceding procedures except that they always return an exact result. For example, the following are equivalent

```
(floor->exact x)
(inexact->exact (floor x))
```

except that the former is faster and has fewer range restrictions.

rationalize <i>x y</i>	procedure
rationalize->exact <i>x y</i>	procedure

rationalize returns the *simplest* rational number differing from *x* by no more than *y*. A rational number *r1* is *simpler* than another rational number *r2* if *r1*=*p1*/*q1* and *r2*=*p2*/*q2* (both in lowest terms) and $|p1| \leq |p2|$ and $|q1| \leq |q2|$. Thus 3/5 is simpler than 4/7. Although not all rationals are comparable in this ordering (consider 2/7 and 3/5) any interval contains a rational number that is simpler than every other rational number in that interval (the simpler 2/5 lies between 2/7 and 3/5). Note that 0=0/1 is the simplest rational of all.

```
(rationalize (inexact->exact .3) 1/10) ⇒ 1/3    ; exact
(rationalize .3 1/10)                  ⇒ #i1/3   ; inexact
```

`rationalize->exact` is similar to `rationalize` except that it always returns an exact result.

simplest-rational *x y* procedure
simplest-exact-rational *x y* procedure

`simplest-rational` returns the simplest rational number between *x* and *y* inclusive; `simplest-exact-rational` is similar except that it always returns an exact result.

These procedures implement the same functionality as `rationalize` and `rationalize->exact`, except that they specify the input range by its endpoints; `rationalize` specifies the range by its center point and its (half-) width.

exp *z* procedure
log *z* procedure
sin *z* procedure
cos *z* procedure
tan *z* procedure
asin *z* procedure
acos *z* procedure
atan *z* procedure
atan *y x* procedure

These procedures compute the usual transcendental functions. `log` computes the natural logarithm of *z* (not the base ten logarithm). `asin`, `acos`, and `atan` compute arcsine, arccosine, and arctangent, respectively. The two-argument variant of `atan` computes (`angle` (`make-rectangular` *x y*)) (see below).

In general, the mathematical functions `log`, `arcsine`, `arccosine`, and `arctangent` are multiply defined. For nonzero real *x*, the value of `log x` is defined to be the one whose imaginary part lies in the range minus *pi* (exclusive) to *pi* (inclusive). `log 0` is undefined. The value of `log z` when *z* is complex is defined according to the formula

$$\log z = \log \text{magnitude}(z) + i \text{angle}(z)$$

With `log` defined this way, the values of `arcsine`, `arccosine`, and `arctangent` are according to the following formulae:

$$\sin^{-1} z = -i \log(iz + \sqrt{1 - z^2})$$

$$\cos^{-1} z = \pi/2 - \sin^{-1} z$$

$$\tan^{-1} z = (\log(1 + iz) - \log(1 - iz))/(2i)$$

The above specification follows *Common Lisp: the Language*, which in turn cites *Principal Values and Branch Cuts in Complex APL*; refer to these sources for more detailed discussion of branch cuts, boundary conditions, and implementation of these functions. When it is possible these procedures produce a real result from a real argument.

sqrt *z* procedure
 Returns the principal square root of *z*. The result will have either positive real part, or zero real part and non-negative imaginary part.

expt *z1 z2* procedure
 Returns *z1* raised to the power *z2*:

$$z_1^{z_2} = e^{z_2 \log z_1}$$

0^0 is defined to be equal to 1.

make-rectangular *x1 x2* procedure
make-polar *x3 x4* procedure
real-part *z* procedure
imag-part *z* procedure
magnitude *z* procedure
angle *z* procedure
conjugate *z* procedure
 Suppose *x1*, *x2*, *x3*, and *x4* are real numbers and *z* is a complex number such that

$$z = x_1 + x_2 i = x_3 \cdot e^{i x_4}$$

Then **make-rectangular** and **make-polar** return *z*, **real-part** returns *x1*, **imag-part** returns *x2*, **magnitude** returns *x3*, and **angle** returns *x4*. In the case of **angle**, whose value is not uniquely determined by the preceding rule, the value returned will be the one in the range minus *pi* (exclusive) to *pi* (inclusive).

conjugate returns the complex conjugate of *z*.

exact->inexact *z* procedure
inexact->exact *z* procedure

exact->inexact returns an inexact representation of *z*. The value returned is the inexact number that is numerically closest to the argument. If an exact argument has no reasonably close inexact equivalent, then a violation of an implementation restriction may be reported; MIT Scheme signals an error of type **condition-type:bad-range-argument** in this case.

inexact->exact returns an exact representation of *z*. The value returned is the exact number that is numerically closest to the argument. If an inexact argument has no reasonably close exact equivalent, then a violation of an implementation restriction may be reported; in MIT Scheme this case does not occur because all inexact numbers are representable as exact numbers.

These procedures implement the natural one-to-one correspondence between exact and inexact integers throughout an implementation-dependent range. See [Section 4.3 \[Implementation restrictions\]](#), page 58.

4.6 Numerical input and output

number->string *number* [*radix*] procedure

Radix must be an exact integer, either 2, 8, 10, or 16. If omitted, *radix* defaults to 10. The procedure **number->string** takes a number and a radix and returns as a string an external representation of the given number in the given radix such that

```
(let ((number number)
      (radix radix))
  (eqv? number
        (string->number (number->string number radix)
                          radix)))
```

is true. It is an error if no possible result makes this expression true.

If *number* is inexact, the radix is 10, and the above expression can be satisfied by a result that contains a decimal point, then the result contains a decimal point and is expressed using the minimum number of digits (exclusive of exponent and trailing zeroes) needed to make the above expression true; otherwise the format of the result is unspecified.

The result returned by **number->string** never contains an explicit radix prefix.

Note: The error case can occur only when *number* is not a complex number or is a complex number with an non-rational real or imaginary part.

Rationale: If *number* is an inexact number represented using flonums, and the radix is 10, then the above expression is normally satisfied by a result containing a decimal point. The unspecified case allows for infinities, NaNs, and non-flonum representations.

flonum-parser-fast? variable

This variable controls the behavior of **string->number** when parsing inexact numbers. Specifically, it allows the user to trade off accuracy against speed.

When set to its default value, **#f**, the parser provides maximal accuracy, as required by the Scheme standard. If set to **#t**, the parser uses faster algorithms that will sometimes introduce small errors in the result. The errors affect a few of the least-significant bits of the result, and consequently can be tolerated by many applications.

flonum-unparser-cutoff variable

This variable controls the action of **number->string** when *number* is a flonum (and consequently controls all printing of flonums). The value of this variable is normally a list of three items:

rounding-type

One of the following symbols: **normal**, **relative**, or **absolute**. The symbol **normal** means that the number should be printed with full precision. The symbol **relative** means that the number should be rounded to a specific number of digits. The symbol **absolute** means that the number should be rounded so that there are a specific number of digits to the right of the decimal point.

precision An exact integer. If *rounding-type* is **normal**, *precision* is ignored. If *rounding-type* is **relative**, *precision* must be positive, and it specifies the number of digits to which the printed representation will be rounded. If *rounding-type* is **absolute**, the printed representation will be rounded *precision* digits to the right of the decimal point; if *precision* is negative, the representation is rounded ($- \textit{precision}$) digits to the left of the decimal point.

format-type

One of the symbols: **normal**, **scientific**, or **engineering**. This specifies the format in which the number will be printed.

scientific specifies that the number will be printed using scientific notation: *x.xxxeyyy*. In other words, the number is printed as a mantissa between zero inclusive and ten exclusive, and an exponent. **engineering** is like **scientific**, except that the exponent is always a power of three, and the mantissa is constrained to be between zero inclusive and 1000 exclusive. If **normal** is specified, the number will be printed in positional notation if it is “small enough”, otherwise it is printed in scientific notation. A number is “small enough” when the number of digits that would be printed using positional notation does not exceed the number of digits of precision in the underlying floating-point number representation; IEEE double-precision floating-point numbers have 17 digits of precision.

This three-element list may be abbreviated in two ways. First, the symbol **normal** may be used, which is equivalent to the list `(normal 0 normal)`. Second, the third element of the list, *format-type*, may be omitted, in which case it defaults to **normal**. The default value for `flonum-unparser-cutoff` is **normal**. If it is bound to a value different from those described here, `number->string` issues a warning and acts as though the value had been **normal**.

Some examples of `flonum-unparser-cutoff`:

```
(number->string (* 4 (atan 1 1)))
⇒ "3.141592653589793"

(fluid-let ((flonum-unparser-cutoff '(relative 5)))
  (number->string (* 4 (atan 1 1))))
⇒ "3.1416"

(fluid-let ((flonum-unparser-cutoff '(relative 5)))
  (number->string (* 4000 (atan 1 1))))
⇒ "3141.6"

(fluid-let ((flonum-unparser-cutoff '(relative 5 scientific)))
  (number->string (* 4000 (atan 1 1))))
⇒ "3.1416e3"

(fluid-let ((flonum-unparser-cutoff '(relative 5 scientific)))
  (number->string (* 40000 (atan 1 1))))
⇒ "3.1416e4"

(fluid-let ((flonum-unparser-cutoff '(relative 5 engineering)))
  (number->string (* 40000 (atan 1 1))))
⇒ "31.416e3"

(fluid-let ((flonum-unparser-cutoff '(absolute 5)))
```

```

(number->string (* 4 (atan 1 1)))
⇒ "3.14159"
(fluid-let ((flonum-unparser-cutoff '(absolute 5)))
  (number->string (* 4000 (atan 1 1))))
⇒ "3141.59265"
(fluid-let ((flonum-unparser-cutoff '(absolute -4)))
  (number->string (* 4e10 (atan 1 1))))
⇒ "31415930000."
(fluid-let ((flonum-unparser-cutoff '(absolute -4 scientific)))
  (number->string (* 4e10 (atan 1 1))))
⇒ "3.141593e10"
(fluid-let ((flonum-unparser-cutoff '(absolute -4 engineering)))
  (number->string (* 4e10 (atan 1 1))))
⇒ "31.41593e9"
(fluid-let ((flonum-unparser-cutoff '(absolute -5)))
  (number->string (* 4e10 (atan 1 1))))
⇒ "31415900000."

```

string->number *string* [*radix*] procedure

Returns a number of the maximally precise representation expressed by the given *string*. *Radix* must be an exact integer, either 2, 8, 10, or 16. If supplied, *radix* is a default radix that may be overridden by an explicit radix prefix in *string* (e.g. "#o177"). If *radix* is not supplied, then the default radix is 10. If *string* is not a syntactically valid notation for a number, then **string->number** returns #f.

```

(string->number "100")      ⇒ 100
(string->number "100" 16)   ⇒ 256
(string->number "1e2")      ⇒ 100.0
(string->number "15##")     ⇒ 1500.0

```

Note that a numeric representation using a decimal point or an exponent marker is not recognized unless *radix* is 10.

4.7 Fixnum and Flonum Operations

This section describes numerical operations that are restricted forms of the operations described above. These operations are useful because they compile very efficiently. However, care should be exercised: if used improperly, these operations can return incorrect answers, or even malformed objects that confuse the garbage collector.

4.7.1 Fixnum Operations

A *fixnum* is an exact integer that is small enough to fit in a machine word. In MIT Scheme, fixnums are typically 24 or 26 bits, depending on the machine; it is reasonable to assume that fixnums are at least 24 bits. Fixnums are signed; they are encoded using 2's complement.

All exact integers that are small enough to be encoded as fixnums are always encoded as fixnums — in other words, any exact integer that is not a fixnum is too big to be encoded as such. For this reason, small constants such as 0 or 1 are guaranteed to be fixnums.

fix:fixnum? *object* procedure
 Returns **#t** if *object* is a fixnum; otherwise returns **#f**.

Here is an expression that determines the largest fixnum:

```
(let loop ((n 1))
  (if (fix:fixnum? n)
      (loop (* n 2))
      (- n 1)))
```

A similar expression determines the smallest fixnum.

fix:= *fixnum fixnum* procedure
fix:< *fixnum fixnum* procedure
fix:> *fixnum fixnum* procedure
fix:<= *fixnum fixnum* procedure
fix:>= *fixnum fixnum* procedure

These are the standard order and equality predicates on fixnums. When compiled, they do not check the types of their arguments.

fix:zero? *fixnum* procedure
fix:positive? *fixnum* procedure
fix:negative? *fixnum* procedure

These procedures compare their argument to zero. When compiled, they do not check the type of their argument. The code produced by the following expressions is identical:

```
(fix:zero? fixnum)
(fix:= fixnum 0)
```

Similarly, **fix:positive?** and **fix:negative?** produce code identical to equivalent expressions using **fix:>** and **fix:<**.

fix:+ *fixnum fixnum* procedure
fix:- *fixnum fixnum* procedure
fix:* *fixnum fixnum* procedure
fix:quotient *fixnum fixnum* procedure
fix:remainder *fixnum fixnum* procedure
fix:gcd *fixnum fixnum* procedure
fix:1+ *fixnum* procedure
fix:-1+ *fixnum* procedure

These procedures are the standard arithmetic operations on fixnums. When compiled, they do not check the types of their arguments. Furthermore, they do not check to see if the result can be encoded as a fixnum. If the result is too large to be encoded as a fixnum, a malformed object is returned, with potentially disastrous effect on the garbage collector.

fix:divide *fixnum fixnum* procedure
 This procedure is like **integer-divide**, except that its arguments and its results must be fixnums. It should be used in conjunction with **integer-divide-quotient** and **integer-divide-remainder**.

The following are *bitwise-logical* operations on fixnums.

fix:not *fixnum* procedure

This returns the bitwise-logical inverse of its argument. When compiled, it does not check the type of its argument.

(fix:not 0)	⇒	-1
(fix:not -1)	⇒	0
(fix:not 1)	⇒	-2
(fix:not -34)	⇒	33

fix:and *fixnum fixnum* procedure

This returns the bitwise-logical “and” of its arguments. When compiled, it does not check the types of its arguments.

(fix:and #x43 #x0f)	⇒	3
(fix:and #x43 #xf0)	⇒	#x40

fix:andc *fixnum fixnum* procedure

Returns the bitwise-logical “and” of the first argument with the bitwise-logical inverse of the second argument. When compiled, it does not check the types of its arguments.

(fix:andc #x43 #x0f)	⇒	#x40
(fix:andc #x43 #xf0)	⇒	3

fix:or *fixnum fixnum* procedure

This returns the bitwise-logical “inclusive or” of its arguments. When compiled, it does not check the types of its arguments.

(fix:or #x40 3)	⇒	#x43
(fix:or #x41 3)	⇒	#x43

fix:xor *fixnum fixnum* procedure

This returns the bitwise-logical “exclusive or” of its arguments. When compiled, it does not check the types of its arguments.

(fix:xor #x40 3)	⇒	#x43
(fix:xor #x41 3)	⇒	#x42

fix:lsh *fixnum1 fixnum2* procedure

This procedure returns the result of logically shifting *fixnum1* by *fixnum2* bits. If *fixnum2* is positive, *fixnum1* is shifted left; if negative, it is shifted right. When compiled, it does not check the types of its arguments, nor the validity of its result.

(fix:lsh 1 10)	⇒	#x400
(fix:lsh #x432 -10)	⇒	1
(fix:lsh -1 3)	⇒	-8
(fix:lsh -128 -4)	⇒	#x3FFFF8

4.7.2 Flonum Operations

A *flonum* is an inexact real number that is implemented as a floating-point number. In MIT Scheme, all inexact real numbers are flonums. For this reason, constants such as 0. and 2.3 are guaranteed to be flonums.

flo:flonum? *object* procedure
Returns **#t** if *object* is a flonum; otherwise returns **#f**.

flo:= *flonum1 flonum2* procedure
flo:< *flonum1 flonum2* procedure
flo:> *flonum1 flonum2* procedure
 These procedures are the standard order and equality predicates on flonums. When compiled, they do not check the types of their arguments.

flo:zero? *flonum* procedure
flo:positive? *flonum* procedure
flo:negative? *flonum* procedure
 Each of these procedures compares its argument to zero. When compiled, they do not check the type of their argument.

flo:+ *flonum1 flonum2* procedure
flo:- *flonum1 flonum2* procedure
flo:* *flonum1 flonum2* procedure
flo:/ *flonum1 flonum2* procedure
 These procedures are the standard arithmetic operations on flonums. When compiled, they do not check the types of their arguments.

flo:finite? *flonum* procedure
 The IEEE floating-point number specification supports three special “numbers”: positive infinity (**+inf**), negative infinity (**-inf**), and not-a-number (**NaN**). This predicate returns **#f** if *flonum* is one of these objects, and **#t** if it is any other floating-point number.

flo:negate *flonum* procedure
 This procedure returns the negation of its argument. When compiled, it does not check the type of its argument. Equivalent to (**flo:-** 0. *flonum*).

flo:abs <i>flonum</i>	procedure
flo:exp <i>flonum</i>	procedure
flo:log <i>flonum</i>	procedure
flo:sin <i>flonum</i>	procedure
flo:cos <i>flonum</i>	procedure
flo:tan <i>flonum</i>	procedure
flo:asin <i>flonum</i>	procedure
flo:acos <i>flonum</i>	procedure
flo:atan <i>flonum</i>	procedure
flo:sqrt <i>flonum</i>	procedure
flo:expt <i>flonum1 flonum2</i>	procedure
flo:floor <i>flonum</i>	procedure
flo:ceiling <i>flonum</i>	procedure
flo:truncate <i>flonum</i>	procedure
flo:round <i>flonum</i>	procedure
flo:floor->exact <i>flonum</i>	procedure
flo:ceiling->exact <i>flonum</i>	procedure
flo:truncate->exact <i>flonum</i>	procedure
flo:round->exact <i>flonum</i>	procedure

These procedures are flonum versions of the corresponding procedures. When compiled, they do not check the types of their arguments.

flo:atan2 <i>flonum1 flonum2</i>	procedure
---	-----------

This is the flonum version of **atan** with two arguments. When compiled, it does not check the types of its arguments.

4.8 Random Numbers

MIT Scheme provides a facility for generating pseudo-random numbers. The current implementation is a “subtract-with-carry” random-number generator, based on the algorithm from *A New Class of Random Number Generators*, George Marsaglia and Arif Zaman, *The Annals of Applied Probability*, Vol. 1, No. 3, 1991. At the time it was implemented, this was a good algorithm for general purposes, but the state of the art in random-number generation is constantly changing. If necessary, the implementation will be updated to use a new algorithm while retaining the same interface.

The interface described here is very similar to that of Common Lisp.

random <i>modulus</i> [<i>state</i>]	procedure
---	-----------

Modulus must be a positive real number. **random** returns a pseudo-random number between zero (inclusive) and *modulus* (exclusive). The exactness of the returned number is the same as the exactness of *modulus*. Additionally, if *modulus* is an exact integer, the returned number will be also. Usually, *modulus* is either an exact integer or an inexact real; the current implementation has been tuned to make these two cases fast.

If *state* is given and not **#f**, it must be a random-state object; otherwise, it defaults to the value of the variable ***random-state***. This object is used to maintain the

state of the pseudo-random-number generator and is altered as a side effect of the `random` procedure.

```
(random 1.0)    ⇒ .32744744667719056
(random 1.0)    ⇒ .01668326768172354
(random 10)     ⇒ 3
(random 10)     ⇒ 8
(random 100)    ⇒ 38
(random 100)    ⇒ 63
(random 100/3)  ⇒ 130501475769920525/6755399441055744
(random 100/3)  ⇒ 170571694016427575/13510798882111488
```

flo:random-unit *state* procedure

State must be a random-state object. `flo:random-unit` returns a pseudo-random number between zero inclusive and one exclusive; the returned number is always a flonum and therefore an inexact real number. `flo:random-unit` is equivalent to `random` with a *modulus* of 1.0, except that it is faster.

The next three definitions concern random-state objects. In addition to these definitions, it is important to know that random-state objects are specifically designed so that they can be saved to disk using the `fasdump` procedure, and later restored using the `fasload` procedure. This allows a particular random-state object to be saved in order to replay a particular pseudo-random sequence.

random-state variable

This variable holds a data structure, a random-state object, that encodes the internal state of the random-number generator that `random` uses by default. A call to `random` will perform a side effect on this data structure. This variable may be changed, using `set!` or `fluid-let`, to hold a new random-state object.

make-random-state [*state*] procedure

This procedure returns a new random-state object, suitable for use as the value of the variable `*random-state*`, or as the *state* argument to `random`. If *state* is not given or `#f`, `make-random-state` returns a *copy* of the current random-number state object (the value of the variable `*random-state*`). If *state* is a random-state object, a copy of that object is returned. If *state* is `#t`, then a new random-state object is returned that has been “randomly” initialized by some means (such as by a time-of-day clock).

random-state? *object* procedure

Returns `#t` if *object* is a random-state object, otherwise returns `#f`.

5 Characters

Characters are objects that represent printed characters, such as letters and digits.¹

5.1 External Representation of Characters

Characters are written using the notation `#\character` or `#\character-name`. For example:

```
#\a           ; lowercase letter
#\A           ; uppercase letter
#\(\         ; left parenthesis
#\space       ; the space character
#\newline     ; the newline character
```

Case is significant in `#\character`, but not in `#\character-name`. If *character* in `#\character` is a letter, *character* must be followed by a delimiter character such as a space or parenthesis. Characters written in the `#\` notation are self-evaluating; you don't need to quote them.

A character name may include one or more *bucky bit* prefixes to indicate that the character includes one or more of the keyboard shift keys Control, Meta, Super, Hyper, or Top (note that the Control bucky bit prefix is not the same as the ASCII control key). The bucky bit prefixes and their meanings are as follows (case is not significant):

Key ---	Bucky bit prefix -----	Bucky bit -----
Meta	M- or Meta-	1
Control	C- or Control-	2
Super	S- or Super-	4
Hyper	H- or Hyper-	8
Top	T- or Top-	16

For example,

```
#\c-a         ; Control-a
#\meta-b      ; Meta-b
#\c-s-m-h-a   ; Control-Meta-Super-Hyper-A
```

The following *character-names* are supported, shown here with their ASCII equivalents:

¹ Some of the details in this section depend on the fact that the underlying operating system uses the ASCII character set. This may change when someone ports MIT Scheme to a non-ASCII operating system.

Character Name -----	ASCII Name -----
altmode	ESC
backnext	US
backspace	BS
call	SUB
linefeed	LF
page	FF
return	CR
rubout	DEL
space	
tab	HT

In addition, `#\newline` is the same as `#\linefeed` (but this may change in the future, so you should not depend on it). All of the standard ASCII names for non-printing characters are supported:

NUL	SOH	STX	ETX	EOT	ENQ	ACK	BEL
BS	HT	LF	VT	FF	CR	SO	SI
DLE	DC1	DC2	DC3	DC4	NAK	SYN	ETB
CAN	EM	SUB	ESC	FS	GS	RS	US
DEL							

char->name *char* [*slashify?*] procedure

Returns a string corresponding to the printed representation of *char*. This is the *character* or *character-name* component of the external representation, combined with the appropriate bucky bit prefixes.

```
(char->name #\a)           ⇒ "a"
(char->name #\space)       ⇒ "Space"
(char->name #\c-a)         ⇒ "C-a"
(char->name #\control-a)   ⇒ "C-a"
```

Slashify?, if specified and true, says to insert the necessary backslash characters in the result so that `read` will parse it correctly. In other words, the following generates the external representation of *char*:

```
(string-append "#\\" (char->name char #t))
```

If *slashify?* is not specified, it defaults to `#f`.

name->char *string* procedure

Converts a string that names a character into the character specified. If *string* does not name any character, `name->char` signals an error.

```
(name->char "a")           ⇒ #\a
(name->char "space")       ⇒ #\Space
(name->char "c-a")         ⇒ #\C-a
(name->char "control-a")   ⇒ #\C-a
```


5.2 Comparison of Characters

char=? <i>char1 char2</i>	procedure
char<? <i>char1 char2</i>	procedure
char>? <i>char1 char2</i>	procedure
char<=? <i>char1 char2</i>	procedure
char>=? <i>char1 char2</i>	procedure
char-ci=? <i>char1 char2</i>	procedure
char-ci<? <i>char1 char2</i>	procedure
char-ci>? <i>char1 char2</i>	procedure
char-ci<=? <i>char1 char2</i>	procedure
char-ci>=? <i>char1 char2</i>	procedure

Returns **#t** if the specified characters have the appropriate order relationship to one another; otherwise returns **#f**. The **-ci** procedures don't distinguish uppercase and lowercase letters.

Character ordering follows these rules:

- The digits are in order; for example, (**char<?** **#\0 #\9**) returns **#t**.
- The uppercase characters are in order; for example, (**char<?** **#\A #\B**) returns **#t**.
- The lowercase characters are in order; for example, (**char<?** **#\a #\b**) returns **#t**.

In addition, MIT Scheme orders those characters that satisfy **char-standard?** the same way that ISO-8859-1 does.

Characters are ordered by first comparing their bucky bits part and then their code part. In particular, characters without bucky bits come before characters with bucky bits.

5.3 Miscellaneous Character Operations

char? <i>object</i>	procedure
Returns #t if <i>object</i> is a character; otherwise returns #f .	

char-upcase <i>char</i>	procedure
char-downcase <i>char</i>	procedure

Returns the uppercase or lowercase equivalent of *char* if *char* is a letter; otherwise returns *char*. These procedures return a character *char2* such that (**char-ci=?** *char char2*).

char->digit <i>char</i> [<i>radix</i>]	procedure
--	-----------

If *char* is a character representing a digit in the given *radix*, returns the corresponding integer value. If you specify *radix* (which must be an exact integer between 2 and 36 inclusive), the conversion is done in that base, otherwise it is done in base 10. If *char* doesn't represent a digit in base *radix*, **char->digit** returns **#f**.

Note that this procedure is insensitive to the alphabetic case of *char*.

<code>(char->digit #\8)</code>	\Rightarrow	<code>8</code>
<code>(char->digit #\e 16)</code>	\Rightarrow	<code>14</code>
<code>(char->digit #\e)</code>	\Rightarrow	<code>#f</code>

digit->char *digit* [*radix*] procedure

Returns a character that represents *digit* in the radix given by *radix*. *Radix* must be an exact integer between 2 and 36 (inclusive), and defaults to 10. *Digit*, which must be an exact non-negative integer, should be less than *radix*; if *digit* is greater than or equal to *radix*, `digit->char` returns `#f`.

<code>(digit->char 8)</code>	\Rightarrow	<code>#\8</code>
<code>(digit->char 14 16)</code>	\Rightarrow	<code>#\E</code>

5.4 Internal Representation of Characters

An MIT Scheme character consists of a *code* part and a *bucky bits* part. The MIT Scheme set of characters can represent more characters than ASCII can; it includes characters with Super, Hyper, and Top bucky bits, as well as Control and Meta. Every ASCII character corresponds to some MIT Scheme character, but not vice versa.²

MIT Scheme uses a 16-bit character code with 5 bucky bits. Normally, Scheme uses the least significant 8 bits of the character code to contain the ISO-8859-1 representation for the character. The representation is expanded in order to allow for the use of UTF-16 in the future.

make-char *code* *bucky-bits* procedure

Builds a character from *code* and *bucky-bits*. Both *code* and *bucky-bits* must be exact non-negative integers in the appropriate range. Use `char-code` and `char-bits` to extract the code and bucky bits from the character. If 0 is specified for *bucky-bits*, `make-char` produces an ordinary character; otherwise, the appropriate bits are turned on as follows:

1	Meta
2	Control
4	Super
8	Hyper
16	Top

For example,

<code>(make-char 97 0)</code>	\Rightarrow	<code>#\a</code>
<code>(make-char 97 1)</code>	\Rightarrow	<code>#\M-a</code>
<code>(make-char 97 2)</code>	\Rightarrow	<code>#\C-a</code>
<code>(make-char 97 3)</code>	\Rightarrow	<code>#\C-M-a</code>

char-bits *char* procedure

Returns the exact integer representation of *char*'s bucky bits. For example,

² Note that the Control bucky bit is different from the ASCII control key. This means that `#\SOH` (ASCII ctrl-A) is different from `#\C-A`. In fact, the Control bucky bit is completely orthogonal to the ASCII control key, making possible such characters as `#\C-SOH`.

```

(char-bits #\a)           ⇒ 0
(char-bits #\m-a)        ⇒ 1
(char-bits #\c-a)        ⇒ 2
(char-bits #\c-m-a)      ⇒ 3

```

char-code *char* procedure
 Returns the character code of *char*, an exact integer. For example,

```

(char-code #\a)           ⇒ 97
(char-code #\c-a)        ⇒ 97

```

char-code-limit variable
char-bits-limit variable

These variables define the (exclusive) upper limits for the character code and bucky bits (respectively). The character code and bucky bits are always exact non-negative integers, and are strictly less than the value of their respective limit variable.

char->integer *char* procedure
integer->char *k* procedure

char->integer returns the character code representation for *char*. **integer->char** returns the character whose character code representation is *k*.

In MIT Scheme, if (**char-ascii?** *char*) is true, then

```
(eqv? (char->ascii char) (char->integer char))
```

However, this behavior is not required by the Scheme standard, and code that depends on it is not portable to other implementations.

These procedures implement order isomorphisms between the set of characters under the **char<=?** ordering and some subset of the integers under the **<=** ordering. That is, if

```
(char<=? a b) ⇒ #t and (<= x y) ⇒ #t
```

and *x* and *y* are in the range of **char->integer**, then

```

(<= (char->integer a)
   (char->integer b))           ⇒ #t
(char<=? (integer->char x)
         (integer->char y))     ⇒ #t

```

Note: If the argument to **char->integer** or **integer->char** is a constant, the compiler will constant-fold the call, replacing it with the corresponding result. This is a very useful way to denote unusual character constants or ASCII codes.

char-integer-limit variable

The range of **char->integer** is defined to be the exact non-negative integers that are less than the value of this variable (exclusive).

5.5 ISO-8859-1 Characters

MIT Scheme internally uses ISO-8859-1 codes for I/O, and stores character objects in a fashion that makes it convenient to convert between ISO-8859-1 codes and characters. Also, character strings are implemented as byte vectors whose elements are ISO-8859-1 codes; these codes are converted to character objects when accessed. For these reasons it is sometimes desirable to be able to convert between ISO-8859-1 codes and characters.

Not all characters can be represented as ISO-8859-1 codes. A character that has an equivalent ISO-8859-1 representation is called an *ISO-8859-1 character*.

For historical reasons, the procedures that manipulate ISO-8859-1 characters use the word “ASCII” rather than “ISO-8859-1”.

char-ascii? *char* procedure

Returns the ISO-8859-1 code for *char* if *char* has an ISO-8859-1 representation; otherwise returns **#f**.

In the current implementation, the characters that satisfy this predicate are those in which the bucky bits are turned off, and for which the character code is less than 256.

char->ascii *char* procedure

Returns the ISO-8859-1 code for *char*. An error **condition-type:bad-range-argument** is signalled if *char* doesn't have an ISO-8859-1 representation.

ascii->char *code* procedure

Code must be the exact integer representation of an ISO-8859-1 code. This procedure returns the character corresponding to *code*.

5.6 Character Sets

MIT Scheme's character-set abstraction is used to represent groups of characters, such as the letters or digits. Character sets may contain only ISO-8859-1 characters; in the future this may be changed to allow the full range of characters.

There is no meaningful external representation for character sets; use **char-set-members** to examine their contents. There is (at present) no specific equivalence predicate for character sets; use **equal?** for this purpose.

char-set? *object* procedure

Returns **#t** if *object* is a character set; otherwise returns **#f**.

char-set:upper-case	variable
char-set:lower-case	variable
char-set:alphabetic	variable
char-set:numeric	variable
char-set:alphanumeric	variable
char-set:whitespace	variable
char-set:not-whitespace	variable
char-set:graphic	variable
char-set:not-graphic	variable
char-set:standard	variable

These variables contain predefined character sets. To see the contents of one of these sets, use **char-set-members**.

Alphabetic characters are the 52 upper and lower case letters. *Numeric* characters are the 10 decimal digits. *Alphanumeric* characters are those in the union of these two sets. *Whitespace* characters are `#\space`, `#\tab`, `#\page`, `#\linefeed`, and `#\return`. *Graphic* characters are the printing characters and `#\space`. *Standard* characters are the printing characters, `#\space`, and `#\newline`. These are the printing characters:

```
! " # $ % & ' ( ) * + , - . /
0 1 2 3 4 5 6 7 8 9
: ; < = > ? @
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
[ \ ] ^ _ `
a b c d e f g h i j k l m n o p q r s t u v w x y z
{ | } ~
```

char-upper-case? <i>char</i>	procedure
char-lower-case? <i>char</i>	procedure
char-alphabetic? <i>char</i>	procedure
char-numeric? <i>char</i>	procedure
char-alphanumeric? <i>char</i>	procedure
char-whitespace? <i>char</i>	procedure
char-graphic? <i>char</i>	procedure
char-standard? <i>object</i>	procedure

These predicates are defined in terms of the respective character sets defined above.

char-set-members <i>char-set</i>	procedure
---	-----------

Returns a newly allocated list of the characters in *char-set*.

char-set-member? <i>char-set char</i>	procedure
--	-----------

Returns `#t` if *char* is in *char-set*; otherwise returns `#f`.

char-set <i>char ...</i>	procedure
---------------------------------	-----------

Returns a character set consisting of the specified ISO-8859-1 characters. With no arguments, **char-set** returns an empty character set.

chars->char-set <i>chars</i>	procedure
--	-----------

Returns a character set consisting of *chars*, which must be a list of ISO-8859-1 characters. This is equivalent to `(apply char-set chars)`.

string->char-set *string* procedure
 Returns a character set consisting of all the characters that occur in *string*.

ascii-range->char-set *lower upper* procedure
Lower and *upper* must be exact non-negative integers representing ISO-8859-1 character codes, and *lower* must be less than or equal to *upper*. This procedure creates and returns a new character set consisting of the characters whose ISO-8859-1 codes are between *lower* (inclusive) and *upper* (exclusive).
 For historical reasons, the name of this procedure refers to “ASCII” rather than “ISO-8859-1”.

predicate->char-set *predicate* procedure
Predicate must be a procedure of one argument. **predicate->char-set** creates and returns a character set consisting of the ISO-8859-1 characters for which *predicate* is true.

char-set-difference *char-set1 char-set2* procedure
 Returns a character set consisting of the characters that are in *char-set1* but aren’t in *char-set2*.

char-set-intersection *char-set ...* procedure
 Returns a character set consisting of the characters that are in all of the *char-sets*.

char-set-union *char-set ...* procedure
 Returns a character set consisting of the characters that are in at least one of the *char-sets*.

char-set-invert *char-set* procedure
 Returns a character set consisting of the ISO-8859-1 characters that are not in *char-set*.

5.7 Unicode

MIT Scheme provides rudimentary support for Unicode characters. In an ideal world, Unicode would be the base character set for MIT Scheme, but this implementation predates the invention of Unicode. And converting an application of this size is a considerable undertaking. So for the time being, the base character set is ISO-8859-1 and Unicode support is grafted on.

This Unicode support was implemented as a part of the XML parser (see [Section 14.12 \[XML Parser\]](#), [page 217](#)) implementation. XML uses Unicode as its base character set, and any XML implementation *must* support Unicode.

The Unicode implementation consists of two parts: I/O procedures that read and write UTF-8 characters, and an *alphabet* abstraction, which is an efficient implementation of sets of Unicode code points (similar to the **char-set** abstraction).

The basic unit in a Unicode implementation is the *code point*.

unicode-code-point? *object* procedure
 Returns **#t** if *object* is a Unicode code point. Code points are implemented as exact non-negative integers. Code points are further limited, by the Unicode standard, to be strictly less than **#x80000000**.

The next few procedures do I/O on code points.

read-utf8-code-point *port* procedure
 Reads and returns a UTF-8-encoded code point from *port*. Returns an end-of-file object if there are no more characters available from *port*. Signals an error if the input stream isn't a valid UTF-8 encoding.

write-utf8-code-point *code-point port* procedure
 Writes *code-point* to *port* in the UTF-8 encoding.

utf8-string->code-point *string* procedure
 Reads and returns a UTF-8-encoded code point from *string*. Equivalent to
 (read-utf8-code-point (string->input-port *string*))

code-point->utf8-string *code-point* procedure
 Returns a newly-allocated string containing the UTF-8 encoding of *code-point*. Equivalent to
 (with-string-output-port
 (lambda (port)
 (write-utf8-code-point *code-point* port)))

Applications often need to manipulate sets of characters, such as the set of alphabetic characters or the set of whitespace characters. The *alphabet* abstraction provides an efficient implementation of sets of Unicode code points.

alphabet? *object* procedure
 Returns **#t** if *object* is a Unicode alphabet, otherwise returns **#f**.

code-points->alphabet *items* procedure
 Returns a Unicode alphabet containing the code points described by *items*. *Items* must satisfy **well-formed-code-points-list?**.

alphabet->code-points *alphabet* procedure
 Returns a well-formed code-points list that describes the code points represented by *alphabet*.

well-formed-code-points-list? *object* procedure
 Returns **#t** if *object* is a well-formed code-points list, otherwise returns **#f**. A well-formed code-points list is a proper list, each element of which is either a code point or a pair of code points. A pair of code points represents a contiguous range of code points. The CAR of the pair is the lower limit, and the CDR is the upper limit. Both limits are inclusive, and the lower limit must be strictly less than the upper limit.

code-point-in-alphabet? *code-point alphabet* procedure
 Returns **#t** if *code-point* is a member of *alphabet*, otherwise returns **#f**.

char-in-alphabet? *char alphabet* procedure
 Returns **#t** if *char* is a member of *alphabet*, otherwise returns **#f**. Equivalent to
 (code-point-in-alphabet? (char-code *char*) *alphabet*)

Character sets and alphabets can be converted to one another, provided that the alphabet contains only 8-bit code points. This is true because 8-bit code points in Unicode map directly to ISO-8859-1 characters, which is what character sets contain.

char-set->alphabet *char-set* procedure
 Returns a Unicode alphabet containing the code points that correspond to characters that are members of *char-set*.

alphabet->char-set *alphabet* procedure
 Returns a character set containing the characters that correspond to 8-bit code points that are members of *alphabet*. (Code points outside the 8-bit range are ignored.)

string->alphabet *string* procedure
 Returns a Unicode alphabet containing the code points corresponding to the characters in *string*. Equivalent to
 (char-set->alphabet (string->char-set *string*))

alphabet->string *alphabet* procedure
 Returns a newly-allocated string containing the characters corresponding to the 8-bit code points in *alphabet*. (Code points outside the 8-bit range are ignored.)

8-bit-alphabet? *alphabet* procedure
 Returns **#t** if *alphabet* contains only 8-bit code points, otherwise returns **#f**.

alphabet+ *alphabet* . . . procedure
 Returns a Unicode alphabet that contains each code point that is a member of any of the *alphabet* arguments.

alphabet- *alphabet1 alphabet2* procedure
 Returns a Unicode alphabet that contains each code point that is a member of *alphabet1* and is not a member of *alphabet2*.

6 Strings

A *string* is a mutable sequence of characters. In the current implementation of MIT Scheme, the elements of a string must all satisfy the predicate `char-ascii?`; if someone ports MIT Scheme to a non-ASCII operating system this requirement will change.

A string is written as a sequence of characters enclosed within double quotes `" "`. To include a double quote inside a string, precede the double quote with a backslash `\` (escape it), as in

```
"The word \"recursion\" has many meanings."
```

The printed representation of this string is

```
The word "recursion" has many meanings.
```

To include a backslash inside a string, precede it with another backslash; for example,

```
"Use #\\Control-q to quit."
```

The printed representation of this string is

```
Use #\\Control-q to quit.
```

The effect of a backslash that doesn't precede a double quote or backslash is unspecified in standard Scheme, but MIT Scheme specifies the effect for three other characters: `\t`, `\n`, and `\f`. These escape sequences are respectively translated into the following characters: `#\tab`, `#\newline`, and `#\page`. Finally, a backslash followed by exactly three octal digits is translated into the character whose ISO-8859-1 code is those digits.

If a string literal is continued from one line to another, the string will contain the newline character (`#\newline`) at the line break. Standard Scheme does not specify what appears in a string literal at a line break.

The *length* of a string is the number of characters that it contains. This number is an exact non-negative integer that is established when the string is created (but see [Section 6.10 \[Variable-Length Strings\]](#), page 102). Each character in a string has an *index*, which is a number that indicates the character's position in the string. The index of the first (leftmost) character in a string is 0, and the index of the last character is one less than the length of the string. The *valid indexes* of a string are the exact non-negative integers less than the length of the string.

A number of the string procedures operate on substrings. A *substring* is a segment of a *string*, which is specified by two integers *start* and *end* satisfying these relationships:

```
0 <= start <= end <= (string-length string)
```

Start is the index of the first character in the substring, and *end* is one greater than the index of the last character in the substring. Thus if *start* and *end* are equal, they refer to an empty substring, and if *start* is zero and *end* is the length of *string*, they refer to all of *string*.

Some of the procedures that operate on strings ignore the difference between uppercase and lowercase. The versions that ignore case include `'-ci'` (for "case insensitive") in their names.

6.1 Construction of Strings

make-string *k* [*char*] procedure

Returns a newly allocated string of length *k*. If you specify *char*, all elements of the string are initialized to *char*, otherwise the contents of the string are unspecified. *Char* must satisfy the predicate `char-ascii?`.

```
(make-string 10 #\x)           ⇒  "xxxxxxxxxx"
```

string *char* ... procedure

Returns a newly allocated string consisting of the specified characters. The arguments must all satisfy `char-ascii?`.

```
(string #\a)                    ⇒  "a"
(string #\a #\b #\c)           ⇒  "abc"
(string #\a #\space #\b #\space #\c) ⇒  "a b c"
(string)                        ⇒  ""
```

list->string *char-list* procedure

Char-list must be a list of ISO-8859-1 characters. `list->string` returns a newly allocated string formed from the elements of *char-list*. This is equivalent to `(apply string char-list)`. The inverse of this operation is `string->list`.

```
(list->string '#\a #\b)         ⇒  "ab"
(string->list "Hello")          ⇒  (#\H #\e #\l #\l #\o)
```

string-copy *string* procedure

Returns a newly allocated copy of *string*.

Note regarding variable-length strings: the maximum length of the result depends only on the length of *string*, not its maximum length. If you wish to copy a string and preserve its maximum length, do the following:

```
(define (string-copy-preserving-max-length string)
  (let ((length))
    (dynamic-wind
      (lambda ()
        (set! length (string-length string))
        (set-string-length! string
                              (string-maximum-length string))))
    (lambda ()
      (string-copy string))
    (lambda ()
      (set-string-length! string length)))))
```

6.2 Selecting String Components

string? *object* procedure

Returns `#t` if *object* is a string; otherwise returns `#f`.

```
(string? "Hi")                 ⇒  #t
(string? 'Hi)                   ⇒  #f
```

string-length *string*

procedure

Returns the length of *string* as an exact non-negative integer.

```
(string-length "")           ⇒ 0
(string-length "The length") ⇒ 10
```

string-null? *string*

procedure

Returns **#t** if *string* has zero length; otherwise returns **#f**.

```
(string-null? "")           ⇒ #t
(string-null? "Hi")         ⇒ #f
```

string-ref *string k*

procedure

Returns character *k* of *string*. *K* must be a valid index of *string*.

```
(string-ref "Hello" 1)      ⇒ #\e
(string-ref "Hello" 5)      error 5 not in correct range
```

string-set! *string k char*

procedure

Stores *char* in element *k* of *string* and returns an unspecified value. *K* must be a valid index of *string*, and *char* must satisfy the predicate **char-ascii?**.

```
(define str "Dog")          ⇒ unspecified
(string-set! str 0 #\L)      ⇒ unspecified
str                          ⇒ "Log"
(string-set! str 3 #\t)      error 3 not in correct range
```

6.3 Comparison of Strings

string=? *string1 string2*

procedure

substring=? *string1 start end string2 start end*

procedure

string-ci=? *string1 string2*

procedure

substring-ci=? *string1 start end string2 start end*

procedure

Returns **#t** if the two strings (substrings) are the same length and contain the same characters in the same (relative) positions; otherwise returns **#f**. **string-ci=?** and **substring-ci=?** don't distinguish uppercase and lowercase letters, but **string=?** and **substring=?** do.

```
(string=? "PIE" "PIE")      ⇒ #t
(string=? "PIE" "pie")      ⇒ #f
(string-ci=? "PIE" "pie")   ⇒ #t
(substring=? "Alamo" 1 3 "cola" 2 4) ⇒ #t ; compares "la"
```

string<? <i>string1 string2</i>	procedure
substring<? <i>string1 start1 end1 string2 start2 end2</i>	procedure
string>? <i>string1 string2</i>	procedure
string<=? <i>string1 string2</i>	procedure
string>=? <i>string1 string2</i>	procedure
string-ci<? <i>string1 string2</i>	procedure
substring-ci<? <i>string1 start1 end1 string2 start2 end2</i>	procedure
string-ci>? <i>string1 string2</i>	procedure
string-ci<=? <i>string1 string2</i>	procedure
string-ci>=? <i>string1 string2</i>	procedure

These procedures compare strings (substrings) according to the order of the characters they contain (also see [Section 5.2 \[Comparison of Characters\]](#), page 79). The arguments are compared using a lexicographic (or dictionary) order. If two strings differ in length but are the same up to the length of the shorter string, the shorter string is considered to be less than the longer string.

```
(string<? "cat" "dog")      ⇒ #t
(string<? "cat" "DOG")      ⇒ #f
(string-ci<? "cat" "DOG")   ⇒ #t
(string>? "catkin" "cat")   ⇒ #t ; shorter is lesser
```

string-compare <i>string1 string2 if-eq if-lt if-gt</i>	procedure
string-compare-ci <i>string1 string2 if-eq if-lt if-gt</i>	procedure

If-eq, *if-lt*, and *if-gt* are procedures of no arguments (thunks). The two strings are compared; if they are equal, *if-eq* is applied, if *string1* is less than *string2*, *if-lt* is applied, else if *string1* is greater than *string2*, *if-gt* is applied. The value of the procedure is the value of the thunk that is applied.

string-compare distinguishes uppercase and lowercase letters;
string-compare-ci does not.

```
(define (cheer) (display "Hooray!"))
(define (boo)   (display "Boo-hiss!"))
(string-compare "a" "b" cheer (lambda() 'ignore) boo)
  ⇩ Hooray!
⇒ unspecified
```

string-hash <i>string</i>	procedure
string-hash-mod <i>string k</i>	procedure

string-hash returns an exact non-negative integer that can be used for storing the specified *string* in a hash table. Equal strings (in the sense of **string=?**) return equal (=) hash codes, and non-equal but similar strings are usually mapped to distinct hash codes.

string-hash-mod is like **string-hash**, except that it limits the result to a particular range based on the exact non-negative integer *k*. The following are equivalent:

```
(string-hash-mod string k)
(modulo (string-hash string) k)
```

6.4 Alphabetic Case in Strings

string-capitalized? *string* procedure

substring-capitalized? *string start end* procedure

These procedures return **#t** if the first word in the string (substring) is capitalized, and any subsequent words are either lower case or capitalized. Otherwise, they return **#f**. A word is defined as a non-null contiguous sequence of alphabetic characters, delimited by non-alphabetic characters or the limits of the string (substring). A word is capitalized if its first letter is upper case and all its remaining letters are lower case.

```
(map string-capitalized? '("A" "art" "Art" "ART"))
⇒ (#f #t #f #t #f)
```

string-upper-case? *string* procedure

substring-upper-case? *string start end* procedure

string-lower-case? *string* procedure

substring-lower-case? *string start end* procedure

These procedures return **#t** if all the letters in the string (substring) are of the correct case, otherwise they return **#f**. The string (substring) must contain at least one letter or the procedures return **#f**.

```
(map string-upper-case? '("A" "art" "Art" "ART"))
⇒ (#f #t #f #f #t)
```

string-capitalize *string* procedure

string-capitalize! *string* procedure

substring-capitalize! *string start end* procedure

string-capitalize returns a newly allocated copy of *string* in which the first alphabetic character is uppercase and the remaining alphabetic characters are lowercase. For example, "abcDEF" becomes "Abcdef". **string-capitalize!** is the destructive version of **string-capitalize**: it alters *string* and returns an unspecified value. **substring-capitalize!** destructively capitalizes the specified part of *string*.

string-downcase *string* procedure

string-downcase! *string* procedure

substring-downcase! *string start end* procedure

string-downcase returns a newly allocated copy of *string* in which all uppercase letters are changed to lowercase. **string-downcase!** is the destructive version of **string-downcase**: it alters *string* and returns an unspecified value. **substring-downcase!** destructively changes the case of the specified part of *string*.

```
(define str "ABCDEFGF") ⇒ unspecified
(substring-downcase! str 3 5) ⇒ unspecified
str ⇒ "ABCdeFG"
```

string-upcase *string* procedure

string-upcase! *string* procedure

substring-upcase! *string start end* procedure

string-upcase returns a newly allocated copy of *string* in which all lowercase letters are changed to uppercase. **string-upcase!** is the destructive version of **string-**

upcase: it alters *string* and returns an unspecified value. **substring-upcase!** destructively changes the case of the specified part of *string*.

6.5 Cutting and Pasting Strings

string-append *string* ... procedure

Returns a newly allocated string made from the concatenation of the given strings.

With no arguments, **string-append** returns the empty string ("").

(string-append)	⇒ ""
(string-append "*" "ace" "*")	⇒ "*ace*"
(string-append "" "" "")	⇒ ""
(eq? str (string-append str))	⇒ #f ; newly allocated

substring *string start end* procedure

Returns a newly allocated string formed from the characters of *string* beginning with index *start* (inclusive) and ending with *end* (exclusive).

(substring "" 0 0)	⇒ ""
(substring "arduous" 2 5)	⇒ "duo"
(substring "arduous" 2 8)	error 8 not in correct range

```
(define (string-copy s)
  (substring s 0 (string-length s)))
```

string-head *string end* procedure

Returns a newly allocated copy of the initial substring of *string*, up to but excluding *end*. It could have been defined by:

```
(define (string-head string end)
  (substring string 0 end))
```

string-tail *string start* procedure

Returns a newly allocated copy of the final substring of *string*, starting at index *start* and going to the end of *string*. It could have been defined by:

```
(define (string-tail string start)
  (substring string start (string-length string)))
```

```
(string-tail "uncommon" 2) ⇒ "common"
```

string-pad-left *string k [char]* procedure

string-pad-right *string k [char]* procedure

These procedures return a newly allocated string created by padding *string* out to length *k*, using *char*. If *char* is not given, it defaults to #\space. If *k* is less than the length of *string*, the resulting string is a truncated form of *string*. **string-pad-left** adds padding characters or truncates from the beginning of the string (lowest indices), while **string-pad-right** does so at the end of the string (highest indices).

```

(string-pad-left "hello" 4)      ⇒ "ello"
(string-pad-left "hello" 8)      ⇒ "    hello"
(string-pad-left "hello" 8 #\*)  ⇒ "***hello"
(string-pad-right "hello" 4)     ⇒ "hell"
(string-pad-right "hello" 8)     ⇒ "hello   "

```

string-trim *string* [*char-set*] procedure
string-trim-left *string* [*char-set*] procedure
string-trim-right *string* [*char-set*] procedure

Returns a newly allocated string created by removing all characters that are not in *char-set* from: (**string-trim**) both ends of *string*; (**string-trim-left**) the beginning of *string*; or (**string-trim-right**) the end of *string*. *Char-set* defaults to `char-set:not-whitespace`.

```

(string-trim "  in the end  ")      ⇒ "in the end"
(string-trim "                  ")    ⇒ ""
(string-trim "100th" char-set:numeric) ⇒ "100"
(string-trim-left "-.-+--" (char-set #\+)) ⇒ "+--"
(string-trim "but (+ x y) is" (char-set #\ ( #\ ))) ⇒ "(+ x y)"

```

6.6 Searching Strings

The first few procedures in this section perform *string search*, in which a given string (the *text*) is searched to see if it contains another given string (the *pattern*) as a proper substring. At present these procedures are implemented using a hybrid strategy. For short patterns of less than 4 characters, the naive string-search algorithm is used. For longer patterns, the Boyer-Moore string-search algorithm is used.

string-search-forward *pattern string* procedure
substring-search-forward *pattern string start end* procedure

Pattern must be a string. Searches *string* for the leftmost occurrence of the substring *pattern*. If successful, the index of the first character of the matched substring is returned; otherwise, `#f` is returned.

substring-search-forward limits its search to the specified substring of *string*; **string-search-forward** searches all of *string*.

```

(string-search-forward "rat" "pirate")
⇒ 2
(string-search-forward "rat" "pirate rating")
⇒ 2
(substring-search-forward "rat" "pirate rating" 4 13)
⇒ 7
(substring-search-forward "rat" "pirate rating" 9 13)
⇒ #f

```

string-search-backward *pattern string* procedure

substring-search-backward *pattern string start end* procedure

Pattern must be a string. Searches *string* for the rightmost occurrence of the substring *pattern*. If successful, the index to the right of the last character of the matched substring is returned; otherwise, **#f** is returned.

substring-search-backward limits its search to the specified substring of *string*; **string-search-backward** searches all of *string*.

```
(string-search-backward "rat" "pirate")
⇒ 5
(string-search-backward "rat" "pirate rating")
⇒ 10
(substring-search-backward "rat" "pirate rating" 1 8)
⇒ 5
(substring-search-backward "rat" "pirate rating" 9 13)
⇒ #f
```

string-search-all *pattern string* procedure

substring-search-all *pattern string start end* procedure

Pattern must be a string. Searches *string* to find all occurrences of the substring *pattern*. Returns a list of the occurrences; each element of the list is an index pointing to the first character of an occurrence.

substring-search-all limits its search to the specified substring of *string*; **string-search-all** searches all of *string*.

```
(string-search-all "rat" "pirate")
⇒ (2)
(string-search-all "rat" "pirate rating")
⇒ (2 7)
(substring-search-all "rat" "pirate rating" 4 13)
⇒ (7)
(substring-search-all "rat" "pirate rating" 9 13)
⇒ ()
```

substring? *pattern string* procedure

Pattern must be a string. Searches *string* to see if it contains the substring *pattern*.

Returns **#t** if *pattern* is a substring of *string*, otherwise returns **#f**.

```
(substring? "rat" "pirate")           ⇒ #t
(substring? "rat" "outrage")          ⇒ #f
(substring? "" any-string)            ⇒ #t
(if (substring? "moon" text)
    (process-lunar text)
    'no-moon)
```

string-find-next-char *string char* procedure

substring-find-next-char *string start end char* procedure

string-find-next-char-ci *string char* procedure

substring-find-next-char-ci *string start end char* procedure

Returns the index of the first occurrence of *char* in the string (substring); returns **#f** if *char* does not appear in the string. For the substring procedures, the index

returned is relative to the entire string, not just the substring. The `-ci` procedures don't distinguish uppercase and lowercase letters.

```
(string-find-next-char "Adam" #\A)      ⇒ 0
(substring-find-next-char "Adam" 1 4 #\A) ⇒ #f
(substring-find-next-char-ci "Adam" 1 4 #\A) ⇒ 2
```

string-find-next-char-in-set *string char-set* procedure

substring-find-next-char-in-set *string start end char-set* procedure

Returns the index of the first character in the string (or substring) that is also in *char-set*, or returns `#f` if none of the characters in *char-set* occur in *string*. For the substring procedure, only the substring is searched, but the index returned is relative to the entire string, not just the substring.

```
(string-find-next-char-in-set my-string char-set:alphabetic)
⇒ start position of the first word in my-string
; Can be used as a predicate:
(if (string-find-next-char-in-set my-string
                                   (char-set #\( #\) ))
    'contains-parentheses
    'no-parentheses)
```

string-find-previous-char *string char* procedure

substring-find-previous-char *string start end char* procedure

string-find-previous-char-ci *string char* procedure

substring-find-previous-char-ci *string start end char* procedure

Returns the index of the last occurrence of *char* in the string (substring); returns `#f` if *char* doesn't appear in the string. For the substring procedures, the index returned is relative to the entire string, not just the substring. The `-ci` procedures don't distinguish uppercase and lowercase letters.

string-find-previous-char-in-set *string char-set* procedure

substring-find-previous-char-in-set *string start end char-set* procedure

Returns the index of the last character in the string (substring) that is also in *char-set*. For the substring procedure, the index returned is relative to the entire string, not just the substring.

6.7 Matching Strings

string-match-forward *string1 string2* procedure

substring-match-forward *string1 start end string2 start end* procedure

string-match-forward-ci *string1 string2* procedure

substring-match-forward-ci *string1 start end string2 start end* procedure

Compares the two strings (substrings), starting from the beginning, and returns the number of characters that are the same. If the two strings (substrings) start differently, returns 0. The `-ci` procedures don't distinguish uppercase and lowercase letters.

```
(string-match-forward "mirror" "micro") ⇒ 2 ; matches "mi"
(string-match-forward "a" "b")          ⇒ 0 ; no match
```

string-match-backward *string1 string2* procedure
substring-match-backward *string1 start end string2 start end* procedure
string-match-backward-ci *string1 string2* procedure
substring-match-backward-ci *string1 start end string2 start end* procedure

Compares the two strings (substrings), starting from the end and matching toward the front, returning the number of characters that are the same. If the two strings (substrings) end differently, returns 0. The **-ci** procedures don't distinguish uppercase and lowercase letters.

```
(string-match-backward-ci "BULBOUS" "fractionous")
⇒ 3 ; matches "ous"
```

string-prefix? *string1 string2* procedure
substring-prefix? *string1 start1 end1 string2 start2 end2* procedure
string-prefix-ci? *string1 string2* procedure
substring-prefix-ci? *string1 start1 end1 string2 start2 end2* procedure

These procedures return **#t** if the first string (substring) forms the prefix of the second; otherwise returns **#f**. The **-ci** procedures don't distinguish uppercase and lowercase letters.

```
(string-prefix? "abc" "abcdef") ⇒ #t
(string-prefix? "" any-string) ⇒ #t
```

string-suffix? *string1 string2* procedure
substring-suffix? *string1 start1 end1 string2 start2 end2* procedure
string-suffix-ci? *string1 string2* procedure
substring-suffix-ci? *string1 start1 end1 string2 start2 end2* procedure

These procedures return **#t** if the first string (substring) forms the suffix of the second; otherwise returns **#f**. The **-ci** procedures don't distinguish uppercase and lowercase letters.

```
(string-suffix? "ous" "bulbous") ⇒ #t
(string-suffix? "" any-string) ⇒ #t
```

6.8 Regular Expressions

MIT Scheme provides support for using regular expressions to search and match strings. This manual does not define regular expressions; instead see [section “Syntax of Regular Expressions”](#) in *The Emacs Editor*.

In addition to providing standard regular-expression support, MIT Scheme also provides the REXP abstraction. This is an alternative way to write regular expressions that is easier to read and understand than the standard notation. Regular expressions written in this notation can be translated into the standard notation.

The regular-expression support is a run-time-loadable option. To use it, execute

```
(load-option 'regular-expression)
```

once before calling any of the procedures defined here.

6.8.1 Regular-expression procedures

Procedures that perform regular-expression match and search accept standardized arguments. *Regex* is the regular expression; it is a string. *String* is the string being matched or searched. Procedures that operate on substrings also accept *start* and *end* index arguments with the usual meaning. The optional argument *case-fold?* says whether the match/search is case-sensitive; if *case-fold?* is **#f**, it is case-sensitive, otherwise it is case-insensitive. The optional argument *syntax-table* is a character syntax table that defines the character syntax, such as which characters are legal word constituents. This feature is primarily for Edwin, so character syntax tables will not be documented here. Supplying **#f** for (or omitting) *syntax-table* will select the default character syntax, equivalent to Edwin's **fundamental** mode.

re-string-match *regex string* [*case-fold?* [*syntax-table*]] procedure

re-substring-match *regex string start end* [*case-fold?* [*syntax-table*]] procedure

These procedures match *regex* against the respective string or substring, returning **#f** for no match, or a set of match registers (see below) if the match succeeds. Here is an example showing how to extract the matched substring:

```
(let ((r (re-substring-match regex string start end)))
  (and r
    (substring string start (re-match-end-index 0 r))))
```

re-string-search-forward *regex string* [*case-fold?* [*syntax-table*]] procedure

re-substring-search-forward *regex string start end* [*case-fold?* [*syntax-table*]] procedure

Searches *string* for the leftmost substring matching *regex*. Returns a set of match registers (see below) if the search is successful, or **#f** if it is unsuccessful.

re-substring-search-forward limits its search to the specified substring of *string*;
re-string-search-forward searches all of *string*.

re-string-search-backward *regex string* [*case-fold?* [*syntax-table*]] procedure

re-substring-search-backward *regex string start end* [*case-fold?* [*syntax-table*]] procedure

Searches *string* for the rightmost substring matching *regex*. Returns a set of match registers (see below) if the search is successful, or **#f** if it is unsuccessful.

re-substring-search-backward limits its search to the specified substring of *string*;
re-string-search-backward searches all of *string*.

When a successful match or search occurs, the above procedures return a set of *match registers*. The match registers are a set of index registers that record indexes into the matched string. Each index register corresponds to an instance of the regular-expression grouping operator **'\('**, and records the start index (inclusive) and end index (exclusive) of the matched group. These registers are numbered from 1 to 9, corresponding left-to-right to the grouping operators in the expression. Additionally, register 0 corresponds to the entire substring matching the regular expression.

re-match-start-index *n registers*

procedure

re-match-end-index *n registers*

procedure

N must be an exact integer between 0 and 9 inclusive. *Registers* must be a match-registers object as returned by one of the regular-expression match or search procedures above. **re-match-start-index** returns the start index of the corresponding regular-expression register, and **re-match-end-index** returns the corresponding end index.

re-match-extract *string registers n*

procedure

Registers must be a match-registers object as returned by one of the regular-expression match or search procedures above. *String* must be the string that was passed as an argument to the procedure that returned *registers*. *N* must be an exact integer between 0 and 9 inclusive. If the matched regular expression contained *m* grouping operators, then the value of this procedure is undefined for *n* strictly greater than *m*. This procedure extracts the substring corresponding to the match register specified by *registers* and *n*. This is equivalent to the following expression:

```
(substring string
  (re-match-start-index n registers)
  (re-match-end-index n registers))
```

regexp-group *alternative ...*

procedure

Each *alternative* must be a regular expression. The returned value is a new regular expression that consists of the *alternatives* combined by a grouping operator. For example:

```
(regexp-group "foo" "bar" "baz")
⇒ "\\(foo\\|bar\\|baz\\)"
```

6.8.2 REXP abstraction

In addition to providing standard regular-expression support, MIT Scheme also provides the REXP abstraction. This is an alternative way to write regular expressions that is easier to read and understand than the standard notation. Regular expressions written in this notation can be translated into the standard notation.

The REXP abstraction is a set of combinators that are composed into a complete regular expression. Each combinator directly corresponds to a particular piece of regular-expression notation. For example, the expression **(rexp-any-char)** corresponds to the `.` character in standard regular-expression notation, while **(rexp* rexp)** corresponds to the `*` character.

The primary advantages of REXP are that it makes the nesting structure of regular expressions explicit, and that it simplifies the description of complex regular expressions by allowing them to be built up using straightforward combinators.

rexp? *object*

procedure

Returns **#t** if *object* is a REXP expression, or **#f** otherwise. A REXP is one of: a string, which represents the pattern matching that string; a character set, which represents the pattern matching a character in that set; or an object returned by calling one of the procedures defined here.

- rexp->regexp** *rexp* procedure
Converts *rexp* to standard regular-expression notation, returning a newly-allocated string.
- rexp-compile** *rexp* procedure
Converts *rexp* to standard regular-expression notation, then compiles it and returns the compiled result. Equivalent to
`(re-compile-pattern (rexp->regexp rexp) #f)`
- rexp-any-char** procedure
Returns a REXP that matches any single character except a newline. This is equivalent to the `.` construct.
- rexp-line-start** procedure
Returns a REXP that matches the start of a line. This is equivalent to the `^` construct.
- rexp-line-end** procedure
Returns a REXP that matches the end of a line. This is equivalent to the `$` construct.
- rexp-string-start** procedure
Returns a REXP that matches the start of the text being matched. This is equivalent to the `\'` construct.
- rexp-string-end** procedure
Returns a REXP that matches the end of the text being matched. This is equivalent to the `\'` construct.
- rexp-word-edge** procedure
Returns a REXP that matches the start or end of a word. This is equivalent to the `\b` construct.
- rexp-not-word-edge** procedure
Returns a REXP that matches anywhere that is not the start or end of a word. This is equivalent to the `\B` construct.
- rexp-word-start** procedure
Returns a REXP that matches the start of a word. This is equivalent to the `\<` construct.
- rexp-word-end** procedure
Returns a REXP that matches the end of a word. This is equivalent to the `\>` construct.
- rexp-word-char** procedure
Returns a REXP that matches any word-constituent character. This is equivalent to the `\w` construct.

rexp-not-word-char procedure
 Returns a REXP that matches any character that isn't a word constituent. This is equivalent to the `\W` construct.

The next two procedures accept a *syntax-type* argument specifying the syntax class to be matched against. This argument is a symbol selected from the following list. Each symbol is followed by the equivalent character used in standard regular-expression notation. `whitespace` (space character), `punctuation` (`.`), `word` (`w`), `symbol` (`_`), `open` (`(`), `close` (`)`), `quote` (`'`), `string-delimiter` (`"`), `math-delimiter` (`$`), `escape` (`\`), `char-quote` (`/`), `comment-start` (`<`), `comment-end` (`>`).

rexp-syntax-char *syntax-type* procedure
 Returns a REXP that matches any character of type *syntax-type*. This is equivalent to the `\s` construct.

rexp-not-syntax-char *syntax-type* procedure
 Returns a REXP that matches any character not of type *syntax-type*. This is equivalent to the `\S` construct.

rexp-sequence *rexp* ... procedure
 Returns a REXP that matches each *rexp* argument in sequence. If no *rexp* argument is supplied, the result matches the null string. This is equivalent to concatenating the regular expressions corresponding to each *rexp* argument.

rexp-alternatives *rexp* ... procedure
 Returns a REXP that matches any of the *rexp* arguments. This is equivalent to concatenating the regular expressions corresponding to each *rexp* argument, separating them by the `\|` construct.

rexp-group *rexp* ... procedure
rexp-group is like **rexp-sequence**, except that the result is marked as a match group. This is equivalent to the `\(... \)` construct.

The next three procedures in principal accept a single REXP argument. For convenience, they accept multiple arguments, which are converted into a single argument by **rexp-group**. Note, however, that if only one REXP argument is supplied, and it's very simple, no grouping occurs.

rexp* *rexp* ... procedure
 Returns a REXP that matches zero or more instances of the pattern matched by the *rexp* arguments. This is equivalent to the `*` construct.

rexp+ *rexp* ... procedure
 Returns a REXP that matches one or more instances of the pattern matched by the *rexp* arguments. This is equivalent to the `+` construct.

rexp-optional *rexp* ... procedure
 Returns a REXP that matches zero or one instances of the pattern matched by the *rexp* arguments. This is equivalent to the `?` construct.

rexp-case-fold *rexp* procedure
 Returns a REXP that matches the same pattern as *rexp*, but is insensitive to character case. This has no equivalent in standard regular-expression notation.

6.9 Modification of Strings

string-replace *string char1 char2* procedure

substring-replace *string start end char1 char2* procedure

string-replace! *string char1 char2* procedure

substring-replace! *string start end char1 char2* procedure

These procedures replace all occurrences of *char1* with *char2* in the original string (substring). **string-replace** and **substring-replace** return a newly allocated string containing the result. **string-replace!** and **substring-replace!** destructively modify *string* and return an unspecified value.

```
(define str "a few words")      ⇒ unspecified
(string-replace str #\space #\-) ⇒ "a-few-words"
(substring-replace str 2 9 #\space #\-) ⇒ "a few-words"
str                             ⇒ "a few words"
(string-replace! str #\space #\-) ⇒ unspecified
str                             ⇒ "a-few-words"
```

string-fill! *string char* procedure
 Stores *char* in every element of *string* and returns an unspecified value.

substring-fill! *string start end char* procedure
 Stores *char* in elements *start* (inclusive) to *end* (exclusive) of *string* and returns an unspecified value.

```
(define s (make-string 10 #\space)) ⇒ unspecified
(substring-fill! s 2 8 #\*)          ⇒ unspecified
s                                    ⇒ "  ***** "
```

substring-move-left! *string1 start1 end1 string2 start2* procedure

substring-move-right! *string1 start1 end1 string2 start2* procedure

Copies the characters from *start1* to *end1* of *string1* into *string2* at the *start2*-th position. The characters are copied as follows (note that this is only important when *string1* and *string2* are `eqv?`):

substring-move-left!

The copy starts at the left end and moves toward the right (from smaller indices to larger). Thus if *string1* and *string2* are the same, this procedure moves the characters toward the left inside the string.

substring-move-right!

The copy starts at the right end and moves toward the left (from larger indices to smaller). Thus if *string1* and *string2* are the same, this procedure moves the characters toward the right inside the string.

The following example shows how these procedures can be used to build up a string (it would have been easier to use **string-append**):

```
(define answer (make-string 9 #\*))      ⇒ unspecified
answer                                     ⇒ "*****"
(substring-move-left! "start" 0 5 answer 0) ⇒ unspecified
answer                                   ⇒ "start****"
(substring-move-left! "-end" 0 4 answer 5) ⇒ unspecified
answer                                  ⇒ "start-end"
```

reverse-string *string*

procedure

reverse-substring *string start end*

procedure

reverse-string! *string*

procedure

reverse-substring! *string start end*

procedure

Reverses the order of the characters in the given string or substring. **reverse-string** and **reverse-substring** return newly allocated strings; **reverse-string!** and **reverse-substring!** modify their argument strings and return an unspecified value.

```
(reverse-string "foo bar baz")      ⇒ "zab rab oof"
(reverse-substring "foo bar baz" 4 7) ⇒ "rab"
(let ((foo "foo bar baz"))
  (reverse-string! foo)
  foo)                             ⇒ "zab rab oof"
(let ((foo "foo bar baz"))
  (reverse-substring! foo 4 7)
  foo)                             ⇒ "foo rab baz"
```

6.10 Variable-Length Strings

MIT Scheme allows the length of a string to be dynamically adjusted in a limited way. When a new string is allocated, by whatever method, it has a specific length. At the time of allocation, it is also given a *maximum length*, which is guaranteed to be at least as large as the string's length. (Sometimes the maximum length will be slightly larger than the length, but it is a bad idea to count on this. Programs should assume that the maximum length is the same as the length at the time of the string's allocation.) After the string is allocated, the operation **set-string-length!** can be used to alter the string's length to any value between 0 and the string's maximum length, inclusive.

string-maximum-length *string*

procedure

Returns the maximum length of *string*. The following is guaranteed:

```
(<= (string-length string)
    (string-maximum-length string)) ⇒ #t
```

The maximum length of a string never changes.

set-string-length! *string k* procedure
 Alters the length of *string* to be *k*, and returns an unspecified value. *K* must be less than or equal to the maximum length of *string*. **set-string-length!** does not change the maximum length of *string*.

6.11 Byte Vectors

MIT Scheme implements strings as packed vectors of 8-bit ISO-8859-1 bytes. Most of the string operations, such as **string-ref**, coerce these 8-bit codes into character objects. However, some lower-level operations are made available for use.

vector-8b-ref *string k* procedure
 Returns character *k* of *string* as an ISO-8859-1 code. *K* must be a valid index of *string*.

(vector-8b-ref "abcde" 2) ⇒ 99 ;c

vector-8b-set! *string k code* procedure
 Stores *code* in element *k* of *string* and returns an unspecified value. *K* must be a valid index of *string*, and *code* must be a valid ISO-8859-1 code.

vector-8b-fill! *string start end code* procedure
 Stores *code* in elements *start* (inclusive) to *end* (exclusive) of *string* and returns an unspecified value. *Code* must be a valid ISO-8859-1 code.

vector-8b-find-next-char *string start end code* procedure

vector-8b-find-next-char-ci *string start end code* procedure

Returns the index of the first occurrence of *code* in the given substring; returns **#f** if *code* does not appear. The index returned is relative to the entire string, not just the substring. *Code* must be a valid ISO-8859-1 code.

vector-8b-find-next-char-ci doesn't distinguish uppercase and lowercase letters.

vector-8b-find-previous-char *string start end code* procedure

vector-8b-find-previous-char-ci *string start end code* procedure

Returns the index of the last occurrence of *code* in the given substring; returns **#f** if *code* does not appear. The index returned is relative to the entire string, not just the substring. *Code* must be a valid ISO-8859-1 code.

vector-8b-find-previous-char-ci doesn't distinguish uppercase and lowercase letters.

7 Lists

A *pair* (sometimes called a *dotted pair*) is a data structure with two fields called the *car* and *cdr* fields (for historical reasons). Pairs are created by the procedure `cons`. The *car* and *cdr* fields are accessed by the procedures `car` and `cdr`. The *car* and *cdr* fields are assigned by the procedures `set-car!` and `set-cdr!`.

Pairs are used primarily to represent *lists*. A list can be defined recursively as either the empty list or a pair whose *cdr* is a list. More precisely, the set of lists is defined as the smallest set *X* such that

- The empty list is in *X*.
- If *list* is in *X*, then any pair whose *cdr* field contains *list* is also in *X*.

The objects in the *car* fields of successive pairs of a list are the *elements* of the list. For example, a two-element list is a pair whose *car* is the first element and whose *cdr* is a pair whose *car* is the second element and whose *cdr* is the empty list. The *length* of a list is the number of elements, which is the same as the number of pairs. The *empty list* is a special object of its own type (it is not a pair); it has no elements and its length is zero.¹

The most general notation (external representation) for Scheme pairs is the “dotted” notation (*c1* . *c2*) where *c1* is the value of the *car* field and *c2* is the value of the *cdr* field. For example, (4 . 5) is a pair whose *car* is 4 and whose *cdr* is 5. Note that (4 . 5) is the external representation of a pair, not an expression that evaluates to a pair.

A more streamlined notation can be used for lists: the elements of the list are simply enclosed in parentheses and separated by spaces. The empty list is written (). For example, the following are equivalent notations for a list of symbols:

```
(a b c d e)
(a . (b . (c . (d . (e . ())))))
```

Whether a given pair is a list depends upon what is stored in the *cdr* field. When the `set-cdr!` procedure is used, an object can be a list one moment and not the next:

(define x (list 'a 'b 'c))	
(define y x)	
y	⇒ (a b c)
(list? y)	⇒ #t
(set-cdr! x 4)	⇒ unspecified
x	⇒ (a . 4)
(eqv? x y)	⇒ #t
y	⇒ (a . 4)
(list? y)	⇒ #f
(set-cdr! x x)	⇒ unspecified
(list? y)	⇒ #f

A chain of pairs that doesn’t end in the empty list is called an *improper list*. Note that an improper list is not a list. The list and dotted notations can be combined to represent improper lists, as the following equivalent notations show:

```
(a b c . d)
(a . (b . (c . d)))
```

¹ The above definitions imply that all lists have finite length and are terminated by the empty list.

Within literal expressions and representations of objects read by the `read` procedure, the forms `'datum`, `'datum`, `,datum`, and `,@datum` denote two-element lists whose first elements are the symbols `quote`, `quasiquote`, `unquote`, and `unquote-splicing`, respectively. The second element in each case is *datum*. This convention is supported so that arbitrary Scheme programs may be represented as lists. Among other things, this permits the use of the `read` procedure to parse Scheme programs.

7.1 Pairs

This section describes the simple operations that are available for constructing and manipulating arbitrary graphs constructed from pairs.

pair? *object* procedure

Returns `#t` if *object* is a pair; otherwise returns `#f`.

(pair? '(a . b))	⇒ #t
(pair? '(a b c))	⇒ #t
(pair? '())	⇒ #f
(pair? '#(a b))	⇒ #f

cons *obj1 obj2* procedure

Returns a newly allocated pair whose *car* is *obj1* and whose *cdr* is *obj2*. The pair is guaranteed to be different (in the sense of `eqv?`) from every previously existing object.

(cons 'a '())	⇒ (a)
(cons '(a) '(b c d))	⇒ ((a) b c d)
(cons "a" '(b c))	⇒ ("a" b c)
(cons 'a 3)	⇒ (a . 3)
(cons '(a b) 'c)	⇒ ((a b) . c)

car *pair* procedure

Returns the contents of the *car* field of *pair*. Note that it is an error to take the *car* of the empty list.

(car '(a b c))	⇒ a
(car '((a) b c d))	⇒ (a)
(car '(1 . 2))	⇒ 1
(car '())	error Illegal datum

cdr *pair* procedure

Returns the contents of the *cdr* field of *pair*. Note that it is an error to take the *cdr* of the empty list.

(cdr '((a) b c d))	⇒ (b c d)
(cdr '(1 . 2))	⇒ 2
(cdr '())	error Illegal datum

set-car! *pair object* procedure

Stores *object* in the *car* field of *pair*. The value returned by `set-car!` is unspecified.

```

(define (f) (list 'not-a-constant-list))
(define (g) '(constant-list))
(set-car! (f) 3)                      ⇒ unspecified
(set-car! (g) 3)                      error Illegal datum

```

set-cdr! *pair object* procedure
 Stores *object* in the cdr field of *pair*. The value returned by **set-cdr!** is unspecified.

caar	<i>pair</i>	procedure
cadr	<i>pair</i>	procedure
cdar	<i>pair</i>	procedure
cddr	<i>pair</i>	procedure
caaar	<i>pair</i>	procedure
caadr	<i>pair</i>	procedure
cadar	<i>pair</i>	procedure
caddr	<i>pair</i>	procedure
cdaar	<i>pair</i>	procedure
cdadr	<i>pair</i>	procedure
cddar	<i>pair</i>	procedure
cdddr	<i>pair</i>	procedure
caaaar	<i>pair</i>	procedure
caaadr	<i>pair</i>	procedure
caadar	<i>pair</i>	procedure
caaddr	<i>pair</i>	procedure
cadaar	<i>pair</i>	procedure
cadadr	<i>pair</i>	procedure
caddar	<i>pair</i>	procedure
cadddr	<i>pair</i>	procedure
cdaaaar	<i>pair</i>	procedure
cdaaadr	<i>pair</i>	procedure
cdadar	<i>pair</i>	procedure
cdaddr	<i>pair</i>	procedure
cddaar	<i>pair</i>	procedure
cddadr	<i>pair</i>	procedure
cdddar	<i>pair</i>	procedure
cdddr	<i>pair</i>	procedure

These procedures are compositions of **car** and **cdr**; for example, **caddr** could be defined by

```
(define caddr (lambda (x) (car (cdr (cdr x)))))
```

general-car-cdr *object path* procedure

This procedure is a generalization of **car** and **cdr**. *Path* encodes a particular sequence of **car** and **cdr** operations, which **general-car-cdr** executes on *object*. *Path* is an exact non-negative integer that encodes the operations in a bitwise fashion: a zero bit represents a **cdr** operation, and a one bit represents a **car**. The bits are executed

LSB to MSB, and the most significant one bit, rather than being interpreted as an operation, signals the end of the sequence.²

For example, the following are equivalent:

```
(general-car-cdr object #b1011)
(cdr (car (car object)))
```

Here is a partial table of path/operation equivalents:

#b10	cdr
#b11	car
#b100	cddr
#b101	cdar
#b110	cadr
#b111	caar
#b1000	cdddr

tree-copy *tree* procedure

This copies an arbitrary *tree* constructed from pairs, copying both the car and cdr elements of every pair. This could have been defined by

```
(define (tree-copy tree)
  (let loop ((tree tree))
    (if (pair? tree)
        (cons (loop (car tree)) (loop (cdr tree)))
        tree)))
```

7.2 Construction of Lists

list *object ...* procedure

Returns a list of its arguments.

```
(list 'a (+ 3 4) 'c)      ⇒ (a 7 c)
(list)                   ⇒ ()
```

These expressions are equivalent:

```
(list obj1 obj2 ... objN)
(cons obj1 (cons obj2 ... (cons objN '()) ...))
```

make-list *k* [*element*] procedure

This procedure returns a newly allocated list of length *k*, whose elements are all *element*. If *element* is not supplied, it defaults to the empty list.

cons* *object object ...* procedure

cons* is similar to **list**, except that **cons*** conses together the last two arguments rather than consing the last argument with the empty list. If the last argument is not a list the result is an improper list. If the last argument is a list, the result is a list consisting of the initial arguments and all of the items in the final argument. If there is only one argument, the result is the argument.

² Note that *path* is restricted to a machine-dependent range, usually the size of a machine word. On many machines, this means that the maximum length of *path* will be 30 operations (32 bits, less the sign bit and the “end-of-sequence” bit).

```

(cons* 'a 'b 'c)           ⇒ (a b . c)
(cons* 'a 'b '(c d))       ⇒ (a b c d)
(cons* 'a)                  ⇒ a

```

These expressions are equivalent:

```

(cons* obj1 obj2 ... objN-1 objN)
(cons obj1 (cons obj2 ... (cons objN-1 objN) ...))

```

list-copy *list*

procedure

Returns a newly allocated copy of *list*. This copies each of the pairs comprising *list*.

This could have been defined by

```

(define (list-copy list)
  (if (null? list)
      '()
      (cons (car list)
            (list-copy (cdr list)))))

```

vector->list *vector*

procedure

subvector->list *vector start end*

procedure

vector->list returns a newly allocated list of the elements of *vector*.

subvector->list returns a newly allocated list of the elements of the given subvector.

The inverse of **vector->list** is **list->vector**.

```

(vector->list '#(dah dah didah)) ⇒ (dah dah didah)

```

string->list *string*

procedure

substring->list *string start end*

procedure

string->list returns a newly allocated list of the character elements of *string*.

substring->list returns a newly allocated list of the character elements of the given

substring. The inverse of **string->list** is **list->string**.

```

(string->list "abcd")           ⇒ (#\a #\b #\c #\d)
(substring->list "abcdef" 1 3)   ⇒ (#\b #\c)

```

7.3 Selecting List Components

list? *object*

procedure

Returns **#t** if *object* is a list, otherwise returns **#f**. By definition, all lists have finite length and are terminated by the empty list. This procedure returns an answer even for circular structures.

Any *object* satisfying this predicate will also satisfy exactly one of **pair?** or **null?**.

```

(list? '(a b c))               ⇒ #t
(list? '())                    ⇒ #t
(list? '(a . b))               ⇒ #f
(let ((x (list 'a)))
  (set-cdr! x x)
  (list? x))                   ⇒ #f

```

length *list* procedure

Returns the length of *list*. Signals an error if *list* isn't a proper list.

```
(length '(a b c))           ⇒ 3
(length '(a (b) (c d e)))   ⇒ 3
(length '())                 ⇒ 0
```

null? *object* procedure

Returns **#t** if *object* is the empty list; otherwise returns **#f** (but see [Section 1.2.5 \[True and False\]](#), page 8).

```
(null? '(a . b))           ⇒ #f
(null? '(a b c))           ⇒ #f
(null? '())                 ⇒ #t
```

list-ref *list k* procedure

Returns the *k*th element of *list*, using zero-origin indexing. The *valid indexes* of a list are the exact non-negative integers less than the length of the list. The first element of a list has index 0, the second has index 1, and so on.

```
(list-ref '(a b c d) 2)      ⇒ c
(list-ref '(a b c d)
  (inexact->exact (round 1.8)))
⇒ c
```

(**list-ref** *list k*) is equivalent to (**car** (**list-tail** *list k*)).

first *list* procedure

second *list* procedure

third *list* procedure

fourth *list* procedure

fifth *list* procedure

sixth *list* procedure

seventh *list* procedure

eighth *list* procedure

ninth *list* procedure

tenth *list* procedure

Returns the specified element of *list*. It is an error if *list* is not long enough to contain the specified element (for example, if the argument to **seventh** is a list that contains only six elements).

7.4 Cutting and Pasting Lists

sublist *list start end* procedure

Start and *end* must be exact integers satisfying

```
0 <= start <= end <= (length list)
```

sublist returns a newly allocated list formed from the elements of *list* beginning at index *start* (inclusive) and ending at *end* (exclusive).

list-head *list* *k* procedure

Returns a newly allocated list consisting of the first *k* elements of *list*. *K* must not be greater than the length of *list*.

We could have defined **list-head** this way:

```
(define (list-head list k)
  (sublist list 0 k))
```

list-tail *list* *k* procedure

Returns the sublist of *list* obtained by omitting the first *k* elements. The result, if it is not the empty list, shares structure with *list*. *K* must not be greater than the length of *list*.

append *list* ... procedure

Returns a list consisting of the elements of the first *list* followed by the elements of the other *lists*.

```
(append '(x) '(y))           ⇒ (x y)
(append '(a) '(b c d))       ⇒ (a b c d)
(append '(a (b)) '((c)))     ⇒ (a (b) (c))
(append)                     ⇒ ()
```

The resulting list is always newly allocated, except that it shares structure with the last *list* argument. The last argument may actually be any object; an improper list results if the last argument is not a proper list.

```
(append '(a b) '(c . d))     ⇒ (a b c . d)
(append '() 'a)              ⇒ a
```

append! *list* ... procedure

Returns a list that is the argument *lists* concatenated together. The arguments are changed rather than copied. (Compare this with **append**, which copies arguments rather than destroying them.) For example:

```
(define x '(a b c))
(define y '(d e f))
(define z '(g h))
(append! x y z)           ⇒ (a b c d e f g h)
x                         ⇒ (a b c d e f g h)
y                         ⇒ (d e f g h)
z                         ⇒ (g h)
```

last-pair *list* procedure

Returns the last pair in *list*, which may be an improper list. **last-pair** could have been defined this way:

```
(define last-pair
  (lambda (x)
    (if (pair? (cdr x))
        (last-pair (cdr x))
        x)))
```

except-last-pair *list* procedure
except-last-pair! *list* procedure

These procedures remove the last pair from *list*. *List* may be an improper list, except that it must consist of at least one pair. **except-last-pair** returns a newly allocated copy of *list* that omits the last pair. **except-last-pair!** destructively removes the last pair from *list* and returns *list*. If the *cdr* of *list* is not a pair, the empty list is returned by either procedure.

7.5 Filtering Lists

keep-matching-items *list predicate* procedure
delete-matching-items *list predicate* procedure

These procedures return a newly allocated copy of *list* containing only the elements for which *predicate* is (respectively) true or false. *Predicate* must be a procedure of one argument.

(keep-matching-items '(1 2 3 4 5) odd?) \Rightarrow (1 3 5)
(delete-matching-items '(1 2 3 4 5) odd?) \Rightarrow (2 4)

For compatibility, the procedure **list-transform-positive** is an alias for **keep-matching-items**, and **list-transform-negative** is an alias for **delete-matching-items**.

keep-matching-items! *list predicate* procedure
delete-matching-items! *list predicate* procedure

These procedures are exactly like **keep-matching-items** and **delete-matching-items**, respectively, except that they destructively modify the *list* argument rather than allocating a new result.

delq *element list* procedure
delv *element list* procedure
delete *element list* procedure

Returns a newly allocated copy of *list* with all entries equal to *element* removed. **delq** uses **eq?** to compare *element* with the entries in *list*, **delv** uses **eqv?**, and **delete** uses **equal?**.

delq! *element list* procedure
delv! *element list* procedure
delete! *element list* procedure

Returns a list consisting of the top-level elements of *list* with all entries equal to *element* removed. These procedures are like **delq**, **delv**, and **delete** except that they destructively modify *list*. **delq!** uses **eq?** to compare *element* with the entries in *list*, **delv!** uses **eqv?**, and **delete!** uses **equal?**. Because the result may not be *eq?* to *list*, it is desirable to do something like (**set!** *x* (**delete!** *x*)).

```

(define x '(a b c b))
(delete 'b x)
x
⇒ (a c)
⇒ (a b c b)

(define x '(a b c b))
(delete! 'b x)
x
⇒ (a c)
⇒ (a c)
;; Returns correct result:
(delete! 'a x)
⇒ (c)

;; Didn't modify what x points to:
x
⇒ (a c)

```

delete-member-procedure *deletor predicate* procedure

Returns a deletion procedure similar to `delv` or `delete!`. *Deletor* should be one of the procedures `list-deletor` or `list-deletor!`. *Predicate* must be an equivalence predicate. The returned procedure accepts exactly two arguments: first, an object to be deleted, and second, a list of objects from which it is to be deleted. If *deletor* is `list-deletor`, the procedure returns a newly allocated copy of the given list in which all entries equal to the given object have been removed. If *deletor* is `list-deletor!`, the procedure returns a list consisting of the top-level elements of the given list with all entries equal to the given object removed; the given list is destructively modified to produce the result. In either case *predicate* is used to compare the given object to the elements of the given list.

Here are some examples that demonstrate how `delete-member-procedure` could have been used to implement `delv` and `delete!`:

```

(define delv
  (delete-member-procedure list-deletor eqv?))
(define delete!
  (delete-member-procedure list-deletor! equal?))

```

list-deletor *predicate* procedure

list-deletor! *predicate* procedure

These procedures each return a procedure that deletes elements from lists. *Predicate* must be a procedure of one argument. The returned procedure accepts exactly one argument, which must be a proper list, and applies *predicate* to each of the elements of the argument, deleting those for which it is true.

The procedure returned by `list-deletor` deletes elements non-destructively, by returning a newly allocated copy of the argument with the appropriate elements removed. The procedure returned by `list-deletor!` performs a destructive deletion.

7.6 Searching Lists

find-matching-item *list predicate* procedure

Returns the first element in *list* for which *predicate* is true; returns `#f` if it doesn't find such an element. (This means that if *predicate* is true for `#f`, it may be impossible

to distinguish a successful result from an unsuccessful one.) *Predicate* must be a procedure of one argument.

For compatibility, `list-search-positive` is an alias for `find-matching-item`. `list-search-negative` is similar but the sense of the predicate is reversed.

memq *object list* procedure
memv *object list* procedure
member *object list* procedure

These procedures return the first pair of *list* whose car is *object*; the returned pair is always one from which *list* is composed. If *object* does not occur in *list*, `#f` (n.b.: not the empty list) is returned. `memq` uses `eq?` to compare *object* with the elements of *list*, while `memv` uses `eqv?` and `member` uses `equal?`.³

```
(memq 'a '(a b c))      ⇒ (a b c)
(memq 'b '(a b c))      ⇒ (b c)
(memq 'a '(b c d))      ⇒ #f
(memq (list 'a) '(b (a) c)) ⇒ #f
(member (list 'a) '(b (a) c)) ⇒ ((a) c)
(memq 101 '(100 101 102)) ⇒ unspecified
(memv 101 '(100 101 102)) ⇒ (101 102)
```

member-procedure *predicate* procedure

Returns a procedure similar to `memq`, except that *predicate*, which must be an equivalence predicate, is used instead of `eq?`. This could be used to define `memv` as follows:

```
(define memv (member-procedure eqv?))
```

7.7 Mapping of Lists

map *procedure list list ...* procedure

Procedure must be a procedure taking as many arguments as there are *lists*. If more than one *list* is given, then they must all be the same length. `map` applies *procedure* element-wise to the elements of the *lists* and returns a list of the results, in order from left to right. The dynamic order in which *procedure* is applied to the elements of the *lists* is unspecified; use `for-each` to sequence side effects.

```
(map cadr '((a b) (d e) (g h)))      ⇒ (b e h)
(map (lambda (n) (expt n n)) '(1 2 3 4)) ⇒ (1 4 27 256)
(map + '(1 2 3) '(4 5 6))            ⇒ (5 7 9)
(let ((count 0))
  (map (lambda (ignored)
        (set! count (+ count 1))
        count)
    '(a b c)))                        ⇒ unspecified
```

map* *initial-value procedure list1 list2 ...* procedure

Similar to `map`, except that the resulting list is terminated by *initial-value* rather than the empty list. The following are equivalent:

³ Although they are often used as predicates, `memq`, `memv`, and `member` do not have question marks in their names because they return useful values rather than just `#t` or `#f`.

```
(map procedure list list ...)
(map* '() procedure list list ...)
```

append-map *procedure list list ...*

procedure

append-map* *initial-value procedure list list ...*

procedure

Similar to **map** and **map***, respectively, except that the results of applying *procedure* to the elements of *lists* are concatenated together by **append** rather than by **cons**.

The following are equivalent, except that the former is more efficient:

```
(append-map procedure list list ...)
(apply append (map procedure list list ...))
```

append-map! *procedure list list ...*

procedure

append-map*! *initial-value procedure list list ...*

procedure

Similar to **map** and **map***, respectively, except that the results of applying *procedure* to the elements of *lists* are concatenated together by **append!** rather than by **cons**.

The following are equivalent, except that the former is more efficient:

```
(append-map! procedure list list ...)
(apply append! (map procedure list list ...))
```

for-each *procedure list list ...*

procedure

The arguments to **for-each** are like the arguments to **map**, but **for-each** calls *procedure* for its side effects rather than for its values. Unlike **map**, **for-each** is guaranteed to call *procedure* on the elements of the *lists* in order from the first element to the last, and the value returned by **for-each** is unspecified.

```
(let ((v (make-vector 5)))
  (for-each (lambda (i)
              (vector-set! v i (* i i)))
            '(0 1 2 3 4))
  v)                                     ⇒  #(0 1 4 9 16)
```

7.8 Reduction of Lists

reduce *procedure initial list*

procedure

Combines all the elements of *list* using the binary operation *procedure*. For example, using **+** one can add up all the elements:

```
(reduce + 0 list-of-numbers)
```

The argument *initial* is used only if *list* is empty; in this case *initial* is the result of the call to **reduce**. If *list* has a single argument, it is returned. Otherwise, the arguments are reduced in a left-associative fashion. For example:

```
(reduce + 0 '(1 2 3 4))      ⇒  10
(reduce + 0 '(1 2))          ⇒  3
(reduce + 0 '(1))            ⇒  1
(reduce + 0 '())             ⇒  0
(reduce + 0 '(foo))          ⇒  foo
(reduce list '() '(1 2 3 4)) ⇒  (((1 2) 3) 4)
```

reduce-right *procedure initial list*

procedure

Like `reduce` except that it is right-associative.

```
(reduce-right list '() '(1 2 3 4))      ⇒  (1 (2 (3 4)))
```

fold-right *procedure initial list*

procedure

Combines all of the elements of *list* using the binary operation *procedure*. Unlike `reduce` and `reduce-right`, *initial* is always used:

```
(fold-right + 0 '(1 2 3 4))      ⇒  10
(fold-right + 0 '(foo))          error Illegal datum
(fold-right list '() '(1 2 3 4)) ⇒  (1 (2 (3 (4 ()))))
```

`Fold-right` has interesting properties because it establishes a homomorphism between `(cons, ())` and `(procedure, initial)`. It can be thought of as replacing the pairs in the spine of the list with *procedure* and replacing the `()` at the end with *initial*. Many of the classical list-processing procedures can be expressed in terms of `fold-right`, at least for the simple versions that take a fixed number of arguments:

```
(define (copy-list list)
  (fold-right cons '() list))

(define (append list1 list2)
  (fold-right cons list2 list1))

(define (map p list)
  (fold-right (lambda (x r) (cons (p x) r)) '() list))

(define (reverse items)
  (fold-right (lambda (x r) (append r (list x))) '() items))
```

fold-left *procedure initial list*

procedure

Combines all the elements of *list* using the binary operation *procedure*. Elements are combined starting with *initial* and then the elements of *list* from left to right. Whereas `fold-right` is recursive in nature, capturing the essence of `cdr`-ing down a list and then computing a result, *fold-left* is iterative in nature, combining the elements as the list is traversed.

```
(fold-left list '() '(1 2 3 4))      ⇒  (((((() 1) 2) 3) 4)
```

```
(define (length list)
  (fold-left (lambda (sum element) (+ sum 1)) 0 list))

(define (reverse items)
  (fold-left (lambda (x y) (cons y x)) () items))
```

there-exists? *list predicate*

procedure

Predicate must be a procedure of one argument. Applies *predicate* to each element of *list*, in order from left to right. If *predicate* is true for any element of *list*, the value yielded by *predicate* is immediately returned as the value of `there-exists?`; *predicate* will not be applied to the remaining elements of *list*. If *predicate* returns `#f` for all of the elements of *list*, then `#f` is returned.

for-all? *list predicate*

procedure

Predicate must be a procedure of one argument. Applies *predicate* to each element of *list*, in order from left to right. If *predicate* returns **#f** for any element of *list*, **#f** is immediately returned as the value of **for-all?**; *predicate* will not be applied to the remaining elements of *list*. If *predicate* is true for all of the elements of *list*, then **#t** is returned.

7.9 Miscellaneous List Operations

circular-list *object ...*

procedure

make-circular-list *k [element]*

procedure

These procedures are like **list** and **make-list**, respectively, except that the returned lists are circular. **circular-list** could have been defined like this:

```
(define (circular-list . objects)
  (append! objects objects))
```

reverse *list*

procedure

Returns a newly allocated list consisting of the top-level elements of *list* in reverse order.

```
(reverse '(a b c))           ⇒ (c b a)
(reverse '(a (b c) d (e (f)))) ⇒ ((e (f)) d (b c) a)
```

reverse! *list*

procedure

Returns a list consisting of the top-level elements of *list* in reverse order. **reverse!** is like **reverse**, except that it destructively modifies *list*. Because the result may not be **eqv?** to *list*, it is desirable to do something like **(set! x (reverse! x))**.

sort *sequence procedure*

procedure

merge-sort *sequence procedure*

procedure

quick-sort *sequence procedure*

procedure

Sequence must be either a list or a vector. *Procedure* must be a procedure of two arguments that defines a *total ordering* on the elements of *sequence*. In other words, if *x* and *y* are two distinct elements of *sequence*, then it must be the case that

```
(and (procedure x y)
      (procedure y x))
⇒ #f
```

If *sequence* is a list (vector), **sort** returns a newly allocated list (vector) whose elements are those of *sequence*, except that they are rearranged to be sorted in the order defined by *procedure*. So, for example, if the elements of *sequence* are numbers, and *procedure* is **<**, then the resulting elements are sorted in monotonically nondecreasing order. Likewise, if *procedure* is **>**, the resulting elements are sorted in monotonically nonincreasing order. To be precise, if *x* and *y* are any two adjacent elements in the result, where *x* precedes *y*, it is the case that

```
(procedure y x)
⇒ #f
```

Two sorting algorithms are implemented: `merge-sort` and `quick-sort`. The procedure `sort` is an alias for `merge-sort`.

See also the definition of `sort!`.

8 Vectors

Vectors are heterogenous structures whose elements are indexed by exact non-negative integers. A vector typically occupies less space than a list of the same length, and the average time required to access a randomly chosen element is typically less for the vector than for the list.

The *length* of a vector is the number of elements that it contains. This number is an exact non-negative integer that is fixed when the vector is created. The *valid indexes* of a vector are the exact non-negative integers less than the length of the vector. The first element in a vector is indexed by zero, and the last element is indexed by one less than the length of the vector.

Vectors are written using the notation `#(object ...)`. For example, a vector of length 3 containing the number zero in element 0, the list `(2 2 2 2)` in element 1, and the string `"Anna"` in element 2 can be written as

```
#(0 (2 2 2 2) "Anna")
```

Note that this is the external representation of a vector, not an expression evaluating to a vector. Like list constants, vector constants must be quoted:

```
'#(0 (2 2 2 2) "Anna")      ⇒  #(0 (2 2 2 2) "Anna")
```

A number of the vector procedures operate on subvectors. A *subvector* is a segment of a vector that is specified by two exact non-negative integers, *start* and *end*. *Start* is the index of the first element that is included in the subvector, and *end* is one greater than the index of the last element that is included in the subvector. Thus if *start* and *end* are the same, they refer to a null subvector, and if *start* is zero and *end* is the length of the vector, they refer to the entire vector. The *valid indexes* of a subvector are the exact integers between *start* inclusive and *end* exclusive.

8.1 Construction of Vectors

make-vector *k* [*object*] procedure

Returns a newly allocated vector of *k* elements. If *object* is specified, **make-vector** initializes each element of the vector to *object*. Otherwise the initial elements of the result are unspecified.

vector *object ...* procedure

Returns a newly allocated vector whose elements are the given arguments. **vector** is analogous to **list**.

```
(vector 'a 'b 'c)      ⇒  #(a b c)
```

vector-copy *vector* procedure

Returns a newly allocated vector that is a copy of *vector*.

list->vector *list* procedure

Returns a newly allocated vector initialized to the elements of *list*. The inverse of **list->vector** is **vector->list**.

```
(list->vector '(dididit dah))      ⇒  #(dididit dah)
```

make-initialized-vector *k initialization* procedure

Similar to **make-vector**, except that the elements of the result are determined by calling the procedure *initialization* on the indices. For example:

```
(make-initialized-vector 5 (lambda (x) (* x x)))
⇒ #(0 1 4 9 16)
```

vector-grow *vector k* procedure

K must be greater than or equal to the length of *vector*. Returns a newly allocated vector of length *k*. The first (**vector-length** *vector*) elements of the result are initialized from the corresponding elements of *vector*. The remaining elements of the result are unspecified.

vector-map *procedure vector* procedure

Procedure must be a procedure of one argument. **vector-map** applies *procedure* element-wise to the elements of *vector* and returns a newly allocated vector of the results, in order from left to right. The dynamic order in which *procedure* is applied to the elements of *vector* is unspecified.

```
(vector-map cadr '#((a b) (d e) (g h))) ⇒ #(b e h)
(vector-map (lambda (n) (expt n n)) '#(1 2 3 4))
⇒ #(1 4 27 256)
(vector-map + '#(5 7 9)) ⇒ #(5 7 9)
```

8.2 Selecting Vector Components

vector? *object* procedure

Returns **#t** if *object* is a vector; otherwise returns **#f**.

vector-length *vector* procedure

Returns the number of elements in *vector*.

vector-ref *vector k* procedure

Returns the contents of element *k* of *vector*. *K* must be a valid index of *vector*.

```
(vector-ref '#(1 1 2 3 5 8 13 21) 5) ⇒ 8
```

vector-set! *vector k object* procedure

Stores *object* in element *k* of *vector* and returns an unspecified value. *K* must be a valid index of *vector*.

```
(let ((vec (vector 0 '(2 2 2 2) "Anna")))
  (vector-set! vec 1 '("Sue" "Sue")))
vec)
⇒ #(0 ("Sue" "Sue") "Anna")
```

vector-first	<i>vector</i>	procedure
vector-second	<i>vector</i>	procedure
vector-third	<i>vector</i>	procedure
vector-fourth	<i>vector</i>	procedure
vector-fifth	<i>vector</i>	procedure
vector-sixth	<i>vector</i>	procedure
vector-seventh	<i>vector</i>	procedure
vector-eighth	<i>vector</i>	procedure

These procedures access the first several elements of *vector* in the obvious way. It is an error if the implicit index of one of these procedures is not a valid index of *vector*.

vector-binary-search	<i>vector key</i> <? <i>unwrap-key key</i>	procedure
-----------------------------	--	-----------

Searches *vector* for an element with a key matching *key*, returning the element if one is found or **#f** if none. The search operation takes time proportional to the logarithm of the length of *vector*. *Unwrap-key* must be a procedure that maps each element of *vector* to a key. *Key*<? must be a procedure that implements a total ordering on the keys of the elements.

```
(define (translate number)
  (vector-binary-search '#((1 . i)
                           (2 . ii)
                           (3 . iii)
                           (6 . vi))
                        < car number))

(translate 2) ⇒ (2 . ii)
(translate 4) ⇒ #F
```

8.3 Cutting Vectors

subvector	<i>vector start end</i>	procedure
------------------	-------------------------	-----------

Returns a newly allocated vector that contains the elements of *vector* between index *start* (inclusive) and *end* (exclusive).

vector-head	<i>vector end</i>	procedure
--------------------	-------------------	-----------

Equivalent to

```
(subvector vector 0 end)
```

vector-tail	<i>vector start</i>	procedure
--------------------	---------------------	-----------

Equivalent to

```
(subvector vector start (vector-length vector))
```

8.4 Modifying Vectors

vector-fill!	<i>vector object</i>	procedure
---------------------	----------------------	-----------

subvector-fill!	<i>vector start end object</i>	procedure
------------------------	--------------------------------	-----------

Stores *object* in every element of the vector (subvector) and returns an unspecified value.

subvector-move-left! *vector1 start1 end1 vector2 start2* procedure
subvector-move-right! *vector1 start1 end1 vector2 start2* procedure

Destructively copies the elements of *vector1*, starting with index *start1* (inclusive) and ending with *end1* (exclusive), into *vector2* starting at index *start2* (inclusive). *Vector1*, *start1*, and *end1* must specify a valid subvector, and *start2* must be a valid index for *vector2*. The length of the source subvector must not exceed the length of *vector2* minus the index *start2*.

The elements are copied as follows (note that this is only important when *vector1* and *vector2* are `eqv?`):

subvector-move-left!

The copy starts at the left end and moves toward the right (from smaller indices to larger). Thus if *vector1* and *vector2* are the same, this procedure moves the elements toward the left inside the vector.

subvector-move-right!

The copy starts at the right end and moves toward the left (from larger indices to smaller). Thus if *vector1* and *vector2* are the same, this procedure moves the elements toward the right inside the vector.

sort! *vector procedure* procedure
merge-sort! *vector procedure* procedure
quick-sort! *vector procedure* procedure

Procedure must be a procedure of two arguments that defines a *total ordering* on the elements of *vector*. The elements of *vector* are rearranged so that they are sorted in the order defined by *procedure*. The elements are rearranged in place, that is, *vector* is destructively modified so that its elements are in the new order.

sort! returns *vector* as its value.

Two sorting algorithms are implemented: **merge-sort!** and **quick-sort!**. The procedure **sort!** is an alias for **merge-sort!**.

See also the definition of **sort**.

9 Bit Strings

A *bit string* is a sequence of bits. Bit strings can be used to represent sets or to manipulate binary data. The elements of a bit string are numbered from zero up to the number of bits in the string less one, in *right to left order*, (the rightmost bit is numbered zero). When you convert from a bit string to an integer, the zero-th bit is associated with the zero-th power of two, the first bit is associated with the first power, and so on.

Bit strings are encoded very densely in memory. Each bit occupies exactly one bit of storage, and the overhead for the entire bit string is bounded by a small constant. However, accessing a bit in a bit string is slow compared to accessing an element of a vector or character string. If performance is of overriding concern, it is better to use character strings to store sets of boolean values even though they occupy more space.

The *length* of a bit string is the number of bits that it contains. This number is an exact non-negative integer that is fixed when the bit string is created. The *valid indexes* of a bit string are the exact non-negative integers less than the length of the bit string.

Bit strings may contain zero or more bits. They are not limited by the length of a machine word. In the printed representation of a bit string, the contents of the bit string are preceded by ‘**#**’. The contents are printed starting with the most significant bit (highest index).

Note that the external representation of bit strings uses a bit ordering that is the reverse of the representation for bit strings in Common Lisp. It is likely that MIT Scheme’s representation will be changed in the future, to be compatible with Common Lisp. For the time being this representation should be considered a convenience for viewing bit strings rather than a means of entering them as data.

```
#*11111
#*1010
#*00000000
#*
```

All of the bit-string procedures are MIT Scheme extensions.

9.1 Construction of Bit Strings

make-bit-string *k initialization* procedure

Returns a newly allocated bit string of length *k*. If *initialization* is **#f**, the bit string is filled with 0 bits; otherwise, the bit string is filled with 1 bits.

```
(make-bit-string 7 #f)           ⇒  #*0000000
```

bit-string-allocate *k* procedure

Returns a newly allocated bit string of length *k*, but does not initialize it.

bit-string-copy *bit-string* procedure

Returns a newly allocated copy of *bit-string*.

9.2 Selecting Bit String Components

bit-string? *object* procedure
Returns **#t** if *object* is a bit string; otherwise returns **#f**.

bit-string-length *bit-string* procedure
Returns the length of *bit-string*.

bit-string-ref *bit-string k* procedure
Returns **#t** if the *k*th bit is 1; otherwise returns **#f**. *K* must be a valid index of *bit-string*.

bit-string-set! *bit-string k* procedure
Sets the *k*th bit in *bit-string* to 1 and returns an unspecified value. *K* must be a valid index of *bit-string*.

bit-string-clear! *bit-string k* procedure
Sets the *k*th bit in *bit-string* to 0 and returns an unspecified value. *K* must be a valid index of *bit-string*.

bit-substring-find-next-set-bit *bit-string start end* procedure
Returns the index of the first occurrence of a set bit in the substring of *bit-string* from *start* (inclusive) to *end* (exclusive). If none of the bits in the substring are set **#f** is returned. The index returned is relative to the whole bit string, not substring. The following procedure uses **bit-substring-find-next-set-bit** to find all the set bits and display their indexes:

```
(define (scan-bitstring bs)
  (let ((end (bit-string-length bs)))
    (let loop ((start 0))
      (let ((next
              (bit-substring-find-next-set-bit bs start end)))
        (if next
            (begin
              (write-line next)
              (if (< next end)
                  (loop (+ next 1)))))))
    ))
```

9.3 Cutting and Pasting Bit Strings

bit-string-append *bit-string-1 bit-string-2* procedure
Appends the two bit string arguments, returning a newly allocated bit string as its result. In the result, the bits copied from *bit-string-1* are less significant (smaller indices) than those copied from *bit-string-2*.

bit-substring *bit-string start end* procedure
Returns a newly allocated bit string whose bits are copied from *bit-string*, starting at index *start* (inclusive) and ending at *end* (exclusive).

9.4 Bitwise Operations on Bit Strings

- bit-string-zero?** *bit-string* procedure
Returns **#t** if *bit-string* contains only 0 bits; otherwise returns **#f**.
- bit-string=?** *bit-string-1 bit-string-2* procedure
Compares the two bit string arguments and returns **#t** if they are the same length and contain the same bits; otherwise returns **#f**.
- bit-string-not** *bit-string* procedure
Returns a newly allocated bit string that is the bitwise-logical negation of *bit-string*.
- bit-string-movec!** *target-bit-string bit-string* procedure
The destructive version of **bit-string-not**. The arguments *target-bit-string* and *bit-string* must be bit strings of the same length. The bitwise-logical negation of *bit-string* is computed and the result placed in *target-bit-string*. The value of this procedure is unspecified.
- bit-string-and** *bit-string-1 bit-string-2* procedure
Returns a newly allocated bit string that is the bitwise-logical “and” of the arguments. The arguments must be bit strings of identical length.
- bit-string-andc** *bit-string-1 bit-string-2* procedure
Returns a newly allocated bit string that is the bitwise-logical “and” of *bit-string-1* with the bitwise-logical negation of *bit-string-2*. The arguments must be bit strings of identical length.
- bit-string-or** *bit-string-1 bit-string-2* procedure
Returns a newly allocated bit string that is the bitwise-logical “inclusive or” of the arguments. The arguments must be bit strings of identical length.
- bit-string-xor** *bit-string-1 bit-string-2* procedure
Returns a newly allocated bit string that is the bitwise-logical “exclusive or” of the arguments. The arguments must be bit strings of identical length.
- bit-string-and!** *target-bit-string bit-string* procedure
bit-string-or! *target-bit-string bit-string* procedure
bit-string-xor! *target-bit-string bit-string* procedure
bit-string-andc! *target-bit-string bit-string* procedure
 These are destructive versions of the above operations. The arguments *target-bit-string* and *bit-string* must be bit strings of the same length. Each of these procedures performs the corresponding bitwise-logical operation on its arguments, places the result into *target-bit-string*, and returns an unspecified result.

9.5 Modification of Bit Strings

bit-string-fill! *bit-string initialization* procedure

Fills *bit-string* with zeroes if *initialization* is `#f`; otherwise fills *bit-string* with ones. Returns an unspecified value.

bit-string-move! *target-bit-string bit-string* procedure

Moves the contents of *bit-string* into *target-bit-string*. Both arguments must be bit strings of the same length. The results of the operation are undefined if the arguments are the same bit string.

bit-substring-move-right! *bit-string-1 start1 end1 bit-string-2 start2* procedure

Destructively copies the bits of *bit-string-1*, starting at index *start1* (inclusive) and ending at *end1* (exclusive), into *bit-string-2* starting at index *start2* (inclusive). *Start1* and *end1* must be valid substring indices for *bit-string-1*, and *start2* must be a valid index for *bit-string-2*. The length of the source substring must not exceed the length of *bit-string-2* minus the index *start2*.

The bits are copied starting from the MSB and working towards the LSB; the direction of copying only matters when *bit-string-1* and *bit-string-2* are `eqv?`.

9.6 Integer Conversions of Bit Strings

unsigned-integer->bit-string *length integer* procedure

Both *length* and *integer* must be exact non-negative integers. Converts *integer* into a newly allocated bit string of *length* bits. Signals an error of type `condition-type:bad-range-argument` if *integer* is too large to be represented in *length* bits.

signed-integer->bit-string *length integer* procedure

Length must be an exact non-negative integer, and *integer* may be any exact integer. Converts *integer* into a newly allocated bit string of *length* bits, using two's complement encoding for negative numbers. Signals an error of type `condition-type:bad-range-argument` if *integer* is too large to be represented in *length* bits.

bit-string->unsigned-integer *bit-string* procedure

bit-string->signed-integer *bit-string* procedure

Converts *bit-string* into an exact integer. `bit-string->signed-integer` regards *bit-string* as a two's complement representation of a signed integer, and produces an integer of like sign and absolute value. `bit-string->unsigned-integer` regards *bit-string* as an unsigned quantity and converts to an integer accordingly.

10 Miscellaneous Datatypes

10.1 Booleans

The *boolean objects* are *true* and *false*. The boolean constant true is written as `#t`, and the boolean constant false is written as `#f`.

The primary use for boolean objects is in the conditional expressions `if`, `cond`, `and`, and `or`; the behavior of these expressions is determined by whether objects are true or false. These expressions count only `#f` as false. They count everything else, including `#t`, pairs, symbols, numbers, strings, vectors, and procedures as true (but see [Section 1.2.5 \[True and False\]](#), page 8).

Programmers accustomed to other dialects of Lisp should note that Scheme distinguishes `#f` and the empty list from the symbol `nil`. Similarly, `#t` is distinguished from the symbol `t`. In fact, the boolean objects (and the empty list) are not symbols at all.

Boolean constants evaluate to themselves, so you don't need to quote them.

<code>#t</code>	\Rightarrow	<code>#t</code>
<code>#f</code>	\Rightarrow	<code>#f</code>
<code>'#f</code>	\Rightarrow	<code>#f</code>
<code>t</code>		error Unbound variable

<code>false</code>	variable
<code>true</code>	variable

These variables are bound to the objects `#f` and `#t` respectively. The compiler, given the `usual-integrations` declaration, replaces references to these variables with their respective values.

Note that the symbol `true` is not equivalent to `#t`, and the symbol `false` is not equivalent to `#f`.

<code>boolean?</code> <i>object</i>	procedure
--	-----------

Returns `#t` if *object* is either `#t` or `#f`; otherwise returns `#f`.

<code>(boolean? #f)</code>	\Rightarrow	<code>#t</code>
<code>(boolean? 0)</code>	\Rightarrow	<code>#f</code>

<code>not</code> <i>object</i>	procedure
<code>false?</code> <i>object</i>	procedure

These procedures return `#t` if *object* is false; otherwise they return `#f`. In other words they *invert* boolean values. These two procedures have identical semantics; their names are different to give different connotations to the test.

<code>(not #t)</code>	\Rightarrow	<code>#f</code>
<code>(not 3)</code>	\Rightarrow	<code>#f</code>
<code>(not (list 3))</code>	\Rightarrow	<code>#f</code>
<code>(not #f)</code>	\Rightarrow	<code>#t</code>

<code>boolean=?</code> <i>obj1 obj2</i>	procedure
--	-----------

This predicate is true iff *obj1* and *obj2* are either both true or both false.

boolean/and *object* . . . procedure
 This procedure returns **#t** if none of its arguments are **#f**. Otherwise it returns **#f**.

boolean/or *object* . . . procedure
 This procedure returns **#f** if all of its arguments are **#f**. Otherwise it returns **#t**.

10.2 Symbols

MIT Scheme provides two types of symbols: *interned* and *uninterned*. Interned symbols are far more common than uninterned symbols, and there are more ways to create them. Interned symbols have an external representation that is recognized by the procedure **read**; uninterned symbols do not.¹

Interned symbols have an extremely useful property: any two interned symbols whose names are the same, in the sense of **string=?**, are the same object (i.e. they are **eq?** to one another). The term *interned* refers to the process of *interning* by which this is accomplished. Uninterned symbols do not share this property.

The names of interned symbols are not distinguished by their alphabetic case. Because of this, MIT Scheme converts all alphabetic characters in the name of an interned symbol to a specific case (lower case) when the symbol is created. When the name of an interned symbol is referenced (using **symbol->string**) or written (using **write**) it appears in this case. It is a bad idea to depend on the name being lower case. In fact, it is preferable to take this one step further: don't depend on the name of a symbol being in a uniform case.

The rules for writing an interned symbol are the same as the rules for writing an identifier (see [Section 1.3.3 \[Identifiers\]](#), page 10). Any interned symbol that has been returned as part of a literal expression, or read using the **read** procedure and subsequently written out using the **write** procedure, will read back in as the identical symbol (in the sense of **eq?**).

Usually it is also true that reading in an interned symbol that was previously written out produces the same symbol. An exception are symbols created by the procedures **string->symbol** and **intern**; they can create symbols for which this write/read invariance may not hold because the symbols' names contain special characters or letters in the non-standard case.²

The external representation for uninterned symbols is special, to distinguish them from interned symbols and prevent them from being recognized by the **read** procedure:

¹ In older dialects of Lisp, uninterned symbols were fairly important. This was true because symbols were complicated data structures: in addition to having value cells (and sometimes, function cells), these structures contained *property lists*. Because of this, uninterned symbols were often used merely for their property lists — sometimes an uninterned symbol used this way was referred to as a *disembodied property list*. In MIT Scheme, symbols do not have property lists, or any other components besides their names. There is a different data structure similar to disembodied property lists: one-dimensional tables (see [Section 11.2 \[1D Tables\]](#), page 141). For these reasons, uninterned symbols are not very useful in MIT Scheme. In fact, their primary purpose is to simplify the generation of unique variable names in programs that generate Scheme code.

² MIT Scheme reserves a specific set of interned symbols for its own use. If you use these reserved symbols it is possible that you could break specific pieces of software that depend on them. The reserved symbols all have names beginning with the characters **#['** and ending with the character **']**; thus none of these symbols can be read by the procedure **read** and hence are not likely to be used by accident. For example, **(intern "#[unnamed-procedure]")** produces a reserved symbol.

```
(string->uninterned-symbol "foo")
⇒ #[uninterned-symbol 30 foo]
```

In this section, the procedures that return symbols as values will either always return interned symbols, or always return uninterned symbols. The procedures that accept symbols as arguments will always accept either interned or uninterned symbols, and do not distinguish the two.

symbol? *object* procedure

Returns **#t** if *object* is a symbol, otherwise returns **#f**.

```
(symbol? 'foo)           ⇒ #t
(symbol? (car '(a b)))   ⇒ #t
(symbol? "bar")          ⇒ #f
```

symbol->string *symbol* procedure

Returns the name of *symbol* as a string. If *symbol* was returned by **string->symbol**, the value of this procedure will be identical (in the sense of **string=?**) to the string that was passed to **string->symbol**. It is an error to apply mutation procedures such as **string-set!** to strings returned by this procedure.

```
(symbol->string 'flying-fish) ⇒ "flying-fish"
(symbol->string 'Martin)      ⇒ "martin"
(symbol->string (string->symbol "Malvina")) ⇒ "Malvina"
```

Note that two distinct uninterned symbols can have the same name.

intern *string* procedure

Returns the interned symbol whose name is *string*. Converts *string* to the standard alphabetic case before generating the symbol. This is the preferred way to create interned symbols, as it guarantees the following independent of which case the implementation uses for symbols' names:

```
(eq? 'bitBlt (intern "bitBlt")) ⇒ #t
```

The user should take care that *string* obeys the rules for identifiers (see [Section 1.3.3 \[Identifiers\]](#), page 10), otherwise the resulting symbol cannot be read as itself.

intern-soft *string* procedure

Returns the interned symbol whose name is *string*. Converts *string* to the standard alphabetic case before generating the symbol. If no such interned symbol exists, returns **#f**.

This is exactly like **intern**, except that it will not create an interned symbol, but only returns symbols that already exist.

string->symbol *string* procedure

Returns the interned symbol whose name is *string*. Although you can use this procedure to create symbols with names containing special characters or lowercase letters, it's usually a bad idea to create such symbols because they cannot be read as themselves. See **symbol->string**.

```

(eq? 'mISSISSIppi 'mississippi)           ⇒ #t
(string->symbol "mISSISSIppi")
  ⇒ the symbol with the name "mISSISSIppi"
(eq? 'bitBlT (string->symbol "bitBlT")) ⇒ #f
(eq? 'JollyWog
  (string->symbol
    (symbol->string 'JollyWog)))           ⇒ #t
(string=? "K. Harper, M.D."
  (symbol->string
    (string->symbol
      "K. Harper, M.D.")))                ⇒ #t

```

string->uninterned-symbol *string* procedure

Returns a newly allocated uninterned symbol whose name is *string*. It is unimportant what case or characters are used in *string*.

Note: this is the fastest way to make a symbol.

generate-uninterned-symbol [*object*] procedure

Returns a newly allocated uninterned symbol that is guaranteed to be different from any other object. The symbol's name consists of a prefix string followed by the (exact non-negative integer) value of an internal counter. The counter is initially zero, and is incremented after each call to this procedure.

The optional argument *object* is used to control how the symbol is generated. It may take one of the following values:

- If *object* is omitted or #f, the prefix is "G".
- If *object* is an exact non-negative integer, the internal counter is set to that integer prior to generating the result.
- If *object* is a string, it is used as the prefix.
- If *object* is a symbol, its name is used as the prefix.

```

(generate-uninterned-symbol)
  ⇒ #[uninterned-symbol 31 G0]
(generate-uninterned-symbol)
  ⇒ #[uninterned-symbol 32 G1]
(generate-uninterned-symbol 'this)
  ⇒ #[uninterned-symbol 33 this2]
(generate-uninterned-symbol)
  ⇒ #[uninterned-symbol 34 G3]
(generate-uninterned-symbol 100)
  ⇒ #[uninterned-symbol 35 G100]
(generate-uninterned-symbol)
  ⇒ #[uninterned-symbol 36 G101]

```

symbol-append *symbol* ... procedure

Returns the interned symbol whose name is formed by concatenating the names of the given symbols. This procedure preserves the case of the names of its arguments, so if one or more of the arguments' names has non-standard case, the result will also have non-standard case.

```

(symbol-append 'foo- 'bar)           ⇒ foo-bar
;; the arguments may be uninterned:
(symbol-append 'foo- (string->uninterned-symbol "baz"))
                                   ⇒ foo-baz
;; the result has the same case as the arguments:
(symbol-append 'foo- (string->symbol "BAZ"))   ⇒ foo-BAZ

```

symbol-hash *symbol* procedure
 Returns a hash number for *symbol*, which is computed by calling **string-hash** on *symbol*'s name. The hash number is an exact non-negative integer.

symbol-hash-mod *symbol modulus* procedure
Modulus must be an exact positive integer. Equivalent to
 (modulo (symbol-hash *symbol*) *modulus*)
 This procedure is provided for convenience in constructing hash tables. However, it is normally preferable to use **make-eq-hash-table** to build hash tables keyed by symbols, because **eq?** hash tables are much faster.

symbol<? *symbol1 symbol2* procedure
 This procedure computes a total order on symbols. It is equivalent to
 (string<? (symbol->string *symbol1*)
 (symbol->string *symbol2*))

10.3 Cells

Cells are data structures similar to pairs except that they have only one element. They are useful for managing state.

cell? *object* procedure
 Returns **#t** if *object* is a cell; otherwise returns **#f**.

make-cell *object* procedure
 Returns a newly allocated cell whose contents is *object*.

cell-contents *cell* procedure
 Returns the current contents of *cell*.

set-cell-contents! *cell object* procedure
 Alters the contents of *cell* to be *object*. Returns an unspecified value.

bind-cell-contents! *cell object thunk* procedure
 Alters the contents of *cell* to be *object*, calls *thunk* with no arguments, then restores the original contents of *cell* and returns the value returned by *thunk*. This is completely equivalent to dynamic binding of a variable, including the behavior when continuations are used (see [Section 2.3 \[Dynamic Binding\]](#), page 18).

10.4 Records

MIT Scheme provides a *record* abstraction, which is a simple and flexible mechanism for building structures with named components. Records can be defined and accessed using the procedures defined in this section. A less flexible but more concise way to manipulate records is to use the **define-structure** special form (see [Section 2.10 \[Structure Definitions\]](#), page 29).

make-record-type *type-name field-names* procedure

Returns a *record-type descriptor*, a value representing a new data type, disjoint from all others. The *type-name* argument must be a string, but is only used for debugging purposes (such as the printed representation of a record of the new type). The *field-names* argument is a list of symbols naming the *fields* of a record of the new type. It is an error if the list contains any duplicates. It is unspecified how record-type descriptors are represented.

record-creator *record-type [field-names]* procedure

Returns a procedure for constructing new members of the type represented by *record-type*. The returned procedure accepts exactly as many arguments as there are symbols in the given list, *field-names*; these are used, in order, as the initial values of those fields in a new record, which is returned by the constructor procedure. The values of any fields not named in the list of *field-names* are unspecified. The *field-names* argument defaults to the list of field-names in the call to **make-record-type** that created the type represented by *record-type*; if the *field-names* argument is provided, it is an error if it contains any duplicates or any symbols not in the default list.

record-predicate *record-type* procedure

Returns a procedure for testing membership in the type represented by *record-type*. The returned procedure accepts exactly one argument and returns **#t** if the argument is a member of the indicated record type; it returns **#f** otherwise.

record-accessor *record-type field-name* procedure

Returns a procedure for reading the value of a particular field of a member of the type represented by *record-type*. The returned procedure accepts exactly one argument which must be a record of the appropriate type; it returns the current value of the field named by the symbol *field-name* in that record. The symbol *field-name* must be a member of the list of field names in the call to **make-record-type** that created the type represented by *record-type*.

record-modifier *record-type field-name* procedure

Returns a procedure for writing the value of a particular field of a member of the type represented by *record-type*. The returned procedure accepts exactly two arguments: first, a record of the appropriate type, and second, an arbitrary Scheme value; it modifies the field named by the symbol *field-name* in that record to contain the given value. The returned value of the modifier procedure is unspecified. The symbol *field-name* must be a member of the list of field names in the call to **make-record-type** that created the type represented by *record-type*.

record? *object* procedure

Returns **#t** if *object* is a record of any type and **#f** otherwise. Note that **record?** may be true of any Scheme value; of course, if it returns **#t** for some particular value, then **record-type-descriptor** is applicable to that value and returns an appropriate descriptor.

record-type-descriptor *record* procedure

Returns the record-type descriptor representing the type of *record*. That is, for example, if the returned descriptor were passed to **record-predicate**, the resulting predicate would return **#t** when passed *record*. Note that it is not necessarily the case that the returned descriptor is the one that was passed to **record-creator** in the call that created the constructor procedure that created *record*.

record-type? *object* procedure

Returns **#t** if *object* is a record-type descriptor; otherwise returns **#f**.

record-type-name *record-type* procedure

Returns the type name associated with the type represented by *record-type*. The returned value is **eqv?** to the *type-name* argument given in the call to **make-record-type** that created the type represented by *record-type*.

record-type-field-names *record-type* procedure

Returns a list of the symbols naming the fields in members of the type represented by *record-type*. The returned value is **equal?** to the *field-names* argument given in the call to **make-record-type** that created the type represented by *record-type*.³

10.5 Promises

delay *expression* special form

The **delay** construct is used together with the procedure **force** to implement *lazy evaluation* or *call by need*. (**delay expression**) returns an object called a *promise* which at some point in the future may be asked (by the **force** procedure) to evaluate *expression* and deliver the resulting value.

force *promise* procedure

Forces the value of *promise*. If no value has been computed for the promise, then a value is computed and returned. The value of the promise is cached (or “memoized”) so that if it is forced a second time, the previously computed value is returned without any recomputation.

```
(force (delay (+ 1 2)))           ⇒ 3

(let ((p (delay (+ 1 2))))
  (list (force p) (force p)))     ⇒ (3 3)
```

³ In MIT Scheme, the returned list is always newly allocated.

```

(define head car)

(define tail
  (lambda (stream)
    (force (cdr stream))))

(define a-stream
  (letrec ((next
    (lambda (n)
      (cons n (delay (next (+ n 1)))))))
    (next 0)))

(head (tail (tail a-stream)))      ⇒ 2

```

promise? *object* procedure
 Returns **#t** if *object* is a promise; otherwise returns **#f**.

promise-forced? *promise* procedure
 Returns **#t** if *promise* has been forced and its value cached; otherwise returns **#f**.

promise-value *promise* procedure
 If *promise* has been forced and its value cached, this procedure returns the cached value. Otherwise, an error is signalled.

force and **delay** are mainly intended for programs written in functional style. The following examples should not be considered to illustrate good programming style, but they illustrate the property that the value of a promise is computed at most once.

```

(define count 0)

(define p
  (delay
    (begin
      (set! count (+ count 1))
      (* x 3))))

(define x 5)

count      ⇒ 0
p          ⇒ #[promise 54]
(force p)  ⇒ 15
p          ⇒ #[promise 54]
count      ⇒ 1
(force p)  ⇒ 15
count      ⇒ 1

```

Here is a possible implementation of **delay** and **force**. We define the expression

```
(delay expression)
```

to have the same meaning as the procedure call

```
(make-promise (lambda () expression))
```

where **make-promise** is defined as follows:


```

(define make-promise
  (lambda (proc)
    (let ((already-run? #f)
          (result #f))
      (lambda ()
        (cond ((not already-run?)
               (set! result (proc))
               (set! already-run? #t)))
              result))))

```

Promises are implemented here as procedures of no arguments, and `force` simply calls its argument.

```

(define force
  (lambda (promise)
    (promise)))

```

Various extensions to this semantics of `delay` and `force` are supported in some implementations (none of these are currently supported in MIT Scheme):

- Calling `force` on an object that is not a promise may simply return the object.
- It may be the case that there is no means by which a promise can be operationally distinguished from its forced value. That is, expressions like the following may evaluate to either `#t` or `#f`, depending on the implementation:

```

(eqv? (delay 1) 1)           ⇒ unspecified
(pair? (delay (cons 1 2)))   ⇒ unspecified

```

- Some implementations will implement “implicit forcing”, where the value of a promise is forced by primitive procedures like `car` and `+`:

```

(+ (delay (* 3 7)) 13)       ⇒ 34

```

10.6 Streams

In addition to promises, MIT Scheme supports a higher-level abstraction called *streams*. Streams are similar to lists, except that the tail of a stream is not computed until it is referred to. This allows streams to be used to represent infinitely long lists.

stream *object* . . . procedure

Returns a newly allocated stream whose elements are the arguments. Note that the expression `(stream)` returns the empty stream, or end-of-stream marker.

list->stream *list* procedure

Returns a newly allocated stream whose elements are the elements of *list*. Equivalent to `(apply stream list)`.

stream->list *stream* procedure

Returns a newly allocated list whose elements are the elements of *stream*. If *stream* has infinite length this procedure will not terminate. This could have been defined by

```
(define (stream->list stream)
  (if (stream-null? stream)
      '()
      (cons (stream-car stream)
            (stream->list (stream-cdr stream)))))
```

cons-stream *object expression* special form
 Returns a newly allocated stream pair. Equivalent to `(cons object (delay expression))`.

stream-pair? *object* procedure
 Returns `#t` if *object* is a pair whose cdr contains a promise. Otherwise returns `#f`.
 This could have been defined by

```
(define (stream-pair? object)
  (and (pair? object)
       (promise? (cdr object))))
```

stream-car *stream* procedure
stream-first *stream* procedure
 Returns the first element in *stream*. **stream-car** is equivalent to **car**. **stream-first** is a synonym for **stream-car**.

stream-cdr *stream* procedure
stream-rest *stream* procedure
 Returns the first tail of *stream*. Equivalent to `(force (cdr stream))`. **stream-rest** is a synonym for **stream-cdr**.

stream-null? *stream* procedure
 Returns `#t` if *stream* is the end-of-stream marker; otherwise returns `#f`. This is equivalent to **null?**, but should be used whenever testing for the end of a stream.

stream-length *stream* procedure
 Returns the number of elements in *stream*. If *stream* has an infinite number of elements this procedure will not terminate. Note that this procedure forces all of the promises that comprise *stream*.

stream-ref *stream k* procedure
 Returns the element of *stream* that is indexed by *k*; that is, the *k*th element. *K* must be an exact non-negative integer strictly less than the length of *stream*.

stream-head *stream k* procedure
 Returns the first *k* elements of *stream* as a list. *K* must be an exact non-negative integer strictly less than the length of *stream*.

stream-tail *stream k* procedure
 Returns the tail of *stream* that is indexed by *k*; that is, the *k*th tail. This is equivalent to performing **stream-cdr** *k* times. *K* must be an exact non-negative integer strictly less than the length of *stream*.

stream-map *procedure stream stream . . .* procedure
 Returns a newly allocated stream, each element being the result of invoking *procedure* with the corresponding elements of the *streams* as its arguments.

10.7 Weak Pairs

Weak pairs are a mechanism for building data structures that point at objects without protecting them from garbage collection. The car of a weak pair holds its pointer weakly, while the cdr holds its pointer in the normal way. If the object in the car of a weak pair is not held normally by any other data structure, it will be garbage-collected.

Note: weak pairs are *not* pairs; that is, they do not satisfy the predicate `pair?`.

weak-pair? *object* procedure
 Returns `#t` if *object* is a weak pair; otherwise returns `#f`.

weak-cons *car cdr* procedure
 Allocates and returns a new weak pair, with components *car* and *cdr*. The *car* component is held weakly.

weak-pair/car? *weak-pair* procedure
 This predicate returns `#f` if the car of *weak-pair* has been garbage-collected; otherwise returns `#t`. In other words, it is true if *weak-pair* has a valid car component.

weak-car *weak-pair* procedure
 Returns the car component of *weak-pair*. If the car component has been garbage-collected, this operation returns `#f`, but it can also return `#f` if that is the value that was stored in the car.

Normally, `weak-pair/car?` is used to determine if `weak-car` would return a valid value. An obvious way of doing this would be:

```
(if (weak-pair/car? x)
    (weak-car x)
    ...)
```

However, since a garbage collection could occur between the call to `weak-pair/car?` and `weak-car`, this would not always work correctly. Instead, the following should be used, which always works:

```
(or (weak-car x)
    (and (not (weak-pair/car? x))
         ...))
```

The reason that the latter expression works is that `weak-car` returns `#f` in just two instances: when the car component is `#f`, and when the car component has been garbage-collected. In the former case, if a garbage collection happens between the two calls, it won't matter, because `#f` will never be garbage-collected. And in the latter case, it also won't matter, because the car component no longer exists and cannot be affected by the garbage collector.

weak-set-car! *weak-pair object* procedure
Sets the car component of *weak-pair* to *object* and returns an unspecified result.

weak-cdr *weak-pair* procedure
Returns the cdr component of *weak-cdr*.

weak-set-cdr! *weak-pair object* procedure
Sets the cdr component of *weak-pair* to *object* and returns an unspecified result.

11 Associations

MIT Scheme provides several mechanisms for associating objects with one another. Each of these mechanisms creates a link between one or more objects, called *keys*, and some other object, called a *datum*. Beyond this common idea, however, each of the mechanisms has various different properties that make it appropriate in different situations:

- *Association lists* are one of Lisp’s oldest association mechanisms. Because they are made from ordinary pairs, they are easy to build and manipulate, and very flexible in use. However, the average lookup time for an association list is linear in the number of associations.
- *1D tables* have a very simple interface, making them easy to use, and offer the feature that they do not prevent their keys from being reclaimed by the garbage collector. Like association lists, their average lookup time is linear in the number of associations; but 1D tables aren’t as flexible.
- *The association table* is MIT Scheme’s equivalent to the *property lists* of Lisp. It has the advantages that the keys may be any type of object and that it does not prevent the keys from being reclaimed by the garbage collector. However, two linear-time lookups must be performed, one for each key, whereas for traditional property lists only one lookup is required for both keys.
- *Hash tables* are a powerful mechanism with constant-time access to large amounts of data. Hash tables are not as flexible as association lists, but because their access times are independent of the number of associations in the table, for most applications they are the mechanism of choice.
- *Balanced binary trees* are another association mechanism that is useful for applications in which the keys are ordered. Binary trees have access times that are proportional to the logarithm of the number of associations in the tree. While they aren’t as fast as hash tables, they offer the advantage that the contents of the tree can be converted to a sorted alist in linear time. Additionally, two trees can be compared for equality in worst-case linear time.
- *Red-Black trees* are a kind of balanced binary tree. The implementation supports destructive insertion and deletion operations with a good constant factor.
- *Weight-Balanced trees* are a kind of balanced binary tree. The implementation provides non-destructive operations. There is a comprehensive set of operations, including: a constant-time size operation; many high-level operations such as the set operations union, intersection and difference; and indexing of elements by position.

11.1 Association Lists

An *association list*, or *alist*, is a data structure used very frequently in Scheme. An alist is a list of pairs, each of which is called an *association*. The car of an association is called the *key*.

An advantage of the alist representation is that an alist can be incrementally augmented simply by adding new entries to the front. Moreover, because the searching procedures `assv` et al. search the alist in order, new entries can “shadow” old entries. If an alist is

viewed as a mapping from keys to data, then the mapping can be not only augmented but also altered in a non-destructive manner by adding new entries to the front of the alist.¹

alist? *object* procedure

Returns **#t** if *object* is an association list (including the empty list); otherwise returns **#f**. Any *object* satisfying this predicate also satisfies **list?**.

assq *object alist* procedure

assv *object alist* procedure

assoc *object alist* procedure

These procedures find the first pair in *alist* whose car field is *object*, and return that pair; the returned pair is always an *element* of *alist*, *not* one of the pairs from which *alist* is composed. If no pair in *alist* has *object* as its car, **#f** (n.b.: not the empty list) is returned. **assq** uses **eq?** to compare *object* with the car fields of the pairs in *alist*, while **assv** uses **eqv?** and **assoc** uses **equal?**.²

```
(define e '((a 1) (b 2) (c 3)))
(assq 'a e)           ⇒ (a 1)
(assq 'b e)           ⇒ (b 2)
(assq 'd e)           ⇒ #f
(assq (list 'a) '(((a)) ((b)) ((c))))) ⇒ #f
(assoc (list 'a) '(((a)) ((b)) ((c))))) ⇒ ((a))
(assq 5 '((2 3) (5 7) (11 13)))        ⇒ unspecified
(assv 5 '((2 3) (5 7) (11 13)))        ⇒ (5 7)
```

association-procedure *predicate selector* procedure

Returns an association procedure that is similar to **assv**, except that *selector* (a procedure of one argument) is used to select the key from the association, and *predicate* (an equivalence predicate) is used to compare the key to the given item. This can be used to make association lists whose elements are, say, vectors instead of pairs (also see [Section 7.6 \[Searching Lists\]](#), page 113).

For example, here is how **assv** could be implemented:

```
(define assv (association-procedure eqv? car))
```

Another example is a “reverse association” procedure:

```
(define rassv (association-procedure eqv? cdr))
```

del-assq *object alist* procedure

del-assv *object alist* procedure

del-assoc *object alist* procedure

These procedures return a newly allocated copy of *alist* in which all associations with keys equal to *object* have been removed. Note that while the returned copy is a newly allocated list, the association pairs that are the elements of the list are shared with *alist*, not copied. **del-assq** uses **eq?** to compare *object* with the keys, while **del-assv** uses **eqv?** and **del-assoc** uses **equal?**.

¹ This introduction is taken from *Common Lisp, The Language*, second edition, p. 431.

² Although they are often used as predicates, **assq**, **assv**, and **assoc** do not have question marks in their names because they return useful values rather than just **#t** or **#f**.

```

(define a
  '((butcher . "231 e22nd St.")
    (baker . "515 w23rd St.")
    (hardware . "988 Lexington Ave.")))

(del-assq 'baker a)
⇒
((butcher . "231 e22nd St.")
 (hardware . "988 Lexington Ave."))

```

del-assq! *object alist*

procedure

del-assv! *object alist*

procedure

del-assoc! *object alist*

procedure

These procedures remove from *alist* all associations with keys equal to *object*. They return the resulting list. **del-assq!** uses `eq?` to compare *object* with the keys, while **del-assv!** uses `eqv?` and **del-assoc!** uses `equal?`. These procedures are like **del-assq**, **del-assv**, and **del-assoc**, respectively, except that they destructively modify *alist*.

delete-association-procedure *deletor predicate selector*

procedure

This returns a deletion procedure similar to **del-assv** or **del-assq!**. The *predicate* and *selector* arguments are the same as those for **association-procedure**, while the *deletor* argument should be either the procedure **list-deletor** (for non-destructive deletions), or the procedure **list-deletor!** (for destructive deletions).

For example, here is a possible implementation of **del-assv**:

```

(define del-assv
  (delete-association-procedure list-deletor eqv? car))

```

alist-copy *alist*

procedure

Returns a newly allocated copy of *alist*. This is similar to **list-copy** except that the “association” pairs, i.e. the elements of the list *alist*, are also copied. **alist-copy** could have been implemented like this:

```

(define (alist-copy alist)
  (if (null? alist)
      '()
      (cons (cons (car (car alist)) (cdr (car alist)))
            (alist-copy (cdr alist)))))

```

11.2 1D Tables

1D tables (“one-dimensional” tables) are similar to association lists. In a 1D table, unlike an association list, the keys of the table are held *weakly*: if a key is garbage-collected, its associated value in the table is removed. 1D tables compare their keys for equality using `eq?`.

1D tables can often be used as a higher-performance alternative to the two-dimensional association table (see [Section 11.3 \[The Association Table\]](#), page 142). If one of the keys

being associated is a compound object such as a vector, a 1D table can be stored in one of the vector's slots. Under these circumstances, accessing items in a 1D table will be comparable in performance to using a property list in a conventional Lisp.

make-1d-table procedure

Returns a newly allocated empty 1D table.

1d-table? *object* procedure

Returns **#t** if *object* is a 1D table, otherwise returns **#f**. Any object that satisfies this predicate also satisfies **list?**.

1d-table/put! *1d-table key datum* procedure

Creates an association between *key* and *datum* in *1d-table*. Returns an unspecified value.

1d-table/remove! *1d-table key* procedure

Removes any association for *key* in *1d-table* and returns an unspecified value.

1d-table/get *1d-table key default* procedure

Returns the *datum* associated with *key* in *1d-table*. If there is no association for *key*, *default* is returned.

1d-table/lookup *1d-table key if-found if-not-found* procedure

If-found must be a procedure of one argument, and *if-not-found* must be a procedure of no arguments. If *1d-table* contains an association for *key*, *if-found* is invoked on the *datum* of the association. Otherwise, *if-not-found* is invoked with no arguments. In either case, the result of the invoked procedure is returned as the result of **1d-table/lookup**.

1d-table/alist *1d-table* procedure

Returns a newly allocated association list that contains the same information as *1d-table*.

11.3 The Association Table

MIT Scheme provides a generalization of the property-list mechanism found in most other implementations of Lisp: a global two-dimensional *association table*. This table is indexed by two keys, called *x-key* and *y-key* in the following procedure descriptions. These keys and the datum associated with them can be arbitrary objects. **eq?** is used to discriminate keys.

Think of the association table as a matrix: a single datum can be accessed using both keys, a column using *x-key* only, and a row using *y-key* only.

2d-put! *x-key y-key datum* procedure

Makes an entry in the association table that associates *datum* with *x-key* and *y-key*. Returns an unspecified result.

2d-remove! *x-key y-key* procedure
 If the association table has an entry for *x-key* and *y-key*, it is removed. Returns an unspecified result.

2d-get *x-key y-key* procedure
 Returns the *datum* associated with *x-key* and *y-key*. Returns **#f** if no such association exists.

2d-get-alist-x *x-key* procedure
 Returns an association list of all entries in the association table that are associated with *x-key*. The result is a list of (*y-key* . *datum*) pairs. Returns the empty list if no entries for *x-key* exist.

```
(2d-put! 'foo 'bar 5)
(2d-put! 'foo 'baz 6)
(2d-get-alist-x 'foo)           ⇒ ((baz . 6) (bar . 5))
```

2d-get-alist-y *y-key* procedure
 Returns an association list of all entries in the association table that are associated with *y-key*. The result is a list of (*x-key* . *datum*) pairs. Returns the empty list if no entries for *y-key* exist.

```
(2d-put! 'bar 'foo 5)
(2d-put! 'baz 'foo 6)
(2d-get-alist-y 'foo)           ⇒ ((baz . 6) (bar . 5))
```

11.4 Hash Tables

Hash tables are a fast, powerful mechanism for storing large numbers of associations. MIT Scheme's hash tables feature automatic resizing, customizable growth parameters, and customizable hash procedures.

The average times for the insertion, deletion, and lookup operations on a hash table are bounded by a constant. The space required by the table is proportional to the number of associations in the table; the constant of proportionality is described below (see [Section 11.4.3 \[Resizing of Hash Tables\]](#), [page 146](#)).

(Previously, the hash-table implementation was a run-time-loadable option, but as of release 7.7.0 it is loaded by default. It's no longer necessary to call **load-option** prior to using hash tables.)

11.4.1 Construction of Hash Tables

The next few procedures are hash-table constructors. All hash table constructors are procedures that accept one optional argument, *initial-size*, and return a newly allocated hash table. If *initial-size* is given, it must be an exact non-negative integer or **#f**. The meaning of *initial-size* is discussed below (see [Section 11.4.3 \[Resizing of Hash Tables\]](#), [page 146](#)).

Hash tables are normally characterized by two things: the equivalence predicate that is used to compare keys, and whether or not the table allows its keys to be reclaimed by the

garbage collector. If a table prevents its keys from being reclaimed by the garbage collector, it is said to hold its keys *strongly*; otherwise it holds its keys *weakly* (see [Section 10.7 \[Weak Pairs\]](#), page 137).

make-eq-hash-table [*initial-size*] procedure
 Returns a newly allocated hash table that accepts arbitrary objects as keys, and compares those keys with `eq?`. The keys are held weakly. These are the fastest of the standard hash tables.

make-eqv-hash-table [*initial-size*] procedure
 Returns a newly allocated hash table that accepts arbitrary objects as keys, and compares those keys with `eqv?`. The keys are held weakly, except that booleans, characters, and numbers are held strongly. These hash tables are a little slower than those made by `make-eq-hash-table`.

make-equal-hash-table [*initial-size*] procedure
 Returns a newly allocated hash table that accepts arbitrary objects as keys, and compares those keys with `equal?`. The keys are held strongly. These hash tables are quite a bit slower than those made by `make-eq-hash-table`.

make-string-hash-table [*initial-size*] procedure
 Returns a newly allocated hash table that accepts character strings as keys, and compares them with `string=?`. The keys are held strongly.

The next two procedures are used to create new hash-table constructors. All of the above hash table constructors, with the exception of `make-eqv-hash-table`, could have been created by calls to these “constructor-constructors”; see the examples below.

strong-hash-table/constructor *key-hash* *key=?* [*rehash-after-gc?*] procedure
weak-hash-table/constructor *key-hash* *key=?* [*rehash-after-gc?*] procedure

Each of these procedures accepts two arguments and returns a hash-table constructor. The *key=?* argument is an equivalence predicate for the keys of the hash table. The *key-hash* argument is a procedure that computes a hash number. Specifically, *key-hash* accepts two arguments, a key and an exact positive integer (the *modulus*), and returns an exact non-negative integer that is less than the modulus.

The optional argument *rehash-after-gc?*, if true, says that the values returned by *key-hash* might change after a garbage collection. If so, the hash-table implementation arranges for the table to be rehashed when necessary. (See [Section 11.4.4 \[Address Hashing\]](#), page 149, for information about hash procedures that have this property.) Otherwise, it is assumed that *key-hash* always returns the same value for the same arguments. The default value of this argument is `#f`.

The constructors returned by `strong-hash-table/constructor` make hash tables that hold their keys strongly. The constructors returned by `weak-hash-table/constructor` make hash tables that hold their keys weakly.

Some examples showing how some standard hash-table constructors could have been defined:

```
(define make-eq-hash-table
  (weak-hash-table/constructor eq-hash-mod eq? #t))

(define make-equal-hash-table
  (strong-hash-table/constructor equal-hash-mod equal? #t))

(define make-string-hash-table
  (strong-hash-table/constructor string-hash-mod string=? #f))
```

The following procedure is sometimes useful in conjunction with weak hash tables. Normally it is not needed, because such hash tables clean themselves automatically as they are used.

hash-table/clean! *hash-table* procedure

If *hash-table* is a type of hash table that holds its keys weakly, this procedure recovers any space that was being used to record associations for objects that have been reclaimed by the garbage collector. Otherwise, this procedure does nothing. In either case, it returns an unspecified result.

11.4.2 Basic Hash Table Operations

The procedures described in this section are the basic operations on hash tables. They provide the functionality most often needed by programmers. Subsequent sections describe other operations that provide additional functionality needed by some applications.

hash-table? *object* procedure

Returns **#t** if *object* is a hash table, otherwise returns **#f**.

hash-table/put! *hash-table key datum* procedure

Associates *datum* with *key* in *hash-table* and returns an unspecified result. The average time required by this operation is bounded by a constant.

hash-table/get *hash-table key default* procedure

Returns the datum associated with *key* in *hash-table*. If there is no association for *key*, *default* is returned. The average time required by this operation is bounded by a constant.

hash-table/remove! *hash-table key* procedure

If *hash-table* has an association for *key*, removes it. Returns an unspecified result. The average time required by this operation is bounded by a constant.

hash-table/clear! *hash-table* procedure

Removes all associations in *hash-table* and returns an unspecified result. The average and worst-case times required by this operation are bounded by a constant.

hash-table/count *hash-table* procedure

Returns the number of associations in *hash-table* as an exact non-negative integer. If *hash-table* holds its keys weakly, this is a conservative upper bound that may count some associations whose keys have recently been reclaimed by the garbage collector. The average and worst-case times required by this operation are bounded by a constant.

hash-table->alist *hash-table* procedure

Returns the contents of *hash-table* as a newly allocated alist. Each element of the alist is a pair (*key* . *datum*) where *key* is one of the keys of *hash-table*, and *datum* is its associated datum. The average and worst-case times required by this operation are linear in the number of associations in the table.

hash-table/key-list *hash-table* procedure

Returns a newly allocated list of the keys in *hash-table*. The average and worst-case times required by this operation are linear in the number of associations in the table.

hash-table/datum-list *hash-table* procedure

Returns a newly allocated list of the datums in *hash-table*. Each element of the list corresponds to one of the associations in *hash-table*; if the table contains multiple associations with the same datum, so will this list. The average and worst-case times required by this operation are linear in the number of associations in the table.

hash-table/for-each *hash-table procedure* procedure

Procedure must be a procedure of two arguments. Invokes *procedure* once for each association in *hash-table*, passing the association's *key* and *datum* as arguments, in that order. Returns an unspecified result. *Procedure* must not modify *hash-table*, with one exception: it is permitted to call **hash-table/remove!** to remove the association being processed.

The following procedure is an alternate form of **hash-table/get** that is useful in some situations. Usually, **hash-table/get** is preferable because it is faster.

hash-table/lookup *hash-table key if-found if-not-found* procedure

If-found must be a procedure of one argument, and *if-not-found* must be a procedure of no arguments. If *hash-table* contains an association for *key*, *if-found* is invoked on the datum of the association. Otherwise, *if-not-found* is invoked with no arguments. In either case, the result yielded by the invoked procedure is returned as the result of **hash-table/lookup** (**hash-table/lookup** *reduces* into the invoked procedure, i.e. calls it tail-recursively). The average time required by this operation is bounded by a constant.

11.4.3 Resizing of Hash Tables

Normally, hash tables automatically resize themselves according to need. Because of this, the programmer need not be concerned with management of the table's size. However,

some limited control over the table's size is provided, which will be discussed below. This discussion involves two concepts, *usable size* and *physical size*, which we will now define.

The *usable size* of a hash table is the number of associations that the table can hold at a given time. If the number of associations in the table exceeds the usable size, the table will automatically grow, increasing the usable size to a new value that is sufficient to hold the associations.

The *physical size* is an abstract measure of a hash table that specifies how much space is allocated to hold the associations of the table. The physical size is always greater than or equal to the usable size. The physical size is not interesting in itself; it is interesting only for its effect on the performance of the hash table. While the average performance of a hash-table lookup is bounded by a constant, the worst-case performance is not. For a table containing a given number of associations, increasing the physical size of the table decreases the probability that worse-than-average performance will occur.

The physical size of a hash table is statistically related to the number of associations. However, it is possible to place bounds on the physical size, and from this to estimate the amount of space used by the table:

```
(define (hash-table-space-bounds count rehash-size rehash-threshold)
  (let ((tf (/ 1 rehash-threshold)))
    (values (if (exact-integer? rehash-size)
                (- (* count (+ 4 tf))
                   (* tf (+ rehash-size rehash-size)))
                (* count (+ 4 (/ tf (* rehash-size rehash-size)))))
            (* count (+ 4 tf)))))
```

What this formula shows is that, for a “normal” rehash size (that is, not an exact integer), the amount of space used by the hash table is proportional to the number of associations in the table. The constant of proportionality varies statistically, with the low bound being

```
(+ 4 (/ (/ 1 rehash-threshold) (* rehash-size rehash-size)))
```

and the high bound being

```
(+ 4 (/ 1 rehash-threshold))
```

which, for the default values of these parameters, are 4.25 and 5, respectively. Reducing the rehash size will tighten these bounds, but increases the amount of time spent resizing, so you can see that the rehash size gives some control over the time-space tradeoff of the table.

The programmer can control the size of a hash table by means of three parameters:

- Each table's *initial-size* may be specified when the table is created.
- Each table has a *rehash size* that specifies how the size of the table is changed when it is necessary to grow or shrink the table.
- Each table has a *rehash threshold* that specifies the relationship of the table's physical size to its usable size.

If the programmer knows that the table will initially contain a specific number of items, *initial-size* can be given when the table is created. If *initial-size* is an exact non-negative integer, it specifies the initial usable size of the hash table; the table will not change size until the number of items in the table exceeds *initial-size*, after which automatic resizing is enabled and *initial-size* no longer has any effect. Otherwise, if *initial-size* is not given or

is **#f**, the table is initialized to an unspecified size and automatic resizing is immediately enabled.

The *rehash size* specifies how much to increase the usable size of the hash table when it becomes full. It is either an exact positive integer, or a real number greater than one. If it is an integer, the new size is the sum of the old size and the rehash size. Otherwise, it is a real number, and the new size is the product of the old size and the rehash size. Increasing the rehash size decreases the average cost of an insertion, but increases the average amount of space used by the table. The rehash size of a table may be altered dynamically by the application in order to optimize the resizing of the table; for example, if the table will grow quickly for a known period and afterwards will not change size, performance might be improved by using a large rehash size during the growth phase and a small one during the static phase. The default rehash size of a newly constructed hash table is 2.0.

Warning: The use of an exact positive integer for a rehash size is almost always undesirable; this option is provided solely for compatibility with the Common Lisp hash-table mechanism. The reason for this has to do with the time penalty for resizing the hash table. The time needed to resize a hash table is proportional to the number of associations in the table. This resizing cost is *amortized* across the insertions required to fill the table to the point where it needs to grow again. If the table grows by an amount proportional to the number of associations, then the cost of resizing and the increase in size are both proportional to the number of associations, so the *amortized cost* of an insertion operation is still bounded by a constant. However, if the table grows by a constant amount, this is not true: the amortized cost of an insertion is not bounded by a constant. Thus, using a constant rehash size means that the average cost of an insertion increases proportionally to the number of associations in the hash table.

The *rehash threshold* is a real number, between zero exclusive and one inclusive, that specifies the ratio between a hash table's usable size and its physical size. Decreasing the rehash threshold decreases the probability of worse-than-average insertion, deletion, and lookup times, but increases the physical size of the table for a given usable size. The default rehash threshold of a newly constructed hash table is 1.

hash-table/size *hash-table* procedure
Returns the usable size of *hash-table* as an exact positive integer. This is the number of associations that *hash-table* can hold before it will grow.

hash-table/rehash-size *hash-table* procedure
Returns the rehash size of *hash-table*.

set-hash-table/rehash-size! *hash-table* *x* procedure
X must be either an exact positive integer, or a real number that is greater than one. Sets the rehash size of *hash-table* to *x* and returns an unspecified result. This operation adjusts the “shrink threshold” of the table; the table might shrink if the number of associations is less than the new threshold.

hash-table/rehash-threshold *hash-table* procedure
Returns the rehash threshold of *hash-table*.

set-hash-table/rehash-threshold! *hash-table* *x* procedure
X must be a real number between zero exclusive and one inclusive. Sets the rehash threshold of *hash-table* to *x* and returns an unspecified result. This operation does not change the usable size of the table, but it usually changes the physical size of the table, which causes the table to be rehashed.

11.4.4 Address Hashing

The procedures described in this section may be used to make very efficient key-hashing procedures for arbitrary objects. All of these procedures are based on *address hashing*, which uses the address of an object as its hash number. The great advantage of address hashing is that converting an arbitrary object to a hash number is extremely fast and takes the same amount of time for any object.

The disadvantage of address hashing is that the garbage collector changes the addresses of most objects. The hash-table implementation compensates for this disadvantage by automatically rehashing tables that use address hashing when garbage collections occur. Thus, in order to use these procedures for key hashing, it is necessary to tell the hash-table implementation (by means of the *rehash-after-gc?* argument to the “constructor-constructor” procedure) that the hash numbers computed by your key-hashing procedure must be recomputed after a garbage collection.

eq-hash *object* procedure
eqv-hash *object* procedure
equal-hash *object* procedure

These procedures return a hash number for *object*. The result is always a non-negative integer, and in the case of **eq-hash**, a non-negative fixnum. Two objects that are equivalent according to **eq?**, **eqv?**, or **equal?**, respectively, will produce the same hash number when passed as arguments to these procedures, provided that the garbage collector does not run during or between the two calls.

The following procedures are the key-hashing procedures used by the standard address-hash-based hash tables.

eq-hash-mod *object modulus* procedure
 This procedure is the key-hashing procedure used by **make-eq-hash-table**.

eqv-hash-mod *object modulus* procedure
 This procedure is the key-hashing procedure used by **make-eqv-hash-table**.

equal-hash-mod *object modulus* procedure
 This procedure is the key-hashing procedure used by **make-equal-hash-table**.

11.4.5 Low-Level Hash Table Operations

The procedures in this section allow the programmer to control some of the internal structure of a hash table. Normally, hash tables maintain associations between keys and datums using pairs or weak pairs. These procedures allow the programmer to specify the use of some other data structure to maintain the association. In this section, the data structure that represents an association in a hash table is called an *entry*.

hash-table/constructor *key-hash key=? make-entry entry-valid?* procedure
entry-key entry-datum set-entry-datum! [*rehash-after-gc?*]

Creates and returns a hash-table constructor procedure (see [Section 11.4.1 \[Construction of Hash Tables\]](#), page 143). The arguments define the characteristics of the hash table as follows:

key-hash The hashing procedure. A procedure that accepts two arguments, a key and an exact positive integer (the *modulus*), and returns an exact non-negative integer that is less than the modulus.

key=? A equivalence predicate that accepts two keys and is true iff they are the same key. If this predicate is true of two keys, then *key-hash* must return the same value for each of these keys (given the same modulus in both cases).

make-entry A procedure that accepts a key and a datum as arguments and returns a newly allocated entry.

entry-valid? A procedure that accepts an entry and returns **#f** iff the entry's key has been reclaimed by the garbage collector. Instead of a procedure, this may be **#t**, which is equivalent to `(lambda (entry) #t)`.

entry-key A procedure that accepts an entry as an argument and returns the entry's key.

entry-datum A procedure that accepts an entry as an argument and returns the entry's datum.

set-entry-datum! A procedure that accepts an entry and an object as arguments, modifies the entry's datum to be the object, and returns an unspecified result.

rehash-after-gc? An optional argument that, if true, says the values returned by *key-hash* might change after a garbage collection. If so, the hash-table implementation arranges for the table to be rehashed when necessary. (See [Section 11.4.4 \[Address Hashing\]](#), page 149, for information about hash procedures that have this property.) Otherwise, it is assumed that *key-hash* always returns the same value for the same arguments. The default value of this argument is **#f**.

For example, here is how the constructors for ordinary hash tables could be defined:

```
(define (strong-hash-table/constructor key-hash key=?
                                       #!optional rehash-after-gc?)
  (hash-table/constructor key-hash key=?
                          cons #t car cdr set-cdr!
                          (if (default-object? rehash-after-gc?)
                              #f
                              rehash-after-gc?)))
```



```
(define (weak-hash-table/constructor key-hash key=?
                                     #!optional rehash-after-gc?)
  (hash-table/constructor key-hash key=? weak-cons weak-pair/car?
                          weak-car weak-cdr weak-set-cdr!
                          (if (default-object? rehash-after-gc?)
                              #f
                              rehash-after-gc?)))
```

hash-table/key-hash <i>hash-table</i>	procedure
hash-table/key=? <i>hash-table</i>	procedure
hash-table/make-entry <i>hash-table</i>	procedure
hash-table/entry-valid? <i>hash-table</i>	procedure
hash-table/entry-key <i>hash-table</i>	procedure
hash-table/entry-datum <i>hash-table</i>	procedure
hash-table/set-entry-datum! <i>hash-table</i>	procedure

Each procedure returns the value of the corresponding argument that was used to construct *hash-table*.

The following procedures return the contents of a hash table as a collection of entries. While the data structure holding the entries is newly allocated, the entries themselves are not copied. Since hash table operations can modify these entries, the entries should be copied if it is desired to keep them while continuing to modify the table.

hash-table/entries-list <i>hash-table</i>	procedure
Returns a newly allocated list of the entries in <i>hash-table</i> .	
hash-table/entries-vector <i>hash-table</i>	procedure
Returns a newly allocated vector of the entries in <i>hash-table</i> . Equivalent to (list->vector (hash-table/entries-list <i>hash-table</i>))	

11.5 Object Hashing

The MIT Scheme object-hashing facility provides a mechanism for generating a unique hash number for an arbitrary object. This hash number, unlike an object's address, is unchanged by garbage collection. The object-hashing facility is useful in conjunction with hash tables, but it may be used for other things as well. In particular, it is used in the generation of the written representation for many objects (see [Section 14.7 \[Custom Output\]](#), [page 193](#)).

All of these procedures accept an optional argument called *table*; this table contains the object-integer associations. If given, this argument must be an object-hash table as constructed by **hash-table/make** (see below). If not given, a default table is used.

hash <i>object</i> [<i>table</i>]	procedure
hash associates an exact non-negative integer with <i>object</i> and returns that integer. If hash was previously called with <i>object</i> as its argument, the integer returned is the same as was returned by the previous call. hash guarantees that distinct objects (in the sense of eq?) are associated with distinct integers.	

unhash *k* [*table*] procedure

unhash takes an exact non-negative integer *k* and returns the object associated with that integer. If there is no object associated with *k*, or if the object previously associated with *k* has been reclaimed by the garbage collector, an error of type **condition-type:bad-range-argument** is signalled. In other words, if **hash** previously returned *k* for some object, and that object has not been reclaimed, it is the value of the call to **unhash**.

An object that is passed to **hash** as an argument is not protected from being reclaimed by the garbage collector. If all other references to that object are eliminated, the object will be reclaimed. Subsequently calling **unhash** with the hash number of the (now reclaimed) object will signal an error.

(define x (cons 0 0))	⇒ unspecified
(hash x)	⇒ 77
(eqv? (hash x) (hash x))	⇒ #t
(define x 0)	⇒ unspecified
(gc-flip)	;force a garbage collection
(unhash 77)	error

object-hashed? *object* [*table*] procedure

This predicate is true if *object* has an associated hash number. Otherwise it is false.

valid-hash-number? *k* [*table*] procedure

This predicate is true if *k* is the hash number associated with some object. Otherwise it is false.

The following two procedures provide a lower-level interface to the object-hashing mechanism.

object-hash *object* [*table* [*insert?*]] procedure

object-hash is like **hash**, except that it accepts an additional optional argument, *insert?*. If *insert?* is supplied and is **#f**, **object-hash** will return an integer for *object* only if there is already an association in the table; otherwise, it will return **#f**. If *insert?* is not supplied, or is not **#f**, **object-hash** always returns an integer, creating an association in the table if necessary.

object-hash additionally treats **#f** differently than does **hash**. Calling **object-hash** with **#f** as its argument will return an integer that, when passed to **unhash**, will signal an error rather than returning **#f**. Likewise, **valid-hash-number?** will return **#f** for this integer.

object-unhash *k* [*table*] procedure

object-unhash is like **unhash**, except that when *k* is not associated with any object or was previously associated with an object that has been reclaimed, **object-unhash** returns **#f**. This means that there is an ambiguity in the value returned by **object-unhash**: if **#f** is returned, there is no way to tell if *k* is associated with **#f** or is not associated with any object at all.

Finally, this procedure makes new object-hash tables:

hash-table/make

procedure

This procedure creates and returns a new, empty object-hash table that is suitable for use as the optional *table* argument to the above procedures. The returned table contains no associations.

11.6 Red-Black Trees

Balanced binary trees are a useful data structure for maintaining large sets of associations whose keys are ordered. While most applications involving large association sets should use hash tables, some applications can benefit from the use of binary trees. Binary trees have two advantages over hash tables:

- The contents of a binary tree can be converted to an alist, sorted by key, in time proportional to the number of associations in the tree. A hash table can be converted into an unsorted alist in linear time; sorting it requires additional time.
- Two binary trees can be compared for equality in linear time. Hash tables, on the other hand, cannot be compared at all; they must be converted to alists before comparison can be done, and alist comparison is quadratic unless the alists are sorted.

MIT Scheme provides an implementation of *red-black* trees. The red-black tree-balancing algorithm provides generally good performance because it doesn't try to keep the tree very closely balanced. At any given node in the tree, one side of the node can be twice as high as the other in the worst case. With typical data the tree will remain fairly well balanced anyway.

A red-black tree takes space that is proportional to the number of associations in the tree. For the current implementation, the constant of proportionality is eight words per association.

Red-black trees hold their keys *strongly*. In other words, if a red-black tree contains an association for a given key, that key cannot be reclaimed by the garbage collector.

The red-black tree implementation is a run-time-loadable option. To use red-black trees, execute

```
(load-option 'rb-tree)
```

once before calling any of the procedures defined here.

make-rb-tree *key=? key<?*

procedure

This procedure creates and returns a newly allocated red-black tree. The tree contains no associations. *Key=?* and *key<?* are predicates that compare two keys and determine whether they are equal to or less than one another, respectively. For any two keys, at most one of these predicates is true.

rb-tree? *object*

procedure

Returns **#t** if *object* is a red-black tree, otherwise returns **#f**.

rb-tree/insert! *rb-tree key datum*

procedure

Associates *datum* with *key* in *rb-tree* and returns an unspecified value. If *rb-tree* already has an association for *key*, that association is replaced. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in *rb-tree*.

rb-tree/lookup *rb-tree key default* procedure

Returns the datum associated with *key* in *rb-tree*. If *rb-tree* doesn't contain an association for *key*, *default* is returned. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in *rb-tree*.

rb-tree/delete! *rb-tree key* procedure

If *rb-tree* contains an association for *key*, removes it. Returns an unspecified value. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in *rb-tree*.

rb-tree->alist *rb-tree* procedure

Returns the contents of *rb-tree* as a newly allocated alist. Each element of the alist is a pair (*key* . *datum*) where *key* is one of the keys of *rb-tree*, and *datum* is its associated datum. The alist is sorted by key according to the *key<?* argument used to construct *rb-tree*. The time required by this operation is proportional to the number of associations in the tree.

rb-tree/key-list *rb-tree* procedure

Returns a newly allocated list of the keys in *rb-tree*. The list is sorted by key according to the *key<?* argument used to construct *rb-tree*. The time required by this operation is proportional to the number of associations in the tree.

rb-tree/datum-list *rb-tree* procedure

Returns a newly allocated list of the datums in *rb-tree*. Each element of the list corresponds to one of the associations in *rb-tree*, so if the tree contains multiple associations with the same datum, so will this list. The list is sorted by the keys of the associations, even though they do not appear in the result. The time required by this operation is proportional to the number of associations in the tree.

This procedure is equivalent to:

```
(lambda (rb-tree) (map cdr (rb-tree->alist rb-tree)))
```

rb-tree/equal? *rb-tree-1 rb-tree-2 datum=?* procedure

Compares *rb-tree-1* and *rb-tree-2* for equality, returning **#t** iff they are equal and **#f** otherwise. The trees must have been constructed with the same equality and order predicates (same in the sense of *eq?*). The keys of the trees are compared using the *key=?* predicate used to build the trees, while the datums of the trees are compared using the equivalence predicate *datum=?*. The worst-case time required by this operation is proportional to the number of associations in the tree.

rb-tree/empty? *rb-tree* procedure

Returns **#t** iff *rb-tree* contains no associations. Otherwise returns **#f**.

rb-tree/size *rb-tree* procedure

Returns the number of associations in *rb-tree*, an exact non-negative integer. The average and worst-case times required by this operation are proportional to the number of associations in the tree.

rb-tree/height *rb-tree* procedure

Returns the height of *rb-tree*, an exact non-negative integer. This is the length of the longest path from a leaf of the tree to the root. The average and worst-case times required by this operation are proportional to the number of associations in the tree.

The returned value satisfies the following:

```
(lambda (rb-tree)
  (let ((size (rb-tree/size rb-tree))
        (lg (lambda (x) (/ (log x) (log 2))))))
    (<= (lg size)
        (rb-tree/height rb-tree)
        (* 2 (lg (+ size 1))))))
```

rb-tree/copy *rb-tree* procedure

Returns a newly allocated copy of *rb-tree*. The copy is identical to *rb-tree* in all respects, except that changes to *rb-tree* do not affect the copy, and vice versa. The time required by this operation is proportional to the number of associations in the tree.

alist->rb-tree *alist* *key=?* *key<=?* procedure

Returns a newly allocated red-black tree that contains the same associations as *alist*.

This procedure is equivalent to:

```
(lambda (alist key=? key<=)
  (let ((tree (make-rb-tree key=? key<=)))
    (for-each (lambda (association)
                (rb-tree/insert! tree
                                (car association)
                                (cdr association)))
              alist)
    tree))
```

The following operations provide access to the smallest and largest members in a red/black tree. They are useful for implementing priority queues.

rb-tree/min *rb-tree* *default* procedure

Returns the smallest key in *rb-tree*, or *default* if the tree is empty.

rb-tree/min-datum *rb-tree* *default* procedure

Returns the datum associated with the smallest key in *rb-tree*, or *default* if the tree is empty.

rb-tree/min-pair *rb-tree* procedure

Finds the smallest key in *rb-tree* and returns a pair containing that key and its associated datum. If the tree is empty, returns **#f**.

rb-tree/max *rb-tree* *default* procedure

Returns the largest key in *rb-tree*, or *default* if the tree is empty.

rb-tree/max-datum *rb-tree default* procedure
 Returns the datum associated with the largest key in *rb-tree*, or *default* if the tree is empty.

rb-tree/max-pair *rb-tree* procedure
 Finds the largest key in *rb-tree* and returns a pair containing that key and its associated datum. If the tree is empty, returns **#f**.

rb-tree/delete-min! *rb-tree default* procedure

rb-tree/delete-min-datum! *rb-tree default* procedure

rb-tree/delete-min-pair! *rb-tree* procedure

rb-tree/delete-max! *rb-tree default* procedure

rb-tree/delete-max-datum! *rb-tree default* procedure

rb-tree/delete-max-pair! *rb-tree* procedure

These operations are exactly like the accessors above, in that they return information associated with the smallest or largest key, except that they simultaneously delete that key.

11.7 Weight-Balanced Trees

Balanced binary trees are a useful data structure for maintaining large sets of ordered objects or sets of associations whose keys are ordered. MIT Scheme has a comprehensive implementation of weight-balanced binary trees which has several advantages over the other data structures for large aggregates:

- In addition to the usual element-level operations like insertion, deletion and lookup, there is a full complement of collection-level operations, like set intersection, set union and subset test, all of which are implemented with good orders of growth in time and space. This makes weight-balanced trees ideal for rapid prototyping of functionally derived specifications.
- An element in a tree may be indexed by its position under the ordering of the keys, and the ordinal position of an element may be determined, both with reasonable efficiency.
- Operations to find and remove minimum element make weight-balanced trees simple to use for priority queues.
- The implementation is *functional* rather than *imperative*. This means that operations like ‘inserting’ an association in a tree do not destroy the old tree, in much the same way that `(+ 1 x)` modifies neither the constant 1 nor the value bound to `x`. The trees are referentially transparent thus the programmer need not worry about copying the trees. Referential transparency allows space efficiency to be achieved by sharing subtrees.

These features make weight-balanced trees suitable for a wide range of applications, especially those that require large numbers of sets or discrete maps. Applications that have a few global databases and/or concentrate on element-level operations like insertion and lookup are probably better off using hash tables or red-black trees.

The *size* of a tree is the number of associations that it contains. Weight-balanced binary trees are balanced to keep the sizes of the subtrees of each node within a constant factor of each other. This ensures logarithmic times for single-path operations (like lookup

and insertion). A weight-balanced tree takes space that is proportional to the number of associations in the tree. For the current implementation, the constant of proportionality is six words per association.

Weight-balanced trees can be used as an implementation for either discrete sets or discrete maps (associations). Sets are implemented by ignoring the datum that is associated with the key. Under this scheme if an association exists in the tree this indicates that the key of the association is a member of the set. Typically a value such as `()`, `#t` or `#f` is associated with the key.

Many operations can be viewed as computing a result that, depending on whether the tree arguments are thought of as sets or maps, is known by two different names. An example is `wt-tree/member?`, which, when regarding the tree argument as a set, computes the set membership operation, but, when regarding the tree as a discrete map, `wt-tree/member?` is the predicate testing if the map is defined at an element in its domain. Most names in this package have been chosen based on interpreting the trees as sets, hence the name `wt-tree/member?` rather than `wt-tree/defined-at?`.

The weight-balanced tree implementation is a run-time-loadable option. To use weight-balanced trees, execute

```
(load-option 'wt-tree)
```

once before calling any of the procedures defined here.

11.7.1 Construction of Weight-Balanced Trees

Binary trees require there to be a total order on the keys used to arrange the elements in the tree. Weight-balanced trees are organized by *types*, where the type is an object encapsulating the ordering relation. Creating a tree is a two-stage process. First a tree type must be created from the predicate that gives the ordering. The tree type is then used for making trees, either empty or singleton trees or trees from other aggregate structures like association lists. Once created, a tree ‘knows’ its type and the type is used to test compatibility between trees in operations taking two trees. Usually a small number of tree types are created at the beginning of a program and used many times throughout the program’s execution.

make-wt-tree-type *key<?* procedure

This procedure creates and returns a new tree type based on the ordering predicate *key<?*. *Key<?* must be a total ordering, having the property that for all key values *a*, *b* and *c*:

(key<? a a)	⇒ #f
(and (key<? a b) (key<? b a))	⇒ #f
(if (and (key<? a b) (key<? b c))	
(key<? a c)	
#t)	⇒ #t

Two key values are assumed to be equal if neither is less than the other by *key<?*.

Each call to **make-wt-tree-type** returns a distinct value, and trees are only compatible if their tree types are `eq?`. A consequence is that trees that are intended to be used in binary-tree operations must all be created with a tree type originating from the same call to **make-wt-tree-type**.

number-wt-type

variable

A standard tree type for trees with numeric keys. `Number-wt-type` could have been defined by

```
(define number-wt-type (make-wt-tree-type <))
```

string-wt-type

variable

A standard tree type for trees with string keys. `String-wt-type` could have been defined by

```
(define string-wt-type (make-wt-tree-type string<?))
```

make-wt-tree *wt-tree-type*

procedure

This procedure creates and returns a newly allocated weight-balanced tree. The tree is empty, i.e. it contains no associations. *Wt-tree-type* is a weight-balanced tree type obtained by calling `make-wt-tree-type`; the returned tree has this type.

singleton-wt-tree *wt-tree-type key datum*

procedure

This procedure creates and returns a newly allocated weight-balanced tree. The tree contains a single association, that of *datum* with *key*. *Wt-tree-type* is a weight-balanced tree type obtained by calling `make-wt-tree-type`; the returned tree has this type.

alist->wt-tree *tree-type alist*

procedure

Returns a newly allocated weight-balanced tree that contains the same associations as *alist*. This procedure is equivalent to:

```
(lambda (type alist)
  (let ((tree (make-wt-tree type)))
    (for-each (lambda (association)
                (wt-tree/add! tree
                              (car association)
                              (cdr association)))
              alist)
    tree))
```

11.7.2 Basic Operations on Weight-Balanced Trees

This section describes the basic tree operations on weight-balanced trees. These operations are the usual tree operations for insertion, deletion and lookup, some predicates and a procedure for determining the number of associations in a tree.

wt-tree? *object*

procedure

Returns `#t` if *object* is a weight-balanced tree, otherwise returns `#f`.

wt-tree/empty? *wt-tree*

procedure

Returns `#t` if *wt-tree* contains no associations, otherwise returns `#f`.

wt-tree/size *wt-tree*

procedure

Returns the number of associations in *wt-tree*, an exact non-negative integer. This operation takes constant time.

wt-tree/add *wt-tree key datum* procedure

Returns a new tree containing all the associations in *wt-tree* and the association of *datum* with *key*. If *wt-tree* already had an association for *key*, the new association overrides the old. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in *wt-tree*.

wt-tree/add! *wt-tree key datum* procedure

Associates *datum* with *key* in *wt-tree* and returns an unspecified value. If *wt-tree* already has an association for *key*, that association is replaced. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in *wt-tree*.

wt-tree/member? *key wt-tree* procedure

Returns **#t** if *wt-tree* contains an association for *key*, otherwise returns **#f**. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in *wt-tree*.

wt-tree/lookup *wt-tree key default* procedure

Returns the datum associated with *key* in *wt-tree*. If *wt-tree* doesn't contain an association for *key*, *default* is returned. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in *wt-tree*.

wt-tree/delete *wt-tree key* procedure

Returns a new tree containing all the associations in *wt-tree*, except that if *wt-tree* contains an association for *key*, it is removed from the result. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in *wt-tree*.

wt-tree/delete! *wt-tree key* procedure

If *wt-tree* contains an association for *key* the association is removed. Returns an unspecified value. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in *wt-tree*.

11.7.3 Advanced Operations on Weight-Balanced Trees

In the following the *size* of a tree is the number of associations that the tree contains, and a *smaller* tree contains fewer associations.

wt-tree/split< *wt-tree bound* procedure

Returns a new tree containing all and only the associations in *wt-tree* that have a key that is less than *bound* in the ordering relation of the tree type of *wt-tree*. The average and worst-case times required by this operation are proportional to the logarithm of the size of *wt-tree*.

wt-tree/split> *wt-tree bound* procedure

Returns a new tree containing all and only the associations in *wt-tree* that have a key that is greater than *bound* in the ordering relation of the tree type of *wt-tree*. The average and worst-case times required by this operation are proportional to the logarithm of the size of *wt-tree*.

wt-tree/union *wt-tree-1 wt-tree-2* procedure

Returns a new tree containing all the associations from both trees. This operation is asymmetric: when both trees have an association for the same key, the returned tree associates the datum from *wt-tree-2* with the key. Thus if the trees are viewed as discrete maps then **wt-tree/union** computes the map override of *wt-tree-1* by *wt-tree-2*. If the trees are viewed as sets the result is the set union of the arguments. The worst-case time required by this operation is proportional to the sum of the sizes of both trees. If the minimum key of one tree is greater than the maximum key of the other tree then the worst-case time required is proportional to the logarithm of the size of the larger tree.

wt-tree/intersection *wt-tree-1 wt-tree-2* procedure

Returns a new tree containing all and only those associations from *wt-tree-1* that have keys appearing as the key of an association in *wt-tree-2*. Thus the associated data in the result are those from *wt-tree-1*. If the trees are being used as sets the result is the set intersection of the arguments. As a discrete map operation, **wt-tree/intersection** computes the domain restriction of *wt-tree-1* to (the domain of) *wt-tree-2*. The worst-case time required by this operation is proportional to the sum of the sizes of the trees.

wt-tree/difference *wt-tree-1 wt-tree-2* procedure

Returns a new tree containing all and only those associations from *wt-tree-1* that have keys that *do not* appear as the key of an association in *wt-tree-2*. If the trees are viewed as sets the result is the asymmetric set difference of the arguments. As a discrete map operation, it computes the domain restriction of *wt-tree-1* to the complement of (the domain of) *wt-tree-2*. The worst-case time required by this operation is proportional to the sum of the sizes of the trees.

wt-tree/subset? *wt-tree-1 wt-tree-2* procedure

Returns **#t** iff the key of each association in *wt-tree-1* is the key of some association in *wt-tree-2*, otherwise returns **#f**. Viewed as a set operation, **wt-tree/subset?** is the improper subset predicate. A proper subset predicate can be constructed:

```
(define (proper-subset? s1 s2)
  (and (wt-tree/subset? s1 s2)
       (< (wt-tree/size s1) (wt-tree/size s2))))
```

As a discrete map operation, **wt-tree/subset?** is the subset test on the domain(s) of the map(s). In the worst-case the time required by this operation is proportional to the size of *wt-tree-1*.

wt-tree/set-equal? *wt-tree-1 wt-tree-2* procedure

Returns **#t** iff for every association in *wt-tree-1* there is an association in *wt-tree-2* that has the same key, and *vice versa*.

Viewing the arguments as sets, **wt-tree/set-equal?** is the set equality predicate. As a map operation it determines if two maps are defined on the same domain.

This procedure is equivalent to

```
(lambda (wt-tree-1 wt-tree-2)
  (and (wt-tree/subset? wt-tree-1 wt-tree-2)
       (wt-tree/subset? wt-tree-2 wt-tree-1)))
```

In the worst case the time required by this operation is proportional to the size of the smaller tree.

wt-tree/fold *combiner initial wt-tree* procedure

This procedure reduces *wt-tree* by combining all the associations, using an reverse in-order traversal, so the associations are visited in reverse order. *Combiner* is a procedure of three arguments: a key, a datum and the accumulated result so far. Provided *combiner* takes time bounded by a constant, **wt-tree/fold** takes time proportional to the size of *wt-tree*.

A sorted association list can be derived simply:

```
(wt-tree/fold (lambda (key datum list)
               (cons (cons key datum) list))
              '()
              wt-tree))
```

The data in the associations can be summed like this:

```
(wt-tree/fold (lambda (key datum sum) (+ sum datum))
              0
              wt-tree)
```

wt-tree/for-each *action wt-tree* procedure

This procedure traverses *wt-tree* in order, applying *action* to each association. The associations are processed in increasing order of their keys. *Action* is a procedure of two arguments that takes the key and datum respectively of the association. Provided *action* takes time bounded by a constant, **wt-tree/for-each** takes time proportional to the size of *wt-tree*. The example prints the tree:

```
(wt-tree/for-each (lambda (key value)
                   (display (list key value)))
                  wt-tree))
```

wt-tree/union-merge *wt-tree-1 wt-tree-2 merge* procedure

Returns a new tree containing all the associations from both trees. If both trees have an association for the same key, the datum associated with that key in the result tree is computed by applying the procedure *merge* to the key, the value from *wt-tree-1* and the value from *wt-tree-2*. *Merge* is of the form

```
(lambda (key datum-1 datum-2) ...)
```

If some key occurs only in one tree, that association will appear in the result tree without being processed by *merge*, so for this operation to make sense, either *merge* must have both a right and left identity that correspond to the association being absent in one of the trees, or some guarantee must be made, for example, all the keys in one tree are known to occur in the other.

These are all reasonable procedures for *merge*

```
(lambda (key val1 val2) (+ val1 val2))
(lambda (key val1 val2) (append val1 val2))
(lambda (key val1 val2) (wt-tree/union val1 val2))
```

However, a procedure like

```
(lambda (key val1 val2) (- val1 val2))
```

would result in a subtraction of the data for all associations with keys occurring in both trees but associations with keys occurring in only the second tree would be copied, not negated, as is presumably be intent. The programmer might ensure that this never happens.

This procedure has the same time behavior as *wt-tree/union* but with a slightly worse constant factor. Indeed, *wt-tree/union* might have been defined like this:

```
(define (wt-tree/union tree1 tree2)
  (wt-tree/union-merge tree1 tree2
    (lambda (key val1 val2) val2)))
```

The *merge* procedure takes the *key* as a parameter in case the data are not independent of the key.

11.7.4 Indexing Operations on Weight-Balanced Trees

Weight-balanced trees support operations that view the tree as sorted sequence of associations. Elements of the sequence can be accessed by position, and the position of an element in the sequence can be determined, both in logarithmic time.

wt-tree/index	<i>wt-tree index</i>	procedure
wt-tree/index-datum	<i>wt-tree index</i>	procedure
wt-tree/index-pair	<i>wt-tree index</i>	procedure

Returns the 0-based *indexth* association of *wt-tree* in the sorted sequence under the tree's ordering relation on the keys. *wt-tree/index* returns the *indexth* key, *wt-tree/index-datum* returns the datum associated with the *indexth* key and *wt-tree/index-pair* returns a new pair (*key* . *datum*) which is the *cons* of the *indexth* key and its datum. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in the tree.

These operations signal a condition of type *condition-type:bad-range-argument* if *index* < 0 or if *index* is greater than or equal to the number of associations in the tree. If the tree is empty, they signal an anonymous error.

Indexing can be used to find the median and maximum keys in the tree as follows:

```

median:  (wt-tree/index wt-tree
          (quotient (wt-tree/size wt-tree)
                    2))
maximum: (wt-tree/index wt-tree
          (- (wt-tree/size wt-tree)
            1))

```

wt-tree/rank *wt-tree* *key*

procedure

Determines the 0-based position of *key* in the sorted sequence of the keys under the tree's ordering relation, or **#f** if the tree has no association with *key*. This procedure returns either an exact non-negative integer or **#f**. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in the tree.

wt-tree/min *wt-tree*

procedure

wt-tree/min-datum *wt-tree*

procedure

wt-tree/min-pair *wt-tree*

procedure

Returns the association of *wt-tree* that has the least key under the tree's ordering relation. **wt-tree/min** returns the least key, **wt-tree/min-datum** returns the datum associated with the least key and **wt-tree/min-pair** returns a new pair (**key . datum**) which is the **cons** of the minimum key and its datum. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in the tree.

These operations signal an error if the tree is empty. They could have been written

```

(define (wt-tree/min tree)
  (wt-tree/index tree 0))
(define (wt-tree/min-datum tree)
  (wt-tree/index-datum tree 0))
(define (wt-tree/min-pair tree)
  (wt-tree/index-pair tree 0))

```

wt-tree/delete-min *wt-tree*

procedure

Returns a new tree containing all of the associations in *wt-tree* except the association with the least key under the *wt-tree*'s ordering relation. An error is signalled if the tree is empty. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in the tree. This operation is equivalent to

```
(wt-tree/delete wt-tree (wt-tree/min wt-tree))
```

wt-tree/delete-min! *wt-tree*

procedure

Removes the association with the least key under the *wt-tree*'s ordering relation. An error is signalled if the tree is empty. The average and worst-case times required by this operation are proportional to the logarithm of the number of associations in the tree. This operation is equivalent to

```
(wt-tree/delete! wt-tree (wt-tree/min wt-tree))
```


12 Procedures

Procedures are created by evaluating `lambda` expressions (see [Section 2.1 \[Lambda Expressions\]](#), page 15); the `lambda` may either be explicit or may be implicit as in a “procedure `define`” (see [Section 2.4 \[Definitions\]](#), page 20). Also there are special built-in procedures, called *primitive procedures*, such as `car`; these procedures are not written in Scheme but in the language used to implement the Scheme system. MIT Scheme also provides *application hooks*, which support the construction of data structures that act like procedures.

In MIT Scheme, the written representation of a procedure tells you the type of the procedure (compiled, interpreted, or primitive):

```
pp
⇒ #[compiled-procedure 56 ("pp" #x2) #x10 #x307578]
(lambda (x) x)
⇒ #[compound-procedure 57]
(define (foo x) x)
foo
⇒ #[compound-procedure 58 foo]
car
⇒ #[primitive-procedure car]
(call-with-current-continuation (lambda (x) x))
⇒ #[continuation 59]
```

Note that interpreted procedures are called “compound” procedures (strictly speaking, compiled procedures are also compound procedures). The written representation makes this distinction for historical reasons, and may eventually change.

12.1 Procedure Operations

apply *procedure object object ...* procedure

Calls *procedure* with the elements of the following list as arguments:

```
(cons* object object ...)
```

The initial *objects* may be any objects, but the last *object* (there must be at least one *object*) must be a list.

```
(apply + (list 3 4 5 6))      ⇒ 18
(apply + 3 4 '(5 6))          ⇒ 18
```

```
(define compose
  (lambda (f g)
    (lambda args
      (f (apply g args)))))
((compose sqrt *) 12 75)      ⇒ 30
```

procedure? *object* procedure

Returns `#t` if *object* is a procedure; otherwise returns `#f`. If `#t` is returned, exactly one of the following predicates is satisfied by *object*: `compiled-procedure?`, `compound-procedure?`, or `primitive-procedure?`.

compiled-procedure? *object* procedure
 Returns **#t** if *object* is a compiled procedure; otherwise returns **#f**.

compound-procedure? *object* procedure
 Returns **#t** if *object* is a compound (i.e. interpreted) procedure; otherwise returns **#f**.

primitive-procedure? *object* procedure
 Returns **#t** if *object* is a primitive procedure; otherwise returns **#f**.

The following two procedures test the *arity* of a procedure, that is, the number of arguments that the procedure accepts. The results of the test may be less restrictive than the effect of calling the procedure. In other words, these procedures may indicate that the procedure will accept a given number of arguments, but if you call the procedure it may signal a **condition-type:wrong-number-of-arguments** error. This is because these procedures examine the apparent arity of a procedure. For example, here is a procedure that appears to accept any number of arguments, but when called will signal an error if the number of arguments is not one:

```
(lambda arguments (apply car arguments))
```

procedure-arity-valid? *procedure k* procedure
 Returns **#t** if *procedure* accepts *k* arguments; otherwise returns **#f**.

procedure-arity *procedure* procedure
 Returns a description of the number of arguments that *procedure* accepts. The result is a newly allocated pair whose *car* field is the minimum number of arguments, and whose *cdr* field is the maximum number of arguments. The minimum is an exact non-negative integer. The maximum is either an exact non-negative integer, or **#f** meaning that the procedure has no maximum number of arguments.

```
(procedure-arity (lambda () 3))      ⇒ (0 . 0)
(procedure-arity (lambda (x) x))      ⇒ (1 . 1)
(procedure-arity car)                 ⇒ (1 . 1)
(procedure-arity (lambda x x))        ⇒ (0 . #f)
(procedure-arity (lambda (x . y) x))  ⇒ (1 . #f)
(procedure-arity (lambda (x #!optional y) x)) ⇒ (1 . 2)
```

procedure-environment *procedure* procedure
 Returns the closing environment of *procedure*. Signals an error if *procedure* is a primitive procedure, or if *procedure* is a compiled procedure for which the debugging information is unavailable.

12.2 Primitive Procedures

make-primitive-procedure *name* [*arity*] procedure
Name must be a symbol. *Arity* must be an exact non-negative integer, **-1**, **#f**, or **#t**; if not supplied it defaults to **#f**. Returns the primitive procedure called *name*. May perform further actions depending on *arity*:

#f	If the primitive procedure is not implemented, signals an error.
#t	If the primitive procedure is not implemented, returns #f .
integer	If the primitive procedure is implemented, signals an error if its arity is not equal to <i>arity</i> . If the primitive procedure is not implemented, returns an unimplemented primitive procedure object that accepts <i>arity</i> arguments. An <i>arity</i> of -1 means it accepts any number of arguments.

primitive-procedure-name *primitive-procedure* procedure
 Returns the name of *primitive-procedure*, a symbol.

(primitive-procedure-name car) \Rightarrow car

implemented-primitive-procedure? *primitive-procedure* procedure
 Returns **#t** if *primitive-procedure* is implemented; otherwise returns **#f**. Useful because the code that implements a particular primitive procedure is not necessarily linked into the executable Scheme program.

12.3 Continuations

call-with-current-continuation *procedure* procedure

Procedure must be a procedure of one argument. Packages up the current continuation (see below) as an *escape procedure* and passes it as an argument to *procedure*. The escape procedure is a Scheme procedure of one argument that, if it is later passed a value, will ignore whatever continuation is in effect at that later time and will give the value instead to the continuation that was in effect when the escape procedure was created. The escape procedure created by **call-with-current-continuation** has unlimited extent just like any other procedure in Scheme. It may be stored in variables or data structures and may be called as many times as desired.

The following examples show only the most common uses of this procedure. If all real programs were as simple as these examples, there would be no need for a procedure with the power of **call-with-current-continuation**.

```
(call-with-current-continuation
  (lambda (exit)
    (for-each (lambda (x)
                (if (negative? x)
                    (exit x)))
              '(54 0 37 -3 245 19))
  #t))  $\Rightarrow$  -3
```

```

(define list-length
  (lambda (obj)
    (call-with-current-continuation
      (lambda (return)
        (letrec ((r
                   (lambda (obj)
                     (cond ((null? obj) 0)
                           ((pair? obj) (+ (r (cdr obj)) 1))
                           (else (return #f))))))
          (r obj))))))
(list-length '(1 2 3 4))           ⇒ 4
(list-length '(a b . c))          ⇒ #f

```

A common use of `call-with-current-continuation` is for structured, non-local exits from loops or procedure bodies, but in fact `call-with-current-continuation` is quite useful for implementing a wide variety of advanced control structures.

Whenever a Scheme expression is evaluated a continuation exists that wants the result of the expression. The continuation represents an entire (default) future for the computation. If the expression is evaluated at top level, for example, the continuation will take the result, print it on the screen, prompt for the next input, evaluate it, and so on forever. Most of the time the continuation includes actions specified by user code, as in a continuation that will take the result, multiply it by the value stored in a local variable, add seven, and give the answer to the top-level continuation to be printed. Normally these ubiquitous continuations are hidden behind the scenes and programmers don't think much about them. On the rare occasions that you may need to deal explicitly with continuations, `call-with-current-continuation` lets you do so by creating a procedure that acts just like the current continuation.

continuation? *object* procedure
 Returns `#t` if *object* is a continuation; otherwise returns `#f`.

within-continuation *continuation thunk* procedure
Thunk must be a procedure of no arguments. Conceptually, `within-continuation` invokes *continuation* on the result of invoking *thunk*, but *thunk* is executed in the dynamic context of *continuation*. In other words, the “current” continuation is abandoned before *thunk* is invoked.

dynamic-wind *before thunk after* procedure
 Calls *thunk* without arguments, returning the result(s) of this call. *Before* and *after* are called, also without arguments, as required by the following rules (note that in the absence of calls to continuations captured using `call-with-current-continuation` the three arguments are called once each, in order). *Before* is called whenever execution enters the dynamic extent of the call to *thunk* and *after* is called whenever it exits that dynamic extent. The dynamic extent of a procedure call is the period between when the call is initiated and when it returns. In Scheme, because of `call-with-current-continuation`, the dynamic extent of a call may not be a single, connected time period. It is defined as follows:

- The dynamic extent is entered when execution of the body of the called procedure begins.
- The dynamic extent is also entered when execution is not within the dynamic extent and a continuation is invoked that was captured (using `call-with-current-continuation`) during the dynamic extent.
- It is exited when the called procedure returns.
- It is also exited when execution is within the dynamic extent and a continuation is invoked that was captured while not within the dynamic extent.

If a second call to `dynamic-wind` occurs within the dynamic extent of the call to *thunk* and then a continuation is invoked in such a way that the *after*s from these two invocations of `dynamic-wind` are both to be called, then the *after* associated with the second (inner) call to `dynamic-wind` is called first.

If a second call to `dynamic-wind` occurs within the dynamic extent of the call to *thunk* and then a continuation is invoked in such a way that the *before*s from these two invocations of `dynamic-wind` are both to be called, then the *before* associated with the first (outer) call to `dynamic-wind` is called first.

If invoking a continuation requires calling the *before* from one call to `dynamic-wind` and the *after* from another, then the *after* is called first.

The effect of using a captured continuation to enter or exit the dynamic extent of a call to *before* or *after* is undefined.

```
(let ((path '())
      (c #f))
  (let ((add (lambda (s)
                (set! path (cons s path)))))
    (dynamic-wind
      (lambda () (add 'connect))
      (lambda ()
        (add (call-with-current-continuation
                (lambda (c0)
                  (set! c c0)
                  'talk1))))
      (lambda () (add 'disconnect)))
    (if (< (length path) 4)
        (c 'talk2)
        (reverse path))))

⇒ (connect talk1 disconnect connect talk2 disconnect)
```

The following two procedures support multiple values.

call-with-values *thunk procedure*

procedure

Thunk must be a procedure of no arguments, and *procedure* must be a procedure. *Thunk* is invoked with a continuation that expects to receive multiple values; specifically, the continuation expects to receive the same number of values that *procedure* accepts as arguments. *Thunk* must return multiple values using the `values` procedure. Then *procedure* is called with the multiple values as its arguments. The result yielded by *procedure* is returned as the result of `call-with-values`.

values *object* ... procedure
 Returns multiple values. The continuation in effect when this procedure is called must be a multiple-value continuation that was created by **call-with-values**. Furthermore it must accept as many values as there are *objects*.

12.4 Application Hooks

Application hooks are objects that can be applied like procedures. Each application hook has two parts: a *procedure* that specifies what to do when the application hook is applied, and an arbitrary object, called *extra*. Often the procedure uses the extra object to determine what to do.

There are two kinds of application hooks, which differ in what arguments are passed to the procedure. When an *apply hook* is applied, the procedure is passed exactly the same arguments that were passed to the apply hook. When an *entity* is applied, the entity itself is passed as the first argument, followed by the other arguments that were passed to the entity.

Both apply hooks and entities satisfy the predicate **procedure?**. Each satisfies either **compiled-procedure?**, **compound-procedure?**, or **primitive-procedure?**, depending on its procedure component. An apply hook is considered to accept the same number of arguments as its procedure, while an entity is considered to accept one less argument than its procedure.

make-apply-hook *procedure object* procedure
 Returns a newly allocated apply hook with a procedure component of *procedure* and an extra component of *object*.

apply-hook? *object* procedure
 Returns **#t** if *object* is an apply hook; otherwise returns **#f**.

apply-hook-procedure *apply-hook* procedure
 Returns the procedure component of *apply-hook*.

set-apply-hook-procedure! *apply-hook procedure* procedure
 Changes the procedure component of *apply-hook* to be *procedure*. Returns an unspecified value.

apply-hook-extra *apply-hook* procedure
 Returns the extra component of *apply-hook*.

set-apply-hook-extra! *apply-hook object* procedure
 Changes the extra component of *apply-hook* to be *object*. Returns an unspecified value.

make-entity *procedure object* procedure
 Returns a newly allocated entity with a procedure component of *procedure* and an extra component of *object*.

entity? <i>object</i>	procedure
Returns #t if <i>object</i> is an entity; otherwise returns #f .	
entity-procedure <i>entity</i>	procedure
Returns the procedure component of <i>entity</i> .	
set-entity-procedure! <i>entity procedure</i>	procedure
Changes the procedure component of <i>entity</i> to be <i>procedure</i> . Returns an unspecified value.	
entity-extra <i>entity</i>	procedure
Returns the extra component of <i>entity</i> .	
set-entity-extra! <i>entity object</i>	procedure
Changes the extra component of <i>entity</i> to be <i>object</i> . Returns an unspecified value.	

13 Environments

13.1 Environment Operations

Environments are first-class objects in MIT Scheme. An environment consists of some bindings and possibly a parent environment, from which other bindings are inherited. The operations in this section reveal the frame-like structure of environments by permitting you to examine the bindings of a particular environment separately from those of its parent.

There are several types of bindings that can occur in an environment. The most common is the simple variable binding, which associates a value (any Scheme object) with an identifier (a symbol). A variable binding can also be *unassigned*, which means that it has no value. An unassigned variable is bound, in that it will shadow other bindings of the same name in ancestor environments, but a reference to that variable will signal an error of type `condition-type:unassigned-variable`. An unassigned variable can be *assigned* (using `set!` or `environment-assign!`) to give it a value.

In addition to variable bindings, an environment can also have *keyword bindings*. A keyword binding associates a syntactic keyword (usually a macro transformer) with an identifier. Keyword bindings are special in that they are considered “bound”, but ordinary variable references don’t work on them. So an attempt to reference or assign a keyword binding results in an error of type `condition-type:macro-binding`. However, keyword bindings can be redefined using `define` or `environment-define`.

- | | |
|--|-----------|
| environment? <i>object</i> | procedure |
| Returns <code>#t</code> if <i>object</i> is an environment; otherwise returns <code>#f</code> . | |
| environment-has-parent? <i>environment</i> | procedure |
| Returns <code>#t</code> if <i>environment</i> has a parent environment; otherwise returns <code>#f</code> . | |
| environment-parent <i>environment</i> | procedure |
| Returns the parent environment of <i>environment</i> . It is an error if <i>environment</i> has no parent. | |
| environment-bound-names <i>environment</i> | procedure |
| Returns a newly allocated list of the names (symbols) that are bound by <i>environment</i> . This does not include the names that are bound by the parent environment of <i>environment</i> . It does include names that are unassigned or keywords in <i>environment</i> . | |
| environment-macro-names <i>environment</i> | procedure |
| Returns a newly allocated list of the names (symbols) that are bound to syntactic keywords in <i>environment</i> . | |
| environment-bindings <i>environment</i> | procedure |
| Returns a newly allocated list of the bindings of <i>environment</i> ; does not include the bindings of the parent environment. Each element of this list takes one of two forms: (<i>symbol</i>) indicates that <i>symbol</i> is bound but unassigned, while (<i>symbol object</i>) indicates that <i>symbol</i> is bound, and its value is <i>object</i> . | |

environment-reference-type *environment symbol* procedure

Returns a symbol describing the *reference type* of *symbol* in *environment* or one of its ancestor environments. The result is one of the following:

normal means *symbol* is a variable binding with a normal value.

unassigned
 means *symbol* is a variable binding with no value.

macro means *symbol* is a keyword binding.

unbound means *symbol* has no associated binding.

environment-bound? *environment symbol* procedure

Returns **#t** if *symbol* is bound in *environment* or one of its ancestor environments; otherwise returns **#f**. This is equivalent to

```
(not (eq? 'unbound
          (environment-reference-type environment symbol)))
```

environment-assigned? *environment symbol* procedure

Returns **#t** if *symbol* is bound in *environment* or one of its ancestor environments, and has a normal value. Returns **#f** if it is bound but unassigned. Signals an error if it is unbound or is bound to a keyword.

environment-lookup *environment symbol* procedure

Symbol must be bound to a normal value in *environment* or one of its ancestor environments. Returns the value to which it is bound. Signals an error if unbound, unassigned, or a keyword.

environment-lookup-macro *environment symbol* procedure

If *symbol* is a keyword binding in *environment* or one of its ancestor environments, returns the value of the binding. Otherwise, returns **#f**. Does not signal any errors other than argument-type errors.

environment-assignable? *environment symbol* procedure

Symbol must be bound in *environment* or one of its ancestor environments. Returns **#t** if the binding may be modified by side effect.

environment-assign! *environment symbol object* procedure

Symbol must be bound in *environment* or one of its ancestor environments, and must be assignable. Modifies the binding to have *object* as its value, and returns an unspecified result.

environment-definable? *environment symbol* procedure

Returns **#t** if *symbol* is definable in *environment*, and **#f** otherwise. At present, this is false for environments generated by application of compiled procedures, and true for all other environments.

environment-define *environment symbol object* procedure
 Defines *symbol* to be bound to *object* in *environment*, and returns an unspecified value. Signals an error if *symbol* isn't definable in *environment*.

environment-define-macro *environment symbol transformer* procedure
 Defines *symbol* to be a keyword bound to *transformer* in *environment*, and returns an unspecified value. Signals an error if *symbol* isn't definable in *environment*. The type of *transformer* is defined by the syntax engine and is not checked by this procedure. If the type is incorrect this will subsequently signal an error during syntax expansion.

eval *expression environment* procedure
 Evaluates *expression*, a list-structure representation (sometimes called s-expression representation) of a Scheme expression, in *environment*. You rarely need **eval** in ordinary programs; it is useful mostly for evaluating expressions that have been created “on the fly” by a program. **eval** is relatively expensive because it must convert *expression* to an internal form before it is executed.

```
(define foo (list '+ 1 2))
(eval foo (the-environment))      ⇒  3
```

13.2 Environment Variables

The **user-initial-environment** is where the top-level read-eval-print (REP) loop evaluates expressions and binds definitions. It is a child of **system-global-environment**, which is where all of the Scheme system definitions are bound. All of the bindings in **system-global-environment** are available when the current environment is **user-initial-environment**. However, any new bindings that you create in the REP loop (with **define** forms or by loading files containing **define** forms) occur in **user-initial-environment**.

system-global-environment variable
 The variable **system-global-environment** is bound to the distinguished environment that's the ancestor of most other environments (except for those created by **make-root-top-level-environment**). It is the parent environment of **user-initial-environment**. Primitives, system procedures, and most syntactic keywords are bound (and sometimes closed) in this environment.

user-initial-environment variable
 The variable **user-initial-environment** is bound to the default environment in which typed expressions are evaluated by the top-level REP loop.
 Although all bindings in **system-global-environment** are visible to the REP loop, definitions that are typed at, or loaded by, the REP loop occur in the **user-initial-environment**. This is partly a safety measure: if you enter a definition that happens to have the same name as a critical system procedure, your definition will be visible only to the procedures you define in the **user-initial-environment**; the MIT Scheme system procedures, which are defined in **system-global-environment**, will continue to see the original definition.

13.3 REPL Environment

nearest-repl/environment procedure

Returns the current REP loop environment (i.e. the current environment of the closest enclosing REP loop). When Scheme first starts up, this is the same as `user-initial-environment`.

ge environment procedure

Changes the current REP loop environment to *environment*. *Environment* can be either an environment or a procedure object. If it's a procedure, the environment in which that procedure was closed is the new environment.

13.4 Top-level Environments

The operations in this section manipulate *top-level environments*, as opposed to environments created by the application of procedures. For historical reasons, top-level environments are referred to as *interpreter environments*.

the-environment special form

Returns the current environment. This form may only be evaluated in a top-level environment. An error is signalled if it appears elsewhere.

top-level-environment? *object* procedure

interpreter-environment? *object* procedure

Returns `#t` if *object* is an top-level environment; otherwise returns `#f`.
`interpreter-environment?` is an alias for `top-level-environment?`.

extend-top-level-environment *environment* [*names* [*values*]] procedure

make-root-top-level-environment [*names* [*values*]] procedure

Returns a newly allocated top-level environment. `extend-top-level-environment` creates an environment that has parent *environment*, while `make-root-top-level-environment` creates an environment that has no parent.

The optional arguments *names* and *values* are used to specify initial bindings in the new environment. If specified, *names* must be a list of symbols, and *values* must be a list of objects. If only *names* is specified, each name in *names* will be bound in the environment, but unassigned. If *names* and *values* are both specified, they must be the same length, and each name in *names* will be bound to the corresponding value in *values*. If neither *names* nor *values* is specified, the environment will have no initial bindings.

link-variables *environment1 symbol1 environment2 symbol2* procedure

Defines *symbol1* in *environment1* to have the same binding as *symbol2* in *environment2*, and returns an unspecified value. Prior to the call, *symbol2* must be bound in *environment2*, but the type of binding is irrelevant; it may be a normal binding, an unassigned binding, or a keyword binding. Signals an error if *symbol1* isn't definable in *environment1*, or if *symbol2* is unbound in *environment2*.

By “the same binding”, we mean that the value cell is shared between the two environments. If a value is assigned to *symbol1* in *environment1*, a subsequent reference to *symbol2* in *environment2* will see that value, and vice versa.

unbind-variable *environment symbol* procedure
If *symbol* is bound in *environment* or one of its ancestor environments, removes the binding, so that subsequent accesses to that symbol behave as if the binding never existed. Returns **#t** if there was a binding prior to the call, and **#f** if there wasn't.

14 Input/Output

This chapter describes the procedures that are used for input and output (I/O). The chapter first describes *ports* and how they are manipulated, then describes the I/O operations. Finally, some low-level procedures are described that permit the implementation of custom ports and high-performance I/O.

14.1 Ports

Scheme uses ports for I/O. A *port*, which can be treated like any other Scheme object, serves as a source or sink for data. A port must be open before it can be read from or written to. The standard I/O port, `console-i/o-port`, is opened automatically when you start Scheme. When you use a file for input or output, you need to explicitly open and close a port to the file (with procedures described in this chapter). Additional procedures let you open ports to strings.

Many input procedures, such as `read-char` and `read`, read data from the current input port by default, or from a port that you specify. The current input port is initially `console-i/o-port`, but Scheme provides procedures that let you change the current input port to be a file or string.

Similarly, many output procedures, such as `write-char` and `display`, write data to the current output port by default, or to a port that you specify. The current output port is initially `console-i/o-port`, but Scheme provides procedures that let you change the current output port to be a file or string.

All ports read or write only ISO-8859-1 characters.

Every port is either an input port, an output port, or both. The following predicates distinguish all of the possible cases.

port? *object* procedure
Returns `#t` if *object* is a port, otherwise returns `#f`.

input-port? *object* procedure
Returns `#t` if *object* is an input port, otherwise returns `#f`. Any object satisfying this predicate also satisfies `port?`.

output-port? *object* procedure
Returns `#t` if *object* is an output port, otherwise returns `#f`. Any object satisfying this predicate also satisfies `port?`.

i/o-port? *object* procedure
Returns `#t` if *object* is both an input port and an output port, otherwise returns `#f`. Any object satisfying this predicate also satisfies `port?`, `input-port?`, and `output-port?`.

guarantee-port <i>object</i>	procedure
guarantee-input-port <i>object</i>	procedure
guarantee-output-port <i>object</i>	procedure
guarantee-i/o-port <i>object</i>	procedure

These procedures check the type of *object*, signalling an error of type `condition-type:wrong-type-argument` if it is not a port, input port, output port, or I/O port, respectively. Otherwise they return *object*.

The next five procedures return the runtime system's *standard ports*. All of the standard ports are dynamically bound by the REP loop; this means that when a new REP loop is started, for example by an error, each of these ports is dynamically bound to the I/O port of the REP loop. When the REP loop exits, the ports revert to their original values.

current-input-port	procedure
Returns the current input port. This is the default port used by many input procedures. Initially, <code>current-input-port</code> returns the value of <code>console-i/o-port</code> .	

current-output-port	procedure
Returns the current output port. This is the default port used by many output procedures. Initially, <code>current-output-port</code> returns the value of <code>console-i/o-port</code> .	

notification-output-port	procedure
Returns an output port suitable for generating “notifications”, that is, messages to the user that supply interesting information about the execution of a program. For example, the <code>load</code> procedure writes messages to this port informing the user that a file is being loaded. Initially, <code>notification-output-port</code> returns the value of <code>console-i/o-port</code> .	

trace-output-port	procedure
Returns an output port suitable for generating “tracing” information about a program's execution. The output generated by the <code>trace</code> procedure is sent to this port. Initially, <code>trace-output-port</code> returns the value of <code>console-i/o-port</code> .	

interaction-i/o-port	procedure
Returns an I/O port suitable for querying or prompting the user. The standard prompting procedures use this port by default (see Section 14.8 [Prompting] , page 194). Initially, <code>interaction-i/o-port</code> returns the value of <code>console-i/o-port</code> .	

with-input-from-port <i>input-port thunk</i>	procedure
with-output-to-port <i>output-port thunk</i>	procedure
with-notification-output-port <i>output-port thunk</i>	procedure
with-trace-output-port <i>output-port thunk</i>	procedure
with-interaction-i/o-port <i>i/o-port thunk</i>	procedure

Thunk must be a procedure of no arguments. Each of these procedures binds one of the standard ports to its first argument, calls *thunk* with no arguments, restores the port to its original value, and returns the result that was yielded by *thunk*. This

temporary binding is performed the same way as dynamic binding of a variable, including the behavior in the presence of continuations (see [Section 2.3 \[Dynamic Binding\]](#), page 18).

with-input-from-port binds the current input port, **with-output-to-port** binds the current output port, **with-notification-output-port** binds the “notification” output port, **with-trace-output-port** binds the “trace” output port, and **with-interaction-i/o-port** binds the “interaction” I/O port.

set-current-input-port! <i>input-port</i>	procedure
set-current-output-port! <i>output-port</i>	procedure
set-notification-output-port! <i>output-port</i>	procedure
set-trace-output-port! <i>output-port</i>	procedure
set-interaction-i/o-port! <i>i/o-port</i>	procedure

Each of these procedures alters the binding of one of the standard ports and returns an unspecified value. The binding that is modified corresponds to the name of the procedure.

console-i/o-port	variable
-------------------------	----------

console-i/o-port is an I/O port that communicates with the “console”. Under unix, the console is the controlling terminal of the Scheme process. Under Windows and OS/2, the console is the window that is created when Scheme starts up.

This variable is rarely used; instead programs should use one of the standard ports defined above. This variable should not be modified.

close-port <i>port</i>	procedure
-------------------------------	-----------

Closes *port* and returns an unspecified value. If *port* is a file port, the file is closed.

close-input-port <i>port</i>	procedure
-------------------------------------	-----------

Closes *port* and returns an unspecified value. *Port* must be an input port or an I/O port; if it is an I/O port, then only the input side of the port is closed.

close-output-port <i>port</i>	procedure
--------------------------------------	-----------

Closes *port* and returns an unspecified value. *Port* must be an output port or an I/O port; if it is an I/O port, then only the output side of the port is closed.

14.2 File Ports

Before Scheme can access a file for reading or writing, it is necessary to open a port to the file. This section describes procedures used to open ports to files. Such ports are closed (like any other port) by **close-port**. File ports are automatically closed if and when they are reclaimed by the garbage collector.

Before opening a file for input or output, by whatever method, the *filename* argument is converted to canonical form by calling the procedure **merge-pathnames** with *filename* as its sole argument. Thus, *filename* can be either a string or a pathname, and it is merged with the current pathname defaults to produce the pathname that is then opened.

Any file can be opened in one of two modes, *normal* or *binary*. Normal mode is for accessing text files, and binary mode is for accessing other files. Unix does not distinguish these modes, but Windows and OS/2 do: in normal mode, their file ports perform *newline translation*, mapping between the carriage-return/linefeed sequence that terminates text lines in files, and the `#\newline` that terminates lines in Scheme. In binary mode, such ports do not perform newline translation. Unless otherwise mentioned, the procedures in this section open files in normal mode.

open-input-file *filename* procedure

Takes a filename referring to an existing file and returns an input port capable of delivering characters from the file. If the file cannot be opened, an error of type `condition-type:file-operation-error` is signalled.

open-output-file *filename* [*append?*] procedure

Takes a filename referring to an output file to be created and returns an output port capable of writing characters to a new file by that name. If the file cannot be opened, an error of type `condition-type:file-operation-error` is signalled.

The optional argument *append?* is an MIT Scheme extension. If *append?* is given and not `#f`, the file is opened in *append* mode. In this mode, the contents of the file are not overwritten; instead any characters written to the file are appended to the end of the existing contents. If the file does not exist, append mode creates the file and writes to it in the normal way.

open-i/o-file *filename* procedure

Takes a filename referring to an existing file and returns an I/O port capable of both reading and writing the file. If the file cannot be opened, an error of type `condition-type:file-operation-error` is signalled.

This procedure is often used to open special files. For example, under unix this procedure can be used to open terminal device files, PTY device files, and named pipes.

open-binary-input-file *filename* procedure

open-binary-output-file *filename* [*append?*] procedure

open-binary-i/o-file *filename* procedure

These procedures open files in binary mode. In all other respects they are identical to `open-input-file`, `open-output-file`, and `open-i/o-file`, respectively.

close-all-open-files procedure

This procedure closes all file ports that are open at the time that it is called, and returns an unspecified value.

call-with-input-file *filename procedure* procedure

call-with-output-file *filename procedure* procedure

These procedures call *procedure* with one argument: the port obtained by opening the named file for input or output, respectively. If the file cannot be opened, an error of type `condition-type:file-operation-error` is signalled. If *procedure* returns,

then the port is closed automatically and the value yielded by *procedure* is returned. If *procedure* does not return, then the port will not be closed automatically unless it is reclaimed by the garbage collector.¹

call-with-binary-input-file *filename procedure* procedure

call-with-binary-output-file *filename procedure* procedure

These procedures open files in binary mode. In all other respects they are identical to **call-with-input-file** and **call-with-output-file**, respectively.

with-input-from-file *filename thunk* procedure

with-output-to-file *filename thunk* procedure

Thunk must be a procedure of no arguments. The file is opened for input or output, an input or output port connected to it is made the default value returned by **current-input-port** or **current-output-port**, and the *thunk* is called with no arguments. When the *thunk* returns, the port is closed and the previous default is restored. **with-input-from-file** and **with-output-to-file** return the value yielded by *thunk*. If an escape procedure is used to escape from the continuation of these procedures, their behavior is implementation-dependent; in that situation MIT Scheme leaves the files open.

with-input-from-binary-file *filename thunk* procedure

with-output-to-binary-file *filename thunk* procedure

These procedures open files in binary mode. In all other respects they are identical to **with-input-from-file** and **with-output-to-file**, respectively.

14.3 String Ports

This section describes the simplest kinds of ports: input ports that read their input from given strings, and output ports that accumulate their output and return it as a string. It also describes “truncating” output ports, which can limit the length of the resulting string to a given value.

string->input-port *string [start [end]]* procedure

Returns a new string port that delivers characters from *string*. The optional arguments *start* and *end* may be used to specify that the string port delivers characters from a substring of *string*; if not given, *start* defaults to 0 and *end* defaults to (**string-length** *string*).

with-input-from-string *string thunk* procedure

Thunk must be a procedure of no arguments. **with-input-from-string** creates a new input port that reads from *string*, makes that port the current input port, and calls *thunk*. When *thunk* returns, **with-input-from-string** restores the previous current input port and returns the result yielded by *thunk*.

¹ Because Scheme’s escape procedures have unlimited extent, it is possible to escape from the current continuation but later to escape back in. If implementations were permitted to close the port on any escape from the current continuation, then it would be impossible to write portable code using both **call-with-current-continuation** and **call-with-input-file** or **call-with-output-file**.

```
(with-input-from-string "(a b c) (d e f)" read) ⇒ (a b c)
```

Note: this procedure is equivalent to:

```
(with-input-from-port (string->input-port string) thunk)
```

with-string-output-port *procedure* procedure

Procedure is called with one argument, an output port. The value yielded by *procedure* is ignored. When *procedure* returns, **with-string-output-port** returns the port's accumulated output as a newly allocated string.

with-output-to-string *thunk* procedure

Thunk must be a procedure of no arguments. **with-output-to-string** creates a new output port that accumulates output, makes that port the default value returned by **current-output-port**, and calls *thunk* with no arguments. When *thunk* returns, **with-output-to-string** restores the previous default and returns the accumulated output as a newly allocated string.

```
(with-output-to-string
  (lambda ()
    (write 'abc))) ⇒ "abc"
```

Note: this procedure is equivalent to:

```
(with-string-output-port
  (lambda (port)
    (with-output-to-port port thunk)))
```

with-output-to-truncated-string *k thunk* procedure

Similar to **with-output-to-string**, except that the output is limited to *k* characters. If *thunk* attempts to write more than *k* characters, it will be aborted by invoking an escape procedure that returns from **with-output-to-truncated-string**.

The value of this procedure is a pair; the car of the pair is **#t** if *thunk* attempted to write more than *k* characters, and **#f** otherwise. The cdr of the pair is a newly allocated string containing the accumulated output.

This procedure is helpful for displaying circular lists, as shown in this example:

```
(define inf (list 'inf))
(with-output-to-truncated-string 40
  (lambda ()
    (write inf))) ⇒ (#f . "(inf)")
(set-cdr! inf inf)
(with-output-to-truncated-string 40
  (lambda ()
    (write inf)))
⇒ (#t . "(inf inf inf inf inf inf inf inf inf inf)")
```

write-to-string *object* [*k*] procedure

Writes *object* to a string output port, and returns the resulting newly allocated string.

If *k* is supplied and not **#f**, this procedure is equivalent to

```

(with-output-to-truncated-string k
  (lambda ()
    (write object)))
otherwise it is equivalent to
(with-output-to-string
  (lambda ()
    (write object)))

```

14.4 Input Procedures

This section describes the procedures that read input. Input procedures can read either from the current input port or from a given port. Remember that to read from a file, you must first open a port to the file.

Input ports can be divided into two types, called *interactive* and *non-interactive*. Interactive input ports are ports that read input from a source that is time-dependent; for example, a port that reads input from a terminal or from another program. Non-interactive input ports read input from a time-independent source, such as an ordinary file or a character string.

All optional arguments called *input-port*, if not supplied, default to the current input port.

read-char [*input-port*] procedure

Returns the next character available from *input-port*, updating *input-port* to point to the following character. If no more characters are available, an end-of-file object is returned.

In MIT Scheme, if *input-port* is an interactive input port and no characters are immediately available, **read-char** will hang waiting for input, even if the port is in non-blocking mode.

peek-char [*input-port*] procedure

Returns the next character available from *input-port*, *without* updating *input-port* to point to the following character. If no more characters are available, an end-of-file object is returned.²

In MIT Scheme, if *input-port* is an interactive input port and no characters are immediately available, **peek-char** will hang waiting for input, even if the port is in non-blocking mode.

char-ready? [*input-port*] procedure

Returns **#t** if a character is ready on *input-port* and returns **#f** otherwise. If **char-ready?** returns **#t** then the next **read-char** operation on *input-port* is guaranteed not to hang. If *input-port* is a file port at end of file then **char-ready?** returns **#t**.³

² The value returned by a call to **peek-char** is the same as the value that would have been returned by a call to **read-char** on the same port. The only difference is that the very next call to **read-char** or **peek-char** on that *input-port* will return the value returned by the preceding call to **peek-char**. In particular, a call to **peek-char** on an interactive port will hang waiting for input whenever a call to **read-char** would have hung.

³ **char-ready?** exists to make it possible for a program to accept characters from interactive ports without getting stuck waiting for input. Any input editors associated with such ports must make sure that

read [*input-port*] procedure

Converts external representations of Scheme objects into the objects themselves. **read** returns the next object parsable from *input-port*, updating *input-port* to point to the first character past the end of the written representation of the object. If an end of file is encountered in the input before any characters are found that can begin an object, **read** returns an end-of-file object. The *input-port* remains open, and further attempts to read will also return an end-of-file object. If an end of file is encountered after the beginning of an object's written representation, but the written representation is incomplete and therefore not parsable, an error is signalled.

eof-object? *object* procedure

Returns **#t** if *object* is an end-of-file object; otherwise returns **#f**.

read-char-no-hang [*input-port*] procedure

If *input-port* can deliver a character without blocking, this procedure acts exactly like **read-char**, immediately returning that character. Otherwise, **#f** is returned, unless *input-port* is a file port at end of file, in which case an end-of-file object is returned. In no case will this procedure block waiting for input.

read-string *char-set* [*input-port*] procedure

Reads characters from *input-port* until it finds a terminating character that is a member of *char-set* (see [Section 5.6 \[Character Sets\]](#), page 82) or encounters end of file. The port is updated to point to the terminating character, or to end of file if no terminating character was found. **read-string** returns the characters, up to but excluding the terminating character, as a newly allocated string.

This procedure ignores the blocking mode of the port, blocking unconditionally until it sees either a delimiter or eof of file. If end of file is encountered before any characters are read, an end-of-file object is returned.

On many input ports, this operation is significantly faster than the following equivalent code using **peek-char** and **read-char**:

```
(define (read-string char-set input-port)
  (let ((char (peek-char input-port)))
    (if (eof-object? char)
        char
        (list->string
         (let loop ((char char))
           (if (or (eof-object? char)
                   (char-set-member? char-set char))
               '()
               (begin
                  (read-char input-port)
                  (cons char
                        (loop (peek-char input-port))))))))))
```

characters whose existence has been asserted by **char-ready?** cannot be rubbed out. If **char-ready?** were to return **#f** at end of file, a port at end of file would be indistinguishable from an interactive port that has no ready characters.

read-line [*input-port*] procedure

read-line reads a single line of text from *input-port*, and returns that line as a newly allocated string. The `#\newline` terminating the line, if any, is discarded and does not appear in the returned string.

This procedure ignores the blocking mode of the port, blocking unconditionally until it has read an entire line. If end of file is encountered before any characters are read, an end-of-file object is returned.

read-string! *string* [*input-port*] procedure

read-substring! *string start end* [*input-port*] procedure

read-string! and **read-substring!** fill the specified region of *string* with characters read from *input-port* until the region is full or else there are no more characters available from the port. For **read-string!**, the region is all of *string*, and for **read-substring!**, the region is that part of *string* specified by *start* and *end*.

The returned value is the number of characters filled into the region. However, there are several interesting cases to consider:

- If **read-string!** (**read-substring!**) is called when *input-port* is at “end-of-file”, then the returned value is 0. Note that “end-of-file” can mean a file port that is at the file’s end, a string port that is at the string’s end, or any other port that will never produce more characters.
- If *input-port* is an interactive port (e.g. a terminal), and one or more characters are immediately available, the region is filled using the available characters. The procedure then returns immediately, without waiting for further characters, even if the number of available characters is less than the size of the region. The returned value is the number of characters actually filled in.
- If *input-port* is an interactive port and no characters are immediately available, the result of the operation depends on the blocking mode of the port. If the port is in non-blocking mode, **read-string!** (**read-substring!**) immediately returns the value `#f`. Otherwise, the operation blocks until a character is available. As soon as at least one character is available, the region is filled using the available characters. The procedure then returns immediately, without waiting for further characters, even if the number of available characters is less than the size of the region. The returned value is the number of characters actually filled in.

The importance of **read-string!** and **read-substring!** are that they are both flexible and extremely fast, especially for large amounts of data.

The following variables may be dynamically bound to change the behavior of the **read** procedure.

parser-radix variable

This variable defines the radix used by the reader when it parses numbers. This is similar to passing a radix argument to **string->number**. The value of this variable must be one of 2, 8, 10, or 16; any other value is ignored, and the reader uses radix 10.

Note that much of the number syntax is invalid for radices other than 10. The reader detects cases where such invalid syntax is used and signals an error. However,

problems can still occur when `*parser-radix*` is set to 16, because syntax that normally denotes symbols can now denote numbers (e.g. `abc`). Because of this, it is usually undesirable to set this variable to anything other than the default.

The default value of this variable is 10.

parser-canonicalize-symbols? variable

This variable controls how the parser handles case-sensitivity of symbols. If it is bound to its default value of `#t`, symbols read by the parser are converted to lower case before being interned. Otherwise, symbols are interned without case conversion.

In general, it is a bad idea to use this feature, as it doesn't really make Scheme case-sensitive, and therefore can break features of the Scheme runtime that depend on case-insensitive symbols.

14.5 Output Procedures

Output ports may or may not support *buffering* of output, in which output characters are collected together in a buffer and then sent to the output device all at once. (Most of the output ports implemented by the runtime system support buffering.) Sending all of the characters in the buffer to the output device is called *flushing* the buffer. In general, output procedures do not flush the buffer of an output port unless the buffer is full.

However, the standard output procedures described in this section perform what is called *discretionary* flushing of the buffer. Discretionary output flushing works as follows. After a procedure performs its output (writing characters to the output buffer), it checks to see if the port implements an operation called `discretionary-flush-output`. If so, then that operation is invoked to flush the buffer. At present, only the console port defines `discretionary-flush-output`; this is used to guarantee that output to the console appears immediately after it is written, without requiring calls to `flush-output`.

All optional arguments called *output-port*, if not supplied, default to the current output port.

write-char *char* [*output-port*] procedure

Writes *char* (the character itself, not a written representation of the character) to *output-port*, performs discretionary output flushing, and returns an unspecified value.

write-string *string* [*output-port*] procedure

Writes *string* to *output-port*, performs discretionary output flushing, and returns an unspecified value. This is equivalent to writing the contents of *string*, one character at a time using `write-char`, except that it is usually much faster.

write-substring *string start end* [*output-port*] procedure

Writes the substring defined by *string*, *start*, and *end* to *output-port*, performs discretionary output flushing, and returns an unspecified value. This is equivalent to writing the contents of the substring, one character at a time using `write-char`, except that it is usually much faster.

- write** *object* [*output-port*] procedure
 Writes a written representation of *object* to *output-port*, and returns an unspecified value. If *object* has a standard external representation, then the written representation generated by **write** shall be parsable by **read** into an equivalent object. Thus strings that appear in the written representation are enclosed in doublequotes, and within those strings backslash and doublequote are escaped by backslashes. **write** performs discretionary output flushing and returns an unspecified value.
- display** *object* [*output-port*] procedure
 Writes a representation of *object* to *output-port*. Strings appear in the written representation as if written by **write-string** instead of by **write**. Character objects appear in the representation as if written by **write-char** instead of by **write**. **display** performs discretionary output flushing and returns an unspecified value.⁴
- newline** [*output-port*] procedure
 Writes an end-of-line to *output-port*, performs discretionary output flushing, and returns an unspecified value. Equivalent to (**write-char** #\newline *output-port*).
- fresh-line** [*output-port*] procedure
 Most output ports are able to tell whether or not they are at the beginning of a line of output. If *output-port* is such a port, this procedure writes an end-of-line to the port only if the port is not already at the beginning of a line. If *output-port* is not such a port, this procedure is identical to **newline**. In either case, **fresh-line** performs discretionary output flushing and returns an unspecified value.
- write-line** *object* [*output-port*] procedure
 Like **write**, except that it writes an end-of-line to *output-port* after writing *object*'s representation. This procedure performs discretionary output flushing and returns an unspecified value.
- flush-output** [*output-port*] procedure
 If *output-port* is buffered, this causes the contents of its buffer to be written to the output device. Otherwise it has no effect. Returns an unspecified value.
- beep** [*output-port*] procedure
 Performs a “beep” operation on *output-port*, performs discretionary output flushing, and returns an unspecified value. On the console port, this usually causes the console bell to beep, but more sophisticated interactive ports may take other actions, such as flashing the screen. On most output ports, e.g. file and string output ports, this does nothing.
- clear** [*output-port*] procedure
 “Clears the screen” of *output-port*, performs discretionary output flushing, and returns an unspecified value. On a terminal or window, this has a well-defined effect. On other output ports, e.g. file and string output ports, this does nothing.

⁴ **write** is intended for producing machine-readable output and **display** is for producing human-readable output.

pp *object* [*output-port* [*as-code?*]] procedure
 pp prints *object* in a visually appealing and structurally revealing manner on *output-port*. If *object* is a procedure, pp attempts to print the source text. If the optional argument *as-code?* is true, pp prints lists as Scheme code, providing appropriate indentation; by default this argument is false. pp performs discretionary output flushing and returns an unspecified value.

The following variables may be dynamically bound to change the behavior of the **write** and **display** procedures.

unparser-radix variable
 This variable specifies the default radix used to print numbers. Its value must be one of the exact integers 2, 8, 10, or 16; the default is 10. If ***unparser-radix*** is not 10, numbers are prefixed to indicate their radix.

unparser-list-breadth-limit variable
 This variable specifies a limit on the length of the printed representation of a list or vector; for example, if the limit is 4, only the first four elements of any list are printed, followed by ellipses to indicate any additional elements. The value of this variable must be an exact non-negative integer, or **#f** meaning no limit; the default is **#f**.

```
(fluid-let ((*unparser-list-breadth-limit* 4))
  (write-to-string '(a b c d)))
⇒ "(a b c d)"

(fluid-let ((*unparser-list-breadth-limit* 4))
  (write-to-string '(a b c d e)))
⇒ "(a b c d ...)"
```

unparser-list-depth-limit variable
 This variable specifies a limit on the nesting of lists and vectors in the printed representation. If lists (or vectors) are more deeply nested than the limit, the part of the representation that exceeds the limit is replaced by ellipses. The value of this variable must be an exact non-negative integer, or **#f** meaning no limit; the default is **#f**.

```
(fluid-let ((*unparser-list-depth-limit* 4))
  (write-to-string '((((a))) b c d)))
⇒ "((((a))) b c d)"

(fluid-let ((*unparser-list-depth-limit* 4))
  (write-to-string '((((((a)))) b c d)))
⇒ "((((...))) b c d)"
```

unparser-string-length-limit variable
 This variable specifies a limit on the length of the printed representation of strings. If a string's length exceeds this limit, the part of the printed representation for the characters exceeding the limit is replaced by ellipses. The value of this variable must be an exact non-negative integer, or **#f** meaning no limit; the default is **#f**.


```
(fluid-let ((*unparser-string-length-limit* 4))
  (write-to-string "abcd"))
⇒ "\"abcd\""
```

```
(fluid-let ((*unparser-string-length-limit* 4))
  (write-to-string "abcde"))
⇒ "\"abcd...\""
```

unparse-with-maximum-readability?

variable

This variable, which takes a boolean value, tells the printer to use a special printed representation for objects that normally print in a form that cannot be recognized by `read`. These objects are printed using the representation `#@n`, where `n` is the result of calling `hash` on the object to be printed. The reader recognizes this syntax, calling `unhash` on `n` to get back the original object. Note that this printed representation can only be recognized by the Scheme program in which it was generated, because these hash numbers are different for each invocation of Scheme.

14.6 Format

The procedure `format` is very useful for producing nicely formatted text, producing good-looking messages, and so on. MIT Scheme's implementation of `format` is similar to that of Common Lisp, except that Common Lisp defines many more directives.⁵

`format` is a run-time-loadable option. To use it, execute

```
(load-option 'format)
```

once before calling it.

format *destination control-string argument . . .*

procedure

Writes the characters of *control-string* to *destination*, except that a tilde (`~`) introduces a *format directive*. The character after the tilde, possibly preceded by prefix parameters and modifiers, specifies what kind of formatting is desired. Most directives use one or more *arguments* to create their output; the typical directive puts the next *argument* into the output, formatted in some special way. It is an error if no argument remains for a directive requiring an argument, but it is not an error if one or more arguments remain unprocessed by a directive.

The output is sent to *destination*. If *destination* is `#f`, a string is created that contains the output; this string is returned as the value of the call to `format`. In all other cases `format` returns an unspecified value. If *destination* is `#t`, the output is sent to the current output port. Otherwise, *destination* must be an output port, and the output is sent there.

This procedure performs discretionary output flushing (see [Section 14.5 \[Output Procedures\]](#), [page 188](#)).

A `format` directive consists of a tilde (`~`), optional prefix parameters separated by commas, optional colon (`:`) and at-sign (`@`) modifiers, and a single character indicating what kind of directive this is. The alphabetic case of the directive character is ignored. The prefix parameters are generally integers, notated as optionally signed decimal

⁵ This description of `format` is adapted from *Common Lisp, The Language*, second edition, section 22.3.3.

numbers. If both the colon and at-sign modifiers are given, they may appear in either order.

In place of a prefix parameter to a directive, you can put the letter ‘V’ (or ‘v’), which takes an *argument* for use as a parameter to the directive. Normally this should be an exact integer. This feature allows variable-width fields and the like. You can also use the character ‘#’ in place of a parameter; it represents the number of arguments remaining to be processed.

It is an error to give a format directive more parameters than it is described here as accepting. It is also an error to give colon or at-sign modifiers to a directive in a combination not specifically described here as being meaningful.

- ~A The next *argument*, which may be any object, is printed as if by `display`. ~*mincol*A inserts spaces on the right, if necessary, to make the width at least *mincol* columns. The @ modifier causes the spaces to be inserted on the left rather than the right.
- ~S The next *argument*, which may be any object, is printed as if by `write`. ~*mincol*S inserts spaces on the right, if necessary, to make the width at least *mincol* columns. The @ modifier causes the spaces to be inserted on the left rather than the right.
- ~% This outputs a #\newline character. ~*n*% outputs *n* newlines. No *argument* is used. Simply putting a newline in *control-string* would work, but ~% is often used because it makes the control string look nicer in the middle of a program.
- ~~ This outputs a tilde. ~*n*~ outputs *n* tildes.
- ~*newline* Tilde immediately followed by a newline ignores the newline and any following non-newline whitespace characters. With an @, the newline is left in place, but any following whitespace is ignored. This directive is typically used when *control-string* is too long to fit nicely into one line of the program:

```
(define (type-clash-error procedure arg spec actual)
  (format
    #t
    "%Procedure ~S~%requires its %A argument ~
    to be of type ~S,~%but it was called with ~
    an argument of type ~S.~%"
    procedure arg spec actual))
(type-clash-error 'vector-ref
  "first"
  'integer
  'vector)
```

prints

```
Procedure vector-ref
requires its first argument to be of type integer,
but it was called with an argument of type vector.
```

Note that in this example newlines appear in the output only as specified by the `~%` directives; the actual newline characters in the control string are suppressed because each is preceded by a tilde.

14.7 Custom Output

MIT Scheme provides hooks for specifying that certain kinds of objects have special written representations. There are no restrictions on the written representations, but only a few kinds of objects may have custom representation specified for them, specifically: records (see [Section 10.4 \[Records\]](#), page 132), vectors that have special tags in their zero-th elements (see [Chapter 8 \[Vectors\]](#), page 119), and pairs that have special tags in their car fields (see [Chapter 7 \[Lists\]](#), page 105). There is a different procedure for specifying the written representation of each of these types.

set-record-type-unparser-method! *record-type unparser-method* procedure
 Changes the unparser method of the type represented by *record-type* to be *unparser-method*, and returns an unspecified value. Subsequently, when the unparser encounters a record of this type, it will invoke *unparser-method* to generate the written representation.

unparser/set-tagged-vector-method! *tag unparser-method* procedure
 Changes the unparser method of the vector type represented by *tag* to be *unparser-method*, and returns an unspecified value. Subsequently, when the unparser encounters a vector with *tag* as its zero-th element, it will invoke *unparser-method* to generate the written representation.

unparser/set-tagged-pair-method! *tag unparser-method* procedure
 Changes the unparser method of the pair type represented by *tag* to be *unparser-method*, and returns an unspecified value. Subsequently, when the unparser encounters a pair with *tag* in its car field, it will invoke *unparser-method* to generate the written representation.

An *unparser method* is a procedure that is invoked with two arguments: an unparser state and an object. An unparser method generates a written representation for the object, writing it to the output port specified by the unparser state. The value yielded by an unparser method is ignored. Note that an unparser state is not an output port, rather it is an object that contains an output port as one of its components. Application programs generally do not construct or examine unparser state objects, but just pass them along.

There are two ways to create an unparser method (which is then registered by one of the above procedures). The first, and easiest, is to use `standard-unparser-method`. The second is to define your own method using the procedure `with-current-unparser-state`. We encourage the use of the first method, as it results in a more uniform appearance for objects. Many predefined datatypes, for example procedures and environments, already have this appearance.

standard-unparser-method *name procedure* procedure

Returns a standard unparser method. *Name* may be any object, and is used as the name of the type with which the unparser method is associated; *name* is usually a symbol. *Procedure* must be **#f** or a procedure of two arguments.

If *procedure* is **#f**, the returned method generates an external representation of this form:

#[*name hash*]

Here *name* is the external representation of the argument *name*, as generated by **write**,⁶ and *hash* is the external representation of an exact non-negative integer unique to the object being printed (specifically, it is the result of calling **hash** on the object). Subsequently, the expression

#@hash

is notation for the object.

If *procedure* is supplied, the returned method generates a slightly different external representation:

#[*name hash output*]

Here *name* and *hash* are as above, and *output* is the output generated by *procedure*. The representation is constructed in three stages:

1. The first part of the format (up to *output*) is written to the output port specified by the unparser state. This is **"#"**, *name*, **" "**, and *hash*.
2. *Procedure* is invoked on two arguments: the object and an output port.
3. The closing bracket is written to the output port.

The following procedure is useful for writing more general kinds of unparser methods.

with-current-unparser-state *unparser-state procedure* procedure

This procedure calls *procedure* with one argument, the output port from *unparser-state*. Additionally, it arranges for the remaining components of *unparser-state* to be given to the printer when they are needed. The *procedure* generates some output by writing to the output port using the usual output operations, and the value yielded by *procedure* is returned from **with-current-unparser-state**.

The port passed to *procedure* should only be used within the dynamic extent of *procedure*.

14.8 Prompting

This section describes procedures that prompt the user for input. Why should the programmer use these procedures when it is possible to do prompting using ordinary input and output procedures? One reason is that the prompting procedures are more succinct. However, a second and better reason is that the prompting procedures can be separately customized for each user interface, providing more natural interaction. The interfaces for Edwin and for GNU Emacs have already been customized in this fashion; because Edwin and Emacs are very similar editors, their customizations provide very similar behavior.

⁶ Except that if the argument *name* is a string, its external representation is generated by **write-string**.

Each of these procedure accepts an optional argument called *port*, which if given must be an I/O port. If not given, this port defaults to the value of (*interaction-i/o-port*); this is initially the console I/O port.

prompt-for-command-expression *prompt* [*port*] procedure

Prompts the user for an expression that is to be executed as a command. This is the procedure called by the REP loop to read the user's expressions.

If *prompt* is a string, it is used verbatim as the prompt string. Otherwise, it must be a pair whose car is **standard** and whose cdr is a string; in this case the prompt string is formed by prepending to the string the current REP loop "level number" and a space. Also, a space is appended to the string, unless it already ends in a space or is an empty string.

The default behavior of this procedure is to print a fresh line, a newline, and the prompt string; flush the output buffer; then read an object and return it.

Under Edwin and Emacs, before the object is read, the interaction buffer is put into a mode that allows expressions to be edited and submitted for input using specific editor commands. The first expression that is submitted is returned as the value of this procedure.

prompt-for-command-char *prompt* [*port*] procedure

Prompts the user for a single character that is to be executed as a command; the returned character is guaranteed to satisfy **char-graphic?**. If at all possible, the character is read from the user interface using a mode that reads the character as a single keystroke; in other words, it should not be necessary for the user to follow the character with a carriage return or something similar.

This is the procedure called by **debug** and **where** to read the user's commands.

If *prompt* is a string, it is used verbatim as the prompt string. Otherwise, it must be a pair whose car is **standard** and whose cdr is a string; in this case the prompt string is formed by prepending to the string the current REP loop "level number" and a space. Also, a space is appended to the string, unless it already ends in a space or is an empty string.

The default behavior of this procedure is to print a fresh line, a newline, and the prompt string; flush the output buffer; read a character in raw mode, echo that character, and return it.

Under Edwin and Emacs, instead of reading a character, the interaction buffer is put into a mode in which graphic characters submit themselves as input. After this mode change, the first such character submitted is returned as the value of this procedure.

prompt-for-expression *prompt* [*port*] procedure

Prompts the user for an expression.

The prompt string is formed by appending a colon and a space to *prompt*, unless *prompt* already ends in a space or is the null string.

The default behavior of this procedure is to print a fresh line, a newline, and the prompt string; flush the output buffer; then read an object and return it.

Under Edwin and Emacs, the expression is read in the minibuffer.

prompt-for-evaluated-expression *prompt* [*environment* [*port*]] procedure

Prompts the user for an evaluated expression. Calls **prompt-for-expression** to read an expression, then evaluates the expression using *environment*; if *environment* is not given, the REP loop environment is used.

prompt-for-confirmation *prompt* [*port*] procedure

Prompts the user for confirmation. The result yielded by this procedure is a boolean.

The prompt string is formed by appending the string " (y or n)? " to *prompt*, unless *prompt* already ends in a space or is the null string.

The default behavior of this procedure is to print a fresh line, a newline, and the prompt string; flush the output buffer; then read a character in raw mode. If the character is `#\y`, `#\Y`, or `#\space`, the procedure returns `#t`; If the character is `#\n`, `#\N`, or `#\rubout`, the procedure returns `#f`. Otherwise the prompt is repeated.

Under Edwin or Emacs, the confirmation is read in the minibuffer.

14.9 Port Primitives

This section describes the low-level operations that can be used to build and manipulate I/O ports.

The purpose of these operations is twofold: to allow programmers to construct new kinds of I/O ports, and to provide faster I/O operations than those supplied by the standard high level procedures. The latter is useful because the standard I/O operations provide defaulting and error checking, and sometimes other features, which are often unnecessary. This interface provides the means to bypass such features, thus improving performance.

The abstract model of an I/O port, as implemented here, is a combination of a set of named operations and a state. The state is an arbitrary object, the meaning of which is determined by the operations. The operations are defined by a mapping from names to procedures.

The set of named operations is represented by an object called a *port type*. A port type is constructed from a set of named operations, and is subsequently used to construct a port. The port type completely specifies the behavior of the port. Port types also support a simple form of inheritance, allowing you to create new ports that are similar to existing ports.

The port operations are divided into two classes:

Standard operations

There is a specific set of standard operations for input ports, and a different set for output ports. Applications can assume that the standard input operations are implemented for all input ports, and likewise the standard output operations are implemented for all output ports.

Custom operations

Some ports support additional operations. For example, ports that implement output to terminals (or windows) may define an operation named `y-size` that returns the height of the terminal in characters. Because only some ports will implement these operations, programs that use custom operations must test

each port for their existence, and be prepared to deal with ports that do not implement them.

14.9.1 Port Types

The procedures in this section provide means for constructing port types with standard and custom operations, and accessing their operations.

make-port-type *operations port-type* procedure

Creates and returns a new port type. *Operations* must be a list; each element is a list of two elements, the name of the operation (a symbol) and the procedure that implements it. *Port-type* is either **#f** or a port type; if it is a port type, any operations implemented by *port-type* but not specified in *operations* will be implemented by the resulting port type.

Operations need not contain definitions for all of the standard operations; the procedure will provide defaults for any standard operations that are not defined. At a minimum, the following operations must be defined: for input ports, **read-char** and **peek-char**; for output ports, either **write-char** or **write-substring**. I/O ports must supply the minimum operations for both input and output.

If an operation in *operations* is defined to be **#f**, then the corresponding operation in *port-type* is *not* inherited.

If **read-char** is defined in *operations*, then any standard input operations defined in *port-type* are ignored. Likewise, if **write-char** or **write-substring** is defined in *operations*, then any standard output operations defined in *port-type* are ignored. This feature allows overriding the standard operations without having to enumerate them.

port-type? *object* procedure

input-port-type? *object* procedure

output-port-type? *object* procedure

i/o-port-type? *object* procedure

These predicates return **#t** if *object* is a port type, input-port type, output-port type, or I/O-port type, respectively. Otherwise, they return **#f**.

port-type/operations *port-type* procedure

Returns a newly allocated list containing all of the operations implemented by *port-type*. Each element of the list is a list of two elements — the name and its associated operation.

port-type/operation-names *port-type* procedure

Returns a newly allocated list whose elements are the names of the operations implemented by *port-type*.

port-type/operation *port-type symbol* procedure

Returns the operation named *symbol* in *port-type*. If *port-type* has no such operation, returns **#f**.

14.9.2 Constructors and Accessors for Ports

The procedures in this section provide means for constructing ports, accessing the type of a port, and manipulating the state of a port.

- make-port** *port-type state* procedure
 Returns a new port with type *port-type* and the given *state*. The port will be an input, output, or I/O port according to *port-type*.
- port/type** *port* procedure
 Returns the port type of *port*.
- port/state** *port* procedure
 Returns the state component of *port*.
- set-port/state!** *port object* procedure
 Changes the state component of *port* to be *object*. Returns an unspecified value.
- port/operation** *port symbol* procedure
 Equivalent to
 (port-type/operation (port/type *port*) *symbol*)
- port/operation-names** *port* procedure
 Equivalent to
 (port-type/operation-names (port/type *port*))
- make-eof-object** *input-port* procedure
 Returns an object that satisfies the predicate `eof-object?`. This is sometimes useful when building input ports.

14.9.3 Input Port Operations

This section describes the standard operations on input ports. Following that, some useful custom operations are described.

- read-char** *input-port* operation on input port
 Removes the next character available from *input-port* and returns it. If *input-port* has no more characters and will never have any (e.g. at the end of an input file), this operation returns an end-of-file object. If *input-port* has no more characters but will eventually have some more (e.g. a terminal where nothing has been typed recently), and it is in non-blocking mode, `#f` is returned; otherwise the operation hangs until input is available.
- peek-char** *input-port* operation on input port
 Reads the next character available from *input-port* and returns it. The character is *not* removed from *input-port*, and a subsequent attempt to read from the port will get that character again. In other respects this operation behaves like `read-char`.

discard-char *input-port* operation on input port
 Discards the next character available from *input-port* and returns an unspecified value. In other respects this operation behaves like **read-char**.

char-ready? *input-port k* operation on input port
char-ready? returns **#t** if at least one character is available to be read from *input-port*. If no characters are available, the operation waits up to *k* milliseconds before returning **#f**, returning immediately if any characters become available while it is waiting.

read-string *input-port char-set* operation on input port
discard-chars *input-port char-set* operation on input port

These operations are like **read-char** and **discard-char**, except that they read or discard multiple characters at once. This can have a marked performance improvement on buffered input ports. All characters up to, but excluding, the first character in *char-set* (or end of file) are read from *input-port*. **read-string** returns these characters as a newly allocated string, while **discard-chars** discards them and returns an unspecified value. These operations hang until sufficient input is available, even if *input-port* is in non-blocking mode. If end of file is encountered before any input characters, **read-string** returns an end-of-file object.

read-substring *input-port string start end* operation on input port
 Reads characters from *input-port* into the substring defined by *string*, *start*, and *end* until either the substring has been filled or there are no more characters available. Returns the number of characters written to the substring.

If *input-port* is an interactive port, and at least one character is immediately available, the available characters are written to the substring and this operation returns immediately. If no characters are available, and *input-port* is in blocking mode, the operation blocks until at least one character is available. Otherwise, the operation returns **#f** immediately.

This is an extremely fast way to read characters from a port.

input-port/read-char <i>input-port</i>	procedure
input-port/peek-char <i>input-port</i>	procedure
input-port/discard-char <i>input-port</i>	procedure
input-port/char-ready? <i>input-port k</i>	procedure
input-port/read-string <i>input-port char-set</i>	procedure
input-port/discard-chars <i>input-port char-set</i>	procedure
input-port/read-substring <i>input-port string start end</i>	procedure

Each of these procedures invokes the respective operation on *input-port*. For example, the following are equivalent:

```
(input-port/read-char input-port)
((input-port/operation input-port 'read-char) input-port)
```

The following custom operations are implemented for input ports to files, and will also work with some other kinds of input ports:

eof? *input-port* operation on input port
Returns **#t** if *input-port* is known to be at end of file, otherwise it returns **#f**.

chars-remaining *input-port* operation on input port
Returns an estimate of the number of characters remaining to be read from *input-port*. This is useful only when *input-port* is a file port in binary mode; in other cases, it returns **#f**.

buffered-input-chars *input-port* operation on input port
Returns the number of unread characters that are stored in *input-port*'s buffer. This will always be less than or equal to the buffer's size.

input-buffer-size *input-port* operation on input port
Returns the maximum number of characters that *input-port*'s buffer can hold.

set-input-buffer-size *input-port size* operation on input port
Resizes *input-port*'s buffer so that it can hold at most *size* characters. Characters in the buffer are discarded. *Size* must be an exact non-negative integer.

14.9.4 Output Port Operations

This section describes the standard operations on output ports. Following that, some useful custom operations are described.

write-char *output-port char* operation on output port
Writes *char* to *output-port* and returns an unspecified value.

write-substring *output-port string start end* operation on output port
Writes the substring specified by *string*, *start*, and *end* to *output-port* and returns an unspecified value. Equivalent to writing the characters of the substring, one by one, to *output-port*, but is implemented very efficiently.

fresh-line *output-port* operation on output port
Most output ports are able to tell whether or not they are at the beginning of a line of output. If *output-port* is such a port, end-of-line is written to the port only if the port is not already at the beginning of a line. If *output-port* is not such a port, and end-of-line is unconditionally written to the port. Returns an unspecified value.

flush-output *output-port* operation on output port
If *output-port* is buffered, this causes its buffer to be written out. Otherwise it has no effect. Returns an unspecified value.

discretionary-flush-output *output-port* operation on output port
Normally, this operation does nothing. However, ports that support discretionary output flushing implement this operation identically to **flush-output**.

output-port/write-char	<i>output-port char</i>	procedure
output-port/write-substring	<i>output-port string start end</i>	procedure
output-port/fresh-line	<i>output-port</i>	procedure
output-port/flush-output	<i>output-port</i>	procedure
output-port/discretionary-flush-output	<i>output-port</i>	procedure

Each of these procedures invokes the respective operation on *output-port*. For example, the following are equivalent:

```
(output-port/write-char output-port char)
((output-port/operation output-port 'write-char)
 output-port char)
```

output-port/write-string	<i>output-port string</i>	procedure
---------------------------------	---------------------------	-----------

Writes *string* to *output-port*. Equivalent to

```
(output-port/write-substring output-port
 string
 0
 (string-length string))
```

The following custom operations are generally useful.

buffered-output-chars	<i>output-port</i>	operation on output port
Returns the number of unwritten characters that are stored in <i>output-port</i> 's buffer. This will always be less than or equal to the buffer's size.		

output-buffer-size	<i>output-port</i>	operation on output port
Returns the maximum number of characters that <i>output-port</i> 's buffer can hold.		

set-output-buffer-size	<i>output-port size</i>	operation on output port
Resizes <i>output-port</i> 's buffer so that it can hold at most <i>size</i> characters. Characters in the buffer are discarded. <i>Size</i> must be an exact non-negative integer.		

x-size	<i>output-port</i>	operation on output port
Returns an exact positive integer that is the width of <i>output-port</i> in characters. If <i>output-port</i> has no natural width, e.g. if it is a file port, #f is returned.		

y-size	<i>output-port</i>	operation on output port
Returns an exact positive integer that is the height of <i>output-port</i> in characters. If <i>output-port</i> has no natural height, e.g. if it is a file port, #f is returned.		

output-port/x-size	<i>output-port</i>	procedure
---------------------------	--------------------	-----------

This procedure invokes the custom operation whose name is the symbol **x-size**, if it exists. If the **x-size** operation is both defined and returns a value other than **#f**, that value is returned as the result of this procedure. Otherwise, **output-port/x-size** returns a default value (currently 80).

output-port/x-size is useful for programs that tailor their output to the width of the display (a fairly common practice). If the output device is not a display, such programs normally want some reasonable default width to work with, and this procedure provides exactly that.

output-port/y-size *output-port* procedure
 This procedure invokes the custom operation whose name is the symbol **y-size**, if it exists. If the **y-size** operation is defined, the value it returns is returned as the result of this procedure; otherwise, **#f** is returned.

14.9.5 Blocking Mode

An interactive port is always in one of two modes: *blocking* or *non-blocking*. This mode is independent of the terminal mode: each can be changed independent of the other. Furthermore, if it is an interactive I/O port, there are separate blocking modes for input and for output.

If an input port is in blocking mode, attempting to read from it when no input is available will cause Scheme to “block”, i.e. suspend itself, until input is available. If an input port is in non-blocking mode, attempting to read from it when no input is available will cause the reading procedure to return immediately, indicating the lack of input in some way (exactly how this situation is indicated is separately specified for each procedure or operation).

An output port in blocking mode will block if the output device is not ready to accept output. In non-blocking mode it will return immediately after performing as much output as the device will allow (again, each procedure or operation reports this situation in its own way).

Interactive ports are initially in blocking mode; this can be changed at any time with the procedures defined in this section.

These procedures represent blocking mode by the symbol **blocking**, and non-blocking mode by the symbol **nonblocking**. An argument called *mode* must be one of these symbols. A *port* argument to any of these procedures may be any port, even if that port does not support blocking mode; in that case, the port is not modified in any way.

port/input-blocking-mode *port* procedure
 Returns the input blocking mode of *port*.

port/set-input-blocking-mode *port mode* procedure
 Changes the input blocking mode of *port* to be *mode*. Returns an unspecified value.

port/with-input-blocking-mode *port mode thunk* procedure
Thunk must be a procedure of no arguments. **port/with-input-blocking-mode** binds the input blocking mode of *port* to be *mode*, executes *thunk*, restores the input blocking mode of *port* to what it was when **port/with-input-blocking-mode** was called, and returns the value that was yielded by *thunk*. This binding is performed by **dynamic-wind**, which guarantees that the input blocking mode is restored if *thunk* escapes from its continuation.

port/output-blocking-mode *port* procedure
 Returns the output blocking mode of *port*.

port/set-output-blocking-mode *port mode* procedure
 Changes the output blocking mode of *port* to be *mode*. Returns an unspecified value.

port/with-output-blocking-mode *port mode thunk* procedure

Thunk must be a procedure of no arguments. **port/with-output-blocking-mode** binds the output blocking mode of *port* to be *mode*, executes *thunk*, restores the output blocking mode of *port* to what it was when **port/with-output-blocking-mode** was called, and returns the value that was yielded by *thunk*. This binding is performed by **dynamic-wind**, which guarantees that the output blocking mode is restored if *thunk* escapes from its continuation.

14.9.6 Terminal Mode

A port that reads from or writes to a terminal has a *terminal mode*; this is either *cooked* or *raw*. This mode is independent of the blocking mode: each can be changed independent of the other. Furthermore, a terminal I/O port has independent terminal modes both for input and for output.

A terminal port in cooked mode provides some standard processing to make the terminal easy to communicate with. For example, under unix, cooked mode on input reads from the terminal a line at a time and provides rubout processing within the line, while cooked mode on output might translate linefeeds to carriage-return/linefeed pairs. In general, the precise meaning of cooked mode is operating-system dependent, and furthermore might be customizable by means of operating system utilities. The basic idea is that cooked mode does whatever is necessary to make the terminal handle all of the usual user-interface conventions for the operating system, while keeping the program's interaction with the port as normal as possible.

A terminal port in raw mode disables all of that processing. In raw mode, characters are directly read from and written to the device without any translation or interpretation by the operating system. On input, characters are available as soon as they are typed, and are not echoed on the terminal by the operating system. In general, programs that put ports in raw mode have to know the details of interacting with the terminal. In particular, raw mode is used for writing programs such as text editors.

Terminal ports are initially in cooked mode; this can be changed at any time with the procedures defined in this section.

These procedures represent cooked mode by the symbol **cooked**, and raw mode by the symbol **raw**. Additionally, the value **#f** represents “no mode”; it is the terminal mode of a port that is not a terminal. An argument called *mode* must be one of these three values. A *port* argument to any of these procedures may be any port, even if that port does not support terminal mode; in that case, the port is not modified in any way.

port/input-terminal-mode *port* procedure
Returns the input terminal mode of *port*.

port/set-input-terminal-mode *port mode* procedure
Changes the input terminal mode of *port* to be *mode*. Returns an unspecified value.

port/with-input-terminal-mode *port mode thunk* procedure
Thunk must be a procedure of no arguments. **port/with-input-terminal-mode** binds the input terminal mode of *port* to be *mode*, executes *thunk*, restores the input

terminal mode of *port* to what it was when **port/with-input-terminal-mode** was called, and returns the value that was yielded by *thunk*. This binding is performed by **dynamic-wind**, which guarantees that the input terminal mode is restored if *thunk* escapes from its continuation.

port/output-terminal-mode *port* procedure
Returns the output terminal mode of *port*.

port/set-output-terminal-mode *port mode* procedure
Changes the output terminal mode of *port* to be *mode*. Returns an unspecified value.

port/with-output-terminal-mode *port mode thunk* procedure
Thunk must be a procedure of no arguments. **port/with-output-terminal-mode** binds the output terminal mode of *port* to be *mode*, executes *thunk*, restores the output terminal mode of *port* to what it was when **port/with-output-terminal-mode** was called, and returns the value that was yielded by *thunk*. This binding is performed by **dynamic-wind**, which guarantees that the output terminal mode is restored if *thunk* escapes from its continuation.

14.10 Parser Buffers

The *parser buffer* mechanism facilitates construction of parsers for complex grammars. It does this by providing an input stream with unbounded buffering and backtracking. The amount of buffering is under program control. The stream can backtrack to any position in the buffer.

The mechanism defines two data types: the *parser buffer* and the *parser-buffer pointer*. A parser buffer is like an input port with buffering and backtracking. A parser-buffer pointer is a pointer into the stream of characters provided by a parser buffer.

Note that all of the procedures defined here consider a parser buffer to contain a stream of 8-bit characters in the ISO-8859-1 character set, except for **match-utf8-char-in-alphabet** which treats it as a stream of Unicode characters encoded as 8-bit bytes in the UTF-8 encoding.

There are several constructors for parser buffers:

input-port->parser-buffer *port* procedure
Returns a parser buffer that buffers characters read from *port*.

substring->parser-buffer *string start end* procedure
Returns a parser buffer that buffers the characters in the argument *substring*. This is equivalent to creating a string input port and calling **input-port->parser-buffer**, but it runs faster and uses less memory.

string->parser-buffer *string* procedure
Like **substring->parser-buffer** but buffers the entire string.

source->parser-buffer *source* procedure

Returns a parser buffer that buffers the characters returned by calling *source*. *Source* is a procedure of three arguments: a string, a start index, and an end index (in other words, a substring specifier). Each time *source* is called, it writes some characters in the substring, and returns the number of characters written. When there are no more characters available, it returns zero. It must not return zero in any other circumstance.

Parser buffers and parser-buffer pointers may be distinguished from other objects:

parser-buffer? *object* procedure

Returns **#t** if *object* is a parser buffer, otherwise returns **#f**.

parser-buffer-pointer? *object* procedure

Returns **#t** if *object* is a parser-buffer pointer, otherwise returns **#f**.

Characters can be read from a parser buffer much as they can be read from an input port. The parser buffer maintains an internal pointer indicating its current position in the input stream. Additionally, the buffer remembers all characters that were previously read, and can look at characters arbitrarily far ahead in the stream. It is this buffering capability that facilitates complex matching and backtracking.

read-parser-buffer-char *buffer* procedure

Returns the next character in *buffer*, advancing the internal pointer past that character. If there are no more characters available, returns **#f** and leaves the internal pointer unchanged.

peek-parser-buffer-char *buffer* procedure

Returns the next character in *buffer*, or **#f** if no characters are available. Leaves the internal pointer unchanged.

parser-buffer-ref *buffer index* procedure

Returns a character in *buffer*. *Index* is a non-negative integer specifying the character to be returned. If *index* is zero, returns the next available character; if it is one, returns the character after that, and so on. If *index* specifies a position after the last character in *buffer*, returns **#f**. Leaves the internal pointer unchanged.

The internal pointer of a parser buffer can be read or written:

get-parser-buffer-pointer *buffer* procedure

Returns a parser-buffer pointer object corresponding to the internal pointer of *buffer*.

set-parser-buffer-pointer! *buffer pointer* procedure

Sets the internal pointer of *buffer* to the position specified by *pointer*. *Pointer* must have been returned from a previous call of **get-parser-buffer-pointer** on *buffer*. Additionally, if some of *buffer*'s characters have been discarded by **discard-parser-buffer-head!**, *pointer* must be outside the range that was discarded.

get-parser-buffer-tail *buffer pointer* procedure

Returns a newly-allocated string consisting of all of the characters in *buffer* that fall between *pointer* and *buffer*'s internal pointer. *Pointer* must have been returned from a previous call of **get-parser-buffer-pointer** on *buffer*. Additionally, if some of *buffer*'s characters have been discarded by **discard-parser-buffer-head!**, *pointer* must be outside the range that was discarded.

discard-parser-buffer-head! *buffer* procedure

Discards all characters in *buffer* that have already been read; in other words, all characters prior to the internal pointer. After this operation has completed, it is no longer possible to move the internal pointer backwards past the current position by calling **set-parser-buffer-pointer!**.

The next rather large set of procedures does conditional matching against the contents of a parser buffer. All matching is performed relative to the buffer's internal pointer, so the first character to be matched against is the next character that would be returned by **peek-parser-buffer-char**. The returned value is always **#t** for a successful match, and **#f** otherwise. For procedures whose names do not end in **'-no-advance'**, a successful match also moves the internal pointer of the buffer forward to the end of the matched text; otherwise the internal pointer is unchanged.

match-parser-buffer-char *buffer char* procedure

match-parser-buffer-char-ci *buffer char* procedure

match-parser-buffer-not-char *buffer char* procedure

match-parser-buffer-not-char-ci *buffer char* procedure

match-parser-buffer-char-no-advance *buffer char* procedure

match-parser-buffer-char-ci-no-advance *buffer char* procedure

match-parser-buffer-not-char-no-advance *buffer char* procedure

match-parser-buffer-not-char-ci-no-advance *buffer char* procedure

Each of these procedures compares a single character in *buffer* to *char*. The basic comparison **match-parser-buffer-char** compares the character to *char* using **char=?**. The procedures whose names contain the **'-ci'** modifier do case-insensitive comparison (i.e. they use **char-ci=?**). The procedures whose names contain the **'not-'** modifier are successful if the character *doesn't* match *char*.

match-parser-buffer-char-in-set *buffer char-set* procedure

match-parser-buffer-char-in-set-no-advance *buffer char-set* procedure

These procedures compare the next character in *buffer* against *char-set* using **char-set-member?**.

match-parser-buffer-string *buffer string* procedure

match-parser-buffer-string-ci *buffer string* procedure

match-parser-buffer-string-no-advance *buffer string* procedure

match-parser-buffer-string-ci-no-advance *buffer string* procedure

These procedures match *string* against *buffer*'s contents. The **'-ci'** procedures do case-insensitive matching.

match-parser-buffer-substring <i>buffer string start end</i>	procedure
match-parser-buffer-substring-ci <i>buffer string start end</i>	procedure
match-parser-buffer-substring-no-advance <i>buffer string start end</i>	procedure
match-parser-buffer-substring-ci-no-advance <i>buffer string start end</i>	procedure

These procedures match the specified substring against *buffer*'s contents. The '-ci' procedures do case-insensitive matching.

match-utf8-char-in-alphabet <i>buffer alphabet</i>	procedure
---	-----------

This procedure treats *buffer*'s contents as UTF-8 encoded Unicode characters and matches the next such character against *alphabet*, which must be a Unicode alphabet (see [Section 5.7 \[Unicode\]](#), page 84). UTF-8 represents characters with 1 to 6 bytes, so a successful match can move the internal pointer forward by as many as 6 bytes.

The remaining procedures provide information that can be used to identify locations in a parser buffer's stream.

parser-buffer-position-string <i>pointer</i>	procedure
---	-----------

Returns a string describing the location of *pointer* in terms of its character and line indexes. This resulting string is meant to be presented to an end user in order to direct their attention to a feature in the input stream. In this string, the indexes are presented as one-based numbers.

Pointer may alternatively be a parser buffer, in which case it is equivalent to having specified the buffer's internal pointer.

parser-buffer-pointer-index <i>pointer</i>	procedure
parser-buffer-pointer-line <i>pointer</i>	procedure

Returns the character or line index, respectively, of *pointer*. Both indexes are zero-based.

14.11 Parser Language

Although it is possible to write parsers using the parser-buffer abstraction (see [Section 14.10 \[Parser Buffers\]](#), page 204), it is tedious. The problem is that the abstraction isn't closely matched to the way that people think about syntactic structures. In this section, we introduce a higher-level mechanism that greatly simplifies the implementation of a parser.

The *parser language* described here allows the programmer to write BNF-like specifications that are translated into efficient Scheme code at compile time. The language is declarative, but it can be freely mixed with Scheme code; this allows the parsing of grammars that aren't conveniently described in the language.

The language also provides backtracking. For example, this expression matches any sequence of alphanumeric characters followed by a single alphabetic character:

```
(*matcher
  (seq (* (char-set char-set:alphanumeric))
        (char-set char-set:alphabetic)))
```

The way that this works is that the matcher matches alphanumeric characters in the input stream until it finds a non-alphanumeric character. It then tries to match an alphabetic character, which of course fails. At this point, if it matched at least one alphanumeric character, it *backtracks*: the last matched alphanumeric is “unmatched”, and it again attempts to match an alphabetic character. The backtracking can be arbitrarily deep; the matcher will continue to back up until it finds a way to match the remainder of the expression.

So far, this sounds a lot like regular-expression matching (see [Section 6.8 \[Regular Expressions\]](#), page 96). However, there are some important differences.

- The parser language uses a Scheme-like syntax that is easier to read and write than regular-expression notation.
- The language provides macros so that common syntactic constructs can be abstracted.
- The language mixes easily with Scheme code, allowing the full power of Scheme to be applied to program around limitations in the parser language.
- The language provides expressive facilities for converting syntax into parsed structure. It also makes it easy to convert parsed strings into meaningful objects (e.g. numbers).
- The language is compiled into machine language; regular expressions are usually interpreted.

Here is an example that shows off several of the features of the parser language. The example is a parser for XML start tags:

```
(*parser
  (with-pointer p
    (seq "<"
      parse-name
      parse-attribute-list
      (alt (match ">")
            (match "/>"))
      (sexp
        (lambda (b)
          (error
            (string-append
              "Unterminated start tag at "
              (parser-buffer-position-string p))))))))))
```

This shows that the basic description of a start tag is very similar to its BNF. Non-terminal symbols `parse-name` and `parse-attribute-list` do most of the work, and the noise strings `"<"` and `">"` are the syntactic markers delimiting the form. There are two alternate endings for start tags, and if the parser doesn't find either of the endings, the Scheme code (wrapped in `sexp`) is run to signal an error. The error procedure `perror` takes a pointer `p`, which it uses to indicate the position in the input stream at which the error occurred. In this case, that is the beginning of the start tag, i.e. the position of the leading `"<"` marker.

This example still looks pretty complicated, mostly due to the error-signalling code. In practice, this is abstracted into a macro, after which the expression is quite succinct:

```
(*parser
  (bracket "start tag"
    (seq (noise (string "<")) parse-name)
    (match (alt (string ">") (string ">"))
      parse-attribute-list)))
```

The `bracket` macro captures the pattern of a bracketed item, and hides much of the detail.

The parser language actually consists of two languages: one for defining matchers, and one for defining parsers. The languages are intentionally very similar, and are meant to be used together. Each sub-language is described below in its own section.

The parser language is a run-time-loadable option; to use it, execute

```
(load-option '*parser)
```

once before compiling any code that uses the language.

14.11.1 *Matcher

The *matcher language* is a declarative language for specifying a *matcher procedure*. A matcher procedure is a procedure that accepts a single parser-buffer argument and returns a boolean value indicating whether the match it performs was successful. If the match succeeds, the internal pointer of the parser buffer is moved forward over the matched text. If the match fails, the internal pointer is unchanged.

For example, here is a matcher procedure that matches the character ‘a’:

```
(lambda (b) (match-parser-buffer-char b #\a))
```

Here is another example that matches two given characters, *c1* and *c2*, in sequence:

```
(lambda (b)
  (let ((p (get-parser-buffer-pointer b)))
    (if (match-parser-buffer-char b c1)
        (if (match-parser-buffer-char b c2)
            #t
            (begin
              (set-parser-buffer-pointer! b p)
              #f))
        #f)))
```

This code is clear, but has lots of details that get in the way of understanding what it is doing. Here is the same example in the matcher language:

```
(*matcher (seq (char c1) (char c2)))
```

This is much simpler and more intuitive. And it generates virtually the same code:

```
(pp (*matcher (seq (char c1) (char c2))))
+ (lambda (#[b1])
+   (let ((#[p1] (get-parser-buffer-pointer #[b1])))
+     (and (match-parser-buffer-char #[b1] c1)
+          (if (match-parser-buffer-char #[b1] c2)
+              #t
+              (begin
+                (set-parser-buffer-pointer! #[b1] #[p1])
+                #f)))))
```

Now that we have seen an example of the language, it's time to look at the detail. The `*matcher` special form is the interface between the matcher language and Scheme.

***matcher** *mexp* special form

The operand *mexp* is an expression in the matcher language. The `*matcher` expression expands into Scheme code that implements a matcher procedure.

Here are the predefined matcher expressions. New matcher expressions can be defined using the macro facility (see [Section 14.11.3 \[Parser-language Macros\]](#), page 215). We will start with the primitive expressions.

char <i>expression</i>	matcher expression
char-ci <i>expression</i>	matcher expression
not-char <i>expression</i>	matcher expression
not-char-ci <i>expression</i>	matcher expression

These expressions match a given character. In each case, the *expression* operand is a Scheme expression that must evaluate to a character at run time. The `'-ci'` expressions do case-insensitive matching. The `'not-'` expressions match any character other than the given one.

string <i>expression</i>	matcher expression
string-ci <i>expression</i>	matcher expression

These expressions match a given string. The *expression* operand is a Scheme expression that must evaluate to a string at run time. The `string-ci` expression does case-insensitive matching.

char-set <i>expression</i>	matcher expression
-----------------------------------	--------------------

These expressions match a single character that is a member of a given character set. The *expression* operand is a Scheme expression that must evaluate to a character set at run time.

alphabet <i>expression</i>	matcher expression
-----------------------------------	--------------------

These expressions match a single character that is a member of a given Unicode alphabet (see [Section 5.7 \[Unicode\]](#), page 84). The *expression* operand is a Scheme expression that must evaluate to an alphabet at run time.

end-of-input	matcher expression
---------------------	--------------------

The `end-of-input` expression is successful only when there are no more characters available to be matched.

discard-matched	matcher expression
------------------------	--------------------

The `discard-matched` expression always successfully matches the null string. However, it isn't meant to be used as a matching expression; it is used for its effect. `discard-matched` causes all of the buffered text prior to this point to be discarded (i.e. it calls `discard-parser-buffer-head!` on the parser buffer).

Note that `discard-matched` may not be used in certain places in a matcher expression. The reason for this is that it deliberately discards information needed for

backtracking, so it may not be used in a place where subsequent backtracking will need to back over it. As a rule of thumb, use `discard-matched` only in the last operand of a `seq` or `alt` expression (including any `seq` or `alt` expressions in which it is indirectly contained).

In addition to the above primitive expressions, there are two convenient abbreviations. A character literal (e.g. `'#\A'`) is a legal primitive expression, and is equivalent to a `char` expression with that literal as its operand (e.g. `(char #\A)`). Likewise, a string literal is equivalent to a `string` expression (e.g. `(string "abc")`).

Next there are several combinator expressions. These closely correspond to similar combinators in regular expressions. Parameters named *mexp* are arbitrary expressions in the matcher language.

seq *mexp* ... matcher expression

This matches each *mexp* operand in sequence. For example,

```
(seq (char-set char-set:alphanumeric)
      (char-set char-set:numeric))
```

matches an alphabetic character followed by a numeric character, such as `'H4'`.

Note that if there are no *mexp* operands, the `seq` expression successfully matches the null string.

alt *mexp* ... matcher expression

This attempts to match each *mexp* operand in order from left to right. The first one that successfully matches becomes the match for the entire `alt` expression.

The `alt` expression participates in backtracking. If one of the *mexp* operands matches, but the overall match in which this expression is embedded fails, the backtracking mechanism will cause the `alt` expression to try the remaining *mexp* operands. For example, if the expression

```
(seq (alt "ab" "a") "b")
```

is matched against the text `'abc'`, the `alt` expression will initially match its first operand. But it will then fail to match the second operand of the `seq` expression. This will cause the `alt` to be restarted, at which time it will match `'a'`, and the overall match will succeed.

Note that if there are no *mexp* operands, the `alt` match will always fail.

***** *mexp* matcher expression

This matches zero or more occurrences of the *mexp* operand. (Consequently this match always succeeds.)

The `*` expression participates in backtracking; if it matches *N* occurrences of *mexp*, but the overall match fails, it will backtrack to *N-1* occurrences and continue. If the overall match continues to fail, the `*` expression will continue to backtrack until there are no occurrences left.

+ *mexp* matcher expression

This matches one or more occurrences of the *mexp* operand. It is equivalent to

```
(seq mexp (* mexp))
```

? *mexp* matcher expression
 This matches zero or one occurrences of the *mexp* operand. It is equivalent to
`(alt mexp (seq))`

sexp *expression* matcher expression
 The **sexp** expression allows arbitrary Scheme code to be embedded inside a matcher. The *expression* operand must evaluate to a matcher procedure at run time; the procedure is called to match the parser buffer. For example,

```
(*matcher
  (seq "a"
    (sexp parse-foo)
    "b"))
```

expands to

```
(lambda ([b1])
  (let ([p1] (get-parser-buffer-pointer [b1])))
    (and (match-parser-buffer-char [b1] #\a)
      (if (parse-foo [b1])
        (if (match-parser-buffer-char [b1] #\b)
          #t
          (begin
            (set-parser-buffer-pointer! [b1] [p1])
            #f))
        (begin
          (set-parser-buffer-pointer! [b1] [p1])
          #f))))))
```

The case in which *expression* is a symbol is so common that it has an abbreviation: ‘`(sexp symbol)`’ may be abbreviated as just *symbol*.

with-pointer *identifier mexp* matcher expression
 The **with-pointer** expression fetches the parser buffer’s internal pointer (using `get-parser-buffer-pointer`), binds it to *identifier*, and then matches the pattern specified by *mexp*. *Identifier* must be a symbol.

This is meant to be used on conjunction with **sexp**, as a way to capture a pointer to a part of the input stream that is outside the **sexp** expression. An example of the use of **with-pointer** appears above (see [\[with-pointer example\]](#), page 208).

14.11.2 *Parser

The *parser language* is a declarative language for specifying a *parser procedure*. A parser procedure is a procedure that accepts a single parser-buffer argument and parses some of the input from the buffer. If the parse is successful, the procedure returns a vector of objects that are the result of the parse, and the internal pointer of the parser buffer is advanced past the input that was parsed. If the parse fails, the procedure returns `#f` and the internal pointer is unchanged. This interface is much like that of a matcher procedure, except that on success the parser procedure returns a vector of values rather than `#t`.

The ***parser** special form is the interface between the parser language and Scheme.

***parser** *pexp* special form

The operand *pexp* is an expression in the parser language. The ***parser** expression expands into Scheme code that implements a parser procedure.

There are several primitive expressions in the parser language. The first two provide a bridge to the matcher language (see [Section 14.11.1 \[*Matcher\]](#), page 209):

match *mexp* parser expression

The **match** expression performs a match on the parser buffer. The match to be performed is specified by *mexp*, which is an expression in the matcher language. If the match is successful, the result of the **match** expression is a vector of one element: a string containing that text.

noise *mexp* parser expression

The **noise** expression performs a match on the parser buffer. The match to be performed is specified by *mexp*, which is an expression in the matcher language. If the match is successful, the result of the **noise** expression is a vector of zero elements. (In other words, the text is matched and then thrown away.)

The *mexp* operand is often a known character or string, so in the case that *mexp* is a character or string literal, the **noise** expression can be abbreviated as the literal. In other words, **(noise "foo")** can be abbreviated just **"foo"**.

values *expression* ... parser expression

Sometimes it is useful to be able to insert arbitrary values into the parser result. The **values** expression supports this. The *expression* arguments are arbitrary Scheme expressions that are evaluated at run time and returned in a vector. The **values** expression always succeeds and never modifies the internal pointer of the parser buffer.

discard-matched parser expression

The **discard-matched** expression always succeeds, returning a vector of zero elements. In all other respects it is identical to the **discard-matched** expression in the matcher language.

Next there are several combinator expressions. Parameters named *pexp* are arbitrary expressions in the parser language. The first few combinators are direct equivalents of those in the matcher language.

seq *pexp* ... parser expression

The **seq** expression parses each of the *pexp* operands in order. If all of the *pexp* operands successfully match, the result is the concatenation of their values (by **vector-append**).

alt *pexp* ... parser expression

The **alt** expression attempts to parse each *pexp* operand in order from left to right. The first one that successfully parses produces the result for the entire **alt** expression. Like the **alt** expression in the matcher language, this expression participates in backtracking.

*** *pexp*** parser expression

The ***** expression parses zero or more occurrences of *pexp*. The results of the parsed occurrences are concatenated together (by **vector-append**) to produce the expression's result.

Like the ***** expression in the matcher language, this expression participates in backtracking.

+ *pexp* parser expression

The **+** expression parses one or more occurrences of *pexp*. It is equivalent to

(seq *pexp* (* *pexp*))

? *pexp* parser expression

The **?** expression parses zero or one occurrences of *pexp*. It is equivalent to

(alt *pexp* (seq))

The next three expressions do not have equivalents in the matcher language. Each accepts a single *pexp* argument, which is parsed in the usual way. These expressions perform transformations on the returned values of a successful match.

transform *expression pexp* parser expression

The **transform** expression performs an arbitrary transformation of the values returned by parsing *pexp*. *Expression* is a Scheme expression that must evaluate to a procedure at run time. If *pexp* is successfully parsed, the procedure is called with the vector of values as its argument, and must return a vector or **#f**. If it returns a vector, the parse is successful, and those are the resulting values. If it returns **#f**, the parse fails and the internal pointer of the parser buffer is returned to what it was before *pexp* was parsed.

For example:

(transform (lambda (v) (if (= 0 (vector-length v)) #f v)) ...)

encapsulate *expression pexp* parser expression

The **encapsulate** expression transforms the values returned by parsing *pexp* into a single value. *Expression* is a Scheme expression that must evaluate to a procedure at run time. If *pexp* is successfully parsed, the procedure is called with the vector of values as its argument, and may return any Scheme object. The result of the **encapsulate** expression is a vector of length one containing that object. (And consequently **encapsulate** doesn't change the success or failure of *pexp*, only its value.)

For example:

(encapsulate vector->list ...)

map *expression pexp* parser expression

The **map** expression performs a per-element transform on the values returned by parsing *pexp*. *Expression* is a Scheme expression that must evaluate to a procedure at run time. If *pexp* is successfully parsed, the procedure is mapped (by **vector-map**) over the values returned from the parse. The mapped values are returned as the result of

the `map` expression. (And consequently `map` doesn't change the success or failure of `pexp`, nor the number of values returned.)

For example:

```
(map string->symbol ...)
```

Finally, as in the matcher language, we have `sexp` and `with-pointer` to support embedding Scheme code in the parser.

sexp *expression* parser expression

The `sexp` expression allows arbitrary Scheme code to be embedded inside a parser. The *expression* operand must evaluate to a parser procedure at run time; the procedure is called to parse the parser buffer. This is the parser-language equivalent of the `sexp` expression in the matcher language.

The case in which *expression* is a symbol is so common that it has an abbreviation: '`(sexp symbol)`' may be abbreviated as just *symbol*.

with-pointer *identifier pexp* parser expression

The `with-pointer` expression fetches the parser buffer's internal pointer (using `get-parser-buffer-pointer`), binds it to *identifier*, and then parses the pattern specified by *pexp*. *Identifier* must be a symbol. This is the parser-language equivalent of the `with-pointer` expression in the matcher language.

14.11.3 Parser-language Macros

The parser and matcher languages provide a macro facility so that common patterns can be abstracted. The macro facility allows new expression types to be independently defined in the two languages. The macros are defined in heirarchically organized tables, so that different applications can have private macro bindings.

define-*matcher-macro *formals expression* special form

define-*parser-macro *formals expression* special form

These special forms are used to define macros in the matcher and parser language, respectively. *Formals* is like the *formals* list of a `define` special form, and *expression* is a Scheme expression.

If *formals* is a list (or improper list) of symbols, the first symbol in the list is the name of the macro, and the remaining symbols are interpreted as the *formals* of a lambda expression. A lambda expression is formed by combining the latter *formals* with the *expression*, and this lambda expression, when evaluated, becomes the *expander*. The defined macro accepts the same number of operands as the expander. A macro instance is expanded by applying the expander to the list of operands; the result of the application is interpreted as a replacement expression for the macro instance.

If *formals* is a symbol, it is the name of the macro. In this case, the expander is a procedure of no arguments whose body is *expression*. When the *formals* symbol appears by itself as an expression in the language, the expander is called with no arguments, and the result is interpreted as a replacement expression for the symbol.

define-*matcher-expander *identifier expander* procedure
define-*parser-expander *identifier expander* procedure

These procedures provide a procedural interface to the macro-definition mechanism. *Identifier* must be a symbol, and *expander* must be an expander procedure, as defined above. Instances of the **define-*matcher-macro** and **define-*parser-macro** special forms expand into calls to these procedures.

The remaining procedures define the interface to the parser-macros table abstraction. Each parser-macro table has a separate binding space for macros in the matcher and parser languages. However, the table inherits bindings from one specified table; it's not possible to inherit matcher-language bindings from one table and parser-language bindings from another.

make-parser-macros *parent-table* procedure
 Create and return a new parser-macro table that inherits from *parent-table*. *Parent-table* must be either a parser-macro table, or **#f**; usually it is specified as the value of **global-parser-macros**.

parser-macros? *object* procedure
 This is a predicate for parser-macro tables.

global-parser-macros procedure
 Return the global parser-macro table. This table is predefined and contains all of the bindings documented here.

There is a “current” table at all times, and macro definitions are always placed in this table. By default, the current table is the global macro table, but the following procedures allow this to be changed.

current-parser-macros procedure
 Return the current parser-macro table.

set-current-parser-macros! *table* procedure
 Change the current parser-macro table to *table*, which must satisfy **parser-macros?**.

with-current-parser-macros *table thunk* procedure
 Bind the current parser-macro table to *table*, call *thunk* with no arguments, then restore the original table binding. The value returned by *thunk* is the returned as the value of this procedure. *Table* must satisfy **parser-macros?**, and *thunk* must be a procedure of no arguments.

14.12 XML Parser

MIT Scheme provides a simple non-validating XML parser. This parser is mostly conformant, with the exception that it doesn't support UTF-16. The parser also does not support external document type declarations (DTDs). The output of the parser is a record tree that closely reflects the structure of the XML document.

There is also an output mechanism that writes an XML record tree to a port. There is no guarantee that parsing an XML document and writing it back out will make a verbatim copy of the document. The output will be semantically identical but may have small syntactic differences. For example, comments are discarded by the parser, and entities are substituted during the parsing process.

The purpose of the XML support is to provide a mechanism for reading and writing simple XML documents. In the future this support may be further developed to support a standard interface such as DOM or SAX.

The XML support is a run-time-loadable option; to use it, execute

```
(load-option 'xml)
```

once before compiling any code that uses it.

The XML interface consists of an input procedure, an output procedure, and a set of record types.

parse-xml-document *buffer* procedure

This procedure parses an XML input stream and returns a newly-allocated XML record tree. The *buffer* argument must be a parser buffer (see [Section 14.10 \[Parser Buffers\]](#), [page 204](#)). Most errors in the input stream are detected and signalled, with information identifying the location of the error where possible. Note that the input stream is assumed to be UTF-8.

write-xml *xml-document port* procedure

This procedure writes an XML record tree to *port*. The *xml-document* argument must be a record of type `xml-document`, which is the root record of an XML record tree. The output is encoded in UTF-8.

XML names are represented in memory as symbols. All symbols appearing within XML records are XML names. Because XML names are case sensitive, there is a procedure to intern these symbols:

xml-intern *string* procedure

Returns the XML name called *string*. XML names are represented as symbols, but unlike ordinary Scheme symbols, they are case sensitive. The following is true for any two strings *string1* and *string2*:

```
(let ((name1 (xml-intern string1))
      (name2 (xml-intern string2)))
  (if (string=? string1 string2)
      (eq? name1 name2)
      (not (eq? name1 name2))))
```

The output from the XML parser and the input to the XML output procedure is a complex data structure composed of a hierarchy of typed components. Each component is a record whose fields correspond to parts of the XML structure that the record represents. There are no special operations on these records; each is a tuple with named subparts. The root record type is **xml-document**, which represents a complete XML document.

Each record type *type* has the following associated bindings:

- type-rtd** is a variable bound to the record-type descriptor for *type*. The record-type descriptor may be used as a specializer in SOS method definitions, which greatly simplifies code to dispatch on these types.
- type?** is a predicate for records of type *type*. It accepts one argument, which can be any object, and returns **#t** if the object is a record of this type, or **#f** otherwise.
- make-type** is a constructor for records of type *type*. It accepts one argument for each field of *type*, in the same order that they are written in the type description, and returns a newly-allocated record of that type.
- type-field** is an accessor procedure for the field *field* in records of type *type*. It accepts one argument, which must be a record of that type, and returns the contents of the corresponding field in the record.
- set-type-field!**
is a modifier procedure for the field *field* in records of type *type*. It accepts two arguments: the first must be a record of that type, and the second is a new value for the corresponding field. The record's field is modified to have the new value.

xml-document *declaration misc-1 dtd misc-2 root misc-3* record type

The **xml-document** record is the top-level record representing a complete XML document. *Declaration* is either an **xml-declaration** object or **#f**. *Dtd* is either an **xml-dtd** object or **#f**. *Root* is an **xml-element** object. *Misc-1*, *misc-2*, and *misc-3* are lists of miscellaneous items; a miscellaneous item is either an **xml-processing-instructions** object or a string of whitespace.

xml-declaration *version encoding standalone* record type

The **xml-declaration** record represents the '`<?xml ... ?>`' declaration that optionally appears at the beginning of an XML document. *Version* is a version string, typically "1.0". *Encoding* is either an encoding string or **#f**. *Standalone* is either "yes", "no", or **#f**.

xml-element *name attributes contents* record type

The **xml-element** record represents general XML elements; the bulk of a typical XML document consists of these elements. *Name* is the element name (a symbol). *Attributes* is a list of attributes; each attribute is a pair whose CAR is the attribute name (a symbol), and whose CDR is the attribute value (a string). *Contents* is a list of the contents of the element. Each element of this list is either a string, an **xml-element** record, an **xml-processing-instructions** record, or an **xml-uninterpreted** record.

xml-processing-instructions *name text* record type

The `xml-processing-instructions` record represents processing instructions, which have the form ‘<?*name* ... ?>’. These instructions are intended to contain non-XML data that will be processed by another interpreter; for example they might contain PHP programs. The *name* field is the processor name (a symbol), and the *text* field is the body of the instructions (a string).

xml-uninterpreted *text* record type

Some documents contain entity references that can’t be expanded by the parser, perhaps because the document requires an external DTD. Such references are left uninterpreted in the output by wrapping them in `xml-uninterpreted` records. In some situations, for example when they are embedded in attribute values, the surrounding text is also included in the `xml-uninterpreted` record. The *text* field contains the uninterpreted XML text (a string).

xml-dtd *root external internal* record type

The `xml-dtd` record represents a document type declaration. The *root* field is an XML name for the root element of the document. *External* is either an `xml-external-id` record or `#f`. *Internal* is a list of DTD element records (e.g. `xml-!element`, `xml-!attlist`, etc.).

The remaining record types are valid only within a DTD.

xml-!element *name content-type* record type

The `xml-!element` record represents an element-type declaration. *Name* is the XML name of the type being declared (a symbol). *Content-type* describes the type and can have several different values, as follows:

- The XML names ‘EMPTY’ and ‘ANY’ correspond to the XML keywords of the same name.
- A list ‘(MIX *type* ...)’ corresponds to the ‘(#PCDATA | *type* | ...)’ syntax.

xml-!attlist *name definitions* record type

The `xml-!attlist` record represents an attribute-list declaration. *Name* is the XML name of the type for which attributes are being declared (a symbol). *Definitions* is a list of attribute definitions, each of which is a list of three elements (*name type default*). *Name* is an XML name for the name of the attribute (a symbol). *Type* describes the attribute type, and can have one of the following values:

- The XML names ‘CDATA’, ‘IDREFS’, ‘IDREF’, ‘ID’, ‘ENTITY’, ‘ENTITIES’, ‘NMTOKENS’, and ‘NMTOKEN’ correspond to the XML keywords of the same names.
- A list ‘(NOTATION *name1 name2* ...)’ corresponds to the ‘NOTATION (*name1* | *name2* ...)’ syntax.
- A list ‘(ENUMERATED *name1 name2* ...)’ corresponds to the ‘(*name1* | *name2* ...)’ syntax.

Default describes the default value for the attribute, and can have one of the following values:

- The XML names ‘#REQUIRED’ and ‘#IMPLIED’ correspond to the XML keywords of the same names.
- A list ‘(#FIXED *value*)’ corresponds to the ‘#FIXED "*value*"’ syntax. *Value* is represented as a string, but might also be an `xml-uninterpreted` record.
- A list ‘(DEFAULT *value*)’ corresponds to the ‘"*value*"’ syntax. *Value* is represented as a string, but might also be an `xml-uninterpreted` record.

xml-!entity name value record type

The `xml-!entity` record represents a general entity declaration. *Name* is an XML name for the entity. *Value* is the entity’s value, either a string, an `xml-uninterpreted` record, or an `xml-external-id` record.

xml-parameter-!entity name value record type

The `xml-parameter-!entity` record represents a parameter entity declaration. *Name* is an XML name for the entity. *Value* is the entity’s value, either a string, an `xml-uninterpreted` record, or an `xml-external-id` record.

xml-unparsed-!entity name id notation record type

The `xml-unparsed-!entity` record represents an unparsed entity declaration. *Name* is an XML name for the entity. *Id* is an `xml-external-id` record. *Notation* is an XML name for the notation.

xml-!notation name id record type

The `xml-!notation` record represents a notation declaration. *Name* is an XML name for the notation. *Id* is an `xml-external-id` record.

xml-external-id id uri record type

The `xml-external-id` record is a reference to an external DTD. This reference consists of two parts: *id* is a public ID literal, corresponding to the ‘PUBLIC’ keyword, while *uri* is a system literal, corresponding to the ‘SYSTEM’ keyword. Either or both may be present, depending on the context. Each is represented as a string.

15 Operating-System Interface

The Scheme standard provides a simple mechanism for reading and writing files: file ports. MIT Scheme provides additional tools for dealing with other aspects of the operating system:

- *Pathnames* are a reasonably operating-system independent tool for manipulating the component parts of file names. This can be useful for implementing defaulting of file name components.
- Control over the *current working directory*: the place in the file system from which relative file names are interpreted.
- Procedures that rename, copy, delete, and test for the existence of files. Also, procedures that return detailed information about a particular file, such as its type (directory, link, etc.) or length.
- Procedures for reading the contents of a directory.
- Procedures for obtaining times in various formats, converting between the formats, and generating human-readable time strings.
- Procedures to run other programs as subprocesses of Scheme, to read their output, and write input to them.
- A means to determine the operating system Scheme is running under.

15.1 Pathnames

MIT Scheme programs need to use names to designate files. The main difficulty in dealing with names of files is that different file systems have different naming formats for files. For example, here is a table of several file systems (actually, operating systems that provide file systems) and what equivalent file names might look like for each one:

System	File Name
-----	-----
TOPS-20	<LISPIO>FORMAT.FASL.13
TOPS-10	FORMAT.FAS[1,4]
ITS	LISPIO;FORMAT FASL
MULTICS	>udd>LispIO>format.fasl
TENEX	<LISPIO>FORMAT.FASL;13
VAX/VMS	[LISPIO]FORMAT.FAS;13
UNIX	/usr/lispio/format.fasl
DOS	C:\USR\LISPIO\FORMAT.FAS

It would be impossible for each program that deals with file names to know about each different file name format that exists; a new operating system to which Scheme was ported might use a format different from any of its predecessors. Therefore, MIT Scheme provides *two* ways to represent file names: *filenames* (also called *namestrings*), which are strings in the implementation-dependent form customary for the file system, and *pathnames*, which are special abstract data objects that represent file names in an implementation-independent way. Procedures are provided to convert between these two representations, and all manipulations of files can be expressed in machine-independent terms by using *pathnames*.

In order to allow MIT Scheme programs to operate in a network environment that may have more than one kind of file system, the pathname facility allows a file name to specify which file system is to be used. In this context, each file system is called a *host*, in keeping with the usual networking terminology.¹

Note that the examples given in this section are specific to unix pathnames. Pathnames for other operating systems have different external representations.

15.1.1 Filenames and Pathnames

Pathname objects are usually created by parsing filenames (character strings) into component parts. MIT Scheme provides operations that convert filenames into pathnames and vice versa.

->pathname *object* procedure

Returns a pathname that is the equivalent of *object*. *Object* must be a pathname or a string. If *object* is a pathname, it is returned. If *object* is a string, this procedure returns the pathname that corresponds to the string; in this case it is equivalent to (parse-namestring *object* #f #f).

```
(->pathname "foo")      ⇒  #[pathname 65 "foo"]
(->pathname "/usr/morris") ⇒  #[pathname 66 "/usr/morris"]
```

parse-namestring *thing* [*host* [*defaults*]] procedure

This turns *thing* into a pathname. *Thing* must be a pathname or a string. If *thing* is a pathname, it is returned. If *thing* is a string, this procedure returns the pathname that corresponds to the string, parsed according to the syntax of the file system specified by *host*.

This procedure *does not* do defaulting of pathname components.

The optional arguments are used to determine what syntax should be used for parsing the string. In general this is only really useful if your implementation of MIT Scheme supports more than one file system, otherwise you would use **->pathname**. If given, *host* must be a host object or #f, and *defaults* must be a pathname. *Host* specifies the syntax used to parse the string. If *host* is not given or #f, the host component from *defaults* is used instead; if *defaults* is not given, the host component from **default-pathname-defaults** is used.

->namestring *pathname* procedure

->namestring returns a newly allocated string that is the filename corresponding to *pathname*.

```
(->namestring (->pathname "/usr/morris/minor.van"))
⇒  "/usr/morris/minor.van"
```

pathname-simplify *pathname* procedure

Returns a pathname that locates the same file or directory as *pathname*, but is in some sense simpler. Note that **pathname-simplify** might not always be able to simplify the

¹ This introduction is adapted from *Common Lisp, The Language*, second edition, section 23.1.

pathname, e.g. on unix with symbolic links the directory `‘/usr/morris/..’` need not be the same as `‘/usr/’`. In cases of uncertainty the behavior is conservative, returning the original or a partly simplified pathname.

```
(pathname-simplify "/usr/morris/../../morris/dance")
⇒ #[pathname "/usr/morris/dance"]
```

15.1.2 Components of Pathnames

A pathname object always has six components, described below. These components are the common interface that allows programs to work the same way with different file systems; the mapping of the pathname components into the concepts peculiar to each file system is taken care of by the Scheme implementation.

<i>host</i>	The name of the file system on which the file resides. In the current implementation, this component is always a host object that is filled in automatically by the runtime system. When specifying the host component, use either <code>#f</code> or the value of the variable <code>local-host</code> .
<i>device</i>	Corresponds to the “device” or “file structure” concept in many host file systems: the name of a (logical or physical) device containing files. This component is the drive letter for PC file systems, and is unused for unix file systems.
<i>directory</i>	Corresponds to the “directory” concept in many host file systems: the name of a group of related files (typically those belonging to a single user or project). This component is always used for all file systems.
<i>name</i>	The name of a group of files that can be thought of as conceptually the “same” file. This component is always used for all file systems.
<i>type</i>	Corresponds to the “filetype” or “extension” concept in many host file systems. This says what kind of file this is. Files with the same name but different type are usually related in some specific way, such as one being a source file, another the compiled form of that source, and a third the listing of error messages from the compiler. This component is currently used for all file systems, and is formed by taking the characters that follow the last dot in the namestring.
<i>version</i>	Corresponds to the “version number” concept in many host file systems. Typically this is a number that is incremented every time the file is modified. This component is currently unused for all file systems.

Note that a pathname is not necessarily the name of a specific file. Rather, it is a specification (possibly only a partial specification) of how to access a file. A pathname need not correspond to any file that actually exists, and more than one pathname can refer to the same file. For example, the pathname with a version of `newest` may refer to the same file as a pathname with the same components except a certain number as the version. Indeed, a pathname with version `newest` may refer to different files as time passes, because the meaning of such a pathname depends on the state of the file system. In file systems with such facilities as “links”, multiple file names, logical devices, and so on, two pathnames that look quite different may turn out to address the same file. To access a file given a pathname, one must do a file-system operation such as `open-input-file`.

Two important operations involving pathnames are *parsing* and *merging*. Parsing is the conversion of a filename (which might be something supplied interactively by the users when asked to supply the name of a file) into a pathname object. This operation is implementation-dependent, because the format of filenames is implementation-dependent. Merging takes a pathname with missing components and supplies values for those components from a source of default values.

Not all of the components of a pathname need to be specified. If a component of a pathname is missing, its value is `#f`. Before the file system interface can do anything interesting with a file, such as opening the file, all the missing components of a pathname must be filled in. Pathnames with missing components are used internally for various purposes; in particular, parsing a namestring that does not specify certain components will result in a pathname with missing components.

Any component of a pathname may be the symbol `unspecific`, meaning that the component simply does not exist, for file systems in which such a value makes no sense. For example, unix, Windows, and OS/2 file systems usually do not support version numbers, so the version component for such a host might be `unspecific`.²

In addition to `#f` and `unspecific`, the components of a pathname may take on the following meaningful values:

<i>host</i>	An implementation-defined type which may be tested for using the <code>host?</code> predicate.
<i>device</i>	On systems that support this component (Windows and OS/2), it may be specified as a string containing a single alphabetic character, for which the alphabetic case is ignored.
<i>directory</i>	A non-empty list, which represents a <i>directory path</i> : a sequence of directories, each of which has a name in the previous directory, the last of which is the directory specified by the entire path. Each element in such a path specifies the name of the directory relative to the directory specified by the elements to its left. The first element of the list is either the symbol <code>absolute</code> or the symbol <code>relative</code> . If the first element in the list is the symbol <code>absolute</code> , then the directory component (and subsequently the pathname) is <i>absolute</i> ; the first component in the sequence is to be found at the “root” of the file system. If the directory is <i>relative</i> then the first component is to be found in some as yet unspecified directory; typically this is later specified to be the <i>current working directory</i> .

Aside from `absolute` and `relative`, which may only appear as the first element of the list, each subsequent element in the list is either: a string, which is a literal component; the symbol `wild`, meaningful only when used in conjunction with the directory reader; or the symbol `up`, meaning the next directory is the “parent” of the previous one. `up` corresponds to the file ‘`..`’ in unix and PC file systems.

(The following note does not refer to any file system currently supported by MIT Scheme, but is included for completeness.) In file systems that do not have “hierarchical” structure, a specified directory component will always be a

² This description is adapted from *Common Lisp, The Language*, second edition, section 23.1.1.

list whose first element is **absolute**. If the system does not support directories other than a single global directory, the list will have no other elements. If the system supports “flat” directories, i.e. a global set of directories with no subdirectories, then the list will contain a second element, which is either a string or **wild**. In other words, a non-hierarchical file system is treated as if it were hierarchical, but the hierarchical features are unused. This representation is somewhat inconvenient for such file systems, but it discourages programmers from making code depend on the lack of a file hierarchy.

<i>name</i>	A string, which is a literal component; or the symbol wild , meaningful only when used in conjunction with the directory reader.
<i>type</i>	A string, which is a literal component; or the symbol wild , meaningful only when used in conjunction with the directory reader.
<i>version</i>	An exact positive integer, which is a literal component; the symbol newest , which means to choose the largest available version number for that file; the symbol oldest , which means to choose the smallest version number; or the symbol wild , meaningful only when used in conjunction with the directory reader. In the future some other possible values may be added, e.g. installed . Note that currently no file systems support version numbers; thus this component is not used and should be specified as #f .

make-pathname *host device directory name type version* procedure

Returns a pathname object whose components are the respective arguments. Each argument must satisfy the restrictions for the corresponding component, which were outlined above.

```
(make-pathname #f
                #f
                '(absolute "usr" "morris")
                "foo"
                "scm"
                #f)
⇒ #[pathname 67 "/usr/morris/foo.scm"]
```

pathname-host <i>pathname</i>	procedure
pathname-device <i>pathname</i>	procedure
pathname-directory <i>pathname</i>	procedure
pathname-name <i>pathname</i>	procedure
pathname-type <i>pathname</i>	procedure
pathname-version <i>pathname</i>	procedure

Returns a particular component of *pathname*.

```
(define x (->pathname "/usr/morris/foo.scm"))
(pathname-host x)      ⇒ #[host 1]
(pathname-device x)    ⇒ unspecific
(pathname-directory x) ⇒ (absolute "usr" "morris")
(pathname-name x)      ⇒ "foo"
(pathname-type x)      ⇒ "scm"
(pathname-version x)   ⇒ unspecific
```

pathname-new-device <i>pathname device</i>	procedure
pathname-new-directory <i>pathname directory</i>	procedure
pathname-new-name <i>pathname name</i>	procedure
pathname-new-type <i>pathname type</i>	procedure
pathname-new-version <i>pathname version</i>	procedure

Returns a new copy of *pathname* with the respective component replaced by the second argument. *Pathname* is unchanged. Portable programs should not explicitly replace a component with **unspecific** because this might not be permitted in some situations.

```
(define p (->pathname "/usr/blisp/rel15"))
p
⇒ #[pathname 71 "/usr/blisp/rel15"]
(pathname-new-name p "rel100")
⇒ #[pathname 72 "/usr/blisp/rel100"]
(pathname-new-directory p '(relative "test" "morris"))
⇒ #[pathname 73 "test/morris/rel15"]
p
⇒ #[pathname 71 "/usr/blisp/rel15"]
```

pathname-default-device <i>pathname device</i>	procedure
pathname-default-directory <i>pathname directory</i>	procedure
pathname-default-name <i>pathname name</i>	procedure
pathname-default-type <i>pathname type</i>	procedure
pathname-default-version <i>pathname version</i>	procedure

These operations are similar to the **pathname-new-component** operations, except that they only change the specified *component* if it has the value **#f** in *pathname*.

15.1.3 Operations on Pathnames

pathname? <i>object</i>	procedure
--------------------------------	-----------

Returns **#t** if *object* is a pathname; otherwise returns **#f**.

pathname=? <i>pathname1 pathname2</i>	procedure
--	-----------

Returns **#t** if *pathname1* is equivalent to *pathname2*; otherwise returns **#f**. Pathnames are equivalent if all of their components are equivalent, hence two pathnames that are equivalent must identify the same file or equivalent partial pathnames. However, the converse is not true: non-equivalent pathnames may specify the same file (e.g. via absolute and relative directory components), and pathnames that specify no file at all (e.g. name and directory components unspecified) may be equivalent.

pathname-absolute? <i>pathname</i>	procedure
---	-----------

Returns **#t** if *pathname* is an absolute rather than relative pathname object; otherwise returns **#f**. Specifically, this procedure returns **#t** when the directory component of *pathname* is a list starting with the symbol **absolute**, and returns **#f** in all other cases. All pathnames are either absolute or relative, so if this procedure returns **#f**, the argument is a relative pathname.

directory-pathname? *pathname* procedure

Returns **#t** if *pathname* has only directory components and no file components. This is roughly equivalent to

```
(define (directory-pathname? pathname)
  (string-null? (file-namestring pathname)))
```

except that it is faster.

pathname-wild? *pathname* procedure

Returns **#t** if *pathname* contains any wildcard components; otherwise returns **#f**.

merge-pathnames *pathname* [*defaults* [*default-version*]] procedure

Returns a pathname whose components are obtained by combining those of *pathname* and *defaults*. *Defaults* defaults to the value of ***default-pathname-defaults*** and *default-version* defaults to **newest**.

The pathnames are combined by components: if *pathname* has a non-missing component, that is the resulting component, otherwise the component from *defaults* is used. The default version can be **#f** to preserve the information that the component was missing from *pathname*. The directory component is handled specially: if both pathnames have directory components that are lists, and the directory component from *pathname* is relative (i.e. starts with **relative**), then the resulting directory component is formed by appending *pathname*'s component to *defaults*'s component. For example:

```
(define path1 (->pathname "scheme/foo.scm"))
(define path2 (->pathname "/usr/morris"))
path1
⇒ #[pathname 74 "scheme/foo.scm"]
path2
⇒ #[pathname 75 "/usr/morris"]
(merge-pathnames path1 path2)
⇒ #[pathname 76 "/usr/scheme/foo.scm"]
(merge-pathnames path2 path1)
⇒ #[pathname 77 "/usr/morris.scm"]
```

The merging rules for the version are more complex and depend on whether *pathname* specifies a name. If *pathname* does not specify a name, then the version, if not provided, will come from *defaults*. However, if *pathname* does specify a name then the version is not affected by *defaults*. The reason is that the version “belongs to” some other file name and is unlikely to have anything to do with the new one. Finally, if this process leaves the version missing, then *default-version* is used.

The net effect is that if the user supplies just a name, then the host, device, directory and type will come from *defaults*, but the version will come from *default-version*. If the user supplies nothing, or just a directory, the name, type and version will come over from *defaults* together.

default-pathname-defaults variable

This is the default pathname-defaults pathname; if any pathname primitive that needs a set of defaults is not given one, it uses this one. **set-working-directory-**

pathname! sets this variable to a new value, computed by merging the new working directory with the variable's old value.

pathname-default *pathname device directory name type version* procedure

This procedure defaults all of the components of *pathname* simultaneously. It could have been defined by:

```
(define (pathname-default pathname
                          device directory name type version)
  (make-pathname (pathname-host pathname)
                 (or (pathname-device pathname) device)
                 (or (pathname-directory pathname) directory)
                 (or (pathname-name pathname) name)
                 (or (pathname-type pathname) type)
                 (or (pathname-version pathname) version)))
```

file-namestring *pathname* procedure

directory-namestring *pathname* procedure

host-namestring *pathname* procedure

enough-namestring *pathname [defaults]* procedure

These procedures return a string corresponding to a subset of the *pathname* information. **file-namestring** returns a string representing just the *name*, *type* and *version* components of *pathname*; the result of **directory-namestring** represents just the *host*, *device*, and *directory* components; and **host-namestring** returns a string for just the *host* portion.

enough-namestring takes another argument, *defaults*. It returns an abbreviated namestring that is just sufficient to identify the file named by *pathname* when considered relative to the *defaults* (which defaults to **default-pathname-defaults**).

```
(file-namestring "/usr/morris/minor.van")
⇒ "minor.van"
(directory-namestring "/usr/morris/minor.van")
⇒ "/usr/morris/"
(enough-namestring "/usr/morris/men")
⇒ "men" ;perhaps
```

file-pathname *pathname* procedure

directory-pathname *pathname* procedure

enough-pathname *pathname [defaults]* procedure

These procedures return a pathname corresponding to a subset of the *pathname* information. **file-pathname** returns a pathname with just the *name*, *type* and *version* components of *pathname*. The result of **directory-pathname** is a pathname containing the *host*, *device* and *directory* components of *pathname*.

enough-pathname takes another argument, *defaults*. It returns an abbreviated pathname that is just sufficient to identify the file named by *pathname* when considered relative to the *defaults* (which defaults to **default-pathname-defaults**).

These procedures are similar to **file-namestring**, **directory-namestring** and **enough-namestring**, but they return pathnames instead of strings.

directory-pathname-as-file *pathname* procedure

Returns a pathname that is equivalent to *pathname*, but in which the directory component is represented as a file. The last directory is removed from the directory component and converted into name and type components. This is the inverse operation to `pathname-as-directory`.

```
(directory-pathname-as-file (->pathname "/usr/blisp/"))
⇒ #[pathname "/usr/blisp"]
```

pathname-as-directory *pathname* procedure

Returns a pathname that is equivalent to *pathname*, but in which any file components have been converted to a directory component. If *pathname* does not have name, type, or version components, it is returned without modification. Otherwise, these file components are converted into a string, and the string is added to the end of the list of directory components. This is the inverse operation to `directory-pathname-as-file`.

```
(pathname-as-directory (->pathname "/usr/blisp/rel5"))
⇒ #[pathname "/usr/blisp/rel5/"]
```

15.1.4 Miscellaneous Pathname Procedures

This section gives some standard operations on host objects, and some procedures that return some useful pathnames.

local-host variable

This variable has as its value the host object that describes the local host's file system.

host? *object* procedure

Returns `#t` if *object* is a pathname host; otherwise returns `#f`.

host=? *host1 host2* procedure

Returns `#t` if *host1* and *host2* denote the same pathname host; otherwise returns `#f`.

init-file-pathname [*host*] procedure

Returns a pathname for the user's initialization file on *host*. The *host* argument defaults to the value of `local-host`. If the initialization file does not exist this procedure returns `#f`.

Under unix, the init file is called `'scheme.init'`; under Windows and OS/2, the init file is called `'scheme.ini'`. In either case, it is located in the user's home directory, which is computed by `user-homedir-pathname`.

user-homedir-pathname [*host*] procedure

Returns a pathname for the user's "home directory" on *host*. The *host* argument defaults to the value of `local-host`. The concept of a "home directory" is itself somewhat implementation-dependent, but it should be the place where the user keeps personal files, such as initialization files and mail.

Under unix, the user's home directory is specified by the `HOME` environment variable. If this variable is undefined, the user name is computed using the `getlogin` system call, or if that fails, the `getuid` system call. The resulting user name is passed to the `getpwnam` system call to obtain the home directory.

Under OS/2, several heuristics are tried to find the user's home directory. First, if the environment variable `HOME` is defined, that is the home directory. If `HOME` is undefined, but the `USERDIR` and `USER` environment variables are defined and the directory `'%USERDIR%\%USER%'` exists, then it is used. Failing that, if the directory `'%USER%'` exists on the OS/2 system drive, then it is used. As a last resort, the OS/2 system drive is the home directory.

Like OS/2, the Windows implementation uses heuristics based on environment variables. The user's home directory is computed by examining several environment variables, in the following order:

- `HOMEDRIVE` and `HOMEPATH` are both defined and `'%HOMEDRIVE%%HOMEPATH%'` is an existing directory. (These variables are automatically defined by Windows NT.)
- `HOME` is defined and `'%HOME%'` is an existing directory.
- `USERDIR` and `USERNAME` are defined and `'%USERDIR%\%USERNAME%'` is an existing directory.
- `USERDIR` and `USER` are defined and `'%USERDIR%\%USER%'` is an existing directory.
- `USERNAME` is defined and `'%USERNAME%'` is an existing directory on the Windows system drive.
- `USER` is defined and `'%USER%'` is an existing directory on the Windows system drive.
- Finally, if all else fails, the Windows system drive is used as the home directory.

system-library-pathname *pathname* procedure

Locates *pathname* in MIT Scheme's system library directory. An error of type `condition-type:file-operation-error` is signalled if *pathname* cannot be located on the library search path.

```
(system-library-pathname "compiler.com")
⇒ #[pathname 45 "/usr/local/lib/mit-scheme/compiler.com"]
```

system-library-directory-pathname *pathname* procedure

Locates the pathname of an MIT Scheme system library directory. An error of type `condition-type:file-operation-error` is signalled if *pathname* cannot be located on the library search path.

```
(system-library-directory-pathname "options")
⇒ #[pathname 44 "/usr/local/lib/mit-scheme/options/"]
```

15.2 Working Directory

When MIT Scheme is started, the *current working directory* (or simply, *working directory*) is initialized in an operating-system dependent manner; usually, it is the directory in which Scheme was invoked. The working directory can be determined from within Scheme

by calling the `pwd` procedure, and changed by calling the `cd` procedure. Each REP loop has its own working directory, and inferior REP loops initialize their working directory from the value in effect in their superior at the time they are created.

working-directory-pathname

procedure

pwd

procedure

Returns the current working directory as a pathname that has no name, type, or version components, just host, device, and directory components. `pwd` is an alias for `working-directory-pathname`; the long name is intended for programs and the short name for interactive use.

set-working-directory-pathname! *filename*

procedure

cd *filename*

procedure

Makes *filename* the current working directory and returns the new current working directory as a pathname. *Filename* is coerced to a pathname using `pathname-as-directory`. `cd` is an alias for `set-working-directory-pathname!`; the long name is intended for programs and the short name for interactive use.

Additionally, `set-working-directory-pathname!` modifies the value of `*default-pathname-defaults*` by merging the new working directory into it.

When this procedure is executed in the top-level REP loop, it changes the working directory of the running Scheme executable.

```
(set-working-directory-pathname! "/usr/morris/blisp")
⇒ #[pathname "/usr/morris/blisp/"]
(set-working-directory-pathname! "~")
⇒ #[pathname "/usr/morris/"]
```

This procedure signals an error if *filename* does not refer to an existing directory.

If *filename* describes a relative rather than absolute pathname, this procedure interprets it as relative to the current working directory, before changing the working directory.

```
(working-directory-pathname)
⇒ #[pathname "/usr/morris/"]
(set-working-directory-pathname! "foo")
⇒ #[pathname "/usr/morris/foo/"]
```

with-working-directory-pathname *filename thunk*

procedure

This procedure temporarily rebinds the current working directory to *filename*, invokes *thunk* (a procedure of no arguments), then restores the previous working directory and returns the value yielded by *thunk*. *Filename* is coerced to a pathname using `pathname-as-directory`. In addition to binding the working directory, `with-working-directory-pathname` also binds the variable `*default-pathname-defaults*`, merging the old value of that variable with the new working directory pathname. Both bindings are performed in exactly the same way as dynamic binding of a variable (see [Section 2.3 \[Dynamic Binding\]](#), page 18).

15.3 File Manipulation

This section describes procedures that manipulate files and directories. Any of these procedures can signal a number of errors for many reasons. The specifics of these errors are much too operating-system dependent to document here. However, if such an error is signalled by one of these procedures, it will be of type `condition-type:file-operation-error`.

file-exists? *filename* procedure

file-exists-direct? *filename* procedure

file-exists-indirect? *filename* procedure

These procedures return `#t` if *filename* is an existing file or directory; otherwise they return `#f`. In operating systems that support symbolic links, if the file is a symbolic link, `file-exists-direct?` tests for the existence of the link, while `file-exists-indirect?` and `file-exists?` test for the existence of the file pointed to by the link.

copy-file *source-filename target-filename* procedure

Makes a copy of the file named by *source-filename*. The copy is performed by creating a new file called *target-filename*, and filling it with the same data as *source-filename*.

rename-file *source-filename target-filename* procedure

Changes the name of *source-filename* to be *target-filename*. In the unix implementation, this will not rename across file systems.

delete-file *filename* procedure

Deletes the file named *filename*.

delete-file-no-errors *filename* procedure

Like `delete-file`, but returns a boolean value indicating whether an error occurred during the deletion. If no errors occurred, `#t` is returned. If an error of type `condition-type:file-error` or `condition-type:port-error` is signalled, `#f` is returned.

hard-link-file *source-filename target-filename* procedure

Makes a hard link from *source-filename* to *target-filename*. This operation gives the file specified by *source-filename* a new name, in addition to the old name.

This currently works only on unix systems. It is further restricted to work only when *source-filename* and *target-filename* refer to names in the same file system.

soft-link-file *source-filename target-filename* procedure

Creates a new soft link called *target-filename* that points at the file *source-filename*. (Soft links are also sometimes called *symbolic* links.) Note that *source-filename* will be interpreted as a string (although you may specify it as a pathname object, if you wish). The contents of this string will be stored in the file system as the soft link. When a file operation attempts to open the link, the contents of the link are interpreted relative to the link's location at that time.

This currently works only on unix systems.

make-directory *filename* procedure
 Creates a new directory named *filename*. Signals an error if *filename* already exists, or if the directory cannot be created.

delete-directory *filename* procedure
 Deletes the directory named *filename*. Signals an error if the directory does not exist, is not a directory, or contains any files or subdirectories.

->truename *filename* procedure
 This procedure attempts to discover and return the “true name” of the file associated with *filename* within the file system. An error of type `condition-type:file-operation-error` is signalled if the appropriate file cannot be located within the file system.

call-with-temporary-file-pathname *procedure* procedure
 Calls `temporary-file-pathname` to create a temporary file, then calls *procedure* with one argument, the pathname referring to that file. When *procedure* returns, if the temporary file still exists, it is deleted; then, the value yielded by *procedure* is returned. If *procedure* escapes from its continuation, and the file still exists, it is deleted.

temporary-file-pathname [*directory*] procedure
 Creates a new empty temporary file and returns a pathname referring to it. The temporary file is created with Scheme’s default permissions, so barring unusual circumstances it can be opened for input and/or output without error. The temporary file will remain in existence until explicitly deleted. If the file still exists when the Scheme process terminates, it will be deleted.
 If *directory* is specified, the temporary file will be stored there. If it is not specified, or if it is `#f`, the temporary file will be stored in the directory returned by `temporary-directory-pathname`.

temporary-directory-pathname procedure
 Returns the pathname of an existing directory that can be used to store temporary files. These directory names are tried, in order, until a writeable directory is found:

- The directories specified by the environment variables `TMPDIR`, `TEMP`, or `TMP`.
- Under unix, the directories `‘/var/tmp’`, `‘/usr/tmp’`, or `‘/tmp’`.
- Under OS/2 or Windows, the following directories on the system drive: `‘\temp’`, `‘\tmp’`, or `‘\’`.
- Under OS/2 or Windows, the current directory, as specified by `*default-pathname-defaults*`.

file-directory? *filename* procedure
 Returns `#t` if the file named *filename* exists and is a directory. Otherwise returns `#f`. In operating systems that support symbolic links, if *filename* names a symbolic link, this examines the file linked to, not the link itself.
 This is equivalent to

```
(eq? 'directory (file-type-indirect filename))
```

file-regular? *filename* procedure

Returns **#t** if the file named *filename* exists and is a regular file (i.e. not a directory, symbolic link, device file, etc.). Otherwise returns **#f**. In operating systems that support symbolic links, if *filename* names a symbolic link, this examines the file linked to, not the link itself.

This is equivalent to

```
(eq? 'regular (file-type-indirect filename))
```

file-symbolic-link? *filename* procedure

In operating systems that support symbolic links, if the file named *filename* exists and is a symbolic link, this procedure returns the contents of the symbolic link as a newly allocated string. The returned value is the name of the file that the symbolic link points to and must be interpreted relative to the directory of *filename*. If *filename* either does not exist or is not a symbolic link, or if the operating system does not support symbolic links, this procedure returns **#f**.

file-type-direct *filename* procedure

file-type-indirect *filename* procedure

If the file named *filename* exists, **file-type-direct** returns a symbol specifying what type of file it is. For example, if *filename* refers to a directory, the symbol **directory** is returned. If *filename* doesn't refer to an existing file, **#f** is returned.

If *filename* refers to a symbolic link, **file-type-direct** returns the type of the link itself, while **file-type-indirect** returns the type of the file linked to.

At this time, the symbols that can be returned are the following. The names are intended to be self-explanatory. Most of these names can only be returned on particular operating systems, and so the operating-system name is prefixed to the name.

```
regular
directory
unix-symbolic-link
unix-character-device
unix-block-device
unix-named-pipe
unix-socket
os2-named-pipe
win32-named-pipe
```

file-readable? *filename* procedure

Returns **#t** if *filename* names a file that can be opened for input; i.e. a *readable* file. Otherwise returns **#f**.

file-writeable? *filename* procedure

Returns **#t** if *filename* names a file that can be opened for output; i.e. a *writeable* file. Otherwise returns **#f**.

file-executable? *filename* procedure

Returns **#t** if *filename* names a file that can be executed. Otherwise returns **#f**. Under unix, an executable file is identified by its mode bits. Under OS/2, an executable file has one of the file extensions **‘.exe’**, **‘.com’**, **‘.cmd’**, or **‘.bat’**. Under Windows, an executable file has one of the file extensions **‘.exe’**, **‘.com’**, or **‘.bat’**.

file-access *filename mode* procedure

Mode must be an exact integer between 0 and 7 inclusive; it is a bitwise-encoded predicate selector with 1 meaning “executable”, 2 meaning “writeable”, and 4 meaning “readable”. **file-access** returns **#t** if *filename* exists and satisfies the predicates selected by *mode*. For example, if *mode* is 5, then *filename* must be both readable and executable. If *filename* doesn’t exist, or if it does not satisfy the selected predicates, **#f** is returned.

file-eq? *filename1 filename2* procedure

Determines whether *filename1* and *filename2* refer to the same file. Under unix, this is done by comparing the inodes and devices of the two files. Under OS/2 and Windows, this is done by comparing the filename strings.

file-modes *filename* procedure

If *filename* names an existing file, **file-modes** returns an exact non-negative integer encoding the file’s permissions. The encoding of this integer is operating-system dependent. Under unix, it is the least-significant 12 bits of the **st_mode** element of the **struct stat** structure. Under OS/2 and Windows, it is the file attribute bits, which are described below. If *filename* does not name an existing file, **#f** is returned.

set-file-modes! *filename modes* procedure

Filename must name an existing file. *Modes* must be an exact non-negative integer that could have been returned by a call to **file-modes**. **set-file-modes!** modifies the file’s permissions to be those encoded by *modes*.

os2-file-mode/read-only	variable
os2-file-mode/hidden	variable
os2-file-mode/system	variable
os2-file-mode/directory	variable
os2-file-mode/archived	variable

The values of these variables are the “mode bits” that comprise the value returned by **file-modes** under OS/2. These bits are small integers that are combined by adding to form a complete set of modes. The integer zero represents a set of modes in which none of these bits are set.

nt-file-mode/read-only	variable
nt-file-mode/hidden	variable
nt-file-mode/system	variable
nt-file-mode/directory	variable
nt-file-mode/archive	variable
nt-file-mode/normal	variable
nt-file-mode/temporary	variable
nt-file-mode/compressed	variable

The values of these variables are the “mode bits” that comprise the value returned by `file-modes` under Windows. These bits are small integers that are combined by adding to form a complete set of modes. The integer zero represents a set of modes in which none of these bits are set.

file-modification-time *filename* procedure

Returns the modification time of *filename* as an exact non-negative integer. The result may be compared to other file times using ordinary integer arithmetic. If *filename* names a file that does not exist, `file-modification-time` returns `#f`.

In operating systems that support symbolic links, if *filename* names a symbolic link, `file-modification-time` returns the modification time of the file linked to. An alternate procedure, `file-modification-time-direct`, returns the modification time of the link itself; in all other respects it is identical to `file-modification-time`. For symmetry, `file-modification-time-indirect` is a synonym of `file-modification-time`.

file-access-time *filename* procedure

Returns the access time of *filename* as an exact non-negative integer. The result may be compared to other file times using ordinary integer arithmetic. If *filename* names a file that does not exist, `file-access-time` returns `#f`.

In operating systems that support symbolic links, if *filename* names a symbolic link, `file-access-time` returns the access time of the file linked to. An alternate procedure, `file-access-time-direct`, returns the access time of the link itself; in all other respects it is identical to `file-access-time`. For symmetry, `file-access-time-indirect` is a synonym of `file-access-time`.

set-file-times! *filename access-time modification-time* procedure

Filename must name an existing file, while *access-time* and *modification-time* must be valid file times that might have been returned by `file-access-time` and `file-modification-time`, respectively. `set-file-times!` alters the access and modification times of the file specified by *filename* to the values given by *access-time* and *modification-time*, respectively. For convenience, either of the time arguments may be specified as `#f`; in this case the corresponding time is not changed. `set-file-times!` returns an unspecified value.

current-file-time procedure

Returns the current time as an exact non-negative integer, in the same format used by the above file-time procedures. This number can be compared to other file times using ordinary arithmetic operations.

file-touch *filename* procedure

Touches the file named *filename*. If the file already exists, its modification time is set to the current file time and **#f** is returned. Otherwise, the file is created and **#t** is returned. This is an atomic test-and-set operation, so it is useful as a synchronization mechanism.

file-length *filename* procedure

Returns the length, in bytes, of the file named *filename* as an exact non-negative integer.

file-attributes *filename* procedure

This procedure determines if the file named *filename* exists, and returns information about it if so; if the file does not exist, it returns **#f**.

In operating systems that support symbolic links, if *filename* names a symbolic link, **file-attributes** returns the attributes of the link itself. An alternate procedure, **file-attributes-indirect**, returns the attributes of the file linked to; in all other respects it is identical to **file-attributes**. For symmetry, **file-attributes-direct** is a synonym of **file-attributes**.

The information returned by **file-attributes** is decoded by accessor procedures. The following accessors are defined in all operating systems:

file-attributes/type *attributes* procedure

The file type: **#t** if the file is a directory, a character string (the name linked to) if a symbolic link, or **#f** for all other types of file.

file-attributes/access-time *attributes* procedure

The last access time of the file, an exact non-negative integer.

file-attributes/modification-time *attributes* procedure

The last modification time of the file, an exact non-negative integer.

file-attributes/change-time *attributes* procedure

The last change time of the file, an exact non-negative integer.

file-attributes/length *attributes* procedure

The length of the file in bytes.

file-attributes/mode-string *attributes* procedure

The mode string of the file, a newly allocated string showing the file's mode bits. Under unix, this string is in unix format. Under OS/2 and Windows, this string shows the standard "DOS" attributes in their usual format.

file-attributes/n-links *attributes* procedure

The number of links to the file, an exact positive integer. Under Windows and OS/2, this is always 1.

The following additional accessors are defined under unix:

file-attributes/uid *attributes* procedure

The user id of the file's owner, an exact non-negative integer.

file-attributes/gid *attributes* procedure

The group id of the file's group, an exact non-negative integer.

file-attributes/inode-number *attributes* procedure

The inode number of the file, an exact non-negative integer.

The following additional accessor is defined under OS/2 and Windows:

file-attributes/modes *attributes* procedure

The attribute bits of the file. This is an exact non-negative integer containing the file's attribute bits, exactly as specified by the operating system's API.

The following additional accessor is defined under OS/2:

file-attributes/allocated-length *attributes* procedure

The allocated length of the file, which can be larger than the length of the file due to fixed-length allocation units.

15.4 Directory Reader

directory-read *directory* [*sort?*] procedure

Directory must be an object that can be converted into a pathname by `->pathname`. The directory specified by *directory* is read, and the contents of the directory is returned as a newly allocated list of absolute pathnames. The result is sorted according to the usual sorting conventions for directories, unless *sort?* is specified as `#f`. If *directory* has name, type, or version components, the returned list contains only those pathnames whose name, type, and version components match those of *directory*; `wild` or `#f` as one of these components means "match anything". The OS/2 and Windows implementations support "globbing", in which the characters `*` and `?` are interpreted to mean "match anything" and "match any character", respectively. This "globbing" is supported only in the file part of *directory*.

15.5 Date and Time

MIT Scheme provides a simple set of procedures for manipulating date and time information. There are four time representations, each of which serves a different purpose. Each representation may be converted to any of the others.

The primary time representation, *universal time*, is an exact non-negative integer counting the number of seconds that have elapsed since midnight January 1, 1900 UTC. (UTC stands for *Coordinated Universal Time*, and is the modern name for Greenwich Mean Time.) This format is produced by `get-universal-time` and `decoded-time->universal-time`.

The second representation, *decoded time*, is a record structure in which the time is broken down into components, such as month, minute, etc. Decoded time is always relative to a particular time zone, which is a component of the structure. This format is produced by `global-decoded-time` and `local-decoded-time`.

The third representation, *file time*, is an exact non-negative integer that is larger for increasing time. Unlike universal time, this representation is operating-system dependent. This format is produced by all of the file-attribute procedures, for example `file-modification-time` and `file-attributes`.

The fourth representation, the *time string*, is an external representation for time. This format is defined by RFC-822, *Standard for the format of ARPA Internet text messages*, with the modification that years are represented as four-digit numbers rather than two-digit numbers. This format is the standard format for Internet email and numerous other network protocols.

Within this section, argument variables named *universal-time*, *decoded-time*, *file-time*, and *time-string* are respectively required to be of the corresponding format.

15.5.1 Universal Time

`get-universal-time`

procedure

Return the current time in universal format.

```
(get-universal-time) ⇒ 3131453078
```

`epoch`

variable

`epoch` is the representation of midnight January 1, 1970 UTC in universal-time format.

```
epoch ⇒ 2208988800
```

15.5.2 Decoded Time

Objects representing standard time components, such as seconds and minutes, are required to be exact non-negative integers. Seconds and minutes must be inclusively between 0 and 59; hours between 0 and 23; days between 1 and 31; months between 1 and 12; years are represented in “four-digit” form, in which 1999 is represented as 1999 — *not* 99.

`local-decoded-time`

procedure

Return the current time in decoded format. The decoded time is represented in the local time zone.

```
(pp (local-decoded-time))
+ #[decoded-time 76]
+ (second 2)
+ (minute 12)
+ (hour 11)
+ (day 27)
+ (month 4)
+ (year 1999)
+ (day-of-week 1)
+ (daylight-savings-time 1)
+ (zone 5)
```

global-decoded-time procedure

Return the current time in decoded format. The decoded time is represented in UTC.

```
(pp (global-decoded-time))
→ #[decoded-time 77]
→ (second 8)
→ (minute 12)
→ (hour 15)
→ (day 27)
→ (month 4)
→ (year 1999)
→ (day-of-week 1)
→ (daylight-savings-time 0)
→ (zone 0)
```

make-decoded-time *second minute hour day month year [zone]* procedure

Return a new decoded-time object representing the given time. The arguments must be valid components according to the above rules, and must form a valid date.

If *zone* is not supplied or is **#f**, the resulting decoded time will be represented in the local time zone. Otherwise, *zone* must be a valid time zone, and the result will be represented in that zone.

Warning: because this procedure depends on the operating system's runtime library, it is not capable of representing all dates. In particular, on most unix systems, it is not possible to encode dates that occur prior to midnight, January 1, 1970 UTC. Attempting to do this will signal an error.

```
(pp (make-decoded-time 0 9 11 26 3 1999))
→ #[decoded-time 19]
→ (second 0)
→ (minute 9)
→ (hour 11)
→ (day 26)
→ (month 3)
→ (year 1999)
→ (day-of-week 4)
→ (daylight-savings-time 0)
→ (zone 5)

(pp (make-decoded-time 0 9 11 26 3 1999 3))
→ #[decoded-time 80]
→ (second 0)
→ (minute 9)
→ (hour 11)
→ (day 26)
→ (month 3)
→ (year 1999)
→ (day-of-week 4)
→ (daylight-savings-time 0)
→ (zone 3)
```

decoded-time/second <i>decoded-time</i>	procedure
decoded-time/minute <i>decoded-time</i>	procedure
decoded-time/hour <i>decoded-time</i>	procedure
decoded-time/day <i>decoded-time</i>	procedure
decoded-time/month <i>decoded-time</i>	procedure
decoded-time/year <i>decoded-time</i>	procedure

Return the corresponding component of *decoded-time*.

```
(decoded-time/second (local-decoded-time)) ⇒ 17
(decoded-time/year (local-decoded-time)) ⇒ 1999
(decoded-time/day (local-decoded-time)) ⇒ 26
```

decoded-time/day-of-week <i>decoded-time</i>	procedure
---	-----------

Return the day of the week on which *decoded-time* falls, encoded as an exact integer between 0 (Monday) and 6 (Sunday), inclusive.

```
(decoded-time/day-of-week (local-decoded-time)) ⇒ 4
```

decoded-time/daylight-savings-time? <i>decoded-time</i>	procedure
--	-----------

Return **#t** if *decoded-time* is represented using daylight savings time. Otherwise return **#f**.

```
(decoded-time/daylight-savings-time? (local-decoded-time))
⇒ #f
```

decoded-time/zone <i>decoded-time</i>	procedure
--	-----------

Return the time zone in which *decoded-time* is represented. This is an exact rational number between -24 and +24 inclusive, that when multiplied by 3600 is an integer. The value is the number of hours west of UTC.

```
(decoded-time/zone (local-decoded-time)) ⇒ 5
```

time-zone? <i>object</i>	procedure
---------------------------------	-----------

Returns **#t** if *object* is an exact number between -24 and +24 inclusive, that when multiplied by 3600 is an integer.

```
(time-zone? -5) ⇒ #t
(time-zone? 11/2) ⇒ #t
(time-zone? 11/7) ⇒ #f
```

month/max-days <i>month</i>	procedure
------------------------------------	-----------

Returns the maximum number of days possible in *month*. *Month* must be an exact integer between 1 and 12 inclusive.

```
(month/max-days 2) ⇒ 29
(month/max-days 3) ⇒ 31
(month/max-days 4) ⇒ 30
```

15.5.3 File Time

As stated above, file time is operating-system dependent. As of this writing, two formats are used. For unix and Windows systems, file time is the number of seconds since midnight January 1, 1970 UTC (the standard unix time convention).

OS/2 represents file time as a 32-bit unsigned integer, in which the time components are broken down into unsigned bit fields. The components are always stated in local time. The fields, from MSB to LSB, are:

- 7 bits representing the year, relative to 1900.
- 4 bits representing the month, numbered 1 to 12.
- 5 bits representing the day of the month, numbered 1 to 31.
- 5 bits representing the hour of the day, numbered 0 to 23.
- 6 bits representing the minute, numbered 0 to 59.
- 5 bits representing the second. This field is unusual in that it counts units of two seconds, so it is a number between 0 and 29, representing second counts corresponding to 0 through 58.

The following procedures generate their results in file-time format:

```
file-access-time
file-access-time-direct
file-access-time-indirect
file-modification-time
file-modification-time-direct
file-modification-time-indirect
file-attributes/access-time
file-attributes/modification-time
file-attributes/change-time
```

Additionally, `set-file-times!` accepts its time arguments in file-time format.

15.5.4 Time-Format Conversion

The procedures described in this section convert times from one format to another.

universal-time->local-decoded-time *universal-time* procedure
universal-time->global-decoded-time *universal-time* procedure

Converts an argument in universal-time format to decoded-time format. The result is in the local time zone or UTC, respectively.

```
(pp (universal-time->local-decoded-time (get-universal-time)))
+ #[decoded-time 21]
+ (second 23)
+ (minute 57)
+ (hour 17)
+ (day 29)
+ (month 4)
+ (year 1999)
+ (day-of-week 3)
+ (daylight-savings-time 1)
+ (zone 5)
```

```
(pp (universal-time->global-decoded-time
    (get-universal-time)))
+ #[decoded-time 22]
+ (second 27)
+ (minute 57)
+ (hour 21)
+ (day 29)
+ (month 4)
+ (year 1999)
+ (day-of-week 3)
+ (daylight-savings-time 0)
+ (zone 0)
```

universal-time->file-time *universal-time*

procedure

Converts an argument in universal-time format to file-time format.

```
(universal-time->file-time (get-universal-time))
⇒ 925422988
```

universal-time->local-time-string *universal-time*

procedure

universal-time->global-time-string *universal-time*

procedure

Converts an argument in universal-time format to a time string. The result is in the local time zone or UTC, respectively.

```
(universal-time->local-time-string (get-universal-time))
⇒ "Thu, 29 Apr 1999 17:55:31 -0400"
(universal-time->global-time-string (get-universal-time))
⇒ "Thu, 29 Apr 1999 21:55:51 +0000"
```

decoded-time->universal-time *decoded-time*

procedure

Converts an argument in decoded-time format to universal-time format.

```
(decoded-time->universal-time (local-decoded-time))
⇒ 3134411942
(decoded-time->universal-time (global-decoded-time))
⇒ 3134411947
```

decoded-time->file-time *decoded-time*

procedure

Converts an argument in decoded-time format to file-time format.

```
(decoded-time->file-time (local-decoded-time))
⇒ 925423191
(decoded-time->file-time (global-decoded-time))
⇒ 925423195
```

decoded-time->string *decoded-time*

procedure

Convert an argument in decoded-time format to a time string.

```
(decoded-time->string (local-decoded-time))
⇒ "Thu, 29 Apr 1999 18:00:43 -0400"
(decoded-time->string (global-decoded-time))
⇒ "Thu, 29 Apr 1999 22:00:46 +0000"
```

file-time->universal-time *file-time* procedure

Converts an argument in universal-time format to file-time format.

```
(file-time->universal-time (file-modification-time "/"))
⇒ 3133891907
```

file-time->local-decoded-time *file-time* procedure

file-time->global-decoded-time *file-time* procedure

Converts an argument in file-time format to decoded-time format. The result is in the local time zone or UTC, respectively.

```
(pp (file-time->local-decoded-time
    (file-modification-time "/")))
+ #[decoded-time 26]
+ (second 47)
+ (minute 31)
+ (hour 17)
+ (day 23)
+ (month 4)
+ (year 1999)
+ (day-of-week 4)
+ (daylight-savings-time 1)
+ (zone 5)

(pp (file-time->global-decoded-time
    (file-modification-time "/")))
+ #[decoded-time 27]
+ (second 47)
+ (minute 31)
+ (hour 21)
+ (day 23)
+ (month 4)
+ (year 1999)
+ (day-of-week 4)
+ (daylight-savings-time 0)
+ (zone 0)
```

file-time->local-time-string *file-time* procedure

file-time->global-time-string *file-time* procedure

Converts an argument in file-time format to a time string. The result is in the local time zone or UTC, respectively.

```
(file-time->local-time-string (file-modification-time "/"))
⇒ "Fri, 23 Apr 1999 17:31:47 -0400"
(file-time->global-time-string (file-modification-time "/"))
⇒ "Fri, 23 Apr 1999 21:31:47 +0000"
```

string->universal-time *time-string* procedure

Converts a time-string argument to universal-time format.

```
(string->universal-time "Fri, 23 Apr 1999 21:31:47 +0000")
⇒ 3133888307
(string->universal-time "Fri, 23 Apr 1999 17:31:47 -0400")
⇒ 3133888307
```

string->decoded-time *time-string*

procedure

Converts a time-string argument to decoded-time format.

```
(pp (string->decoded-time "Fri, 23 Apr 1999 17:31:47 -0400"))
+ #[decoded-time 30]
+ (second 47)
+ (minute 31)
+ (hour 17)
+ (day 23)
+ (month 4)
+ (year 1999)
+ (day-of-week 4)
+ (daylight-savings-time 0)
+ (zone 4)
```

string->file-time *time-string*

procedure

Converts a time-string argument to file-time format.

```
(string->file-time "Fri, 23 Apr 1999 17:31:47 -0400")
⇒ 924899507
```

15.5.5 External Representation of Time

The normal external representation for time is the time string, as described above. The procedures in this section generate alternate external representations of time which are more verbose and may be more suitable for presentation to human readers.

decoded-time/date-string *decoded-time*

procedure

decoded-time/time-string *decoded-time*

procedure

These procedures return strings containing external representations of the date and time, respectively, represented by *decoded-time*. The results are implicitly in local time.

```
(decoded-time/date-string (local-decoded-time))
⇒ "Tuesday March 30, 1999"
(decoded-time/time-string (local-decoded-time))
⇒ "11:22:38 AM"
```

day-of-week/long-string *day-of-week*

procedure

day-of-week/short-string *day-of-week*

procedure

Returns a string representing the given *day-of-week*. The argument must be an exact non-negative integer between 0 and 6 inclusive. **day-of-week/long-string** returns a long string that fully spells out the name of the day. **day-of-week/short-string** returns a shortened string that abbreviates the day to three letters.

```
(day-of-week/long-string 0) ⇒ "Monday"
(day-of-week/short-string 0) ⇒ "Mon"
(day-of-week/short-string 3) ⇒ "Thu"
```

month/long-string *month* procedure
month/short-string *month* procedure

Returns a string representing the given *month*. The argument must be an exact non-negative integer between 1 and 12 inclusive. **month/long-string** returns a long string that fully spells out the name of the month. **month/short-string** returns a shortened string that abbreviates the month to three letters.

```
(month/long-string 1) ⇒ "January"
(month/short-string 1) ⇒ "Jan"
(month/short-string 10) ⇒ "Oct"
```

time-zone->string procedure

Returns a string corresponding to the given time zone. This string is the same string that is used to generate RFC-822 time strings.

```
(time-zone->string 5) ⇒ "-0500"
(time-zone->string -4) ⇒ "+0400"
(time-zone->string 11/2) ⇒ "-0530"
```

15.6 Machine Time

The previous section dealt with procedures that manipulate clock time. This section describes procedures that deal with computer time: elapsed CPU time, elapsed real time, and so forth. These procedures are useful for measuring the amount of time it takes to execute code.

Some of the procedures in this section manipulate a time representation called *ticks*. A tick is a unit of time that is unspecified here but can be converted to and from seconds by supplied procedures. A count in ticks is represented as an exact integer. At present each tick is one millisecond, but this may change in the future.

process-time-clock procedure

Returns the amount of process time, in ticks, that has elapsed since Scheme was started. Process time is measured by the operating system and is time during which the Scheme process is computing. It does not include time in system calls, but depending on the operating system it may include time used by subprocesses.

```
(process-time-clock) ⇒ 21290
```

real-time-clock procedure

Returns the amount of real time, in ticks, that has elapsed since Scheme was started. Real time is the time measured by an ordinary clock.

```
(real-time-clock) ⇒ 33474836
```

internal-time/ticks->seconds *ticks* procedure

Returns the number of seconds corresponding to *ticks*. The result is always a real number.


```
(internal-time/ticks->seconds 21290) ⇒ 21.29
(internal-time/ticks->seconds 33474836) ⇒ 33474.836
```

internal-time/seconds->ticks *seconds* procedure

Returns the number of ticks corresponding to *seconds*. *Seconds* must be a real number.

```
(internal-time/seconds->ticks 20.88) ⇒ 20880
(internal-time/seconds->ticks 20.83) ⇒ 20830
```

system-clock procedure

Returns the amount of process time, in seconds, that has elapsed since Scheme was started. Roughly equivalent to:

```
(internal-time/ticks->seconds (process-time-clock))
```

Example:

```
(system-clock) ⇒ 20.88
```

runtime procedure

Returns the amount of process time, in seconds, that has elapsed since Scheme was started. However, it does not include time spent in garbage collection.

```
(runtime) ⇒ 20.83
```

with-timings *thunk receiver* procedure

Calls *thunk* with no arguments. After *thunk* returns, *receiver* is called with three arguments describing the time spent while computing *thunk*: the elapsed run time, the amount of time spent in the garbage collector, and the elapsed real time. All three times are in ticks.

This procedure is most useful for doing performance measurements, and is designed to have relatively low overhead.

```
(with-timings
 (lambda () ...hairly computation...)
 (lambda (run-time gc-time real-time)
  (write (internal-time/ticks->seconds run-time))
  (write-char #\space)
  (write (internal-time/ticks->seconds gc-time))
  (write-char #\space)
  (write (internal-time/ticks->seconds real-time))
  (newline)))
```

measure-interval *runtime? procedure* procedure

Calls *procedure*, passing it the current process time, in seconds, as an argument. The result of this call must be another procedure. When *procedure* returns, the resulting procedure is tail-recursively called with the ending time, in seconds, as an argument. If *runtime?* is **#f**, the elapsed time is deducted from the elapsed system time returned by *runtime*.

While this procedure can be used for time measurement, its interface is somewhat clumsy for that purpose. We recommend that you use **with-timings** instead, because it is more convenient and has lower overhead.

```
(measure-interval #t
  (lambda (start-time)
    (let ((v ...hairy computation...))
      (lambda (end-time)
        (write (- end-time start-time))
        (newline)
        v))))
```

15.7 Subprocesses

MIT Scheme provides the ability to run and control subprocesses. This support is divided into two parts: a low-level set of primitives that maps onto the underlying operating system's process-control primitives, and a high-level set of procedures for starting a subprocess and running it to completion in a single call. Subprocesses that are run in the latter fashion are referred to as *synchronous*, because they are started and stopped in synchrony with a Scheme procedure call.

This chapter documents Scheme's high-level synchronous-subprocess support. The low-level support is not documented but is available for those who are willing to read the source code.

Synchronous-subprocess support is a run-time-loadable option. To use it, execute

```
(load-option 'synchronous-subprocess)
```

once before calling it.

15.7.1 Subprocess Procedures

There are two commands for running synchronous subprocesses under Scheme. **run-shell-command** is very simple to use, provides access to all shell features, and is to be preferred in most situations. **run-synchronous-subprocess** allows direct execution of a program and precise control of the command-line arguments passed to the program, but does not provide file globbing, I/O redirection, or other shell features.

run-shell-command *command option . . .* procedure

Runs *command*, which must be a string. *Command* is passed to a command shell for interpretation; how the shell is chosen is detailed below.

The *options* are a sequence of keyword/value pairs that specify optional behavior. See below for more information about options.

run-shell-command waits until the subprocess completes its execution and returns the exit code from the subprocess. If the subprocess is killed or stopped, an error is signalled and the procedure does not return.

run-synchronous-subprocess *program arguments option . . .* procedure

Runs *program*, passing it the given command-line *arguments*. *Program* must be either the name of a program on the path, or else a pathname to a specific program. *Arguments* must be a list of strings; each string is a single command-line argument to the program.

The *options* are a sequence of keyword/value pairs that specify optional behavior. See below for more information about options.

run-synchronous-subprocess waits until the subprocess completes its execution and returns the exit code from the subprocess. If the subprocess is killed or stopped, an error is signalled and the procedure does not return.

15.7.2 Subprocess Conditions

If a subprocess spawned by one of the above procedures is killed or suspended, then one of the following errors will be signalled.

condition-type:subprocess-signalled *subprocess reason* condition type

This condition type is a subtype of **condition-type:subprocess-abnormal-termination**. It is signalled when the subprocess is killed.

Subprocess is an object that represents the subprocess involved. The internals of this object can be accessed but the interface is not documented at this time; see the source code for details.

Reason is interesting only on unix systems, where it is the signal that killed the process. On other systems it has a fixed value that conveys no useful information.

condition-type:subprocess-stopped *subprocess reason* condition type

This condition type is a subtype of **condition-type:subprocess-abnormal-termination**. It is signalled when the subprocess is stopped or suspended.

Subprocess is an object that represents the subprocess involved. The internals of this object can be accessed but the interface is not documented at this time; see the source code for details.

Reason is interesting only on unix systems, where it is the signal that stopped the process. On other systems it has a fixed value that conveys no useful information.

condition-type:subprocess-abnormal-termination condition type
subprocess reason

This condition type is a subtype of **condition-type:error**. This is an abstract type that is never signalled. It is provided so that condition handlers can be bound to it.

15.7.3 Subprocess Options

The following subprocess options may be passed to **run-shell-command** or **run-synchronous-subprocess**. These options are passed as alternating keyword/value pairs, for example:

```
(run-shell-command "ls /"
                   'output my-output-port
                   'output-buffer-size 8192)
```

The example shows a shell command being run with two options specified: **output** and **output-buffer-size**.

input *port* subprocess option

Specifies the standard input of the subprocess. *Port* may be an input port, in which case characters are read from *port* and fed to the subprocess until *port* reaches end-of-file. Alternatively, *port* may be **#f**, indicating that the subprocess has no standard input.

The default value of this option is **#f**.

```
(call-with-input-file "foo.in"
  (lambda (port)
    (run-shell-command "cat > /dev/null" 'input port)))
```

input-line-translation *line-ending* subprocess option

Specifies how line-endings should be translated when writing characters to the subprocess. Ignored if the **input** option is **#f**. *Line-ending* must be either a string specifying the line ending, or the symbol **default**, meaning to use the operating system's standard line ending. In either case, newline characters to be written to the **input** port are translated to the specified line ending before being written.

The default value of this option is **default**.

```
(call-with-input-file "foo.in"
  (lambda (port)
    (run-shell-command "cat > /dev/null"
      'input port
      'input-line-translation "\r\n"))))
```

input-buffer-size *n* subprocess option

Specifies the size of the input buffer for the standard input of the subprocess. (This is the buffer on the Scheme side, and has nothing to do with any buffering done on the subprocess side.) Ignored if the **input** option is **#f**. *N* must be an exact positive integer specifying the number of characters the buffer can hold.

The default value of this option is 512.

```
(call-with-input-file "foo.in"
  (lambda (port)
    (run-shell-command "cat > /dev/null"
      'input port
      'input-buffer-size 4096)))
```

output *port* subprocess option

Specifies the standard output and standard error of the subprocess. *Port* may be an output port, in which case characters are read from the subprocess and fed to *port* until the subprocess finishes. Alternatively, *port* may be **#f**, indicating that the subprocess has no standard output or standard error.

The default value of this option is the value of **(current-output-port)**.

```
(call-with-output-file "foo.out"
  (lambda (port)
    (run-shell-command "ls -la /etc" 'output port)))
```

output-line-translation *line-ending* subprocess option

Specifies how line-endings should be translated when reading characters from the standard output of the subprocess. Ignored if the `output` option is `#f`. *Line-ending* must be either a string specifying the line ending, or the symbol `default`, meaning to use the operating system's standard line ending. In either case, newline characters read from the subprocess port are translated to the specified line ending.

The default value of this option is `default`.

```
(call-with-output-file "foo.out"
  (lambda (port)
    (run-shell-command "ls -la /etc"
      'output port
      'output-line-translation "\r\n")))
```

output-buffer-size *n* subprocess option

Specifies the size of the output buffer for the standard output of the subprocess. (This is the buffer on the Scheme side, and has nothing to do with any buffering done on the subprocess side.) Ignored if the `output` option is `#f`. *N* must be an exact positive integer specifying the number of characters the buffer can hold.

The default value of this option is 512.

```
(call-with-output-file "foo.out"
  (lambda (port)
    (run-shell-command "ls -la /etc"
      'output port
      'output-buffer-size 4096))))
```

redisplay-hook *thunk* subprocess option

Specifies that *thunk* is to be run periodically when output from the subprocess is available. *Thunk* must be a procedure of no arguments, or `#f` indicating that no hook is supplied. This option is mostly useful for interactive systems. For example, the Edwin text editor uses this to update output buffers when running some subprocesses.

The default value of this option is `#f`.

```
(run-shell-command "ls -la /etc"
  'redisplay-hook
  (lambda ()
    (update-buffer-contents buffer))))
```

environment *environment* subprocess option

Specifies the environment variables that are to be used for the subprocess. *Environment* must be either a vector of strings or `#f` indicating the default environment. If it is a vector of strings, each string must be a name/value pair where the name and value are separated by an equal sign, for example, `"foo=bar"`. To define a variable with no value, just omit the value, as in `"foo="`.

Note that the variable `scheme-subprocess-environment` is bound to the default subprocess environment.

The default value of this option is `#f`.

```
(run-shell-command "ls -la /etc"
  'environment
  (let* ((v scheme-subprocess-environment)
        (n (vector-length v))
        (v (vector-grow v (+ n 1))))
    (vector-set! v n "TERM=none")
    v))
```

working-directory *pathname*

subprocess option

Specifies the working directory in which the subprocess will run.

The default value of this option is (working-directory-pathname).

```
(run-shell-command "ls -la" 'working-directory "/etc/")
```

use-pty? *boolean*

subprocess option

This option is meaningful only on unix systems; on other systems it is ignored. Specifies whether to communicate with the subprocess using PTY devices; if true, PTYS will be used, otherwise pipes will be used.

The default value of this option is #f.

```
(run-shell-command "ls -la /etc" 'use-pty? #t)
```

shell-file-name *pathname*

subprocess option

Specifies the shell program to use for run-shell-command.

The default value of this option is (os/shell-file-name). This is the value of the environment variable SHELL, or if SHELL is not set, the value is operating-system dependent as follows:

- On unix systems, '/bin/sh' is used.
- On OS/2 systems, the value of the environment variable COMSPEC is used, or if that is not set, 'cmd.exe' on the current path.
- On Windows systems, the value of the environment variable COMSPEC is used. If that is not set, 'cmd.exe' is used for Windows NT, or 'command.com' is used for Windows 9x; in each case the shell is found by searching the path.

```
(run-shell-command "ls -la /etc"
  'shell-file-name "/usr/local/bin/bash")
```

15.8 TCP Sockets

MIT Scheme provides access to *sockets*, which are a mechanism for inter-process communication. TCP stream sockets are supported, which communicate between computers over a TCP/IP network. TCP sockets are supported on all operating systems.

TCP sockets have two distinct interfaces: one interface to implement a *client* and another to implement a *server*. The basic protocol is that servers set up a listening port and wait for connections from clients. Implementation of clients is simpler and will be treated first.

The socket procedures accept two special arguments, called *host-name* and *service*. *Host-name* is a string which must be the name of an internet host. It is looked up using the

ordinary lookup rules for your computer. For example, if your host is `foo.mit.edu` and *host-name* is `"bar"`, then it specifies `bar.mit.edu`.

Service specifies the service to which you will connect. A networked computer normally provides several different services, such as telnet or FTP. Each service is associated with a unique *port number*; for example, the `"www"` service is associated with port 80. The *service* argument specifies the port number, either as a string, or directly as an exact non-negative integer. Port strings are decoded by the operating system using a table; for example, on unix the table is in `'/etc/services'`. Usually you will use a port string rather than a number.

open-tcp-stream-socket *host-name service* [*buffer-size* *procedure*
[*line-translation*]]

open-tcp-stream-socket opens a connection to the host specified by *host-name*. *Host-name* is looked up using the ordinary lookup rules for your computer. The connection is established to the service specified by *service*. The returned value is an I/O port, to which you can read and write characters using ordinary Scheme I/O procedures such as `read-char` and `write-char`.

Buffer-size specifies the size of the read and write buffers used by the port; if this is unspecified or `#f`, the buffers will hold 4096 bytes.

Line-translation specifies how end-of-line characters will be translated when reading or writing to the socket. If this is unspecified or `#f`, then lines will be terminated by CR-LF, which is the standard for most internet protocols. Otherwise, it must be a string, which specifies the line-ending character sequence to use.

When you wish to close the connection, just use `close-port`.

As an example, here is how you can open a connection to a web server:

```
(open-tcp-stream-socket "web.mit.edu" "www")
```

Next we will treat setting up a TCP server, which is slightly more complicated. Creating a server is a two-part process. First, you must open a *server socket*, which causes the operating system to listen to the network on a port that you specify. Once the server socket is opened, the operating system will allow clients to connect to your computer on that port.

In the second step of the process, you *accept* the connection, which completes the connection initiated by the client, and allows you to communicate with the client. Accepting a connection does not affect the server socket; it continues to listen for additional client connections. You can have multiple client connections to the same server socket open simultaneously.

open-tcp-server-socket *service* [*address*] *procedure*

This procedure opens a server socket that listens for connections to *service*; the socket will continue to listen until you close it. The returned value is a server socket object.

An error is signalled if another process is already listening on the service. Additionally, ports whose number is less than 1024 are privileged on many operating systems, and cannot be used by non-privileged processes; if *service* specifies such a port and you do not have administrative privileges, an error may be signalled.

The optional argument *address* specifies the IP address on which the socket will listen. If this argument is not supplied or is given as **#f**, then the socket listens on all IP addresses for this machine. (This is equivalent to passing the result of calling **host-address-any**.)

tcp-server-connection-accept *server-socket block? peer-address* procedure

Checks to see if a client has connected to *server-socket*. If so, an I/O port is returned. The returned port can be read and written using ordinary Scheme I/O procedures such as **read-char** and **write-char**.

The argument *block?* says what to do if no client has connected at the time of the call. If **#f**, it says to return immediately with two values of **#f**. Otherwise, the call waits until a client connects.

The argument *peer-address* is either **#f** or an IP address as allocated by **allocate-host-address**. If it is an IP address, the address is modified to be the address of the client making the connection.

Note that closing the port returned by this procedure does not affect *server-socket*; it just closes the particular client connection that was opened by the call. To close *server-socket*, use **close-tcp-server-socket**.

close-tcp-server-socket *server-socket* procedure

Closes the server socket *server-socket*. The operating system will cease listening for network connections to that service. Client connections to *server-socket* that have already been accepted will not be affected.

15.9 Miscellaneous OS Facilities

This section contains assorted operating-system facilities that don't fit into other categories.

microcode-id/operating-system variable

microcode-id/operating-system-name variable

microcode-id/operating-system is bound to a symbol that specifies the type of operating system that Scheme is running under. There are three possible values: **unix**, **os/2**, or **nt**.

microcode-id/operating-system-name is a string containing the same name as **microcode-id/operating-system**; the latter is created by interning the former as a symbol.

microcode-id/operating-system-variant variable

This variable is a string that identifies the particular variant of the operating system that Scheme is running under. Here are some of the possible values:


```

"GNU/Linux"
"FreeBSD"
"HP-UX"
"SunOS"
"OS/2 2.1"
"OS/2 4.0"
"Microsoft Windows NT 4.0 (Build 1381; Service Pack 3)"
"Microsoft Windows 98 (Build 410)"

```

For Windows systems, it is recommended that you match on the prefix of this string and ignore the "Build" suffix. This is because the suffix may contain information about service packs or fixes, while the prefix will be constant for a particular version of Windows.

The next few procedures provide access to the *domain name service* (DNS), which maintains associations between internet host names such as "www.swiss.ai.mit.edu" and IP addresses, such as 18.23.0.16. In MIT Scheme, we represent an internet host name as a string, and an IP address as a byte vector of length 4 (byte vectors are just character strings that are accessed using `vector-8b-ref` rather than `string-ref`). The bytes in an IP address read in the same order as they do when written out:

```
(get-host-by-name "www.swiss") ⇒ #("\022\027\000\020")
```

get-host-by-name *host-name* procedure

Looks up the internet host name *host-name* using the DNS, returning a vector of IP addresses for the corresponding host, or `#f` if there is no such host. Usually the returned vector has only one element, but if a host has more than one network interface, the vector might have more than one element.

```
(get-host-by-name "www.swiss") ⇒ #("\022\027\000\020")
```

get-host-by-address *ip-address* procedure

Does a reverse DNS lookup on *ip-address*, returning the internet host name corresponding to that address, or `#f` if there is no such host.

```
(get-host-by-address "\022\027\000\020") ⇒ "swissnet.ai.mit.edu"
```

canonical-host-name *host-name* procedure

Finds the "canonical" internet host name for *host-name*. For example:

```

(canonical-host-name "zurich")    ⇒ "zurich.ai.mit.edu"
(canonical-host-name "www.swiss") ⇒ "swissnet.ai.mit.edu"

```

In both examples, the default internet domain 'ai.mit.edu' is added to *host-name*. In the second example, "www.swiss" is an alias for another computer named "swissnet".

get-host-name procedure

Returns the string that identifies the computer that MIT Scheme is running on. Usually this is an unqualified internet host name, i.e. the host name without the domain suffix:

```
(get-host-name) ⇒ "aarau"
```

os/hostname procedure

Returns the canonical internet host name of the computer that MIT Scheme is running on. So, in contrast to the example for `get-host-name`:

`(os/hostname) ⇒ "aarau.ai.mit.edu"`

allocate-host-address procedure

Allocates and returns an IP address object. This is just a string of a fixed length (current 4 bytes) into which an IP address may be stored. This procedure is used to generate an appropriate argument to be passed to `tcp-server-connection-accept`.

`(allocate-host-address) ⇒ "Xe\034\241"`

host-address-any procedure

Return an IP address object that specifies “any host”. This object is useful only when passed as the *address* argument to `open-tcp-server-socket`.

`(host-address-any) ⇒ "\000\000\000\000"`

host-address-loopback procedure

Return an IP address object that specifies the local *loopback* network interface. The loopback interface is a software network interface that can be used only for communicating between processes on the same computer. This address object is useful only when passed as the *address* argument to `open-tcp-server-socket`.

`(host-address-loopback) ⇒ "\177\000\000\001"`

16 Error System

The MIT Scheme error system provides a uniform mechanism for the signalling of errors and other exceptional conditions. The simplest and most generally useful procedures in the error system are:

- error** is used to signal simple errors, specifying a message and some irritant objects (see [Section 16.1 \[Condition Signalling\]](#), page 258). Errors are usually handled by stopping the computation and putting the user in an error REPL.
- warn** is used to signal warnings (see [Section 16.1 \[Condition Signalling\]](#), page 258). Warnings are usually handled by printing a message on the console and continuing the computation normally.
- ignore-errors** is used to suppress the normal handling of errors within a given dynamic extent (see [Section 16.3 \[Condition Handling\]](#), page 261). Any error that occurs within the extent is trapped, returning immediately to the caller of **ignore-errors**.

More demanding applications require more powerful facilities. To give a concrete example, suppose you want floating-point division to return a very large number whenever the denominator is zero. This behavior can be implemented using the error system.

The Scheme arithmetic system can signal many different kinds of errors, including floating-point divide by zero. In our example, we would like to handle this particular condition specially, allowing the system to handle other arithmetic errors in its usual way.

The error system supports this kind of application by providing mechanisms for distinguishing different types of error conditions and for specifying where control should be transferred should a given condition arise. In this example, there is a specific object that represents the “floating-point divide by zero” condition type, and it is possible to dynamically specify an arbitrary Scheme procedure to be executed when a condition of that type is signalled. This procedure then finds the stack frame containing the call to the division operator, and returns the appropriate value from that frame.

Another useful kind of behavior is the ability to specify uniform handling for related classes of conditions. For example, it might be desirable, when opening a file for input, to gracefully handle a variety of different conditions associated with the file system. One such condition might be that the file does not exist, in which case the program will try some other action, perhaps opening a different file instead. Another related condition is that the file exists, but is read protected, so it cannot be opened for input. If these or any other related conditions occur, the program would like to skip this operation and move on to something else.

At the same time, errors unrelated to the file system should be treated in their usual way. For example, calling **car** on the argument 3 should signal an error. Or perhaps the name given for the file is syntactically incorrect, a condition that probably wants to be handled differently from the case of the file not existing.

To facilitate the handling of classes of conditions, the error system taxonomically organizes all condition types. The types are related to one another by *taxonomical links*, which specify that one type is a “kind of” another type. If two types are linked this way, one is considered to be a *specialization* of the other; or vice-versa, the second is a *generalization*

of the first. In our example, all of the errors associated with opening an input file would be specializations of the condition type “cannot open input file”.

The taxonomy of condition types permits any condition type to have no more than one immediate generalization. Thus, the condition types form a forest (set of trees). While users can create new trees, the standard taxonomy (see [Section 16.7 \[Taxonomy\]](#), page 272) is rooted at `condition-type:serious-condition`, `condition-type:warning`, `condition-type:simple-condition`, and `condition-type:breakpoint`; users are encouraged to add new subtypes to these condition types rather than create new trees in the forest.

To summarize, the error system provides facilities for the following tasks. The sections that follow will describe these facilities in more detail.

Signalling a condition

A condition may be signalled in a number of different ways. Simple errors may be signalled, without explicitly defining a condition type, using `error`. The `signal-condition` procedure provides the most general signalling mechanism.

Handling a condition

The programmer can dynamically specify handlers for particular condition types or for classes of condition types, by means of the `bind-condition-handler` procedure. Individual handlers have complete control over the handling of a condition, and additionally may decide not to handle a particular condition, passing it on to previously bound handlers.

Restarting from a handler

The `with-restart` procedure provides a means for condition-signalling code to communicate to condition-handling code what must be done to proceed past the condition. Handlers can examine the restarts in effect when a condition was signalled, allowing a structured way to continue an interrupted computation.

Packaging condition state

Each condition is represented by an explicit object. Condition objects contain information about the nature of the condition, information that describes the state of the computation from which the condition arose, and information about the ways the computation can be restarted.

Classification of conditions

Each condition has a type, represented by a condition type object. Each condition type may be a specialization of some other condition types. A group of types that share a common generalization can be handled uniformly by specifying a handler for the generalization.

16.1 Condition Signalling

Once a condition instance has been created using `make-condition` (or any condition constructor), it can be *signalled*. The act of signalling a condition is separated from the act of creating the condition to allow more flexibility in how conditions are handled. For example, a condition instance could be returned as the value of a procedure, indicating that something unusual has happened, to allow the caller to clean up some state. The caller could then signal the condition once it is ready.

A more important reason for having a separate condition-signalling mechanism is that it allows *resignalling*. When a signalled condition has been caught by a particular handler, and the handler decides that it doesn't want to process that particular condition, it can signal the condition again. This is one way to allow other handlers to get a chance to see the condition.

error *reason argument...*

procedure

This is the simplest and most common way to signal a condition that requires intervention before a computation can proceed (when intervention is not required, **warn** is more appropriate). **error** signals a condition (using **signal-condition**), and if no handler for that condition alters the flow of control (by invoking a restart, for example) it calls the procedure **standard-error-handler**, which normally prints an error message and stops the computation, entering an error REPL. Under normal circumstances **error** will not return a value (although an interactive debugger can be used to force this to occur).

Precisely what condition is signalled depends on the first argument to **error**. If *reason* is a condition, then that condition is signalled and the *arguments* are ignored. If *reason* is a condition type, then a new instance of this type is generated and signalled; the *arguments* are used to generate the values of the fields for this condition type (they are passed as the *field-plist* argument to **make-condition**). In the most common case, however, *reason* is neither a condition nor a condition type, but rather a string or symbol. In this case a condition of type **condition-type:simple-error** is created with the *message* field containing the *reason* and the *irritants* field containing the *arguments*.

warn *reason argument...*

procedure

When a condition is not severe enough to warrant intervention, it is appropriate to signal the condition with **warn** rather than **error**. As with **error**, **warn** first calls **signal-condition**; the condition that is signalled is chosen exactly as in **error** except that a condition of type **condition-type:simple-warning** is signalled if *reason* is neither a condition nor a condition type. If the condition is not handled, **warn** calls the procedure **standard-warning-handler**, which normally prints a warning message and continues the computation by returning from **warn**.

warn establishes a restart named **muffle-warning** before calling **signal-condition**. This allows a signal handler to prevent the generation of the warning message by calling **muffle-warning**. The value of a call to **warn** is unspecified.

signal-condition *condition*

procedure

This is the fundamental operation for signalling a condition. The precise operation of **signal-condition** depends on the condition type of which *condition* is an instance, the condition types set by **break-on-signals**, and the handlers established by **bind-condition-handler** and **bind-default-condition-handler**.

If the *condition* is an instance of a type that is a specialization of any of the types specified by **break-on-signals**, then a breakpoint REPL is initiated. Otherwise (or when that REPL returns), the handlers established by **bind-condition-handler** are checked, most recent first. Each applicable handler is invoked, and the search for a

handler continues if the handler returns normally. If all applicable handlers return, then the applicable handlers established by `bind-default-condition-handler` are checked, again most recent first. Finally, if no handlers apply (or all return in a normal manner), `signal-condition` returns an unspecified value.

Note: unlike many other systems, the MIT Scheme runtime library does *not* establish handlers of any kind. (However, the Edwin text editor uses condition handlers extensively.) Thus, calls to `signal-condition` will return to the caller unless there are user supplied condition handlers, as the following example shows:

```
(signal-condition
  (make-condition
    condition-type:error
    (call-with-current-continuation (lambda (x) x))
    '() ; no restarts
    '()) ; no fields
  ⇒ unspecified
```

16.2 Error Messages

By convention, error messages (and in general, the reports generated by `write-condition-report`) should consist of one or more complete sentences. The usual rules for sentences should be followed: the first word of the sentence should be capitalized, and the sentence should be terminated by a period. The message should not contain extraneous whitespace such as line breaks or indentation.

The error system provides a simple formatting language that allows the programmer to have some control over the printing of error messages. This formatting language will probably be redesigned in a future release.

Error messages typically consist of a string describing the error, followed by some irritant objects. The string is printed using `display`, and the irritants are printed using `write`, typically with a space between each irritant. To allow simple formatting, we introduce a *noise* object, printed using `display`. The irritant list may contain ordinary objects interspersed with noise objects. Each noise object is printed using `display`, with no extra whitespace, while each normal object is printed using `write`, prefixed by a single space character.

Here is an example:

```
(define (error-within-procedure message irritant procedure)
  (error message
    irritant
    (error-irritant/noise "within procedure")
    procedure
    (error-irritant/noise ".")))

```

This would format as follows:

```
(error-within-procedure "Bad widget" 'widget-32 'invert-widget) error
```

```
Bad widget widget-32 within procedure invert-widget.
```

Here are the operations supporting error messages:

format-error-message *message irritants port* procedure

Message is typically a string (although this is not required), *irritants* a list of irritant objects, and *port* an output port. Formats *message* and *irritants* to *port* in the standard way. Note that, during the formatting process, the depth and breadth to which lists are printed are each limited to small numbers, to guarantee that the output from each irritant is not arbitrarily large.

error-irritant/noise *value* procedure

Creates and returns a noise object whose value is *value*.

16.3 Condition Handling

The occurrence of a condition is signalled using **signal-condition**. **signal-condition** attempts to locate and invoke a *condition handler* that is prepared to deal with the type of condition that has occurred. A condition handler is a procedure of one parameter, the condition that is being signalled. A procedure is installed as a condition handler by calling **bind-condition-handler** (to establish a handler that is in effect only while a particular thunk is executing) or **bind-default-condition-handler** (to establish a handler that is in effect permanently). As implied by the name, handlers created by **bind-default-condition-handler** are invoked only after all other applicable handlers have been invoked.

A *handler* may process a signal in any way it deems appropriate, but the common patterns are:

Ignore the condition.

By returning from the handler in the usual manner.

Handle the condition.

By doing some processing and then invoking a restart (or, less preferably, a continuation) that was established at some point prior to the call to **signal-condition**.

Resignal a condition.

By doing some processing and calling **signal-condition** with either the same condition or a newly created one. In order to support this, **signal-condition** runs *handler* in such a way that a subsequent call to **signal-condition** sees only the handlers that were established prior to this one.

As an aid to debugging condition handlers, Scheme maintains a set of condition types that will cause an interactive breakpoint to occur prior to normal condition signalling. That is, **signal-condition** creates a new REPL prior to its normal operation when its argument is a condition that is a specialization of any of these types. The procedure **break-on-signals** establishes this set of condition types.

ignore-errors *thunk* procedure

Executes *thunk* with a condition handler that intercepts the signalling of any specialization of **condition-type:error** (including those produced by calls to **error**) and immediately terminates the execution of *thunk* and returns from the call to **ignore-errors** with the signalled condition as its value. If *thunk* returns normally, its value is returned from **ignore-errors**.

Notice that `ignore-errors` does not “turn off signalling” or condition handling. Condition handling takes place in the normal manner but conditions specialized from `condition-type:error` are trapped rather than propagated as they would be by default.

bind-condition-handler *condition-types handler thunk* procedure

Invokes *thunk* after adding *handler* as a condition handler for the conditions specified by *condition-types*. *Condition-types* must be a list of condition types; signalling a condition whose type is a specialization of any of these types will cause the *handler* to be invoked. See `signal-condition` for a description of the mechanism used to invoke handlers.

By special extension, if *condition-types* is the empty list then the *handler* is called for all conditions.

bind-default-condition-handler *condition-types handler* procedure

Installs *handler* as a (permanent) condition handler for the conditions specified by *condition-types*. *Condition-types* must be a list of condition types; signalling a condition whose type is a specialization of any of these types will cause the *handler* to be invoked. See `signal-condition` for a description of the mechanism used to invoke handlers.

By special extension, if *condition-types* is the empty list then the *handler* is called for all conditions.

break-on-signals *condition-types* procedure

Arranges for `signal-condition` to create an interactive REPL before it signals a condition that is a specialization of any of the types in the list of *condition-types*. This can be extremely helpful when trying to debug code that uses custom condition handlers. In order to create a REPL when *any* condition type is signalled it is best to actually put a breakpoint on entry to `signal-condition`.

standard-error-handler *condition* procedure

Called internally by `error` after it calls `signal-condition`. Normally creates a new REPL with the prompt `"error>"` (but see `standard-error-hook`). In order to simulate the effect of calling `error`, code may call `signal-condition` directly and then call `standard-error-handler` if `signal-condition` returns.

standard-error-hook variable

This variable controls the behavior of the procedure `standard-error-handler`, and hence `error`. It is intended to be bound with `fluid-let` and is normally `#f`. It may be changed to a procedure of one argument and will then be invoked (with `standard-error-hook` rebound to `#f`) by `standard-error-handler` just prior to starting the error REPL. It is passed one argument, the condition being signalled.

standard-warning-handler *condition* procedure

This is the procedure called internally by `warn` after it calls `signal-condition`. The normal behavior of `standard-warning-handler` is to print a message (but see

`standard-warning-hook`). More precisely, the message is printed to the port returned by `notification-output-port`. The message is formed by first printing the string "Warning: " to this port, and then calling `write-condition-report` on *condition* and the port.

In order to simulate the effect of calling `warn`, code may call `signal-condition` directly and then call `standard-warning-handler` if `signal-condition` returns. (This is not sufficient to implement the `muffle-warning` protocol, however. For that purpose an explicit restart must be provided.)

standard-warning-hook

variable

This variable controls the behavior of the procedure `standard-warning-handler`, and hence `warn`. It is intended to be bound with `fluid-let` and is normally `#f`. It may be changed to a procedure of one argument and will then be invoked (with `standard-warning-hook` rebound to `#f`) by `standard-warning-handler` in lieu of writing the warning message. It is passed one argument, the condition being signalled.

16.4 Restarts

The Scheme error system provides a mechanism, known as *restarts*, that helps coordinate condition-signalling code with condition-handling code. A module of code that detects and signals conditions can provide procedures (using `with-simple-restart` or `with-restart`) to be invoked by handlers that wish to continue, abort, or restart the computation. These procedures, called *restart effectors*, are encapsulated in restart objects.

When a condition object is created, it contains a set of restart objects, each of which contains a restart effector. Condition handlers can inspect the condition they are handling (using `find-restart` to find restarts by name, or `condition/restarts` to see the entire set), and they can invoke the associated effectors (using `invoke-restart` or `invoke-restart-interactively`). Effectors can take arguments, and these may be computed directly by the condition-handling code or by gathering them interactively from the user.

The names of restarts can be chosen arbitrarily, but the choice of name is significant. These names are used to coordinate between the signalling code (which supplies names for restarts) and the handling code (which typically chooses a restart effector by the name of its restart). Thus, the names specify the *restart protocol* implemented by the signalling code and invoked by the handling code. The protocol indicates the number of arguments required by the effector code as well as the semantics of the arguments.

Scheme provides a conventional set of names (hence, protocols) for common use. By choosing the names of restarts from this set, signalling code can indicate that it is able to perform a small set of fairly common actions (`abort`, `continue`, `muffle-warning`, `retry`, `store-value`, `use-value`). In turn, simple condition-handling code can look for the kind of action it wishes to perform and simply invoke it by name. All of Scheme's conventional names are symbols, although in general restart names are not restricted to any particular data type. In addition, the object `#f` is reserved to indicate the "not for automated use" protocol: these restarts should be activated only under human control.

Restarts themselves are first-class objects. They encapsulate their name, a procedure (known as the *effector*) to be executed if they are invoked, and a thunk (known as the

reporter) that can be invoked to display a description of the restart (used, for example, by the interactive debugger). Invoking a restart is an indication that a handler has chosen to accept control for a condition; as a consequence, the *effector* of the restart should not return, since this would indicate that the handler declined to handle the condition. Thus, the *effector* should call a continuation captured before the condition-signalling process began. The most common pattern of usage by signalling code is encapsulated in `with-simple-restart`.

Within this chapter, a parameter named *restarts* will accept any of the following values:

- A list of restart objects.
- A condition. The procedure `condition/restarts` is called on the condition, and the resulting list of restarts is used in place of the condition.
- The symbol `bound-restarts`. The procedure `bound-restarts` is called (with no arguments), and the resulting list of restarts is used in place of the symbol.
- If the *restarts* parameter is optional and is not supplied, it is equivalent to having specified the symbol `bound-restarts`.

16.4.1 Establishing Restart Code

with-simple-restart *name reporter thunk* procedure

Invokes *thunk* in a dynamic environment created by adding a restart named *name* to the existing named restarts. *Reporter* may be used during the execution of *thunk* to produce a description of the newly created restart; it must either be a procedure of one argument (a port) or a string. By convention, the description generated by *reporter* should be a short complete sentence, with first word capitalized and terminated by a period. The sentence should fit on one line with a little room to spare (see the examples below); usually this means that the sentence should be 70 characters or less in length.

If the restart created by `with-simple-restart` is invoked it simply aborts the computation in progress by returning an unspecified value from the call to `with-simple-restart`. Otherwise `with-simple-restart` returns the value computed by *thunk*.

```
(with-simple-restart 'george "This restart is named george."
  (lambda () 3)) ⇒ 3
```

```
(with-simple-restart 'george "This restart is named george."
  (lambda ()
    (invoke-restart (find-restart 'george)))) ⇒ unspecified
```

```
(with-simple-restart 'george "This restart is named george."
  (lambda () (car 3)))
;The object 3, passed as the first argument to car,
; is not the correct type.
;To continue, call RESTART with an option number:
; (RESTART 3) => Specify an argument to use in its place.
; (RESTART 2) => This restart is named george.
; (RESTART 1) => Return to read-eval-print level 1.
```

with-restart *name reporter effector interactor thunk* procedure

Invokes *thunk* in a dynamic environment created by adding a restart named *name* to the existing named restarts. *Reporter* may be used during the execution of *thunk* to produce a description of the newly created restart; it must either be a procedure of one argument (a port) or a string. *Effector* is a procedure which will be called when the restart is invoked by `invoke-restart`. *Interactor* specifies the arguments that are to be passed to *effector* when it is invoked interactively; it may be either a procedure of no arguments, or `#f`. If *interactor* is `#f`, this restart is not meant to be invoked interactively.

The value returned by `with-restart` is the value returned by *thunk*. Should the restart be invoked by a condition handler, however, the *effector* will not return back to the handler that invoked it. Instead, the *effector* should call a continuation created before the condition-signalling process began, and `with-restart` will therefore not return in the normal manner.

```
(define (by-george! thunk)
  ; This code handles conditions that arise while executing thunk
  ; by invoking the GEORGE restart, passing 1 and 2 to the restart's
  ; effector code.
  (bind-condition-handler '() ; All conditions
    (lambda (condition)
      (invoke-restart (find-restart 'george) 1 2))
    thunk))

(define (can-george! thunk)
  ; This code provides a way of handling errors: the GEORGE restart.
  ; In order to GEORGE you must supply two values.
  (lambda ()
    (call-with-current-continuation
      (lambda (kappa)
        (with-restart
          'george ; Name
          "This restart is named george." ; Reporter
          (lambda (a b) ; Effector
            (kappa (list 'george a b)))
          values ; Interactor
          thunk)))) ; Thunk

(by-george! (can-george! (lambda () -3))) ⇒ -3
(by-george! (can-george! (lambda () (car 'x)))) ⇒ (george 1 2)
```

16.4.2 Invoking Standard Restart Code

Scheme supports six standard protocols for restarting from a condition, each encapsulated using a named restart (for use by condition-signalling code) and a simple procedure (for use by condition-handling code). Unless otherwise specified, if one of these procedures is unable to find its corresponding restart, it returns immediately with an unspecified value.

Each of these procedures accepts an optional argument *restarts*, which is described above in [Section 16.4 \[Restarts\]](#), page 263.

abort [*restarts*] procedure

Abort the computation, using the restart named **abort**. The corresponding effector takes no arguments and abandons the current line of computation. This is the restart provided by Scheme's REPL.

If there is no restart named **abort**, this procedure signals an error of type **condition-type: no-such-restart**.

continue [*restarts*] procedure

Continue the current computation, using the restart named **continue**. The corresponding effector takes no arguments and continues the computation beyond the point at which the condition was signalled.

muffle-warning [*restarts*] procedure

Continue the current computation, using the restart named **muffle-warning**. The corresponding effector takes no arguments and continues the computation beyond the point at which any warning message resulting from the condition would be presented to the user. The procedure **warn** establishes a **muffle-warning** restart for this purpose.

If there is no restart named **muffle-warning**, this procedure signals an error of type **condition-type: no-such-restart**.

retry [*restarts*] procedure

Retry the current computation, using the restart named **retry**. The corresponding effector takes no arguments and simply retries the same computation that triggered the condition. The condition may reoccur, of course, if the root cause has not been eliminated. The code that signals a “file does not exist” error can be expected to supply a **retry** restart. The restart would be invoked after first creating the missing file, since the computation is then likely to succeed if it is simply retried.

store-value *new-value* [*restarts*] procedure

Retry the current computation, using the restart named **store-value**, after first storing *new-value*. The corresponding effector takes one argument, *new-value*, and stores it away in a restart-dependent location, then retries the same computation that triggered the condition. The condition may reoccur, of course, if the root cause has not been eliminated. The code that signals an “unassigned variable” error can be expected to supply a **store-value** restart; this would store the value in the variable and continue the computation.

use-value *new-value* [*restarts*] procedure

Retry the current computation, using the restart named **use-value**, but substituting *new-value* for a value that previously caused a failure. The corresponding effector takes one argument, *new-value*, and retries the same computation that triggered the condition with the new value substituted for the failing value. The condition may reoccur, of course, if the new value also induces the condition.

The code that signals an “unassigned variable” error can be expected to supply a **use-value** restart; this would simply continue the computation with *new-value* instead of

the value of the variable. Contrast this with the `retry` and `store-value` restarts. If the `retry` restart is used it will fail because the variable still has no value. The `store-value` restart could be used, but it would alter the value of the variable, so that future references to the variable would not be detected.

16.4.3 Finding and Invoking General Restart Code

Restarts are a general mechanism for establishing a protocol between condition-signalling and condition-handling code. The Scheme error system provides “packaging” for a number of common protocols. It also provides lower-level hooks that are intended for implementing customized protocols. The mechanism used by signalling code (`with-restart` and `with-simple-restart`) is used for both purposes.

Four additional operations are provided for the use of condition-handling code. Two operations (`bound-restarts` and `find-restart`) allow condition-handling code to locate active restarts. The other two operations (`invoke-restart` and `invoke-restart-interactively`) allow restart effectors to be invoked once the restart object has been located.

In addition, there is a data abstraction that provides access to the information encapsulated in restart objects.

bound-restarts procedure

Returns a list of all currently active restart objects, most recently installed first. `bound-restarts` should be used with caution by condition-handling code, since it reveals all restarts that are active at the time it is called, rather than at the time the condition was signalled. It is useful, however, for collecting the list of restarts for inclusion in newly generated condition objects or for inspecting the current state of the system.

find-restart *name [restarts]* procedure

Returns the first restart object named *name* in the list of *restarts* (permissible values for *restarts* are described above in [Section 16.4 \[Restarts\], page 263](#)). When used in a condition handler, `find-restart` is usually passed the name of a particular restart *and* the condition object that has been signalled. In this way the handler finds only restarts that were available when the condition was created (usually the same as when it was signalled). If *restarts* is omitted, the currently active restarts would be used, and these often include restarts added after the condition occurred.

invoke-restart *restart argument...* procedure

Calls the restart effector encapsulated in *restart*, passing the specified *arguments* to it. `invoke-restart` is intended for use by condition-handling code that understands the protocol implemented by *restart*, and can therefore calculate and pass an appropriate set of arguments.

If a condition handler needs to interact with a user to gather the arguments for an effector (e.g. if it does not understand the protocol implemented by *restart*) `invoke-restart-interactively` should be used instead of `invoke-restart`.

invoke-restart-interactively *restart* procedure

First calls the interactor encapsulated in *restart* to interactively gather the arguments needed for *restart*'s effector. It then calls the effector, passing these arguments to it.

invoke-restart-interactively is intended for calling interactive restarts (those for which **restart/interactor** is not **#f**). For convenience, **invoke-restart-interactively** will call the restart's effector with no arguments if the restart has no interactor; this behavior may change in the future.

16.4.4 The Named Restart Abstraction

A restart object is very simple, since it encapsulates only a name, effector, interactor, and description.

restart? *object* procedure

Returns **#f** if and only if *object* is not a restart.

restart/name *restart* procedure

Returns the name of *restart*. While the Scheme error system uses only symbols and the object **#f** for its predefined names, programs may use arbitrary objects (name equivalence is tested using **eq?**).

restart/effector *restart* procedure

Returns the effector encapsulated in *restart*. Normally this procedure is not used since **invoke-restart** and **invoke-restart-interactively** capture the most common invocation patterns.

restart/interactor *restart* procedure

Returns the interactor encapsulated in *restart*. This is either a procedure of no arguments or the object **#f**. Normally this procedure is not used since **invoke-restart-interactively** captures the most common usage. Thus **restart/interactor** is most useful as a predicate to determine if *restart* is intended to be invoked interactively.

write-restart-report *restart port* procedure

Writes a description of *restart* to *port*. This works by either displaying (if it is a string) or calling (if it is a procedure) the *reporter* that was supplied when the restart was created.

16.5 Condition Instances

A *condition*, in addition to the information associated with its type, usually contains other information that is not shared with other conditions of the same type. For example, the condition type associated with “unbound variable” errors does not specify the name of the variable that was unbound. The additional information is captured in a *condition* object, also called a *condition instance*.

In addition to information that is specific to a given type of condition (such as the variable name for “unbound variable” conditions), every condition instance also contains a continuation that encapsulates the state of the computation in which the condition occurred. This continuation is used for analyzing the computation to learn more about the context in which the condition occurred. It is *not* intended to provide a mechanism for continuing the computation; that mechanism is provided by restarts.

16.5.1 Generating Operations on Conditions

Scheme provides four procedures that take a condition type as input and produce operations on the corresponding condition object. These are reminiscent of the operations on record types that produce record operators (see [Section 10.4 \[Records\]](#), page 132). Given a condition type it is possible to generate: a constructor for instances of the type (using `condition-creator`); an accessor to extract the contents of a field in instances of the type (using `condition-accessor`); a predicate to test for instances of the type (using `condition-predicate`); and a procedure to create and signal an instance of the type (using `condition-signaller`).

Notice that the creation of a condition object is distinct from signalling an occurrence of the condition. Condition objects are first-class; they may be created and never signalled, or they may be signalled more than once. Further notice that there are no procedures for modifying conditions; once created, a condition cannot be altered.

condition-creator *condition-type field-names* procedure

Returns a constructor procedure that takes as arguments values for the fields specified in *field-names* and creates a condition of type *condition-type*. *Field-names* must be a list of symbols that is a subset of the *field-names* in *condition-type*. The constructor procedure returned by `condition-creator` has signature

```
(lambda (continuation restarts . field-values) ...)
```

where the *field-names* correspond to the *field-values*. The constructor argument *restarts* is described in [Section 16.4 \[Restarts\]](#), page 263. Conditions created by the constructor procedure have `#f` for the values of all fields other than those specified by *field-names*.

For example, the following procedure `make-simple-warning` constructs a condition of type `condition-type:simple-warning` given a continuation (where the condition occurred), a description of the restarts to be made available, a warning message, and a list of irritants that caused the warning:

```
(define make-simple-warning
  (condition-creator condition-type:simple-warning
    '(message irritants)))
```

condition-accessor *condition-type field-name* procedure

Returns a procedure that takes as input a condition object of type *condition-type* and extracts the contents of the specified *field-name*. `condition-accessor` signals `error:bad-range-argument` if the *field-name* isn't one of the named fields of *condition-type*; the returned procedure will signal `error:wrong-type-argument` if

passed an object other than a condition of type *condition-type* or one of its specializations.

If it is known in advance that a particular field of a condition will be accessed repeatedly it is worth constructing an accessor for the field using `condition-accessor` rather than using the (possibly more convenient, but slower) `access-condition` procedure.

condition-predicate *condition-type* procedure

Returns a predicate procedure for testing whether an object is a condition of type *condition-type* or one of its specializations (there is no predefined way to test for a condition of a given type but *not* a specialization of that type).

condition-signaller *condition-type field-names default-handler* procedure

Returns a signalling procedure with parameters *field-names*. When the signalling procedure is called it creates and signals a condition of type *condition-type*. If the condition isn't handled (i.e. if no handler is invoked that causes an escape from the current continuation) the signalling procedure reduces to a call to *default-handler* with the condition as its argument.

There are several standard procedures that are conventionally used for *default-handler*. If *condition-type* is a specialization of `condition-type:error`, *default-handler* should be the procedure `standard-error-handler`. If *condition-type* is a specialization of `condition-type:warning`, *default-handler* should be the procedure `standard-warning-handler`. If *condition-type* is a specialization of `condition-type:breakpoint`, *default-handler* should be the procedure `standard-breakpoint-handler`.

16.5.2 Condition Abstraction

The condition data type is abstracted through a predicate `condition?` and a set of accessor procedures.

condition? *object* procedure

Returns `#f` if and only if *object* is not a condition.

condition/type *condition* procedure

Returns the condition type of which *condition* is an instance.

condition/error? *condition* procedure

Returns `#t` if the *condition* is an instance of condition type `condition-type:error` or a specialization of it, `#f` otherwise.

condition/restarts *condition* procedure

Returns the list of restarts specified when *condition* was created.

condition/continuation *condition* procedure

Returns the continuation specified when *condition* was created. This is provided for inspecting the state of the system when the condition occurred, *not* for continuing or restarting the computation.

write-condition-report *condition port* procedure
 Writes a description of *condition* to *port*, using the reporter function from the condition type associated with *condition*. See also `condition/report-string`.

16.5.3 Simple Operations on Condition Instances

The simple procedures described in this section are built on top of the more detailed abstraction of condition objects described above. While these procedures are sometimes easier to use, they are often less efficient.

make-condition *condition-type continuation restarts field-plist* procedure
 Create a new condition object as an instance of *condition-type*, associated with *continuation*. The *continuation* is provided for inspection purposes only, *not* for restarting the computation. The *restarts* argument is described in [Section 16.4 \[Restarts\]](#), [page 263](#). The *field-plist* is an alternating list of field names and values for those fields, where the field names are those that would be returned by `(condition-type/field-names condition-type)`. It is used to provide values for fields in the condition object; fields with no value specified are set to `#f`. Once a condition object has been created there is no way to alter the values of these fields.

access-condition *condition field-name* procedure
 Returns the value stored in the field *field-name* within *condition*. *Field-name* must be one of the names returned by `(condition-type/field-names (condition/type condition))`. `access-condition` looks up the *field-name* at runtime, so it is more efficient to use `condition-accessor` to create an access function if the same field is to be extracted from several instances of the same condition type.

condition/report-string *condition* procedure
 Returns a string containing a report of the *condition*. This is generated by calling `write-condition-report` on *condition* and a string output port, and returning the output collected by the port as a string.

16.6 Condition Types

Each condition has a *condition type* object associated with it. These objects are used as a means of focusing on related classes of conditions, first by concentrating all of the information about a specific class of condition in a single place, and second by specifying an inheritance relationship between types. This inheritance relationship forms the taxonomic structure of the condition hierarchy (see [Section 16.7 \[Taxonomy\]](#), [page 272](#)).

The following procedures constitute the abstraction for condition types.

make-condition-type *name generalization field-names reporter* procedure
 Creates and returns a (new) condition type that is a specialization of *generalization* (if it is a condition type) or is the root of a new tree of condition types (if *generalization* is `#f`). For debugging purposes, the condition type has a *name*, and instances of this type contain storage for the fields specified by *field-names* (a list of symbols) in addition to the fields common to all conditions (*type*, *continuation* and *restarts*).

Reporter is used to produce a description of a particular condition of this type. It may be a string describing the condition, a procedure of arity two (the first argument will be a condition of this type and the second a port) that will `write` the message to the given port, or `#f` to specify that the reporter should be taken from the condition type *generalization* (or produce an “undocumented condition of type ...” message if *generalization* is `#f`). The conventions used to form descriptions are spelled out in [Section 16.2 \[Error Messages\]](#), page 260.

condition-type/error? *condition-type* procedure
Returns `#t` if the *condition-type* is `condition-type:error` or a specialization of it, `#f` otherwise.

condition-type/field-names *condition-type* procedure
Returns a list of all of the field names for a condition of type *condition-type*. This is the set union of the fields specified when this *condition-type* was created with the `condition-type/field-names` of the generalization of this *condition-type*.

condition-type/generalizations *condition-type* procedure
Returns a list of all of the generalizations of *condition-type*. Notice that every condition type is considered a generalization of itself.

condition-type? *object* procedure
Returns `#f` if and only if *object* is not a condition type.

16.7 Condition-Type Taxonomy

The MIT Scheme error system provides a rich set of predefined condition types. These are organized into a forest through taxonomic links providing the relationships for “specializes” and “generalizes”. The chart appearing below shows these relationships by indenting all the specializations of a given type relative to the type. Note that the variables that are bound to these condition types are prefixed by ‘`condition-type:`’; for example, the type appearing in the following table as ‘`simple-error`’ is stored in the variable `condition-type:simple-error`. Users are encouraged to add new condition types by creating specializations of existing ones.

Following the chart are detailed descriptions of the predefined condition types. Some of these types are marked as *abstract* types. Abstract types are not intended to be used directly as the type of a condition; they are to be used as generalizations of other types, and for binding condition handlers. Types that are not marked as *abstract* are *concrete*; they are intended to be explicitly used as a condition’s type.

```

serious-condition
  error
    simple-error
    illegal-datum
      wrong-type-datum
      wrong-type-argument
      wrong-number-of-arguments
    datum-out-of-range
      bad-range-argument
    inapplicable-object
  file-error
    file-operation-error
    derived-file-error
  port-error
    derived-port-error
  variable-error
    unbound-variable
    unassigned-variable
  arithmetic-error
    divide-by-zero
    floating-point-overflow
    floating-point-underflow
  control-error
    no-such-restart
  not-loading
  primitive-procedure-error
    system-call-error
warning
  simple-warning
simple-condition
breakpoint

```

condition-type:serious-condition condition type
 This is an abstract type. All serious conditions that require some form of intervention should inherit from this type. In particular, all errors inherit from this type.

condition-type:error condition type
 This is an abstract type. All errors should inherit from this type.

condition-type:simple-error *message irritants* condition type
 This is the condition generated by the **error** procedure when its first argument is not a condition or condition type. The fields *message* and *irritants* are taken directly from the arguments to **error**; *message* contains an object (usually a string) and *irritants* contains a list of objects. The reporter for this type uses **format-error-message** to generate its output from *message* and *irritants*.

condition-type:illegal-datum *datum* condition type
 This is an abstract type. This type indicates the class of errors in which a program discovers an object that lacks specific required properties. Most commonly, the object

is of the wrong type or is outside a specific range. The *datum* field contains the offending object.

condition-type:wrong-type-datum *datum type* condition type

This type indicates the class of errors in which a program discovers an object that is of the wrong type. The *type* field contains a string describing the type that was expected, and the *datum* field contains the object that is of the wrong type.

```
(error:wrong-type-datum 3.4 "integer") error
;The object 3.4 is not an integer.
;To continue, call RESTART with an option number:
; (RESTART 1) => Return to read-eval-print level 1.
```

error:wrong-type-datum *datum type* procedure

This procedure signals a condition of type **condition-type:wrong-type-datum**. The *datum* and *type* fields of the condition are filled in from the corresponding arguments to the procedure.

condition-type:wrong-type-argument *datum type operator operand* condition type

This type indicates that a procedure was passed an argument of the wrong type. The *operator* field contains the procedure (or a symbol naming the procedure), the *operand* field indicates the argument position that was involved (this field contains either a symbol, a non-negative integer, or **#f**), the *type* field contains a string describing the type that was expected, and the *datum* field contains the offending argument.

```
(+ 'a 3) error
;The object a, passed as the first argument to integer-add,
; is not the correct type.
;To continue, call RESTART with an option number:
; (RESTART 2) => Specify an argument to use in its place.
; (RESTART 1) => Return to read-eval-print level 1.

(list-copy 3)
;The object 3, passed as an argument to list-copy, is not a list.
;To continue, call RESTART with an option number:
; (RESTART 1) => Return to read-eval-print level 1.
```

error:wrong-type-argument *datum type operator* procedure

This procedure signals a condition of type **condition-type:wrong-type-argument**. The *datum*, *type* and *operator* fields of the condition are filled in from the corresponding arguments to the procedure; the *operand* field of the condition is set to **#f**.

condition-type:wrong-number-of-arguments *datum type operands* condition type

This type indicates that a procedure was called with the wrong number of arguments. The *datum* field contains the procedure being called, the *type* field contains the number of arguments that the procedure accepts, and the *operands* field contains a list of the arguments that were passed to the procedure.

```
(car 3 4) error
;The procedure car has been called with 2 arguments;
; it requires exactly 1 argument.
;To continue, call RESTART with an option number:
; (RESTART 1) => Return to read-eval-print level 1.
```

error:wrong-number-of-arguments *datum type operands* procedure
 This procedure signals a condition of type `condition-type:wrong-number-of-arguments`. The *datum*, *type* and *operands* fields of the condition are filled in from the corresponding arguments to the procedure.

condition-type:datum-out-of-range *datum* condition type
 This type indicates the class of errors in which a program discovers an object that is of the correct type but is otherwise out of range. Most often, this type indicates that an index to some data structure is outside of the range of indices for that structure. The *datum* field contains the offending object.

```
(error:datum-out-of-range 3) error
;The object 3 is not in the correct range.
;To continue, call RESTART with an option number:
; (RESTART 1) => Return to read-eval-print level 1.
```

error:datum-out-of-range *datum* procedure
 This procedure signals a condition of type `condition-type:datum-out-of-range`. The *datum* field of the condition is filled in from the corresponding argument to the procedure.

condition-type:bad-range-argument *datum operator operand* condition type
 This type indicates that a procedure was passed an argument that is of the correct type but is otherwise out of range. Most often, this type indicates that an index to some data structure is outside of the range of indices for that structure. The *operator* field contains the procedure (or a symbol naming the procedure), the *operand* field indicates the argument position that was involved (this field contains either a symbol, a non-negative integer, or `#f`), and the *datum* field is the offending argument.

```
(string-ref "abc" 3) error
;The object 3, passed as the second argument to string-ref,
; is not in the correct range.
;To continue, call RESTART with an option number:
; (RESTART 2) => Specify an argument to use in its place.
; (RESTART 1) => Return to read-eval-print level 1.
```

error:bad-range-argument *datum operator* procedure
 This procedure signals a condition of type `condition-type:bad-range-argument`. The *datum* and *operator* fields of the condition are filled in from the corresponding arguments to the procedure; the *operand* field of the condition is set to `#f`.

condition-type:inapplicable-object *datum operands* condition type

This type indicates an error in which a program attempted to apply an object that is not a procedure. The object being applied is saved in the *datum* field, and the arguments being passed to the object are saved as a list in the *operands* field.

```
(3 4)                                     error
;The object 3 is not applicable.
;To continue, call RESTART with an option number:
; (RESTART 2) => Specify a procedure to use in its place.
; (RESTART 1) => Return to read-eval-print level 1.
```

condition-type:file-error *filename* condition type

This is an abstract type. It indicates that an error associated with a file has occurred. For example, attempting to delete a nonexistent file will signal an error. The *filename* field contains a filename or pathname associated with the operation that failed.

condition-type:file-operation-error *filename verb noun reason operator operands* condition type

This is the most common condition type for file system errors. The *filename* field contains the filename or pathname that was being operated on. The *verb* field contains a string which is the verb or verb phrase describing the operation being performed, and the *noun* field contains a string which is a noun or noun phrase describing the object being operated on. The *reason* field contains a string describing the error that occurred. The *operator* field contains the procedure performing the operation (or a symbol naming that procedure), and the *operands* field contains a list of the arguments that were passed to that procedure. For example, an attempt to delete a nonexistent file would have the following field values:

```
filename      "/zu/cph/tmp/no-such-file"
verb          "delete"
noun          "file"
reason        "no such file or directory"
operator      file-remove
operands      ("/zu/cph/tmp/no-such-file")
```

and would generate a message like this:

```
(delete-file "/zu/cph/tmp/no-such-file") error
;Unable to delete file "/zu/cph/tmp/no-such-file" because:
; No such file or directory.
;To continue, call RESTART with an option number:
; (RESTART 3) => Try to delete the same file again.
; (RESTART 2) => Try to delete a different file.
; (RESTART 1) => Return to read-eval-print level 1.
```

error:file-operation-error *filename verb noun reason operator operands* procedure

This procedure signals a condition of type **condition-type:file-operation-error**. The fields of the condition are filled in from the corresponding arguments to the procedure.

condition-type:derived-file-error *filename condition* condition type

This is another kind of file error, which is generated by obscure file-system errors that do not fit into the standard categories. The *filename* field contains the filename or pathname that was being operated on, and the *condition* field contains a condition describing the error in more detail. Usually the *condition* field contains a condition of type `condition-type:system-call-error`.

error:derived-file *filename condition* procedure

This procedure signals a condition of type `condition-type:derived-file-error`. The *filename* and *condition* fields of the condition are filled in from the corresponding arguments to the procedure.

condition-type:port-error *port* condition type

This is an abstract type. It indicates that an error associated with a I/O port has occurred. For example, writing output to a file port can signal an error if the disk containing the file is full; that error would be signalled as a port error. The *port* field contains the associated port.

condition-type:derived-port-error *port condition* condition type

This is a concrete type that is signalled when port errors occur. The *port* field contains the port associated with the error, and the *condition* field contains a condition object that describes the error in more detail. Usually the *condition* field contains a condition of type `condition-type:system-call-error`.

error:derived-port *port condition* procedure

This procedure signals a condition of type `condition-type:derived-port-error`. The *port* and *condition* fields of the condition are filled in from the corresponding arguments to the procedure.

condition-type:variable-error *location environment* condition type

This is an abstract type. It indicates that an error associated with a variable has occurred. The *location* field contains the name of the variable, and the *environment* field contains the environment in which the variable was referenced.

condition-type:unbound-variable *location environment* condition type

This type is generated when a program attempts to access or modify a variable that is not bound. The *location* field contains the name of the variable, and the *environment* field contains the environment in which the reference occurred.

```
foo
;Unbound variable: foo
;To continue, call RESTART with an option number:
; (RESTART 3) => Specify a value to use instead of foo.
; (RESTART 2) => Define foo to a given value.
; (RESTART 1) => Return to read-eval-print level 1.
```

error

condition-type:unassigned-variable *location environment* condition type

This type is generated when a program attempts to access a variable that is not assigned. The *location* field contains the name of the variable, and the *environment* field contains the environment in which the reference occurred.

```
foo                                     error
;Unassigned variable: foo
;To continue, call RESTART with an option number:
; (RESTART 3) => Specify a value to use instead of foo.
; (RESTART 2) => Set foo to a given value.
; (RESTART 1) => Return to read-eval-print level 1.
```

condition-type:arithmetic-error *operator operands* condition type

This is an abstract type. It indicates that a numerical operation was unable to complete because of an arithmetic error. (For example, division by zero.) The *operator* field contains the procedure that implements the operation (or a symbol naming the procedure), and the *operands* field contains a list of the arguments that were passed to the procedure.

condition-type:divide-by-zero *operator operands* condition type

This type is generated when a program attempts to divide by zero. The *operator* field contains the procedure that implements the failing operation (or a symbol naming the procedure), and the *operands* field contains a list of the arguments that were passed to the procedure.

```
(/ 1 0)
;Division by zero signalled by /.
;To continue, call RESTART with an option number:
; (RESTART 1) => Return to read-eval-print level 1.
```

error:divide-by-zero *operator operands* procedure

This procedure signals a condition of type **condition-type:divide-by-zero**. The *operator* and *operands* fields of the condition are filled in from the corresponding arguments to the procedure.

condition-type:floating-point-overflow *operator operands* condition type

This type is generated when a program performs an arithmetic operation that results in a floating-point overflow. The *operator* field contains the procedure that implements the operation (or a symbol naming the procedure), and the *operands* field contains a list of the arguments that were passed to the procedure.

condition-type:floating-point-underflow *operator operands* condition type

This type is generated when a program performs an arithmetic operation that results in a floating-point underflow. The *operator* field contains the procedure that implements the operation (or a symbol naming the procedure), and the *operands* field contains a list of the arguments that were passed to the procedure.

condition-type:primitive-procedure-error *operator operands* condition type

This is an abstract type. It indicates that an error was generated by a primitive procedure call. Primitive procedures are distinguished from ordinary procedures in that they are not written in Scheme but instead in the underlying language of the Scheme implementation. The *operator* field contains the procedure that implements the operation (or a symbol naming the procedure), and the *operands* field contains a list of the arguments that were passed to the procedure.

condition-type:system-call-error *operator operands system-call error-type* condition type

This is the most common condition type generated by primitive procedures. A condition of this type indicates that the primitive made a system call to the operating system, and that the system call signalled an error. The system-call error is reflected back to Scheme as a condition of this type, except that many common system-call errors are automatically translated by the Scheme implementation into more useful forms; for example, a system-call error that occurs while trying to delete a file will be translated into a condition of type **condition-type:file-operation-error**. The *operator* field contains the procedure that implements the operation (or a symbol naming the procedure), and the *operands* field contains a list of the arguments that were passed to the procedure. The *system-call* and *error-type* fields contain symbols that describe the specific system call that was being made and the error that occurred, respectively; these symbols are completely operating-system dependent.

condition-type:control-error condition type

This is an abstract type. It describes a class of errors relating to program control flow.

condition-type:no-such-restart *name* condition type

This type indicates that a named restart was not active when it was expected to be. Conditions of this type are signalled by several procedures that look for particular named restarts, for example **muffle-warning**. The *name* field contains the name that was being searched for.

```
(muffle-warning) error
;The restart named muffle-warning is not bound.
;To continue, call RESTART with an option number:
; (RESTART 1) => Return to read-eval-print level 1.
```

error:no-such-restart *name* procedure

This procedure signals a condition of type **condition-type:no-such-restart**. The *name* field of the condition is filled in from the corresponding argument to the procedure.

condition-type:not-loading condition type

A condition of this type is generated when the procedure **current-load-pathname** is called from somewhere other than inside a file being loaded.

```
(current-load-pathname) error
;No file being loaded.
;To continue, call RESTART with an option number:
; (RESTART 1) => Return to read-eval-print level 1.
```

condition-type:warning

condition type

This is an abstract type. All warnings should inherit from this type. Warnings are a class of conditions that are usually handled by informing the user of the condition and proceeding the computation normally.

condition-type:simple-warning *message irritants*

condition type

This is the condition generated by the **warn** procedure. The fields *message* and *irritants* are taken directly from the arguments to **warn**; *message* contains an object (usually a string) and *irritants* contains a list of objects. The reporter for this type uses **format-error-message** to generate its output from *message* and *irritants*.

condition-type:simple-condition *message irritants*

condition type

This is an unspecialized condition that does not fall into any of the standard condition classes. The *message* field contains an object (usually a string) and *irritants* contains a list of objects. The reporter for this type uses **format-error-message** to generate its output from *message* and *irritants*.

condition-type:breakpoint *environment message prompt*

condition type

A condition of this type is generated by the breakpoint mechanism. The contents of its fields are beyond the scope of this document.

17 Graphics

MIT Scheme has a simple two-dimensional line-graphics interface that is suitable for many graphics applications. In particular it is often used for plotting data points from experiments. The interface is generic in that it can support different types of graphics devices in a uniform manner. At the present time only one type of graphics device is implemented on each operating system.

Procedures are available for drawing points, lines, and text; defining the coordinate system; clipping graphics output; controlling some of the drawing characteristics; and controlling the output buffer (for devices that perform buffering). Additionally, devices may support custom operations, such as control of colors.

There are some constraints on the arguments to the procedures described in this chapter. Any argument named *graphics-device* must be a graphics device object that was returned from a call to `make-graphics-device`. Any argument that is a coordinate must be either an exact integer or an inexact real.

17.1 Opening and Closing of Graphics Devices

graphics-type-available? *graphics-device-type* procedure

This predicate returns `#t` if the graphics system named by the symbol *graphics-device-type* is implemented by the Scheme system. Otherwise it returns `#f`, in which case it is an error to attempt to make a graphics device using *graphics-device-type*.

enumerate-graphics-types procedure

This procedure returns a list of symbols which are the names of all the graphics device types that are supported by the Scheme system. The result is useful in deciding what additional arguments to supply to `make-graphics-device`, as each device type typically has a unique way of specifying the initial size, shape and other attributes.

make-graphics-device *graphics-device-type object . . .* procedure

This operation creates and returns a graphics device object. *Graphics-device-type* is a symbol naming a graphics device type, and both the number and the meaning of the remaining arguments is determined by that type (see the description of each device type for details); *graphics-device-type* must satisfy `graphics-type-available?`. *Graphics-device-type* may also be `#f`, in which case the graphics device type is chosen by the system from what is available. This allows completely portable graphics programs to be written provided no custom graphics operations are used. When *graphics-device-type* is `#f` no further arguments may be given; each graphics device type will use some “sensible” defaults. If more control is required then the program should use one of the two procedures above to dispatch on the available types.

This procedure opens and initializes the device, which remains valid until explicitly closed by the procedure `graphics-close`. Depending on the implementation of the graphics device, if this object is reclaimed by the garbage collector, the graphics device may remain open or it may be automatically closed. While a graphics device remains open the resources associated with it are not released.

graphics-close *graphics-device* procedure
 Closes *graphics-device*, releasing its resources. Subsequently it is an error to use *graphics-device*.

17.2 Coordinates for Graphics

Each graphics device has two different coordinate systems associated with it: *device coordinates* and *virtual coordinates*. Device coordinates are generally defined by low-level characteristics of the device itself, and often cannot be changed. Most device coordinate systems are defined in terms of pixels, and usually the upper-left-hand corner is the origin of the coordinate system, with *x* coordinates increasing to the right and *y* coordinates increasing downwards.

In contrast, virtual coordinates are more flexible in the units employed, the position of the origin, and even the direction in which the coordinates increase. A virtual coordinate system is defined by assigning coordinates to the edges of a device. Because these edge coordinates are arbitrary real numbers, any Cartesian coordinate system can be defined.

All graphics procedures that use coordinates are defined on virtual coordinates. For example, to draw a line at a particular place on a device, the virtual coordinates for the endpoints of that line are given.

When a graphics device is initialized, its virtual coordinate system is reset so that the left edge corresponds to an *x*-coordinate of -1 , the right edge to *x*-coordinate 1 , the bottom edge to *y*-coordinate -1 , and the top edge to *y*-coordinate 1 .

graphics-device-coordinate-limits *graphics-device* procedure
 Returns (as multiple values) the device coordinate limits for *graphics-device*. The values, which are exact non-negative integers, are: *x-left*, *y-bottom*, *x-right*, and *y-top*.

graphics-coordinate-limits *graphics-device* procedure
 Returns (as multiple values) the virtual coordinate limits for *graphics-device*. The values, which are real numbers, are: *x-left*, *y-bottom*, *x-right*, and *y-top*.

graphics-set-coordinate-limits *graphics-device* *x-left* *y-bottom* procedure
x-right *y-top*

Changes the virtual coordinate limits of *graphics-device* to the given arguments. *X-left*, *y-bottom*, *x-right*, and *y-top* must be real numbers. Subsequent calls to **graphics-coordinate-limits** will return the new limits. This operation has no effect on the device's displayed contents.

Note: This operation usually resets the clip rectangle, although it is not guaranteed to do so. If a clip rectangle is in effect when this procedure is called, it is necessary to redefine the clip rectangle afterwards.

17.3 Drawing Graphics

The procedures in this section provide the basic drawing capabilities of Scheme's graphics system.

graphics-clear *graphics-device* procedure
 Clears the display of *graphics-device*. Unaffected by the current drawing mode.

graphics-draw-point *graphics-device x y* procedure
 Draws a single point on *graphics-device* at the virtual coordinates given by *x* and *y*, using the current drawing mode.

graphics-erase-point *graphics-device x y* procedure
 Erases a single point on *graphics-device* at the virtual coordinates given by *x* and *y*. This procedure is unaffected by the current drawing mode.

This is equivalent to

```
(lambda (device x y)
  (graphics-bind-drawing-mode device 0
    (lambda ()
      (graphics-draw-point device x y))))
```

graphics-draw-line *graphics-device x-start y-start x-end y-end* procedure
X-start, *y-start*, *x-end*, and *y-end* must be real numbers. Draws a line on *graphics-device* that connects the points (*x-start*, *y-start*) and (*x-end*, *y-end*). The line is drawn using the current drawing mode and line style.

graphics-draw-text *graphics-device x y string* procedure
 Draws the characters of *string* at the point (*x*, *y*) on *graphics-device*, using the current drawing mode. The characteristics of the characters drawn are device-dependent, but all devices are initialized so that the characters are drawn upright, from left to right, with the leftmost edge of the leftmost character at *x*, and the baseline of the characters at *y*.

The following two procedures provide an alternate mechanism for drawing lines, which is more akin to using a plotter. They maintain a *cursor*, which can be positioned to a particular point and then dragged to another point, producing a line. Sequences of connected line segments can be drawn by dragging the cursor from point to point.

Many graphics operations have an unspecified effect on the cursor. The following exceptions are guaranteed to leave the cursor unaffected:

```
graphics-device-coordinate-limits
graphics-coordinate-limits
graphics-enable-buffering
graphics-disable-buffering
graphics-flush
graphics-bind-drawing-mode
graphics-set-drawing-mode
graphics-bind-line-style
graphics-set-line-style
```

The initial state of the cursor is unspecified.

graphics-move-cursor *graphics-device* *x* *y* procedure
 Moves the cursor for *graphics-device* to the point (*x*, *y*). The contents of the device's display are unchanged.

graphics-drag-cursor *graphics-device* *x* *y* procedure
 Draws a line from *graphics-device*'s cursor to the point (*x*, *y*), simultaneously moving the cursor to that point. The line is drawn using the current drawing mode and line style.

17.4 Characteristics of Graphics Output

Two characteristics of graphics output are so useful that they are supported uniformly by all graphics devices: *drawing mode* and *line style*. A third characteristic, *color*, is equally useful (if not more so), but implementation restrictions prohibit a uniform interface.

The *drawing mode*, an exact integer in the range 0 to 15 inclusive, determines how the figure being drawn is combined with the background over which it is drawn to generate the final result. Initially the drawing mode is set to “source”, so that the new output overwrites whatever appears in that place. Useful alternative drawing modes can, for example, erase what was already there, or invert it.

Altogether 16 boolean operations are available for combining the source (what is being drawn) and the destination (what is being drawn over). The source and destination are combined by the device on a pixel-by-pixel basis as follows:

Mode	Meaning
----	-----
0	ZERO [erase; use background color]
1	source AND destination
2	source AND (NOT destination)
3	source
4	(NOT source) AND destination
5	destination
6	source XOR destination
7	source OR destination
8	NOT (source OR destination)
9	NOT (source XOR destination)
10	NOT destination
11	source OR (NOT destination)
12	NOT source
13	(NOT source) OR destination
14	(NOT source) OR (NOT destination)
15	ONE [use foreground color]

The *line style*, an exact integer in the range 0 to 7 inclusive, determines which parts of a line are drawn in the foreground color, and which in the background color. The default line style, “solid”, draws the entire line in the foreground color. Alternatively, the “dash” style alternates between foreground and background colors to generate a dashed line. This capability is useful for plotting several things on the same graph.

Here is a table showing the name and approximate pattern of the different styles. A ‘1’ in the pattern represents a foreground pixel, while a ‘-’ represents a background pixel. Note that the precise output for each style will vary from device to device. The only style that is guaranteed to be the same for every device is “solid”.

Style	Name	Pattern
-----	-----	-----
0	solid	1111111111111111
1	dash	11111111-----
2	dot	1-1-1-1-1-1-1-1-
3	dash dot	11111111111111-1-
4	dash dot dot	111111111111-1-1-
5	long dash	111111111111-----
6	center dash	111111111111-11-
7	center dash dash	1111111111-11-11-

graphics-bind-drawing-mode *graphics-device drawing-mode thunk* procedure

graphics-bind-line-style *graphics-device line-style thunk* procedure

These procedures bind the drawing mode or line style, respectively, of *graphics-device*, invoke the procedure *thunk* with no arguments, then undo the binding when *thunk* returns. The value of each procedure is the value returned by *thunk*. Graphics operations performed during *thunk*’s dynamic extent will see the newly bound mode or style as current.

graphics-set-drawing-mode *graphics-device drawing-mode* procedure

graphics-set-line-style *graphics-device line-style* procedure

These procedures change the drawing mode or line style, respectively, of *graphics-device*. The mode or style will remain in effect until subsequent changes or bindings.

17.5 Buffering of Graphics Output

To improve performance of graphics output, most graphics devices provide some form of buffering. By default, Scheme’s graphics procedures flush this buffer after every drawing operation. The procedures in this section allow the user to control the flushing of the output buffer.

graphics-enable-buffering *graphics-device* procedure

Enables buffering for *graphics-device*. In other words, after this procedure is called, graphics operations are permitted to buffer their drawing requests. This usually means that the drawing is delayed until the buffer is flushed explicitly by the user, or until it fills up and is flushed by the system.

graphics-disable-buffering *graphics-device* procedure

Disables buffering for *graphics-device*. By default, all graphics devices are initialized with buffering disabled. After this procedure is called, all drawing operations perform their output immediately, before returning.

Note: **graphics-disable-buffering** flushes the output buffer if necessary.

graphics-flush *graphics-device* procedure
 Flushes the graphics output buffer for *graphics-device*. This operation has no effect for devices that do not support buffering, or if buffering is disabled for the device.

17.6 Clipping of Graphics Output

Scheme provides a rudimentary mechanism for restricting graphics output to a given rectangular subsection of a graphics device. By default, graphics output that is drawn anywhere within the device's virtual coordinate limits will appear on the device. When a *clip rectangle* is specified, however, output that would have appeared outside the clip rectangle is not drawn.

Note that changing the virtual coordinate limits for a device will usually reset the clip rectangle for that device, as will any operation that affects the size of the device (such as a window resizing operation). However, programs should not depend on this.

graphics-set-clip-rectangle *graphics-device x-left y-bottom x-right y-top* procedure
 Specifies the clip rectangle for *graphics-device* in virtual coordinates. *X-left*, *y-bottom*, *x-right*, and *y-top* must be real numbers. Subsequent graphics output is clipped to the intersection of this rectangle and the device's virtual coordinate limits.

graphics-reset-clip-rectangle *graphics-device* procedure
 Eliminates the clip rectangle for *graphics-device*. Subsequent graphics output is clipped to the virtual coordinate limits of the device.

17.7 Custom Graphics Operations

In addition to the standard operations, a graphics device may support *custom operations*. For example, most devices have custom operations to control color. **graphics-operation** is used to invoke custom operations.

graphics-operation *graphics-device name object . . .* procedure
 Invokes the graphics operation on *graphics-device* whose name is the symbol *name*, passing it the remaining arguments. This procedure can be used to invoke the standard operations, as well as custom operations that are specific to a particular graphics device type. The names of the standard graphics operations are formed by removing the **graphics-** prefix from the corresponding procedure. For example, the following are equivalent:

```
(graphics-draw-point device x y)
(graphics-operation device 'draw-point x y)
```

For information on the custom operations for a particular device, see the documentation for its type.

17.8 Images

Some graphics device types support images, which are rectangular pieces of picture that may be drawn into a graphics device. Images are often called something else in the host graphics system, such as bitmaps or pixmaps. The operations supported vary between devices, so look under the different device types to see what operations are available. All devices that support images support the following operations.

create-image *width height* operation on graphics-device

Images are created using the **create-image** graphics operation, specifying the *width* and *height* of the image in device coordinates (pixels).

(graphics-operation device 'create-image 200 100)

The initial contents of an image are unspecified.

create-image is a graphics operation rather than a procedure because the kind of image returned depends on the kind of graphics device used and the options specified in its creation. The image may be used freely with other graphics devices created with the same attributes, but the effects of using an image with a graphics device with different attributes (for example, different colors) is undefined. Under X, the image is display dependent.

draw-image *x y image* operation on graphics-device

The image is copied into the graphics device at the specified position.

draw-subimage *x y image im-x im-y w h* operation on graphics-device

Part of the image is copied into the graphics device at the specified (*x*, *y*) position.

The part of the image that is copied is the rectangular region at *im-x* and *im-y* and of width *w* and height *h*. These four numbers are given in device coordinates (pixels).

image? *object* procedure

Returns **#t** if *object* is an image, otherwise returns **#f**.

image/destroy *image* procedure

This procedure destroys *image*, returning storage to the system. Programs should destroy images after they have been used because even modest images may use large amounts of memory. Images are reclaimed by the garbage collector, but they may be implemented using memory outside of Scheme's heap. If an image is reclaimed before being destroyed, the implementation might not deallocate that non-heap memory, which can cause a subsequent call to **create-image** to fail because it is unable to allocate enough memory.

image/height *image* procedure

Returns the height of the image in device coordinates.

image/width *image* procedure

Returns the width of the image in device coordinates.

image/fill-from-byte-vector *image bytes* procedure

The contents of *image* are set in a device-dependent way, using one byte per pixel from *bytes* (a string). Pixels are filled row by row from the top of the image to the bottom, with each row being filled from left to right. There must be at least $(\ast (\text{image/height } \textit{image}) (\text{image/width } \textit{image}))$ bytes in *bytes*.

17.9 X Graphics

MIT Scheme supports graphics in the X window system (version 11). Arbitrary numbers of displays may be opened, and arbitrary numbers of graphics windows may be created for each display. A variety of operations is available to manipulate various aspects of the windows, to control their size, position, colors, and mapping. The X graphics device type supports images, which are implemented as Xlib **XImage** objects. X display, window, and image objects are automatically closed if they are reclaimed by the garbage collector.

17.9.1 X Graphics Type

A graphics device for X windows is created by passing the symbol **x** as the graphics device type name to **make-graphics-device**:

```
(make-graphics-device 'x #!optional display geometry suppress-map?)
```

where *display* is either a display object, **#f**, or a string; *geometry* is either **#f** or a string; and *suppress-map?* is a boolean or a vector (see below). A new window is created on the appropriate display, and a graphics device representing that window is returned.

Display specifies which X display the window is to be opened on; if it is **#f** or a string, it is passed as an argument to **x-open-display**, and the value returned by that procedure is used in place of the original argument. *Geometry* is an X geometry string, or **#f** which means to use the default geometry (which is specified as a resource).

Suppress-map?, if given, may take two forms. First, it may be a boolean: if **#f** (the default), the window is automatically mapped after it is created; otherwise, **#t** means to suppress this automatic mapping. The second form is a vector of three elements. The first element is a boolean with the same meaning as the boolean form of *suppress-map?*. The second element is a string, which specifies an alternative resource name to be used for looking up the window's resources. The third element is also a string, which specifies a class name for looking up the window's resources. The default value for *suppress-map?* is **#f**.

The default resource and class names are **"schemeGraphics"** and **"SchemeGraphics"** respectively.

The window is initialized using the resource and class names specified by *suppress-map?*, and is sensitive to the following resource properties:

Property	Class	Default
-----	-----	-----
geometry	Geometry	512x384+0+0
font	Font	fixed
borderWidth	BorderWidth	2
internalBorder	BorderWidth	[border width]
background	Background	white
foreground	Foreground	black
borderColor	BorderColor	[foreground color]
cursorColor	Foreground	[foreground color]
pointerColor	Foreground	[foreground color]

The window is created with a `backing_store` attribute of `Always`. The window's name and icon name are initialized to `"scheme-graphics"`.

17.9.2 Utilities for X Graphics

x-graphics/open-display *display-name* procedure

Opens a connection to the display whose name is *display-name*, returning a display object. If unable to open a connection, `#f` is returned. *Display-name* is normally a string, which is an X display name in the usual form; however, `#f` is also allowed, meaning to use the value of the unix environment variable `DISPLAY`.

x-graphics/close-display *display* procedure

Closes *display*; after calling this procedure, it is an error to use *display* for any purpose. Any windows that were previously opened on *display* are destroyed and their resources returned to the operating system.

x-close-all-displays procedure

Closes all open connections to X displays. Equivalent to calling `x-close-display` on all open displays.

x-geometry-string *x y width height* procedure

This procedure creates and returns a standard X geometry string from the given arguments. *x* and *y* must be either exact integers or `#f`, while *width* and *height* must be either exact non-negative integers or `#f`. Usually either *x* and *y* are both specified or both `#f`; similarly for *width* and *height*. If only one of the elements of such a pair is specified, it is ignored.

Examples:

```
(x-geometry-string #f #f 100 200) ⇒ "100x200"
(x-geometry-string 2 -3 100 200) ⇒ "100x200+2-3"
(x-geometry-string 2 -3 #f #f) ⇒ "+2-3"
```

Note that the *x* and *y* arguments cannot distinguish between `+0` and `-0`, even though these have different meanings in X. If either of those arguments is 0, it means `+0` in X terminology. If you need to distinguish these two cases you must create your own geometry string using Scheme's string and number primitives.

17.9.3 Custom Operations on X Graphics Devices

Custom operations are invoked using the procedure `graphics-operation`. For example,

```
(graphics-operation device 'set-foreground-color "blue")
```

set-background-color <i>color-name</i>	operation on x-graphics-device
set-foreground-color <i>color-name</i>	operation on x-graphics-device
set-border-color <i>color-name</i>	operation on x-graphics-device
set-mouse-color <i>color-name</i>	operation on x-graphics-device

These operations change the colors associated with a window. *Color-name* must be a string, which is the X server's name for the desired color. **set-border-color** and **set-mouse-color** immediately change the border and mouse-cursor colors. **set-background-color** and **set-foreground-color** change the colors to be used when drawing, but have no effect on anything drawn prior to their invocation. Because changing the background color affects the entire window, we recommend calling **graphics-clear** on the window's device afterwards. Color names include both mnemonic names, like "red", and intensity names specified in the "#rrggb" notation.

draw-arc <i>x y radius-x radius-y angle-start angle-sweep fill?</i>	operation on x-graphics-device
--	--------------------------------

Operation **draw-arc** draws or fills an arc. An arc is a segment of a circle, which may have been stretched along the x- or y- axis to form an ellipse.

The parameters *x*, *y*, *radius-x* and *radius-y* describe the circle and *angle-start* and *angle-sweep* choose which part of the circle is drawn. The arc is drawn on the graphics device with the center of the circle at the virtual coordinates given by *x* and *y*. *radius-x* and *radius-y* determine the size of the circle in virtual coordinate units.

The parameter *angle-start* determines where the arc starts. It is measured in degrees in an anti-clockwise direction, starting at 3 o'clock. *angle-sweep* determines how much of the circle is drawn. It too is measured anti-clockwise in degrees. A negative value means the measurement is in a clockwise direction.

Note that the angles are determined on a unit circle before it is stretched into an ellipse, so the actual angles that you will see on the computer screen depends on all of: *radius-x* and *radius-y*, the window size, and the virtual coordinates.

If *fill?* is **#f** then just the segment of the circle is drawn, otherwise the arc is filled in a pie-slice fashion.

This draws a quarter circle pie slice, standing on its point, with point at virtual coordinates (3,5):

```
(graphics-operation g 'draw-arc 3 5 .5 .5 45 90 #t)
```

draw-circle <i>x y radius</i>	operation on x-graphics-device
fill-circle <i>x y radius</i>	operation on x-graphics-device

These operations draw a circle (outline) or a filled circle (solid) at on the graphics device at the virtual coordinates given by *x* and *y*. These operations could be implemented trivially in terms of the **draw-arc** operation.

- set-border-width** *width* operation on x-graphics-device
set-internal-border-width *width* operation on x-graphics-device
 These operations change the external and internal border widths of a window. *Width* must be an exact non-negative integer, specified in pixels. The change takes place immediately. Note that changing the internal border width can cause displayed graphics to be garbled; we recommend calling **graphics-clear** on the window's device after doing so.
- set-font** *font-name* operation on x-graphics-device
 Changes the font used when drawing text in a window. *Font-name* must be a string that is a font name known to the X server. This operation does not affect text drawn prior to its invocation.
- set-mouse-shape** *shape-number* operation on x-graphics-device
 Changes the shape of the mouse cursor. *Shape-number* is an exact non-negative integer that is used as an index into the mouse-shape font; when multiplied by 2 this number corresponds to an index in the file `'/usr/include/X11/cursorfont.h'`.
- map-window** operation on x-graphics-device
withdraw-window operation on x-graphics-device
 These operations control the mapping of windows. They correspond directly to Xlib's **XMapWindow** and **XWithdrawWindow**.
- resize-window** *width height* operation on x-graphics-device
 Changes the size of a window. *Width* and *height* must be exact non-negative integers. The operation corresponds directly to Xlib's **XResizeWindow**.
 This operation resets the virtual coordinate system and the clip rectangle.
- move-window** *x y* operation on x-graphics-device
 Changes the position of a window on the display. *X* and *y* must be exact integers. The operation corresponds directly to Xlib's **XMoveWindow**. Note that the coordinates *x* and *y* do not take the external border into account, and therefore will not position the window as you might like. The only reliable way to position a window is to ask a window manager to do it for you.
- get-default** *resource property* operation on x-graphics-device
 This operation corresponds directly to Xlib's **XGetDefault**. *Resource* and *property* must be strings. The operation returns the character string corresponding to the association of *resource* and *property*; if no such association exists, **#f** is returned.
- copy-area** *source-x-left source-y-top width height* operation on x-graphics-device
destination-x-left destination-y-top
 This operation copies the contents of the rectangle specified by *source-x-left*, *source-y-top*, *width*, and *height* to the rectangle of the same dimensions at *destination-x-left* and *destination-y-top*.

font-structure *font-name* operation on x-graphics-device
 Returns a Scheme equivalent of the X font structure for the font named *font-name*. If the string *font-name* does not name a font known to the X server, or names a 16-bit font, **#f** is returned.

x-font-structure/name <i>font-structure</i>	procedure
x-font-structure/direction <i>font-structure</i>	procedure
x-font-structure/all-chars-exist <i>font-structure</i>	procedure
x-font-structure/default-char <i>font-structure</i>	procedure
x-font-structure/min-bounds <i>font-structure</i>	procedure
x-font-structure/max-bounds <i>font-structure</i>	procedure
x-font-structure/start-index <i>font-structure</i>	procedure
x-font-structure/character-bounds <i>font-structure</i>	procedure
x-font-structure/max-ascent <i>font-structure</i>	procedure
x-font-structure/max-descent <i>font-structure</i>	procedure

These procedures extract the components of the font description structure returned by the X graphics operation **font-structure**. A more complete description of these components appears in documentation of the **XLoadQueryFont** Xlib call. **start-index** is the index of the first character available in the font. The **min-bounds** and **max-bounds** components are structures of type **x-character-bounds**, and the **character-bounds** component is a vector of the same type.

x-character-bounds/lbearing <i>character-bounds</i>	procedure
x-character-bounds/rbearing <i>character-bounds</i>	procedure
x-character-bounds/width <i>character-bounds</i>	procedure
x-character-bounds/ascent <i>character-bounds</i>	procedure
x-character-bounds/descent <i>character-bounds</i>	procedure

These procedures extract components of objects of type **x-character-bounds**. A more complete description of them appears in documentation of the **XLoadQueryFont** Xlib call.

17.10 Win32 Graphics

MIT Scheme supports graphics on Microsoft Windows 95, Windows 98, and Windows NT. In addition to the usual operations, there are operations to control the size, position and colors of a graphics window. Win32 devices support images, which are implemented as device independent bitmaps (DIBs).

The Win32 graphics device type is implemented as a top level window. **graphics-enable-buffering** is implemented and gives a 2x to 4x speedup on many graphics operations. As a convenience, when buffering is enabled clicking on the graphics window's title bar effects a **graphics-flush** operation. The user has the benefit of the increased performance and the ability to view the progress in drawing at the click of a mouse button.

17.10.1 Win32 Graphics Type

Win32 graphics devices are created by specifying the symbol **win32** as the *graphics-device-type* argument to **make-graphics-device**. The Win32 graphics device type is im-

plemented as a top-level window and supports color drawing in addition to the standard Scheme graphics operations.

Graphics devices are opened as follows:

```
(make-graphics-device 'win32 #!optional width height palette)
```

where *width* and *height* specify the size, in pixels, of the drawing area in the graphics window (i.e. excluding the frame). *Palette* determines the colors available for drawing in the window.

When a color is specified for drawing, the nearest color available in the palette is used. Permitted values for *palette* are

'grayscale

The window allocates colors from a grayscale palette of approximately 236 shades of gray.

'grayscale-128

The window allocates colors from a grayscale palette of 128 shades of gray.

'standard

The standard palette has good selection of colors and grays.

#f or **'system**

The colors available are those in the system palette. There are usually 16 to 20 colors in the system palette and these are usually sufficient for simple applications like line drawings and x-vs-y graphs of mathematical functions. Drawing with the system palette can be more efficient.

If *palette* is not specified then the **standard** palette is used.

17.10.2 Custom Operations for Win32 Graphics

Custom operations are invoked using the procedure **graphics-operation**. For example,

```
(graphics-operation device 'set-foreground-color "blue")
```

set-background-color *color-name*

operation on win32-graphics-device

set-foreground-color *color-name*

operation on win32-graphics-device

These operations change the colors associated with a window. *Color-name* must be of one of the valid color specification forms listed below. **set-background-color** and **set-foreground-color** change the colors to be used when drawing, but have no effect on anything drawn prior to their invocation. Because changing the background color affects the entire window, we recommend calling **graphics-clear** on the window's device afterwards.

The foreground color affects the drawing of text, points, lines, ellipses and filled polygons.

Colors are specified in one of three ways:

An integer This is the Win32 internal RGB value.

By name A limited number of names are understood by the system. Names are strings, e.g. **"red"**, **"blue"**, **"black"**. More names can be registered with the **define-color** operation.

RGB (Red-Green-Blue) triples

A triple is either a vector or list of three integers in the range 0–255 inclusive which specify the intensity of the red, green and blue components of the color. Thus `#(0 0 0)` is black, `(0 0 128)` is dark blue and `#(255 255 255)` is white.

If the color is not available in the graphics device then the nearest available color is used instead.

define-color *name spec* operation on win32-graphics-device

Define the string *name* to be the color specified by *spec*. *Spec* may be any acceptable color specification. Note that the color names defined this way are available to any Win32 graphics device, and the names do *not* have to be defined for each device.

Color names defined by this interface may also be used when setting the colors of the Scheme console window, or the colors of Edwin editor windows.

find-color *name* operation on win32-graphics-device

Looks up a color previously defined by **define-color**. This returns the color in its most efficient form for operations **set-foreground-color** or **set-background-color**.

draw-ellipse *left top right bottom* operation on win32-graphics-device

Draw an ellipse. *Left*, *top*, *right* and *bottom* indicate the coordinates of the bounding rectangle of the ellipse. Circles are merely ellipses with equal width and height. Note that the bounding rectangle has horizontal and vertical sides. Ellipses with rotated axes cannot be drawn. The rectangle applies to the center of the line used to draw the ellipse; if the line width has been set to greater than 1 then the ellipse will spill outside the bounding rectange by half of the line width.

fill-polygon *points* operation on win32-graphics-device

Draws a filled polygon using the current foreground color. *Points* is a vector of real numbers. The numbers are in the order *x1 y1 x2 y2 ... xn yn*. For example,

```
(graphics-operation device 'fill-polygon #(0 0 0 1 1 0))
```

draws a solid triangular region between the points (0, 0), (0, 1) and (1, 0).

load-bitmap *pathname* operation on win32-graphics-device

The graphics device contents and size are initialized from the windows bitmap file specified by *pathname*. If no file type is supplied then a ".BMP" extension is added. If a clip rectangle is in effect when this procedure is called, it is necessary to redefine the clip rectangle afterwards.

save-bitmap *pathname* operation on win32-graphics-device

The graphics device contents are saved as a bitmap to the file specified by *pathname*. If no file type is supplied then a ".BMP" extension is added. The saved bitmap may be incorporated into documents or printed.

- move-window** *x y* operation on win32-graphics-device
 The graphics device window is moved to the screen position specified by *x* and *y*.
- resize-window** *width height* operation on win32-graphics-device
 The graphics device window is resized to the specified *width* and *height* in device coordinates (pixels). If a clip rectangle is in effect when this procedure is called, it is necessary to redefine the clip rectangle afterwards.
- set-line-width** *width* operation on win32-graphics-device
 This operation sets the line width for future drawing of lines, points and ellipses. It does not affect existing lines and has no effect on filled polygons. The line width is specified in device units. The default and initial value of this parameter is 1 pixel.
- set-window-name** *name* operation on win32-graphics-device
 This sets the window title to the string *name*. The window is given the name "Scheme Graphics" at creation.
- set-font** *handle* operation on win32-graphics-device
 Sets the font for drawing text. Currently not well supported. If you can get a Win32 font handle it can be used here.
- copy-area** *source-x-left source-y-top width height destination-x-left destination-y-top* operation on win32-graphics-device
 This operation copies the contents of the rectangle specified by *source-x-left*, *source-y-top*, *width*, and *height* to the rectangle of the same dimensions at *destination-x-left* and *destination-y-top*.

17.11 OS/2 Graphics

MIT Scheme supports graphics under the OS/2 Presentation Manager in OS/2 version 2.1 and later. The OS/2 graphics device type is implemented as a top level window. In addition to the usual operations, there are operations to control the size, position, and colors of a graphics window. OS/2 graphics devices support images, which are implemented as memory presentation spaces.

The custom graphics operations defined in this section are invoked using the procedure `graphics-operation`. For example,

```
(graphics-operation device 'set-foreground-color "blue")
```

17.11.1 OS/2 Graphics Type

OS/2 graphics devices are created by specifying the symbol `os/2` as the *graphics-device-type* argument to `make-graphics-device`. The OS/2 graphics device type is implemented as a top-level window and supports color drawing in addition to the standard Scheme graphics operations.

Graphics devices are opened as follows:

```
(make-graphics-device 'os/2 #!optional width height)
```

where *width* and *height* specify the size, in pixels, of the drawing area in the graphics window (i.e. excluding the frame).

17.11.2 Color Operations for OS/2 Graphics

These operations control the colors used when drawing on an OS/2 graphics device.

color? operation on os2-graphics-device
This operation returns **#t** if the display supports color.

set-background-color *color-name* operation on os2-graphics-device
set-foreground-color *color-name* operation on os2-graphics-device

These operations change the colors associated with a window. *Color-name* must be one of the valid color specification forms listed below. **set-background-color** and **set-foreground-color** change the colors to be used when drawing, but have no effect on anything drawn prior to their invocation. Because changing the background color affects the entire window, we recommend calling **graphics-clear** on the window's device afterwards.

The foreground color affects the drawing of text, points, and lines. Colors are specified in one of these ways:

An integer between 0 and **#xffffffff** inclusive
This is the OS/2 internal RGB value.

By name A limited number of names are understood by the system. Names are strings, e.g. "red", "blue", "black". More names can be registered with the **define-color** operation.

RGB (Red-Green-Blue) triples
A triple is a list of three integers between 0 and **#xff** inclusive which specify the intensity of the red, green and blue components of the color. Thus (0 0 0) is black, (0 0 128) is dark blue and (255 255 255) is white.

If the color is not available in the graphics device then the nearest available color is used instead.

define-color *name spec* operation on os2-graphics-device
Define the string *name* to be the color specified by *spec*. *Spec* may be any acceptable color specification. Note that the color names defined this way are available to any OS/2 graphics device, and the names do *not* have to be defined for each device.

Color names defined by this interface may also be used when setting the colors of the Scheme console window, or the colors of Edwin editor windows.

find-color *name* operation on os2-graphics-device
Looks up a color previously defined by **define-color**. This returns the color in its most efficient form for operations **set-foreground-color** or **set-background-color**.

17.11.3 Window Operations for OS/2 Graphics

These operations control the window that contains the OS/2 graphics device. They provide facilities to change the window's size and position; to raise and lower the window relative to other windows on the desktop; to hide or minimize the window, and to restore it from the hidden or minimized state; to activate or deactivate the window (that is, control the keyboard focus); and to control the text that appears in the window's title bar.

window-position

operation on os2-graphics-device

This operation returns the position of the graphics-device window on the desktop. The position is returned as two values (see [Section 12.3 \[Continuations\], page 167](#)), which are the x and y coordinates of the position. These coordinates are in units of pels (pixels), and measure the distance between the lower left hand corner of the desktop and the lower left hand corner of the graphics device window's frame.

set-window-position *x y*

operation on os2-graphics-device

The graphics-device window is moved to the screen position specified by *x* and *y*. The coordinates *x* and *y* are in units of pels (pixels), and measure the distance between the lower left hand corner of the desktop and the lower left hand corner of the graphics device window's frame.

window-size

operation on os2-graphics-device

This operation returns the size of the client area of the graphics-device window. The client area is the part of the window that you draw on; it does not include the window frame, title bar, etc. The size is returned as two values (see [Section 12.3 \[Continuations\], page 167](#)), which are the width and height of the client area in units of pels (pixels).

set-window-size *width height*

operation on os2-graphics-device

This operation sets the size of the client area of the graphics-device window to the specified *width* and *height*, which are in units of pels (pixels). The client area is the part of the window that you draw on; it does not include the window frame, title bar, etc.

window-frame-size

operation on os2-graphics-device

This operation returns the size of the graphics-device window's frame. This includes the client area, as well as the border, title bar, etc. The size is returned as two values (see [Section 12.3 \[Continuations\], page 167](#)), which are the width and height of the frame in units of pels (pixels).

The frame size is useful in conjunction with the window position and the desktop size to determine relative placement of the window or to guarantee that the entire window is visible on the desktop.

desktop-size

operation on os2-graphics-device

This operation returns the size of the OS/2 desktop. The size is returned as two values (see [Section 12.3 \[Continuations\], page 167](#)), which are the width and height of the frame in units of pels (pixels).

raise-window operation on os2-graphics-device
This operation raises the graphics-device window so that it is on top of any other windows on the desktop.

lower-window operation on os2-graphics-device
This operation lowers the graphics-device window so that it is below all other windows on the desktop.

hide-window operation on os2-graphics-device
This operation hides the graphics-device window. The window disappears from the desktop, but still appears in the window list.

minimize-window operation on os2-graphics-device
This operation minimizes the graphics-device window. The window disappears from the desktop, but still appears in the window list. Depending on how you have configured your desktop, the window may appear as an icon, either on the desktop or in the minimized window viewer.

maximize-window operation on os2-graphics-device
This operation maximizes the graphics-device window. This causes the window to fill the entire desktop.

restore-window operation on os2-graphics-device
This operation restores the graphics-device window to its normal state. If the window is hidden or minimized, it is shown again, at its former position on the desktop. If the window is maximized, it is returned to its normal size.

activate-window operation on os2-graphics-device
This operation makes the graphics-device window be the active window. This causes the window to be put in front of all other windows on the desktop, highlights its frame, and gives it the keyboard focus.

deactivate-window operation on os2-graphics-device
This operation deactivates the graphics-device window if it was active (otherwise it has no effect). This causes some other window to be chosen to be active in its place.

set-window-title *title* operation on os2-graphics-device
This operation changes the text that appears in the graphics device window's title bar. The new text is given by *title*, which must be a string.

17.11.4 Event Operations for OS/2 Graphics

These operations allow you to read some of the events that are generated by the Presentation Manager and put in the message queue of a graphics-device window.

read-button

operation on os2-graphics-device

This operation waits for the user to push a mouse button inside the client area of the graphics-device window. It then returns four values (see [Section 12.3 \[Continuations\]](#), [page 167](#)) which are: the button number; the x and y coordinates of the mouse pointer at the time the button was pressed, in pels (pixels) relative to the lower left hand corner of the client area; and the graphics device that the mouse pointer was over at the time the button was pressed.

Note that this operation only works when button events are selected (which is the default).

select-user-events *mask*

operation on os2-graphics-device

This operation sets the event-selection mask for the graphics device to *mask*. The event-selection mask is an exact non-negative integer that specifies which types of incoming events are to be saved in the user-event queue for later retrieval by the **read-user-event** operation. The mask is specified by setting the bits corresponding to the event types that you are interested in, as follows:

Number	Mask	Description
-----	-----	-----
0	#x001	Button press/release
1	#x002	Close (close the window) [WM_CLOSE]
2	#x004	Focus change [WM_SETFOCUS]
3	#x008	Key press/release [WM_CHAR]
4	#x010	Paint [WM_PAINT]
5	#x020	Size change [WM_SIZE]
6	#x040	Visibility change [WM_SHOW]
7	#x080	Command [WM_COMMAND]
8	#x100	Help [WM_HELP]
9	#x200	Mouse-move [WM_MOUSEMOVE]

Note that this operation does not affect any events that are already in the user-event queue. Changing the mask only affects what events will be added to the queue in the future.

read-user-event

operation on os2-graphics-device

This operation returns the next user event available from the user-event queue. If there are no events in the queue, the operation waits for an event to arrive before returning.

An event is a vector whose first element is the event-type number, whose second element is the graphics device that the event refers to, and whose remaining elements provide information about the event. Here is a table of the possible event types and their vector layout:

#(0 device number type x y flags)

A button event. *Number* is the button number, for example button number 0 is usually the left mouse button, 1 is usually the right button, etc. *Type* specifies what occurred: 0 means the button was pressed, 1 means the button was released, 2 means the button was clicked, and 3 means the button was double clicked. *X* and *y* are the position of the mouse pointer at the time of

the event, in units of pels (pixels) measured from the lower left corner of the client area of the associated window. Finally, *flags* specifies what shift keys were pressed at the time of the button event; it is a mask word created by combining zero or more of the following flags: **#x08** means the shift key was pressed, **#x10** means the control key was pressed, and **#x20** means the alt key was pressed.

#(1 device)

A close event. The user has selected the close button from the system menu, or typed Alt-F4.

#(2 device gained?)

A focus event. If *gained?* is **#t**, the keyboard focus is being gained, and if *gained?* is **#f**, it is being lost.

#(3 device code flags repeat)

A keyboard event. This is much too complicated to describe here. See the OS/2 toolkit documentation for details.

#(4 device xl xh yl yh)

A paint event. Part of the graphics-device window that was obscured has been revealed and the Presentation Manager is informing the window that it must repaint that area. Scheme will take care of the painting for you, so this event isn't very useful.

#(5 device width height)

A size-change event. The size of the graphics-device window has changed, and *width* and *height* specify the new size in pels (pixels).

#(6 device shown?)

A visibility event. Indicates that the graphics-device window has been hidden or revealed. If *shown?* is **#f**, the window is hidden, and if it is **#t**, the window is shown.

#(7 device source mouse?)

#(8 device source mouse?)

A menu command. *Source* specifies which menu item was selected to cause this event, and *mouse?* is a boolean indicating whether the item was selected with the mouse or the keyboard. The event-type number 7 indicates a command from a 'WM_COMMAND' message, while 8 is a command from a 'WM_HELP' message.

#(9 device x y hit-test flags)

The mouse was moved. *X* and *y* specify the position of the mouse, *hit-test* contains the hit-test information, and *flags* specifies the modifier keys that were pressed at the time.

discard-events

operation on os2-graphics-device

This operation discards any events that are in the user-event queue. This is sometimes useful when you want to prompt the user for some input and don't want to consider any previous input.

17.11.5 Miscellaneous Operations for OS/2 Graphics

These operations allow you to: change the font used for drawing text in a graphics-device window; take a snapshot of a graphics-device window and return it as an image object; and draw multiple lines efficiently.

set-font *font-name* operation on os2-graphics-device

This operation sets the font used for drawing text in the graphics-device window. *Font-name* is a string describing the font; this string is in the form "<point-size>.<family-name>", for example, "10.Courier". You may specify any fixed-pitch font family, in any point size that is supported for that font family. This includes both image fonts and outline fonts.

capture-image *x-left y-bottom x-right y-top* operation on os2-graphics-device

This operation creates and returns an image that contains part of the client area of the graphics-device window. The portion of the client area that is selected is specified by the four coordinate arguments, which are given in the current virtual coordinates for the device. See [Section 17.8 \[Images\], page 287](#), for more information about manipulating images.

draw-lines *xv yv* operation on os2-graphics-device

This operation draws multiple disjoint lines; it is like multiple calls to **graphics-draw-line** but much faster. The arguments *xv* and *yv* are vectors of coordinates; these vectors must be the same length, and the length must be a multiple of two. The contents of the vectors are alternating start/end pairs. For example, the following are equivalent:

```
(graphics-draw-line device xs ys xe ye)
(graphics-operation device 'draw-lines
  (vector xs xe)
  (vector ys ye))
```


18 Win32 Package Reference

18.1 Overview

The Win32 implementation is still in a state of development. It is expected that changes will be necessary when MIT Scheme is ported to Windows NT on the DEC Alpha architecture. In particular, the current system is not arranged in a way that adequately distinguishes between issues that are a consequence of the NT operating system and those which are a consequence of the Intel x86 architecture.

Thus this documentation is not definitive, it merely outlines how the current system works. Parts of the system will change and any project implemented using the win32 system must plan for a re-implementation stage.

The Win32 implementation has several components:

- Special microcode primitives.
- A foreign function interface (FFI) for calling procedures in dynamically linked libraries (DLLs).
- An interface for Edwin.
- The Win32 package provides support for using the features of the Windows 3.1 and Windows NT 3.1 environments.
- Device Independent Bitmap utilities. These are used by the win32 Scheme Graphics implementation. (The Scheme Graphics implementation is described in the Reference Manual).

Note that all the names in the Win32 support are part of the `win32` package. The names are bound in the `(win32)` environment, and do not appear as bindings in the user or root environments. An effect of this is that it is far easier to develop Win32 software in the `(win32)` package environment or a child environment.

18.2 Foreign Function Interface

The Win32 foreign function interface (FFI) is a primitive and fairly simple system for calling procedures written in C in a dynamically linked library (DLL). Both user's procedures from a custom DLL and system procedures (e.g. `MessageBox`) are called using the same mechanism.

Warning: The FFI as it stands has several flaws which make it difficult to use reliably. It is expected that both the interface to and the mechanisms used by the FFI will be changed in the future. We provide it, and this documentation, only to give people an early start in accessing some of the features of Win32 from Scheme. Should you use it in an experiment we welcome any feedback.

The FFI is designed for calling C procedures that use C data types rather than Scheme data objects. Thus it is not possible to write and call a C procedure that returns, for example, a Scheme list. The object returned will always be an integer (which may represent the address of a C data structure).

Warning: It is extremely dangerous to try to pass Scheme callback procedures to C procedures. It is only possible by passing integer 'handles' rather than the actual procedures,

name of a type. *Check*, *convert*, *return* and *revert* are procedures or the value `#f`. A `#f` means use the default value, which in the second form means use the definition provided for *model*. The defaults are

```
check      (lambda (x) #t), i.e. unchecked.
convert    (lambda (x) x), i.e. no translation performed.
return     (lambda (x) x), i.e. no translation performed.
revert     (lambda (x y) unspecific), i.e. no update performed
```

The `unchecked` windows type (see below) is defined as:

```
(define-windows-type unchecked #f #f #f #f)
```

Windows types are *not* first class values, so they cannot be stored in variables or defined using `define`:

```
(define my-type unchecked)           [error] Unbound variable
(define-similar-windows-type my-type unchecked)
;; the correct way
```

Scheme characters must be converted to integers. This is accomplished as follows:

```
(define-windows-type char
  char?      ; check
  char->integer ; convert
  integer->char ; convert return value
  #f         ; cannot be passed by reference
)
```

unchecked

windows type

The type which is not checked and undergoes only the basic conversion from a Scheme integer to a C integer or from a Scheme string to a C pointer to the first byte of the string. Returned `unchecked` values are returned as integers.

bool

windows type

Scheme booleans are analogous to C integers 0 and 1. Windows type `bool` have been defined as:

```
(define-windows-type bool
  boolean?
  (lambda (x) (if x 1 0))
  (lambda (x) (if (eq? x 0) #f #t))
  #f)
```

char

windows type

Scheme characters are converted into C objects of type `char`, which are indistinguishable from small integers.

int	windows type
uint	windows type
long	windows type
ulong	windows type
short	windows type
ushort	windows type
word	windows type
byte	windows type

Various integer types that are passed without conversion.

string	windows type
---------------	--------------

A string that is passed as a C pointer of type **char*** to the first character in the string.

char*	windows type
--------------	--------------

A string or **#f**. The string is passed as a pointer to characters. The string is correctly null-terminated. **#f** is passed as the null pointer. This is an example where there is a more complex mapping between C objects and Scheme objects. C's **char*** type is represented as one of two Scheme types depending on its value. This allows us us to distinguish between the C string (pointer) that points to the empty sequence of characters and the null pointer (which doesn't point anywhere).

handle	windows type
hbitmap	windows type
hbrush	windows type
hcursor	windows type
hdc	windows type
hicon	windows type
hinstance	windows type
hmenu	windows type
hpalette	windows type
hpen	windows type
hrgn	windows type
hwnd	windows type

Various kinds of Win32 handle. These names correspond to the same, but all uppercase, names in the Windows C language header files. Win32 API calls are the source of values of this type and the values are meaningless except as arguments to other Win32 API calls. Currently these values are represented as integers but we expect that Win32 handles will in future be represented by allocated Scheme objects (e.g. records) that will allow predicates (e.g. **hmenu?**) and sensible interlocking with the garbage collector to free the programmer of the current tedious allocation and deallocation of handles.

resource-id	windows type
--------------------	--------------

A Windows resource identifier is either a small integer or a string. In C, this distinction is possible because pointers look like larger integers, so a machine word representing a small integer can be distinguished from a machine word that is a pointer to the text of the name of the resource.

18.2.2 Windows Foreign Procedures

Foreign procedures are declared as callable entry-points in a module, usually a dynamically linked library (DLL).

find-module *name* procedure

Returns a module suitable for use in creating procedures with **windows-procedure**. *Name* is a string which is the name of a DLL file. Internally, **find-module** uses the **LoadLibrary** Win32 API, so *name* should conform to the specifications for this call. *Name* should be either a full path name of a DLL, or the name of a DLL that resides in the same directory as the Scheme binary ‘SCHEME.EXE’ or in the system directory. The module returned is a description for the DLL, and the DLL need not necessarily be linked at or immediately after this call. DLL modules are linked on need and unlinked before Scheme exits and when there are no remaining references to entry points after a garbage-collection. This behavior ensures that the Scheme system can run when a DLL is absent, provided the DLL is not actually used (i.e. no attempt is made to call a procedure in the DLL).

gdi32.dll variable

This variable is bound to the module describing the ‘GDI32.DLL’ library, which contains the Win32 API graphics calls, e.g. **LineTo**.

kernel32.dll variable

This variable is bound to the module describing the ‘KERNEL32.DLL’ library.

user32.dll variable

This variable is bound to the module describing the ‘USER32.DLL’ library. This module contains many useful Win32 API procedures, like **MessageBox** and **SetWindowText**.

windows-procedure (*name* (*parameter type*) ...) *return-type* special form
module entry-name [*options*]

This form creates a procedure, and could be thought of as “foreign-named-lambda”. The form creates a Scheme procedure that calls the C procedure identified by the exported entry point *entry-name* in the module identified by the value of *module*. Both *entry-name* and *module* are evaluated at procedure creation time, so either may be expression. *Entry-name* must evaluate to a string and *module* must evaluate to a module as returned by **find-module**. These are the only parts of the form that are evaluated at procedure creation time.

Name is the name of the procedure and is for documentation purposes only. This form *does not* define a procedure called *name*. It is more like **lambda**. The name might be used for debugging and pretty-printing.

A windows procedure has a fixed number of parameters (i.e. no ‘rest’ parameters or ‘varargs’), each of which is named and associated with a windows type *type*. Both the name *parameter* and the windows type *type* must be symbols and are not evaluated. The procedure returns a value of the windows type *return-type*.

The following example creates a procedure that takes a window handle (`hwnd`) and a string and returns a boolean (`bool`) result. The procedure does this by calling the `SetWindowText` entry in the module that is the value of the variable `user32.dll`. The variable `set-window-title` is defined to have this procedure as its value.

```
(define set-window-title
  (windows-procedure
    (set-window-text (window hwnd) (text string))
    bool user32.dll "SetWindowText"))

(set-window-title my-win "Hi")
⇒ #t
;; Changes window's title/text

set-window-title      ⇒ #[compiled-procedure ...]
set-window-text       [error] Unbound variable
```

When there are no *options* the created procedure will (a) check its arguments against the types, (b) convert the arguments, (c) call the C procedure and (d) convert the returned value. No reversion is performed, even if one of the *types* has a reversion defined. (Reverted types are rare [I have never used one], so paying a cost for this unless it is used seems silly).

The following options are allowed:

with-reversions

The reversions are included in the type conversions.

expand A synonym for **with-reversions**.

Scheme code

The *Scheme code* is placed between steps (a) and (b) in the default process. The Scheme code can enforce constraints on the arguments, including constraints between arguments such as checking that an index refers to a valid position in a string.

If both options (i.e. **with-reversions** and Scheme code) are used, **with-reversions** must appear first. There can be arbitrarily many Scheme expression.

18.2.3 Win32 API names and procedures

This section is a moving target.

The `#define` values from `'wingdi.h'` and `'winuser.h'` are available as bindings in the (`win32`) package environment. The `#define` symbols are all uppercase; these have been translated to all lowercase Scheme identifiers, thus `WM_LBUTTONDOWN` is the scheme variable `wm_lbuttonup`. As Scheme is case insensitive, the upper-case version may be used and probably should to make the code look more like conventional Windows code. The Scheme bindings have been produced automatically. Most of the `#define`-symbols contain an underscore so there are not many name clashes. There is one very notable name clash, however: `ERROR` is `#defined` to 0, which shadows the scheme procedure `error` in the root package environment. To signal an error, use `access` to get `error` from the system global environment:

```
(declare (usual-integrations))
...
((access error system-global-environment) "Complain" ...)
```

The set of procedures is incomplete because procedures have been added on a by-need basis for the implementation of other parts of the system, e.g. Scheme Graphics. Look in the implementation for further details.

Win32 API procedure names have been uniformly converted into Scheme identifiers as follows:

- A leading uppercase letter is translated into a lowercase letter.
- Subsequent sequences of uppercase letters are translated into lowercase letters preceded by a hyphen (minus symbol), i.e. hyphens are inserted at a lowercase to uppercase transition.
- Predicates beginning with `Is` finally have a question-mark appended.

Example: applying these rules to `IsWindow` yields `is-window?`, and `GetDC` is translated into `get-dc`.

18.3 Device Independent Bitmap Utilities

The Device Independent Bitmap (DIB) utilities library ‘`DIBUTILS.DLL`’ and the associated procedures in ‘`dib.scm`’ in the Win32 system source is an example of how to use the foreign function interface to access and manipulate non-Scheme objects.

dib

windows type

In the C world a DIB is a *handle* to a piece of memory containing the bits that represent information about the image and the pixels of the image. The handle is a machine-word sized piece of data which may be thought of as a 32 bit integer. The handle may be null (i.e. zero), indicating that there is no block of memory describing the DIB. The null value is usually returned by C functions that are supposed to create a DIB but failed, for some reason like the memory could not be allocated or a file could not be opened.

In the Scheme world a DIB is a structure containing information about the bitmap (specifically the integer that represents the handle). We also include `#f` in the `dib` windows type to mirror the null handle error value.

```

(define dib-result
  (lambda (handle)
    (if (= handle 0)
        #f
        (make-dib handle))))

(define dib-arg
  (lambda (dib)
    (if dib
        (cell-contents (dib-handle dib))
        0)))

(define-windows-type dib
  (lambda (thing) (or (dib? thing) (eq? thing #f)))
  dib-arg
  dib-result)

```

18.3.1 DIB procedures

The following procedures have typed parameters, using the same convention as `windows-procedure`.

open-dib (*filename string*) procedure

Return type: *dib*. Calls the `OpenDIB` entry of 'DIBUTILS.DLL'. If the return value is not `#f` then the file *filename* was found, successfully opened, and the contents were suitable for loading into memory as a device independent bitmap.

write-dib (*filename string*) (*dib dib*) procedure

Return type: *bool*. Calls the `WriteDIB` entry of 'DIBUTILS.DLL'. Returns `#t` if the file *filename* could be opened and written to. After this operation the file contains the bitmap data in a standard format that is understood by `open-dib` and various system utilities like the bitmap editor. Any problems resulting in failure are signalled by a `#f` return value.

bitmap-from-dib (*dib dib*) (*palette hpalette*) procedure

Return type: *hbitmap*. Calls the `BitmapFromDib` entry of 'DIBUTILS.DLL'. The returned value is a device dependent bitmap. The colours from the DIB are matched against colors in *palette*.

dib-from-bitmap (*bitmap hbitmap*) (*style dword*) (*bits word*) (*palette hpalette*) procedure

Return type: *dib*. Returns a DIB containing the same image as the device dependent bitmap *bitmap*. *Style* determines the kind of DIB, e.g. compression style. Calls the `DibFromBitmap` entry of 'DIBUTILS.DLL'.

dib-blit (*dest hdc*) (*x int*) (*y int*) (*w int*) (*h int*) (*src dib*) (*src-x int*) (*src-y int*) (*raster-op long*) procedure

Return type: *bool*. Calls the `DibBlit` entry of 'DIBUTILS.DLL'. Similar to the Win32 API `BitBlit` call, but draws a DIB rather than a piece of another device context.

Draws the *dib* on device context *hdc* at position (*x,y*). A rectangle of width *w* and height *h* is copied from position (*src-x,src-y*) of *dib*. *Raster-op* is supposed to allow the source and destination to be combined but I don't think I got this right so stick to **SRCCOPY**.

%delete-dib (*dib-handle handle*) procedure

Return type: *bool*. Calls the **DeleteDIB** entry of 'DIBUTILS.DLL'. Note that the parameter is a *handle*, and not a *dib*. This allows us to destroy a DIB and reclaim its memory by knowing only the handle value, and not needing the **dib** record. The importance of this is that if the **dib** record is GC-ed then a GC hook can reclaim the storage knowing only the handle.

delete-dib (*dib dib*) procedure

Return type: *bool*. This procedure calls **%delete-dib** to reclaim the storage occupied by a DIB. After being deleted, the DIB should not be used. This procedure allows the programmer to reclaim external heap storage rather than risking it running out before the next garbage collection.

dib-height (*dib dib*) procedure

Return type: *int*. Calls the **DibHeight** expand entry of 'DIBUTILS.DLL', which returns the height of the bitmap in pixels.

dib-width (*dib dib*) procedure

Return type: *int*. Calls the **DibWidth** entry of 'DIBUTILS.DLL', which returns the width of the bitmap in pixels.

copy-bitmap (*bm hbitmap*) procedure

Return type: *hbitmap*. Calls the **CopyBitmap** of 'DIBUTILS.DLL', which creates a new bitmap with the same size and contents as the original.

create-dib (*width int*) (*height int*) (*style int*) (*depth int*) (*palette hpalette*) procedure

Return type: *dib*. Calls the **CreateDIB** entry of 'DIBUTILS.DLL'. Creates a DIB of *width* by *height* pixels and *depth* bits of colour information. The *style* parameter determines how the bitmap is stored. I have only ever used **BI_RGB**. If *depth* ≤ 8 then the *palette* determines the DIB's colour table.

crop-bitmap (*bm hbitmap*) (*left int*) (*top int*) (*right int*) (*bottom int*) procedure

Return type: *hbitmap*. Calls the **CropBitmap** entry of 'DIBUTILS.DLL'. Returns a new bitmap containing the image from a region of the original.

dib-set-pixels-unaligned *dib (pixels string)* procedure

Return type: *bool*. Calls the **DIBSetPixelsUnaligned** entry of 'DIBUTILS.DLL'. Stuffs bytes from *pixels* into the bitmap. There are no alignment constraints on *pixels* (the usual way of doing this is to use the **SetDIBits** function which requires that every scan line of the bitmap is 32-bit word aligned, even if the scan lines are not a multiple of 4 bytes long). doing this

18.3.2 Other parts of the DIB Utilities implementation

The ‘DIBUTILS.DLL’ library is an ordinary DLL. See the standard Microsoft Windows documentation on how to create DLLs. Look at the code in the ‘WIN32/DIBUTILS’ directory of the Scheme source.

Please note:

- For the foreign function interface to find the procedures they must be declared as exports in the ‘.DEF’ definition file.
- To load the ‘.DLL’ file use the `find-module` Scheme function. Look at ‘WIN32/DIB.SCM’ to see how this is done.
- The current system works with C procedures with the `__stdcall` and `__cdecl` calling conventions but *not* the `__fastcall` calling convention.

GNU Free Documentation License

Version 1.1, March 2000

Copyright © 2000 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other written document “free” in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of “copyleft”, which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. The “Document”, below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as “you”.

A “Modified Version” of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A “Secondary Section” is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document’s overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (For example, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The “Invariant Sections” are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License.

The “Cover Texts” are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License.

A “Transparent” copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, whose contents can be viewed and edited directly and straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup has been designed to thwart or discourage subsequent modification by readers is not Transparent. A copy that is not “Transparent” is called “Opaque”.

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML designed for human modification. Opaque formats include PostScript, PDF, proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML produced by some word processors for output purposes only.

The “Title Page” means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, “Title Page” means the text near the most prominent appearance of the work’s title, preceding the beginning of the body of the text.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies of the Document numbering more than 100, and the Document’s license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long

as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a publicly-accessible computer-network location containing a complete Transparent copy of the Document, free of added material, which the general network-using public has access to download anonymously at no charge using public-standard network protocols. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has less than five).
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.

- I. Preserve the section entitled “History”, and its title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section entitled “History” in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the “History” section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. In any section entitled “Acknowledgements” or “Dedications”, preserve the section’s title, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section entitled “Endorsements”. Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section as “Endorsements” or to conflict in title with any Invariant Section.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version’s license notice. These titles must be distinct from any other section titles.

You may add a section entitled “Endorsements”, provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections entitled “History” in the various original documents, forming one section entitled “History”; likewise combine any sections entitled “Acknowledgements”, and any sections entitled “Dedications”. You must delete all sections entitled “Endorsements.”

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, does not as a whole count as a Modified Version of the Document, provided no compilation copyright is claimed for the compilation. Such a compilation is called an “aggregate”, and this License does not apply to the other self-contained works thus compiled with the Document, on account of their being thus compiled, if they are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one quarter of the entire aggregate, the Document’s Cover Texts may be placed on covers that surround only the Document within the aggregate. Otherwise they must appear on covers around the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may

include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License provided that you also include the original English version of this License. In case of a disagreement between the translation and the original English version of this License, the original English version will prevail.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License “or any later version” applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (C) *year* *your name*.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.1 or any later version published by the Free Software Foundation; with the Invariant Sections being *list their titles*, with the Front-Cover Texts being *list*, and with the Back-Cover Texts being *list*. A copy of the license is included in the section entitled ‘‘GNU Free Documentation License’’.

If you have no Invariant Sections, write “with no Invariant Sections” instead of saying which ones are invariant. If you have no Front-Cover Texts, write “no Front-Cover Texts” instead of “Front-Cover Texts being *list*”; likewise for Back-Cover Texts.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

Binding Index

"		*	
"	87	*	14, 62, 211, 214
#		*default-pathname-defaults*	227
#	60	*matcher	210
#!optional	12, 16	*parser	213
#!rest	12, 16	*parser-canonicalize-symbols?*	188
#(119	*parser-radix*	187
#\	77	*random-state*	75
#\altmode	78	*unparse-with-maximum-readability?*	191
#\backnext	78	*unparser-list-breadth-limit*	190
#\backspace	78	*unparser-list-depth-limit*	190
#\call	78	*unparser-radix*	190
#\linefeed	78, 83	*unparser-string-length-limit*	190
#\newline	77, 78, 83, 87		
#\page	78, 83, 87	+	
#\return	78, 83	+	14, 58, 62, 211, 214
#\rubout	78	+inf	73
#\space	77, 78, 83, 92	,	
#\tab	78, 83, 87	,	24, 105
#b	60	,@	24, 105
#d	60	-	
#e	60	-	62
#f	8, 24, 127	->namestring	222
#i	60	->pathname	222, 231
#o	60	->truename	233
#t	8, 24, 127	-i+	62
#x	60	-inf	73
%		.	
%delete-dib	311	.	105
,		.	38
,	22, 105	/	
(/	59, 62
(105	<	
()	105	<	61
)		<=	61, 81
)	105	=	
		=	51, 60, 61, 90
		=>	25

>
> 61
>= 61

?
? 212, 214

‘
‘ 24, 105

\
\ 87
\f 87
\n 87
\t 87

1
1+ 62
1d-table/alist 142
1d-table/get 142
1d-table/lookup 142
1d-table/put! 142
1d-table/remove! 142
1d-table? 142

2
2d-get 143
2d-get-alist-x 143
2d-get-alist-y 143
2d-put! 142
2d-remove! 143

8
8-bit-alphabet? 86

A
abort 263, 266
abs 63
access 22
access-condition 270, 271
acos 66
activate-window on os2-graphics-device 298
alist->rb-tree 155
alist->wt-tree 158
alist-copy 141
alist? 140
allocate-host-address 256
alphabet 210
alphabet+ 86
alphabet- 86

alphabet->char-set 86
alphabet->code-points 85
alphabet->string 86
alphabet? 85
alt 211, 213
and 26, 127
angle 66, 67
append 111, 115
append! 111, 115
append-map 115
append-map! 115
append-map* 115
append-map*! 115
apply 165
apply-hook-extra 170
apply-hook-procedure 170
apply-hook? 170
ascii->char 82
ascii-range->char-set 84
asin 66
assoc 140
association-procedure 140
assq 140
assv 140
atan 66, 74

B

beep 189
begin 26
bind-cell-contents! 131
bind-condition-handler 258, 259, 261, 262
bind-default-condition-handler .. 259, 261, 262
bit-string->signed-integer 126
bit-string->unsigned-integer 126
bit-string-allocate 123
bit-string-and 125
bit-string-and! 125
bit-string-andc 125
bit-string-andc! 125
bit-string-append 124
bit-string-clear! 124
bit-string-copy 123
bit-string-fill! 126
bit-string-length 124
bit-string-move! 126
bit-string-movec! 125
bit-string-not 125
bit-string-or 125
bit-string-or! 125
bit-string-ref 124
bit-string-set! 124
bit-string-xor 125
bit-string-xor! 125
bit-string-zero? 125
bit-string=? 125
bit-string? 124
bit-substring 124

bit-substring-find-next-set-bit 124
 bit-substring-move-right! 126
 bitmap-from-dib 310
 bool 305
 boolean/and 128
 boolean/or 128
 boolean=? 127
 boolean? 127
 bound-restart 267
 bound-restarts 267
 break-on-signals 259, 261, 262
 buffered-input-charson input port 200
 buffered-output-charson output port 201
 byte 306

C

caaaar 107
 caaadr 107
 caaar 107
 caadar 107
 caaddr 107
 caadr 107
 caar 107
 cadaar 107
 cadadr 107
 cadar 107
 caddar 107
 caddr 107
 cadr 107
 call-with-binary-input-file 183
 call-with-binary-output-file 183
 call-with-current-continuation 167
 call-with-input-file 182
 call-with-output-file 182
 call-with-temporary-file-pathname 233
 call-with-values 169
 canonical-host-name 255
 capture-imageon os2-graphics-device 301
 capture-syntactic-environment 43
 car 9, 106, 136
 case 25, 27
 cd 231
 cdaaar 107
 cdaadr 107
 cdaar 107
 cdadar 107
 cdaddr 107
 cdadr 107
 cdar 107
 cddaar 107
 cddadr 107
 cddar 107
 cdddar 107
 cdddr 107
 cddr 107

cdr 6, 106, 136
 ceiling 65
 ceiling->exact 65
 cell-contents 131
 cell? 131
 char 210, 305
 char* 306
 char->ascii 81, 82
 char->digit 79
 char->integer 81
 char->name 78
 char-alphabetic? 83
 char-alphanumeric? 83
 char-ascii? 81, 82, 87
 char-bits 80
 char-bits-limit 81
 char-ci 210
 char-ci<=? 79
 char-ci<? 79
 char-ci=? 79
 char-ci>=? 79
 char-ci>? 79
 char-code 81
 char-code-limit 81
 char-downcase 79
 char-graphic? 83, 195
 char-in-alphabet? 86
 char-integer-limit 81
 char-lower-case? 83
 char-numeric? 83
 char-ready? 185
 char-ready?on input port 199
 char-set 83, 210
 char-set->alphabet 86
 char-set-difference 84
 char-set-intersection 84
 char-set-invert 84
 char-set-member? 83
 char-set-members 83
 char-set-union 84
 char-set:alphabetic 83
 char-set:alphanumeric 83
 char-set:graphic 83
 char-set:lower-case 83
 char-set:not-graphic 83
 char-set:not-whitespace 83
 char-set:numeric 83
 char-set:standard 83
 char-set:upper-case 82
 char-set:whitespace 83, 93
 char-set? 82
 char-standard? 79, 83
 char-upcase 79
 char-upper-case? 83
 char-whitespace? 83
 char<=? 79, 81
 char<? 79
 char=? 51, 79

decoded-time/daylight-savings-time?	241
decoded-time/hour	241
decoded-time/minute	241
decoded-time/month	241
decoded-time/second	240
decoded-time/time-string	245
decoded-time/year	241
decoded-time/zone	241
default-object?	15
define	7, 20, 21, 27, 175
define-*matcher-expander	216
define-*matcher-macro	215
define-*parser-expander	216
define-*parser-macro	215
define-coloron os2-graphics-device	296
define-coloron win32-graphics-device	294
define-similar-windows-type	304
define-structure	29, 132
define-syntax	37
define-windows-type	304
del-assoc	140
del-assoc!	141
del-assq	140
del-assq!	141
del-assv	140
del-assv!	141
delay	18, 133
delete	112
delete!	112, 113
delete-association-procedure	141
delete-dib	311
delete-directory	233
delete-file	232
delete-file-no-errors	232
delete-matching-items	112
delete-matching-items!	112
delete-member-procedure	113
delq	112
delq!	112
delv	112, 113
delv!	112
denominator	64
desktop-sizeon os2-graphics-device	297
dib	309
dib-blit	310
dib-from-bitmap	310
dib-height	311
dib-set-pixels-unaligned	311
dib-width	311
digit->char	80
directory-namestring	228
directory-pathname	228
directory-pathname-as-file	229
directory-pathname?	227
directory-read	238
discard-charon input port	199
discard-charon input port	199
discard-eventson os2-graphics-device	300
discard-matched	210, 213
discard-parser-buffer-head!	206
discretionary-flush-output	188
discretionary-flush-outputon output port	200
display	179, 189, 260
do	7, 27, 28
draw-arc	290
draw-arcon x-graphics-device	290
draw-circle	290
draw-circleon x-graphics-device	290
draw-ellipseon win32-graphics-device	294
draw-imageon graphics-device	287
draw-lineson os2-graphics-device	301
draw-subimageon graphics-device	287
dynamic-wind	168
E	
eighth	110
else	5, 25
encapsulate	214
end-of-input	210
enough-namestring	228
enough-pathname	228
entity-extra	171
entity-procedure	171
entity?	171
enumerate-graphics-types	281
environment	251
environment-assign!	174
environment-assignable?	174
environment-assigned?	174
environment-bindings	173
environment-bound-names	173
environment-bound?	174
environment-definable?	174
environment-define	175
environment-define-macro	175
environment-has-parent?	173
environment-lookup	174
environment-lookup-macro	174
environment-macro-names	173
environment-parent	173
environment-reference-type	174
environment?	173
eof-object?	186, 198
eof?on input port	200
epoch	239
eq-hash	149
eq-hash-mod	145, 149
eq?	51, 54, 112, 114, 128, 130, 140, 141, 142, 144, 145, 151, 152, 268
equal-hash	149
equal-hash-mod	145, 149
equal?	23, 51, 55, 112, 114, 140, 141, 144, 145
eqv-hash	149
eqv-hash-mod	149

eqv? ...	9, 26, 51, 101, 106, 112, 114, 140, 141, 144
er-macro-transformer	47
error	4, 257, 259, 261, 262
error-irritant/noise	261
error:bad-range-argument	275
error:datum-out-of-range	275
error:derived-file	277
error:derived-port	277
error:divide-by-zero	278
error:file-operation-error	276
error:no-such-restart	279
error:wrong-number-of-arguments	275
error:wrong-type-argument	274
error:wrong-type-datum	274
eval	175
even?	62
exact->inexact	67
exact-integer?	61
exact-nonnegative-integer?	61
exact-rational?	61
exact?	61
except-last-pair	112
except-last-pair!	112
exp	66
expt	67
extend-top-level-environment	176

F

false	127
false?	127
fifth	110
file-access	235
file-access-time	236
file-access-time-direct	236
file-access-time-indirect	236
file-attributes	237
file-attributes-direct	237
file-attributes-indirect	237
file-attributes/access-time	237
file-attributes/allocated-length	238
file-attributes/change-time	237
file-attributes/gid	238
file-attributes/inode-number	238
file-attributes/length	237
file-attributes/mode-string	237
file-attributes/modes	238
file-attributes/modification-time	237
file-attributes/n-links	237
file-attributes/type	237
file-attributes/uid	238
file-directory?	233
file-eq?	235
file-executable?	235
file-exists-direct?	232
file-exists-indirect?	232
file-exists?	232
file-length	237

file-modes	235
file-modification-time	236
file-modification-time-direct	236
file-modification-time-indirect	236
file-namestring	228
file-pathname	228
file-readable?	234
file-regular?	234
file-symbolic-link?	234
file-time->global-decoded-time	244
file-time->global-time-string	244
file-time->local-decoded-time	244
file-time->local-time-string	244
file-time->universal-time	244
file-touch	237
file-type-direct	234
file-type-indirect	234
file-writeable?	234
fill-circle	290
fill-circleon x-graphics-device	290
fill-polygon	294
fill-polygonon win32-graphics-device	294
find-coloron os2-graphics-device	296
find-coloron win32-graphics-device	294
find-matching-item	113
find-module	307
find-restart	263, 267
first	110
fix:*	71
fix:+	71
fix:-	71
fix:-1+	71
fix:<	71
fix:<=	71
fix:=	71
fix:>	71
fix:>=	71
fix:1+	71
fix:and	72
fix:andc	72
fix:divide	71
fix:fixnum?	71
fix:gcd	71
fix:lsh	72
fix:negative?	71
fix:not	72
fix:or	72
fix:positive?	71
fix:quotient	71
fix:remainder	71
fix:xor	72
fix:zero?	71
flo:*	73
flo:+	73
flo:-	73
flo:/	73
flo:<	73
flo:=	73

flo:>.....	73
flo:abs.....	73
flo:acos.....	74
flo:asin.....	74
flo:atan.....	74
flo:atan2.....	74
flo:ceiling.....	74
flo:ceiling->exact.....	74
flo:cos.....	74
flo:exp.....	74
flo:expt.....	74
flo:finite?.....	73
flo:flonum?.....	73
flo:floor.....	74
flo:floor->exact.....	74
flo:log.....	74
flo:negate.....	73
flo:negative?.....	73
flo:positive?.....	73
flo:random-unit.....	75
flo:round.....	74
flo:round->exact.....	74
flo:sin.....	74
flo:sqrt.....	74
flo:tan.....	74
flo:truncate.....	74
flo:truncate->exact.....	74
flo:zero?.....	73
flonum-parser-fast?.....	68
flonum-unparser-cutoff.....	68
floor.....	64
floor->exact.....	65
fluid-let.....	18, 20, 21, 27
flush-output.....	189
flush-outputon output port.....	200
fold-left.....	116
fold-right.....	116
font-structureon x-graphics-device.....	292
for-all?.....	117
for-each.....	115
force.....	133, 136
format.....	191
format-error-message.....	261
fourth.....	110
fresh-line.....	189
fresh-lineon output port.....	200

G

gcd.....	64
gdi32.dll.....	307
ge.....	7, 176
general-car-cdr.....	107
generate-uninterned-symbol.....	130
get-defaulton x-graphics-device.....	291
get-host-by-address.....	255
get-host-by-name.....	255
get-host-name.....	255

get-parser-buffer-pointer.....	205
get-parser-buffer-tail.....	206
get-universal-time.....	239
global-decoded-time.....	240
global-parser-macros.....	216
graphics-bind-drawing-mode.....	285
graphics-bind-line-style.....	285
graphics-clear.....	283, 290, 291
graphics-close.....	282
graphics-coordinate-limits.....	282
graphics-device-coordinate-limits.....	282
graphics-disable-buffering.....	285
graphics-drag-cursor.....	284
graphics-draw-line.....	283
graphics-draw-point.....	283
graphics-draw-text.....	283
graphics-enable-buffering.....	285
graphics-erase-point.....	283
graphics-flush.....	286
graphics-move-cursor.....	284
graphics-operation.....	286
graphics-reset-clip-rectangle.....	286
graphics-set-clip-rectangle.....	286
graphics-set-coordinate-limits.....	282
graphics-set-drawing-mode.....	285
graphics-set-line-style.....	285
graphics-type-available?.....	281
guarantee-i/o-port.....	180
guarantee-input-port.....	180
guarantee-output-port.....	180
guarantee-port.....	180

H

handle.....	306
hard-link-file.....	232
hash.....	151, 194
hash-table->alist.....	146
hash-table/clean!.....	145
hash-table/clear!.....	145
hash-table/constructor.....	150
hash-table/count.....	146
hash-table/datum-list.....	146
hash-table/entries-list.....	151
hash-table/entries-vector.....	151
hash-table/entry-datum.....	151
hash-table/entry-key.....	151
hash-table/entry-valid?.....	151
hash-table/for-each.....	146
hash-table/get.....	145
hash-table/key-hash.....	151
hash-table/key-list.....	146
hash-table/key=?.....	151
hash-table/lookup.....	146
hash-table/make.....	153
hash-table/make-entry.....	151
hash-table/put!.....	145
hash-table/rehash-size.....	148

hash-table/rehash-threshold	148
hash-table/remove!	145
hash-table/set-entry-datum!	151
hash-table/size	148
hash-table?	145
hbitmap	306
hbrush	306
hcursor	306
hdc	306
hicon	306
hide-windowon os2-graphics-device	298
hinstance	306
hmenu	306
host-address-any	256
host-address-loopback	256
host-namestring	228
host=?	229
host?	229
hpalette	306
hpen	306
hrgn	306
hwnd	306

I

i/o-port-type?	197
i/o-port?	179
identifier=?	46
identifier?	46
if	24, 127
ignore-error	262
ignore-errors	261
imag-part	67
image/destroy	287
image/fill-from-byte-vector	288
image/height	287
image/width	287
image?	287
implemented-primitive-procedure?	167
inexact->exact	58, 67
inexact?	61
init-file-pathname	229
initial-offset	33
input	250
input-buffer-size	250
input-buffer-sizeon input port	200
input-line-translation	250
input-port->parser-buffer	204
input-port-type?	197
input-port/char-ready?	199
input-port/discard-char	199
input-port/discard-chars	199
input-port/peek-char	199
input-port/read-char	199
input-port/read-string	199
input-port/read-substring	199
input-port?	179
int	305

integer->char	81
integer-ceiling	63
integer-divide	64, 71
integer-divide-quotient	64, 71
integer-divide-remainder	64, 71
integer-floor	63
integer-round	63
integer-truncate	63
integer?	60
interaction-i/o-port	180, 194
intern	129
intern-soft	129
internal-time/seconds->ticks	247
internal-time/ticks->seconds	246
interpreter-environment?	176
invoke-restart	263, 265, 267, 268
invoke-restart-interactively	263, 267, 268

K

keep-matching-items	112
keep-matching-items!	112
kernel32.dll	307
keyword-constructor	31

L

lambda	5, 8, 12, 14, 15, 18, 20, 21, 27, 165
last-pair	111
lcm	64
length	58, 110
let	7, 17, 18, 20, 21, 27
let*	7, 17, 20, 21, 27
let*-syntax	36
let-syntax	35
letrec	7, 18, 20, 21, 27
letrec-syntax	36
link-variables	176
list	6, 108, 117, 119
list->stream	135
list->string	88, 109
list->vector	109, 119
list-copy	109, 141
list-deletor	113, 141
list-deletor!	113, 141
list-head	111
list-ref	110
list-search-negative	114
list-search-positive	114
list-tail	110, 111
list-transform-negative	112
list-transform-positive	112
list?	109, 140, 142
load-bitmapon win32-graphics-device	294
load-option	153, 157, 191, 209, 217
local-decoded-time	239
local-host	229
log	66

long 306
 lower-windowon os2-graphics-device 298

M

magnitude 67
 make-id-table 142
 make-apply-hook 170
 make-bit-string 123
 make-cell 131
 make-char 80
 make-circular-list 117
 make-condition 258, 259, 271
 make-condition-type 271
 make-decoded-time 240
 make-directory 233
 make-entity 170
 make-eof-object 198
 make-eq-hash-table 144
 make-equal-hash-table 144
 make-eqv-hash-table 144
 make-graphics-device 281
 make-initialized-vector 120
 make-list 108, 117
 make-parser-macros 216
 make-pathname 225
 make-polar 67
 make-port 198
 make-port-type 197
 make-primitive-procedure 166
 make-random-state 75
 make-rb-tree 153
 make-record-type 132
 make-rectangular 66, 67
 make-root-top-level-environment 176
 make-string 88
 make-string-hash-table 144
 make-syntactic-closure 42
 make-synthetic-identifier 47
 make-vector 119
 make-wt-tree 158
 make-wt-tree-type 157
 make-xml-!attlist 219
 make-xml-!element 219
 make-xml-!entity 220
 make-xml-!notation 220
 make-xml-declaration 218
 make-xml-document 218
 make-xml-dtd 219
 make-xml-element 218
 make-xml-external-id 220
 make-xml-parameter-!entity 220
 make-xml-processing-instructions 219
 make-xml-uninterpreted 219
 make-xml-unparsed-!entity 220
 map 114, 214
 map* 114
 map-windowon x-graphics-device 291

match 213
 match-parser-buffer-char 206
 match-parser-buffer-char-ci 206
 match-parser-buffer-char-ci-no-advance .. 206
 match-parser-buffer-char-in-set 206
 match-parser-buffer-char-in-set-no-advance
 206
 match-parser-buffer-char-no-advance 206
 match-parser-buffer-not-char 206
 match-parser-buffer-not-char-ci 206
 match-parser-buffer-not-char-ci-no-advance
 206
 match-parser-buffer-not-char-no-advance
 206
 match-parser-buffer-string 206
 match-parser-buffer-string-ci 206
 match-parser-buffer-string-ci-no-advance
 206
 match-parser-buffer-string-no-advance ... 206
 match-parser-buffer-substring 207
 match-parser-buffer-substring-ci 207
 match-parser-buffer-substring-ci-no-advance
 207
 match-parser-buffer-substring-no-advance
 207
 match-utf8-char-in-alphabet 207
 max 62
 maximize-windowon os2-graphics-device 298
 measure-interval 247
 member 114
 member-procedure 114
 memq 114
 memv 114
 merge-pathnames 181, 227
 merge-sort 117
 merge-sort! 122
 microcode-id/operating-system 254
 microcode-id/operating-system-name 254
 microcode-id/operating-system-variant ... 254
 min 62
 minimize-windowon os2-graphics-device 298
 modulo 63
 month/long-string 246
 month/max-days 241
 month/short-string 246
 move-windowon win32-graphics-device 295
 move-windowon x-graphics-device 291
 muffle-warning 259, 263, 266

N

name->char	78
named	33
named-lambda	16, 20, 27
NaN	73
nearest-repl/environment	176
negative?	62
newline	189
nil	127
ninth	110
noise	213
not	127
not-char	210
not-char-ci	210
notification-output-port	180, 262
nt-file-mode/archive	236
nt-file-mode/compressed	236
nt-file-mode/directory	236
nt-file-mode/hidden	236
nt-file-mode/normal	236
nt-file-mode/read-only	235
nt-file-mode/system	236
nt-file-mode/temporary	236
null?	109, 110, 136
number->string	68
number-wt-type	158
number?	60
numerator	64

O

object-hash	152
object-hashed?	152
object-unhash	152
odd?	62
open-binary-i/o-file	182
open-binary-input-file	182
open-binary-output-file	182
open-dib	310
open-i/o-file	182
open-input-file	182
open-output-file	182
open-tcp-server-socket	253
open-tcp-stream-socket	253
or	26, 127
os/hostname	256
os2-file-mode/archived	235
os2-file-mode/directory	235
os2-file-mode/hidden	235
os2-file-mode/read-only	235
os2-file-mode/system	235
output	250
output-buffer-size	251
output-buffer-sizeon output port	201
output-line-translation	251
output-port-type?	197
output-port/discretionary-flush-output ..	201
output-port/flush-output	201

output-port/fresh-line	201
output-port/write-char	201
output-port/write-string	201
output-port/write-substring	201
output-port/x-size	201
output-port/y-size	202
output-port?	179

P

pair?	106, 109, 137
parse-namestring	222
parse-xml-document	217
parser-buffer-pointer-index	207
parser-buffer-pointer-line	207
parser-buffer-pointer?	205
parser-buffer-position-string	207
parser-buffer-ref	205
parser-buffer?	205
parser-macros?	216
pathname-absolute?	226
pathname-as-directory	229, 231
pathname-default	228
pathname-default-device	226
pathname-default-directory	226
pathname-default-name	226
pathname-default-type	226
pathname-default-version	226
pathname-device	225
pathname-directory	225
pathname-host	225
pathname-name	225
pathname-new-device	226
pathname-new-directory	226
pathname-new-name	226
pathname-new-type	226
pathname-new-version	226
pathname-simplify	222
pathname-type	225
pathname-version	225
pathname-wild?	227
pathname=?	226
pathname?	226
peek-char	185
peek-charon input port	198
peek-parser-buffer-char	205
port-type/operation	197
port-type/operation-names	197
port-type/operations	197
port-type?	197
port/input-blocking-mode	202
port/input-terminal-mode	203
port/operation	198
port/operation-names	198
port/output-blocking-mode	202
port/output-terminal-mode	204
port/set-input-blocking-mode	202
port/set-input-terminal-mode	203

port/set-output-blocking-mode	202	rb-tree/equal?	154
port/set-output-terminal-mode	204	rb-tree/height	155
port/state	198	rb-tree/insert!	153
port/type	198	rb-tree/key-list	154
port/with-input-blocking-mode	202	rb-tree/lookup	154
port/with-input-terminal-mode	203	rb-tree/max	155
port/with-output-blocking-mode	203	rb-tree/max-datum	156
port/with-output-terminal-mode	204	rb-tree/max-pair	156
port?	179	rb-tree/min	155
positive?	62	rb-tree/min-datum	155
pp	190	rb-tree/min-pair	155
predicate	30	rb-tree/size	154
predicate->char-set	84	rb-tree?	153
primitive-procedure-name	167	re-match-end-index	98
primitive-procedure?	166	re-match-extract	98
print-procedure	31	re-match-start-index	98
procedure-arity	166	re-string-match	97
procedure-arity-valid?	166	re-string-search-backward	97
procedure-environment	166	re-string-search-forward	97
procedure?	165	re-substring-match	97
process-time-clock	246	re-substring-search-backward	97
promise-forced?	134	re-substring-search-forward	97
promise-value	134	read	4, 8, 78, 105, 128, 179, 186
promise?	134	read-buttonon os2-graphics-device	299
prompt-for-command-char	195	read-char	179, 185, 186
prompt-for-command-expression	195	read-charon input port	198
prompt-for-confirmation	196	read-char-no-hang	186
prompt-for-evaluated-expression	196	read-line	187
prompt-for-expression	195	read-only	30
pwd	231	read-parser-buffer-char	205
		read-string	186
		read-stringon input port	199
		read-string!	187
		read-substringon input port	199
		read-substring!	187
		read-user-eventon os2-graphics-device	299
		read-utf8-code-point	85
		real-part	67
		real-time-clock	246
		real?	60
		record-accessor	132
		record-constructor	132
		record-modifier	132
		record-predicate	132
		record-type-descriptor	133
		record-type-field-names	133
		record-type-name	133
		record-type?	133
		record?	133
		redisplay-hook	251
		reduce	115
		reduce-right	116
		regexp-group	98
		remainder	63, 64
		rename-file	232
		resize-windowon win32-graphics-device	295
		resize-windowon x-graphics-device	291
		resource-id	306

Q

quasiquote	23, 105
quick-sort	117
quick-sort!	122
quote	22, 105
quotient	63, 64

R

raise-windowon os2-graphics-device	298
random	74
random-state?	75
rational?	60
rationalize	65
rationalize->exact	65
rb-tree->alist	154
rb-tree/copy	155
rb-tree/datum-list	154
rb-tree/delete!	154
rb-tree/delete-max!	156
rb-tree/delete-max-datum!	156
rb-tree/delete-max-pair!	156
rb-tree/delete-min!	156
rb-tree/delete-min-datum!	156
rb-tree/delete-min-pair!	156
rb-tree/empty?	154

restart/effector	268	set-background-coloron win32-graphics-device	293
restart/interactor	268	set-background-coloron x-graphics-device ...	290
restart/name	268	set-border-coloron x-graphics-device	290
restart?	268	set-border-widthon x-graphics-device	291
restore-windowon os2-graphics-device	298	set-car!	106
retry	263, 266	set-cdr!	105, 107
reverse	117	set-cell-contents!	131
reverse!	117	set-current-input-port!	181
reverse-string	102	set-current-output-port!	181
reverse-string!	102	set-current-parser-macros!	216
reverse-substring	102	set-entity-extra!	171
reverse-substring!	102	set-entity-procedure!	171
rexp*	100	set-file-modes!	235
rexp+	100	set-file-times!	236
rexp->regex	99	set-fonton os2-graphics-device	301
rexp-alternatives	100	set-fonton win32-graphics-device	295
rexp-any-char	99	set-fonton x-graphics-device	291
rexp-case-fold	101	set-foreground-color	293, 296
rexp-compile	99	set-foreground-coloron os2-graphics-device	296
rexp-group	100	set-foreground-coloron win32-graphics-device	293
rexp-line-end	99	set-foreground-coloron x-graphics-device ...	290
rexp-line-start	99	set-hash-table/rehash-size!	148
rexp-not-syntax-char	100	set-hash-table/rehash-threshold!	149
rexp-not-word-char	100	set-input-buffer-sizeon input port	200
rexp-not-word-edge	99	set-interaction-i/o-port!	181
rexp-optional	101	set-internal-border-widthon x-graphics-device	291
rexp-sequence	100	set-line-widthon win32-graphics-device	295
rexp-string-end	99	set-mouse-coloron x-graphics-device	290
rexp-string-start	99	set-mouse-shapeon x-graphics-device	291
rexp-syntax-char	100	set-notification-output-port!	181
rexp-word-char	99	set-output-buffer-sizeon output port	201
rexp-word-edge	99	set-parser-buffer-pointer!	205
rexp-word-end	99	set-port/state!	198
rexp-word-start	99	set-record-type-unparser-method!	31, 193
rexp?	98	set-string-length!	103
round	65	set-trace-output-port!	181
round->exact	65	set-window-nameon win32-graphics-device ...	295
rsc-macro-transformer	41	set-window-positionon os2-graphics-device ..	297
run-shell-command	248	set-window-sizeon os2-graphics-device	297
run-synchronous-subprocess	248	set-window-titleon os2-graphics-device	298
runtime	247	set-working-directory-pathname!	231
S			
safe-accessors	33	set-xml-!attlist-definitions!	219
save-bitmapon win32-graphics-device	294	set-xml-!attlist-name!	219
sc-macro-transformer	40	set-xml-!element-content-type!	219
scheme-subprocess-environment	251	set-xml-!element-name!	219
second	110	set-xml-!entity-name!	220
select-user-eventson os2-graphics-device ...	299	set-xml-!entity-value!	220
seq	211, 213	set-xml-!notation-id!	220
sequence	27	set-xml-!notation-name!	220
set!	21, 22	set-xml-declaration-encoding!	218
set-apply-hook-extra!	170	set-xml-declaration-standalone!	218
set-apply-hook-procedure!	170	set-xml-declaration-version!	218
set-background-color	293, 296	set-xml-document-declaration!	218
set-background-coloron os2-graphics-device	296	set-xml-document-dtd!	218

set-xml-document-misc-1!	218	string->decoded-time	245
set-xml-document-misc-2!	218	string->file-time	245
set-xml-document-misc-3!	218	string->input-port	183
set-xml-document-root!	218	string->list	88, 109
set-xml-dtd-external!	219	string->number	70
set-xml-dtd-internal!	219	string->parser-buffer	204
set-xml-dtd-root!	219	string->symbol	129
set-xml-element-attributes!	218	string->uninterned-symbol	130
set-xml-element-contents!	218	string->universal-time	244
set-xml-element-name!	218	string-append	92
set-xml-external-id-id!	220	string-capitalize	91
set-xml-external-id-uri!	220	string-capitalize!	91
set-xml-parameter-!entity-name!	220	string-capitalized?	91
set-xml-parameter-!entity-value!	220	string-ci	210
set-xml-processing-instructions-name!	219	string-ci<=?	90
set-xml-processing-instructions-text!	219	string-ci<?	90
set-xml-uninterpreted-text!	219	string-ci=?	89
set-xml-unparsed-!entity-id!	220	string-ci>=?	90
set-xml-unparsed-!entity-name!	220	string-ci>?	90
set-xml-unparsed-!entity-notation!	220	string-compare	90
seventh	110	string-compare-ci	90
sexp	212, 215	string-copy	88
shell-file-name	252	string-downcase	91
short	306	string-downcase!	91
signal-condition	258, 259, 262	string-fill!	101
signed-integer->bit-string	126	string-find-next-char	94
simplest-exact-rational	66	string-find-next-char-ci	94
simplest-rational	66	string-find-next-char-in-set	95
sin	66	string-find-previous-char	95
singleton-wt-tree	158	string-find-previous-char-ci	95
sixth	110	string-find-previous-char-in-set	95
soft-link-file	232	string-hash	90, 131
sort	117	string-hash-mod	90, 145
sort!	122	string-head	92
source->parser-buffer	205	string-length	58, 89, 102
sqrt	59, 67	string-lower-case?	91
standard-error-handler	262	string-match-backward	96
standard-error-hook	262	string-match-backward-ci	96
standard-unparser-method	194	string-match-forward	95
standard-warning-handler	262, 263	string-match-forward-ci	95
standard-warning-hook	262, 263	string-maximum-length	102
store-value	263, 266	string-null?	89
stream	135	string-pad-left	92
stream->list	135	string-pad-right	92
stream-car	136	string-prefix-ci?	96
stream-cdr	136	string-prefix?	96
stream-first	136	string-ref	9, 89, 103
stream-head	136	string-replace	101
stream-length	136	string-replace!	101
stream-map	137	string-search-all	94
stream-null?	136	string-search-backward	93
stream-pair?	136	string-search-forward	93
stream-ref	136	string-set!	9, 89, 129
stream-rest	136	string-suffix-ci?	96
stream-tail	136	string-suffix?	96
string	88, 210, 306	string-tail	92
string->alphabet	86	string-trim	93
string->char-set	84	string-trim-left	93

string-trim-right	93
string-upcase	91
string-upcase!	91
string-upper-case?	91
string-wt-type	158
string<=?	90
string<?	89
string=?	51, 89, 90, 128, 129, 144, 145
string>=?	90
string>?	90
string?	88
strong-hash-table/constructor	144
sublist	110
substring	92
substring->list	109
substring->parser-buffer	204
substring-capitalize!	91
substring-capitalized?	91
substring-ci<?	90
substring-ci=?	89
substring-downcase!	91
substring-fill!	101
substring-find-next-char	94
substring-find-next-char-ci	94
substring-find-next-char-in-set	95
substring-find-previous-char	95
substring-find-previous-char-ci	95
substring-find-previous-char-in-set	95
substring-lower-case?	91
substring-match-backward	96
substring-match-backward-ci	96
substring-match-forward	95
substring-match-forward-ci	95
substring-move-left!	101
substring-move-right!	101
substring-prefix-ci?	96
substring-prefix?	96
substring-replace	101
substring-replace!	101
substring-search-all	94
substring-search-backward	94
substring-search-forward	93
substring-suffix-ci?	96
substring-suffix?	96
substring-upcase!	91
substring-upper-case?	91
string<?	90
string=?	89
string?	94
subvector	121
subvector->list	109
subvector-fill!	121
subvector-move-left!	122
subvector-move-right!	122
symbol->string	9, 51, 129
symbol-append	130
symbol-hash	131
symbol-hash-mod	131

symbol<?	131
symbol?	129
syntax-rules	38
system-clock	247
system-global-environment	175
system-library-directory-pathname	230
system-library-pathname	230

T

t	127
tan	66
tcp-server-connection-accept	254
template	5
temporary-directory-pathname	233
temporary-file-pathname	233
tenth	110
the-environment	176
there-exists?	116
third	110
time-zone->string	246
time-zone?	241
top-level-environment?	176
trace-output-port	180
transform	214
tree-copy	108
true	127
truncate	65
truncate->exact	65
type	30, 32
type-descriptor	32

U

uint	306
ulong	306
unbind-variable	177
unchecked	305
unhash	152
unicode-code-point?	85
universal-time->file-time	243
universal-time->global-decoded-time	242
universal-time->global-time-string	243
universal-time->local-decoded-time	242
universal-time->local-time-string	243
unparser/set-tagged-pair-method!	193
unparser/set-tagged-vector-method!	193
unquote	24, 105
unquote-splicing	24, 105
unsigned-integer->bit-string	126
use-pty?	252
use-value	263, 266
user-homedir-pathname	229
user-initial-environment	7, 175, 176
user32.dll	307
ushort	306
utf8-string->code-point	85

V

valid-hash-number?	152
values	170, 213
vector	119
vector->list	109, 119
vector-8b-fill!	103
vector-8b-find-next-char	103
vector-8b-find-next-char-ci	103
vector-8b-find-previous-char	103
vector-8b-find-previous-char-ci	103
vector-8b-ref	103
vector-8b-set!	103
vector-binary-search	121
vector-copy	119
vector-eighth	121
vector-fifth	121
vector-fill!	121
vector-first	120
vector-fourth	121
vector-grow	120
vector-head	121
vector-length	58, 120
vector-map	120
vector-ref	9, 120
vector-second	121
vector-set!	120
vector-seventh	121
vector-sixth	121
vector-tail	121
vector-third	121
vector?	120

W

warn	259, 266
weak-car	137
weak-cdr	138
weak-cons	137
weak-hash-table/constructor	144
weak-pair/car?	137, 150
weak-pair?	137
weak-set-car!	138
weak-set-cdr!	138
well-formed-code-points-list?	85
where	195
window-frame-sizeon os2-graphics-device	297
window-positionon os2-graphics-device	297
window-sizeon os2-graphics-device	297
windows-procedure	307
with-current-parser-macros	216
with-current-unparser-state	194
with-input-from-binary-file	183
with-input-from-file	183
with-input-from-port	180
with-input-from-string	183
with-interaction-i/o-port	180
with-notification-output-port	180
with-output-to-binary-file	183

with-output-to-file	183
with-output-to-port	180
with-output-to-string	184
with-output-to-truncated-string	184
with-pointer	212, 215
with-restart	258, 263, 265, 267
with-simple-restart	263, 264, 267
with-string-output-port	184
with-timings	247
with-trace-output-port	180
with-working-directory-pathname	231
withdraw-windowon x-graphics-device	291
within-continuation	168
word	306
working-directory	252
working-directory-pathname	231
write	8, 128, 189, 194, 260
write-char	6, 179, 188
write-charon output port	200
write-condition-report	262, 271
write-dib	310
write-line	189
write-restart-report	268
write-string	188, 191, 194
write-substring	188
write-substringon output port	200
write-to-string	184
write-utf8-code-point	85
write-xml	217
wt-tree/add	159
wt-tree/add!	159
wt-tree/delete	159
wt-tree/delete!	159
wt-tree/delete-min	163
wt-tree/delete-min!	163
wt-tree/difference	160
wt-tree/empty?	158
wt-tree/fold	161
wt-tree/for-each	161
wt-tree/index	162
wt-tree/index-datum	162
wt-tree/index-pair	162
wt-tree/intersection	160
wt-tree/lookup	159
wt-tree/member?	159
wt-tree/min	163
wt-tree/min-datum	163
wt-tree/min-pair	163
wt-tree/rank	163
wt-tree/set-equal?	161
wt-tree/size	158
wt-tree/split<	159
wt-tree/split>	160
wt-tree/subset?	160
wt-tree/union	160
wt-tree/union-merge	161
wt-tree?	158

X

x-character-bounds/ascent	292
x-character-bounds/descent	292
x-character-bounds/lbearing	292
x-character-bounds/rbearing	292
x-character-bounds/width	292
x-close-all-displays	289
x-font-structure/all-chars-exist	292
x-font-structure/character-bounds	292
x-font-structure/default-char	292
x-font-structure/direction	292
x-font-structure/max-ascent	292
x-font-structure/max-bounds	292
x-font-structure/max-descent	292
x-font-structure/min-bounds	292
x-font-structure/name	292
x-font-structure/start-index	292
x-geometry-string	289
x-graphics/close-display	289
x-graphics/open-display	289
x-open-display	288
x-sizeon output port	201
xml-!attlist	219
xml-!attlist-definitions	219
xml-!attlist-name	219
xml-!attlist-rtd	219
xml-!attlist?	219
xml-!element	219
xml-!element-content-type	219
xml-!element-name	219
xml-!element-rtd	219
xml-!element?	219
xml-!entity	220
xml-!entity-name	220
xml-!entity-rtd	220
xml-!entity-value	220
xml-!entity?	220
xml-!notation	220
xml-!notation-id	220
xml-!notation-name	220
xml-!notation-rtd	220
xml-!notation?	220
xml-declaration	218
xml-declaration-encoding	218
xml-declaration-rtd	218
xml-declaration-standalone	218
xml-declaration-version	218
xml-declaration?	218
xml-document	218
xml-document-declaration	218
xml-document-dtd	218
xml-document-misc-1	218

xml-document-misc-2	218
xml-document-misc-3	218
xml-document-root	218
xml-document-rtd	218
xml-document?	218
xml-dtd	219
xml-dtd-external	219
xml-dtd-internal	219
xml-dtd-root	219
xml-dtd-rtd	219
xml-dtd?	219
xml-element	218
xml-element-attributes	218
xml-element-contents	218
xml-element-name	218
xml-element-rtd	218
xml-element?	218
xml-external-id	220
xml-external-id-id	220
xml-external-id-rtd	220
xml-external-id-uri	220
xml-external-id?	220
xml-intern	217
xml-parameter-!entity	220
xml-parameter-!entity-name	220
xml-parameter-!entity-rtd	220
xml-parameter-!entity-value	220
xml-parameter-!entity?	220
xml-processing-instructions	219
xml-processing-instructions-name	219
xml-processing-instructions-rtd	219
xml-processing-instructions-text	219
xml-processing-instructions?	219
xml-uninterpreted	219
xml-uninterpreted-rtd	219
xml-uninterpreted-text	219
xml-uninterpreted?	219
xml-unparsed-!entity	220
xml-unparsed-!entity-id	220
xml-unparsed-!entity-name	220
xml-unparsed-!entity-notation	220
xml-unparsed-!entity-rtd	220
xml-unparsed-!entity?	220

Y

y-size	197
y-sizeon output port	201

Z

zero?	60, 61
-------------	--------

Concept Index

!		;	
! in mutation procedure names	11	; as external representation	11
"		=	
" as external representation	87	=> in cond clause	25
		=> notational convention	4
#		?	
# as format parameter	192	? in predicate names	11
# in external representation of number	60		
#(as external representation	119	[
#* as external representation	123	[in entries	5
#[as external representation	194		
#\ as external representation	77]	
#l as external representation	11] in entries	5
#b as external representation	60		
#d as external representation	60	‘	
#e as external representation	60	‘ as external representation	24
#f as external representation	127		
#i as external representation	60	\	
#o as external representation	60	\ as escape character in string	87
#t as external representation	127		
#x as external representation	60	1	
,		1D table (defn)	141
, as external representation	22	A	
(absolute pathname (defn)	230
(as external representation	105	absolute value, of number	63
)		access time, of file	236
) as external representation	105	access, used with set!	22
,		addition, of numbers	62
, as external representation	24	address hashing	149
,@ as external representation	24	alias	40, 45
-		alist (defn)	139
-l notational convention	4	Alphabet, Unicode	85
-ci, in string procedure name	87	alphabetic case, of interned symbol	128
.		alphabetic case, of string	91
. as external representation	105	alphabetic case-insensitivity of programs (defn)	11
... in entries	5	alphabetic character (defn)	83
		alphanumeric character (defn)	83
		anonymous syntactic keyword	35
		apostrophe, as external representation	22
		appending, of bit strings	124
		appending, of lists	111

appending, of strings	92
appending, of symbols	130
appending, to output file	182
application hook (defn)	165, 170
application, of procedure	165
apply hook (defn)	170
argument evaluation order	14
ASCII character	80
assignment	22
association list (defn)	139
association table (defn)	142
asterisk, as external representation	123
attribute, of file	237

B

backquote, as external representation	24
backslash, as escape character in string	87
Backtracking, in parser language	207
balanced binary trees	153, 156
bell, ringing on console	189
binary file ports	181
binary trees	153, 156
binary trees, as discrete maps	157
binary trees, as sets	157
binding expression (defn)	7
binding expression, dynamic (or fluid)	18
binding expression, lexical	17
binding, of variable	6
binding, syntactic keyword	173
binding, unassigned	173
binding, variable	173
bit string (defn)	123
bit string index (defn)	123
bit string length (defn)	123
bitmaps	294
bitmaps, graphics	287
bitwise-logical operations, on fixnums	72
block structure	17
blocking mode, of port	202
BOA constructor	29
BOA constructor (defn)	31
body, of special form (defn)	5
boolean object	8
boolean object (defn)	127
boolean object, equivalence predicate	127
bound variable (defn)	6
bound-restarts	269, 271
bracket, in entries	5
bucky bit, of character (defn)	80
bucky bit, prefix (defn)	77
buffering, of graphics output	285
buffering, of output	188
built-in procedure	165
byte vector	103

C

call by need evaluation (defn)	133
capitalization, of string	91
car field, of pair (defn)	105
case clause	25
case conversion, of character	79
case sensitivity, of string operations	87
case, of interned symbol	128
case, of string	91
case-insensitivity of programs (defn)	11
cdr field, of pair (defn)	105
cell (defn)	131
character (defn)	77
character bits (defn)	80
character code (defn)	80
character set	82
character, alphabetic (defn)	83
character, alphanumeric (defn)	83
character, graphic (defn)	83
character, input from port	185, 198
character, ISO-8859-1 (defn)	82
character, named (defn)	77
character, numeric (defn)	83
character, output to port	188, 200
character, searching string for	93
character, standard	79
character, standard (defn)	83
character, whitespace (defn)	83
characters, special, in programs	11
child, of environment (defn)	6
circle, graphics	294
circles, drawing	290
circular list	109, 117
circular structure	55
clause, of case expression	25
clause, of cond expression	24
clearing the console screen	189
client socket	252
clip rectangle, graphics (defn)	286
clipping, of graphics	286
closing environment, of procedure (defn)	15
closing, of file port	182
closing, of port	181
Code point, Unicode	84
code, of character (defn)	80
color	293, 296
combination (defn)	14
comma, as external representation	24
comment, extended, in programs (defn)	11
comment, in programs (defn)	11
comparison predicate	48
comparison, for equivalence	51
comparison, of bit strings	125
comparison, of boolean objects	127
comparison, of characters	79
comparison, of numbers	61
comparison, of strings	89
compiled, procedure type	165

component selection, of bit string 124
 component selection, of cell 131
 component selection, of character 80
 component selection, of list 109
 component selection, of pair 106
 component selection, of stream 136
 component selection, of string 88
 component selection, of vector 120
 component selection, of weak pair 137
 components, of pathname 223
 compound procedure 165
 cond clause 24
 condition (defn) 268
 condition handler (defn) 261
 condition instance (defn) 268
 condition signalling (defn) 258
 condition type 258, 271
 conditional expression (defn) 24
 console, clearing 189
 console, port 181
 console, ringing the bell 189
 constant 9
 constant expression (defn) 13
 constant, and quasiquote 23
 constant, and quote 22
 construction, of bit string 123
 construction, of cell 131
 construction, of character 80
 construction, of character set 83
 construction, of circular list 117
 construction, of continuation 167
 construction, of EOF object 198
 construction, of file input port 182
 construction, of file output port 182
 construction, of hash table 143
 construction, of list 108
 construction, of pair 106
 construction, of pathname 222, 225
 construction, of port type 197
 construction, of procedure 15
 construction, of promise 133
 construction, of stream 135
 construction, of string 88
 construction, of string input port 183
 construction, of string output port 184
 construction, of symbols 129
 construction, of vector 119
 construction, of weak pair 137
 continuation 167
 continuation, alternate invocation 168
 continuation, and dynamic binding 19
 control, bucky bit prefix (defn) 77
 conventions for error messages 260
 conventions, lexical 10
 conventions, naming 11
 conventions, notational 4
 conversion, pathname to string 222, 228
 cooked mode, of terminal port 203

coordinates, graphics 282
 copying, of alist 141
 copying, of bit string 123
 copying, of file 232
 copying, of string 88
 copying, of tree 108
 copying, of vector 119
 current environment 176
 current environment (defn) 7
 current input port (defn) 179
 current input port, rebinding 183
 current output port (defn) 179
 current output port, rebinding 183, 184
 current working directory 221
 current working directory (defn) 230
 cursor, graphics (defn) 283
 custom operations, on graphics device 286
 custom operations, on port 197
 cutting, of bit string 124
 cutting, of list 110
 cutting, of string 92
 cutting, of vector 121

D

d, as exponent marker in number 60
 decoded time 238
 default object (defn) 15
 defaulting, of pathname 227
 define, procedure (defn) 20
 defining foreign procedures 307
 defining foreign types 304
 definition 20
 definition, internal 21
 definition, internal (defn) 20
 definition, top-level 21
 definition, top-level (defn) 20
 deletion, of alist element 140
 deletion, of file 232
 deletion, of list element 112
 delimiter, in programs (defn) 10
 device coordinates, graphics (defn) 282
 device, pathname component 223
 difference, of numbers 62
 directive, format (defn) 191
 directory path (defn) 224
 directory, converting pathname to 229
 directory, current working (defn) 230
 directory, pathname component 223
 directory, predicate for 233
 directory, reading 229, 238
 discrete maps, using binary trees 157
 discretionary flushing, of buffered output 188
 disembodied property list 128
 display, clearing 189
 display, X graphics 289
 division, of integers 63
 division, of numbers 62

DLL, DIBUTILS.DLL	309
DLL, exports	312
DLL, GDI32.DLL	307
DLL, KERNEL32.DLL	307
DLL, loading	307
DLL, USER32.DLL	307
dot, as external representation	105
dotted notation, for pair (defn)	105
dotted pair (see pair)	105
double precision, of inexact number	60
double quote, as external representation	87
drawing arcs and circles, graphics	290
drawing mode, graphics (defn)	284
dynamic binding	18, 262, 263
dynamic binding, and continuations	19
dynamic binding, versus static scoping	7
dynamic types (defn)	3

E

e, as exponent marker in number	60
effector, restart (defn)	263
element, of list (defn)	105
ellipse, graphics	294
ellipsis, in entries	5
else clause, of case expression (defn)	25
else clause, of cond expression (defn)	25
empty list (defn)	105
empty list, external representation	105
empty list, predicate for	110
empty stream, predicate for	136
empty string, predicate for	89
end of file object (see EOF object)	186
end, of substring (defn)	87
end, of subvector (defn)	119
entity (defn)	170
entry format	5
environment (defn)	6
environment, current	176
environment, current (defn)	7
environment, extension (defn)	6
environment, initial (defn)	7
environment, interpreter	176
environment, of procedure	15
environment, procedure closing (defn)	15
environment, procedure invocation (defn)	15
environment, top-level	176
EOF object, construction	198
EOF object, predicate for	186
equivalence predicate (defn)	51
equivalence predicate, for bit strings	125
equivalence predicate, for boolean objects	127
equivalence predicate, for characters	79
equivalence predicate, for fixnums	71
equivalence predicate, for flonums	73
equivalence predicate, for numbers	61
equivalence predicate, for pathname host	229
equivalence predicate, for pathnames	226

equivalence predicate, for strings	89
equivalence predicate, of hash table	143
equivalence predicates, for characters	79
error messages, conventions	260
error, in examples	4
error, unassigned variable	6
error, unbound variable (defn)	6
error→ notational convention	4
errors, notational conventions	4
escape character, for string	87
escape procedure (defn)	167
escape procedure, alternate invocation	168
evaluation order, of arguments	14
evaluation, call by need (defn)	133
evaluation, in examples	4
evaluation, lazy (defn)	133
evaluation, of s-expression	175
even number	62
exactness	58
examples	4
existence, testing of file	232
exit, non-local	168
explicit renaming	47
exponent marker (defn)	60
expression (defn)	13
expression, binding (defn)	7
expression, conditional (defn)	24
expression, constant (defn)	13
expression, input from port	186
expression, iteration (defn)	27
expression, literal (defn)	13
expression, output to port	189
expression, procedure call (defn)	14
expression, special form (defn)	13
extended comment, in programs (defn)	11
extension, of environment (defn)	6
extent, of dynamic binding (defn)	19
extent, of objects	3
external representation (defn)	8
external representation, and quasiquote	23
external representation, and quote	22
external representation, for bit string	123
external representation, for character	77
external representation, for empty list	105
external representation, for list	105
external representation, for number	60
external representation, for pair	105
external representation, for procedure	165
external representation, for string	87
external representation, for symbol	128
external representation, for vector	119
external representation, generating	189
external representation, parsing	186
extra object, of application hook	170

F

f, as exponent marker in number 60
 false, boolean object 8
 false, boolean object (defn) 127
 false, in conditional expression (defn) 24
 false, predicate for 127
 file (regular), predicate for 234
 file name 221
 file time 239
 file type, procedure for 234
 file, converting pathname directory to 229
 file, end-of-file marker (see EOF object) 186
 file, input and output ports 181
 filename (defn) 221
 filling, of bit string 126
 filling, of string 101
 filling, of vector 121
 filtering, of list 112
 fixnum (defn) 70
 flonum (defn) 73
 fluid binding 18, 262, 263
 flushing, of buffered output 188
 forcing, of promise 133
 foreign type declarations 304
 form 40
 form, special (defn) 13
 formal parameter list, of lambda (defn) 15
 format directive (defn) 191
 format, entry 5

G

generalization, of condition types 258, 259, 271, 272
 generalization, of condition types (defn) 257
 generating, external representation 189
 gensym (see uninterned symbol) 130
 geometry string, X graphics 289
 graphic character (defn) 83
 graphics 281
 graphics, bitmaps 287
 graphics, buffering of output 285
 graphics, circle 294
 graphics, clipping 286
 graphics, coordinate systems 282
 graphics, cursor (defn) 283
 graphics, custom operations 286
 graphics, device coordinates (defn) 282
 graphics, drawing 283
 graphics, drawing arcs and circles 290
 graphics, drawing mode (defn) 284
 graphics, ellipse 294
 graphics, images 287
 graphics, line style (defn) 284
 graphics, opening and closing devices 281
 graphics, output characteristics 284
 graphics, virtual coordinates (defn) 282
 greatest common divisor, of numbers 64

growing, of vector 120

H

handler, condition (defn) 261
 hard linking, of file 232
 hash table 143
 hashing, of key in hash table 144
 hashing, of object 151
 hashing, of string 90
 hashing, of symbol 131
 home directory, as pathname 229
 hook, application (defn) 165
 host, in filename 221
 host, pathname component 223
 hostname, TCP 252
 hygienic 35
 hyper, bucky bit prefix (defn) 77

I

I/O, to files 181
 I/O, to strings 183
 identifier 40
 identifier (defn) 10
 identity, additive 62
 identity, multiplicative 62
 images, graphics 287
 immutable 9
 implementation restriction 58
 implicit begin 27
 improper list (defn) 105
 index, of bit string (defn) 123
 index, of list (defn) 110
 index, of string (defn) 87
 index, of subvector (defn) 119
 index, of vector (defn) 119
 inheritance, of environment bindings (defn) 6
 initial environment (defn) 7
 initial size, of hash table 147
 input 179
 input form 41
 input form, to macro 47
 input operations 185
 input port operations 198
 input port, console 181
 input port, current (defn) 179
 input port, file 181
 input port, string 183
 insensitivity, to case in programs (defn) 11
 installed, as pathname component 225
 instance, of condition (defn) 268
 integer division 63
 integer, converting to bit string 126
 interactive input ports (defn) 185
 internal definition 21
 internal definition (defn) 20
 internal representation, for character 80

internal representation, for inexact number	60
interned symbol (defn)	128
interning, of symbols	129
interpreted, procedure type	165
interpreter environment	176
inverse, additive, of number	62
inverse, multiplicative, of number	62
inverse, of bit string	125
inverse, of boolean object	127
invocation environment, of procedure (defn) . . .	15
ISO-8859-1 character (defn)	82
iteration expression (defn)	27

K

key, of association list element (defn)	139
keyword	34
keyword binding	173
keyword constructor	29
keyword constructor (defn)	31
keyword, of special form (defn)	13

L

l, as exponent marker in number	60
lambda expression (defn)	15
lambda list (defn)	15
lambda, implicit in define	20
lambda, implicit in let	17
latent types (defn)	3
lazy evaluation (defn)	133
least common multiple, of numbers	64
length, of bit string	124
length, of bit string (defn)	123
length, of list (defn)	105
length, of stream	136
length, of string	102
length, of string (defn)	87
length, of vector (defn)	119
letrec, implicit in define	21
lexical binding expression	17
lexical conventions	10
lexical scoping (defn)	8
library, system pathname	230
limitations	303
line style, graphics (defn)	284
linking (hard), of file	232
linking (soft), of file	232
list (defn)	105
list index (defn)	110
list, association (defn)	139
list, converting to stream	135
list, converting to string	88
list, converting to vector	119
list, external representation	105
list, improper (defn)	105
literal expression (defn)	13
literal, and quasiquote	23

literal, and quote	22
literal, identifier as	10
loading DLLs	307
location	9
location, of variable	6
logical operations, on fixnums	72
long precision, of inexact number	60
loopback interface	256
looping (see iteration expressions)	27
lowercase	11
lowercase, character conversion	79
lowercase, in string	91

M

macro	34
macro keyword	34
macro transformer	34, 41, 47
macro use	34
magnitude, of real number	63
manifest types (defn)	3
mapping, of list	114
mapping, of stream	137
mapping, of vector	120
Matcher language	209
Matcher procedure	209
matching, of strings	95
maximum length, of string (defn)	102
maximum, of numbers	62
memoization, of promise	133
merging, of pathnames	227
meta, bucky bit prefix (defn)	77
method, unparser (defn)	193
minimum, of numbers	62
modification time, of file	236
modification, of bit string	126
modification, of string	101
modification, of vector	121
modulus, of hashing procedure	144
modulus, of integers	63
moving, of bit string elements	126
moving, of string elements	101
moving, of vector elements	121
multiple values, from procedure	169
multiplication, of numbers	62
must be, notational convention	4
mutable	9
mutation procedure (defn)	11

N

name, of character	77
name, of file	232
name, of symbol	129
name, of value (defn)	6
name, pathname component	223
named lambda (defn)	16
named let (defn)	27
names, XML	217
naming conventions	11, 308
negative infinity (<code>-inf</code>)	73
negative number	62
nesting, of quasiquote expressions	23
newest, as pathname component	225
newline character (defn)	78
newline character, output to port	189
newline translation	181
non-local exit	168
not a number (<code>NaN</code>)	73
notation, dotted (defn)	105
notational conventions	4
null string, predicate for	89
number	57
number, external representation	60
number, pseudo-random	74
numeric character (defn)	83
numeric precision, inexact	60
numerical input and output	68
numerical operations	60
numerical types	57

O

object hashing	151
odd number	62
oldest, as pathname component	225
one-dimensional table (defn)	141
operand, of procedure call (defn)	14
Operating-System Interface	221
operator, of procedure call (defn)	14
option, run-time-loadable	153, 157, 191, 209, 217
optional component, in entries	5
optional parameter (defn)	15
order, of argument evaluation	14
ordering, of characters	79
ordering, of numbers	61
ordering, of strings	89
OS/2 graphics	295
output	179
output form	41
output port operations	200
output port, console	181
output port, current (defn)	179
output port, file	181
output port, string	183
output procedures	188
output, XML	217

P

padding, of string	92
pair (defn)	105
pair, external representation	105
pair, weak (defn)	137
parameter list, of lambda (defn)	15
parameter, optional (defn)	15
parameter, required (defn)	15
parameter, rest (defn)	15
parent, of directory	224
parent, of environment (defn)	6
parenthesis, as external representation	105, 119
Parser buffer	204
Parser language	207, 212
Parser procedure	212
parser, XML	217
Parser-buffer pointer	204
parsing, of external representation	186
pasting, of bit strings	124
pasting, of lists	110
pasting, of strings	92
pasting, of symbols	130
path, directory (defn)	224
pathname	221
pathname (defn)	221
pathname components	223
pathname, absolute (defn)	230
pathname, relative (defn)	230
period, as external representation	105
physical size, of hash table (defn)	147
port	179
port (defn)	179
port number, TCP	253
port primitives	196
port type	196
port, console	181
port, current	179
port, file	181
port, string	183
positive infinity (<code>+inf</code>)	73
positive number	62
precision, of inexact number	60
predicate (defn)	11, 51
predicate, equivalence (defn)	51
prefix, of string	96
pretty printer	190
primitive procedure (defn)	165
primitive, procedure type	165
print name, of symbol	129
printed output, in examples	4
printing graphics output	294
procedure	165
procedure call (defn)	14
procedure define (defn)	20
procedure, closing environment (defn)	15
procedure, compiled	165
procedure, compound	165
procedure, construction	15

procedure, entry format	5
procedure, escape (defn)	167
procedure, interpreted	165
procedure, invocation environment (defn)	15
procedure, of application hook	170
procedure, primitive	165
procedure, type	165
product, of numbers	62
promise (defn)	133
promise, construction	133
promise, forcing	133
prompting	194
proper tail recursion (defn)	3
property list	139, 141, 142
property list, of symbol	128
protocol, restart (defn)	263
pseudo-random number	74

Q

quote, as external representation	22
quotient, of integers	63
quotient, of numbers	62
quoting	22

R

R4RS	3
random number	74
rational, simplest (defn)	65
raw mode, of terminal port	203
record-type descriptor (defn)	132
recursion (see tail recursion)	3
red-black binary trees	153
reduction, of list	115
reference, variable (defn)	13
referentially transparent	35
region of variable binding, do	28
region of variable binding, internal definition	21
region of variable binding, lambda	15
region of variable binding, let	17
region of variable binding, let*	17
region of variable binding, letrec	18
region, of variable binding (defn)	8
regular expression, searching string for	97
regular file, predicate for	234
rehash size, of hash table (defn)	148
rehash threshold, of hash table (defn)	148
relative pathname (defn)	230
remainder, of integers	63
renaming procedure	47
renaming, of file	232
REP loop	259, 261, 262, 266
REP loop (defn)	7
REP loop, environment of	7
replacement, of string component	101
representation, external (defn)	8
required parameter (defn)	15

resizing, of hash table	146
resources, X graphics	288
rest parameter (defn)	15
restart (defn)	263
restart effector (defn)	263
restart protocol	263
restarts, bound	269, 271
result of evaluation, in examples	4
result, unspecified (defn)	5
reversal, of list	117
REXP abstraction	98
ringing the console bell	189
root, as pathname component	224
run-time-loadable option ..	153, 157, 191, 209, 217
runtime system	3

S

s, as exponent marker in number	60
s-expression	175
scheme concepts	6
Scheme standard	3
scope (see region)	3
scoping, lexical (defn)	8
scoping, static	7
screen, clearing	189
searching, for regular expression	97
searching, of alist	140
searching, of bit string	124
searching, of list	113
searching, of string	93
searching, of vector	121
selecting, of stream component	136
selection, components of pathname	228
selection, of bit string component	124
selection, of cell component	131
selection, of character component	80
selection, of list component	109
selection, of pair component	106
selection, of string component	88
selection, of vector component	120
selection, of weak pair component	137
semicolon, as external representation	11
sensitivity, to case in programs (defn)	11
sequencing expressions	26
server socket	252, 253
service, TCP	253
set, of characters	82
sets, using binary trees	157
shadowing, of variable binding (defn)	6
short precision, of inexact number	60
signal an error (defn)	4
signalling, of condition (defn)	258
simplest rational (defn)	65
simplification, of pathname	222
single precision, of inexact number	60
size, of hash table (defn)	146
socket	252

soft linking, of file 232
 special characters, in programs 11
 special form 15
 special form (defn) 13
 special form, entry category 5
 specialization, of condition types ... 258, 259, 269, 270, 272
 specialization, of condition types (defn) 257
 specified result, in examples 4
 standard character 79
 standard character (defn) 83
 standard operations, on port 196
 standard ports 180
 standard Scheme (defn) 3
 start, of substring (defn) 87
 start, of subvector (defn) 119
 static scoping 7
 static scoping (defn) 3
 static types (defn) 3
 stream (defn) 135
 stream, converting to list 135
 string index (defn) 87
 string length (defn) 87
 string, character (defn) 87
 string, converting to input port 183
 string, converting to list 109
 string, input and output ports 183
 string, input from port 186, 199
 string, interning as symbol 129
 string, of bits (defn) 123
 string, output to port 188
 strong types (defn) 3
 strongly held keys, of hash table 143
 subprocess 248
 substring (defn) 87
 substring, of bit string 124
 substring, output to port 200
 substring, searching string for 93
 subtraction, of numbers 62
 subvector (defn) 119
 suffix, of string 96
 sum, of numbers 62
 super, bucky bit prefix (defn) 77
 symbol (defn) 128
 symbolic link, predicate for 234
 symbolic linking, of file 232
 synchronous subprocess 248
 syntactic closure 40
 syntactic closures 39
 syntactic environment 40
 syntactic keyword 14, 34
 syntactic keyword (defn) 13
 syntactic keyword binding 173
 syntactic keyword, identifier as 10
 synthetic identifier 40

T

table, association (defn) 142
 table, one-dimensional (defn) 141
 tail recursion (defn) 3
 tail recursion, vs. iteration expression 27
 taxonomical link, of condition type (defn) 257
 terminal mode, of port 203
 terminal screen, clearing 189
 tick 246
 time, decoded 238
 time, file 239
 time, string 239
 time, universal 238
 token, in programs (defn) 10
 top, bucky bit prefix (defn) 77
 top-level definition 21
 top-level definition (defn) 20
 top-level environment 176
 total ordering (defn) 117
 transformer environment 41
 tree, copying 108
 trees, balanced binary 153, 156
 trimming, of string 93
 true, boolean object 8
 true, boolean object (defn) 127
 true, in conditional expression (defn) 24
 truenam, of input file 233
 type predicate, for 1D table 142
 type predicate, for alist 140
 type predicate, for apply hook 170
 type predicate, for bit string 124
 type predicate, for boolean 127
 type predicate, for cell 131
 type predicate, for character 79
 type predicate, for character set 82
 type predicate, for compiled procedure 166
 type predicate, for compound procedure 166
 type predicate, for continuation 168
 type predicate, for empty list 110
 type predicate, for entity 171
 type predicate, for environment 173
 type predicate, for EOF object 186
 type predicate, for fixnum 71
 type predicate, for flonum 73
 type predicate, for hash table 145
 type predicate, for list 109
 type predicate, for number 60
 type predicate, for pair 106
 type predicate, for pathname 226
 type predicate, for pathname host 229
 type predicate, for port 179
 type predicate, for primitive procedure 166
 type predicate, for procedure 165
 type predicate, for promise 134
 type predicate, for record 133
 type predicate, for record type 133
 type predicate, for stream pair 136
 type predicate, for string 88

type predicate, for symbol	129
type predicate, for top-level environment	176
type predicate, for vector	120
type predicate, for weak pair	137
type, condition	258
type, of condition	271
type, of procedure	165
type, pathname component	223
types, latent (defn)	3
types, manifest (defn)	3
types, Windows	304

U

unassigned binding	173
unassigned variable	13
unassigned variable (defn)	6
unassigned variable, and assignment	22
unassigned variable, and definition	21
unassigned variable, and dynamic bindings	19
unassigned variable, and named let	27
unbound variable	13
unbound variable (defn)	6
Unicode	84
uninterned symbol (defn)	128
universal time	238
unparser method (defn)	193
unspecified result (defn)	5
up, as pathname component	224
uppercase	11
uppercase, character conversion	79
uppercase, in string	91
usable size, of hash table (defn)	147
usage environment	41

V

V as format parameter	192
valid index, of bit string (defn)	123
valid index, of list (defn)	110
valid index, of string (defn)	87
valid index, of subvector (defn)	119
valid index, of vector (defn)	119
value, of variable (defn)	6
values, multiple	169
variable binding	6, 173
variable binding, do	28
variable binding, fluid-let	18
variable binding, internal definition	21
variable binding, lambda	15

variable binding, let	17
variable binding, let*	17
variable binding, letrec	18
variable binding, top-level definition	21
variable reference (defn)	13
variable, adding to environment	20
variable, assigning values to	22
variable, binding region (defn)	8
variable, entry category	5
variable, identifier as	10
vector (defn)	119
vector index (defn)	119
vector length (defn)	119
vector, byte	103
vector, converting to list	109
version, pathname component	223
virtual coordinates, graphics (defn)	282

W

warning	303
weak pair (defn)	137
weak pair, and 1D table	141
weak types (defn)	3
weakly held keys, of hash table	143
weight-balanced binary trees	156
whitespace character (defn)	83
whitespace, in programs (defn)	10
Win32 API names	308
Win32 graphics	292
Windows types	304
working directory (see current working directory)	230

X

X display, graphics	289
X geometry string, graphics	289
X graphics	288
X resources, graphics	288
X window system	288
XML name	217
XML names	217
XML output	217
XML parser	217

Z

zero	62
------	----

Short Contents

Acknowledgements	1
1 Overview	3
2 Special Forms	15
3 Equivalence Predicates	51
4 Numbers	57
5 Characters	77
6 Strings	87
7 Lists	105
8 Vectors	119
9 Bit Strings	123
10 Miscellaneous Datatypes	127
11 Associations	139
12 Procedures	165
13 Environments	173
14 Input/Output	179
15 Operating-System Interface	221
16 Error System	257
17 Graphics	281
18 Win32 Package Reference	303
GNU Free Documentation License	313
Binding Index	319
Concept Index	335

Table of Contents

Acknowledgements	1
1 Overview	3
1.1 Notational Conventions	4
1.1.1 Errors	4
1.1.2 Examples	4
1.1.3 Entry Format	5
1.2 Scheme Concepts	6
1.2.1 Variable Bindings	6
1.2.2 Environment Concepts	6
1.2.3 Initial and Current Environments	7
1.2.4 Static Scoping	7
1.2.5 True and False	8
1.2.6 External Representations	8
1.2.7 Disjointness of Types	9
1.2.8 Storage Model	9
1.3 Lexical Conventions	10
1.3.1 Whitespace	10
1.3.2 Delimiters	10
1.3.3 Identifiers	10
1.3.4 Uppercase and Lowercase	11
1.3.5 Naming Conventions	11
1.3.6 Comments	11
1.3.7 Additional Notations	11
1.4 Expressions	13
1.4.1 Literal Expressions	13
1.4.2 Variable References	13
1.4.3 Special Form Syntax	13
1.4.4 Procedure Call Syntax	14
2 Special Forms	15
2.1 Lambda Expressions	15
2.2 Lexical Binding	17
2.3 Dynamic Binding	18
2.4 Definitions	20
2.4.1 Top-Level Definitions	21
2.4.2 Internal Definitions	21
2.5 Assignments	22
2.6 Quoting	22
2.7 Conditionals	24
2.8 Sequencing	26
2.9 Iteration	27

2.10	Structure Definitions	29
2.11	Macros	34
2.11.1	Binding Constructs for Syntactic Keywords	35
2.11.2	Pattern Language	37
2.11.3	Syntactic Closures	39
2.11.3.1	Syntax Terminology	40
2.11.3.2	Transformer Definition	40
2.11.3.3	Identifiers	45
2.11.4	Explicit Renaming	47
3	Equivalence Predicates	51
4	Numbers	57
4.1	Numerical types	57
4.2	Exactness	58
4.3	Implementation restrictions	58
4.4	Syntax of numerical constants	60
4.5	Numerical operations	60
4.6	Numerical input and output	68
4.7	Fixnum and Flonum Operations	70
4.7.1	Fixnum Operations	70
4.7.2	Flonum Operations	73
4.8	Random Numbers	74
5	Characters	77
5.1	External Representation of Characters	77
5.2	Comparison of Characters	79
5.3	Miscellaneous Character Operations	79
5.4	Internal Representation of Characters	80
5.5	ISO-8859-1 Characters	82
5.6	Character Sets	82
5.7	Unicode	84
6	Strings	87
6.1	Construction of Strings	88
6.2	Selecting String Components	88
6.3	Comparison of Strings	89
6.4	Alphabetic Case in Strings	91
6.5	Cutting and Pasting Strings	92
6.6	Searching Strings	93
6.7	Matching Strings	95
6.8	Regular Expressions	96
6.8.1	Regular-expression procedures	97
6.8.2	REXP abstraction	98
6.9	Modification of Strings	101
6.10	Variable-Length Strings	102
6.11	Byte Vectors	103

7	Lists	105
7.1	Pairs	106
7.2	Construction of Lists	108
7.3	Selecting List Components	109
7.4	Cutting and Pasting Lists	110
7.5	Filtering Lists	112
7.6	Searching Lists	113
7.7	Mapping of Lists	114
7.8	Reduction of Lists	115
7.9	Miscellaneous List Operations	117
8	Vectors	119
8.1	Construction of Vectors	119
8.2	Selecting Vector Components	120
8.3	Cutting Vectors	121
8.4	Modifying Vectors	121
9	Bit Strings	123
9.1	Construction of Bit Strings	123
9.2	Selecting Bit String Components	124
9.3	Cutting and Pasting Bit Strings	124
9.4	Bitwise Operations on Bit Strings	125
9.5	Modification of Bit Strings	126
9.6	Integer Conversions of Bit Strings	126
10	Miscellaneous Datatypes	127
10.1	Booleans	127
10.2	Symbols	128
10.3	Cells	131
10.4	Records	132
10.5	Promises	133
10.6	Streams	135
10.7	Weak Pairs	137

11	Associations	139
11.1	Association Lists	139
11.2	1D Tables	141
11.3	The Association Table	142
11.4	Hash Tables	143
11.4.1	Construction of Hash Tables	143
11.4.2	Basic Hash Table Operations	145
11.4.3	Resizing of Hash Tables	146
11.4.4	Address Hashing	149
11.4.5	Low-Level Hash Table Operations	149
11.5	Object Hashing	151
11.6	Red-Black Trees	153
11.7	Weight-Balanced Trees	156
11.7.1	Construction of Weight-Balanced Trees	157
11.7.2	Basic Operations on Weight-Balanced Trees	158
11.7.3	Advanced Operations on Weight-Balanced Trees	159
11.7.4	Indexing Operations on Weight-Balanced Trees	162
12	Procedures	165
12.1	Procedure Operations	165
12.2	Primitive Procedures	166
12.3	Continuations	167
12.4	Application Hooks	170
13	Environments	173
13.1	Environment Operations	173
13.2	Environment Variables	175
13.3	REPL Environment	176
13.4	Top-level Environments	176
14	Input/Output	179
14.1	Ports	179
14.2	File Ports	181
14.3	String Ports	183
14.4	Input Procedures	185
14.5	Output Procedures	188
14.6	Format	191
14.7	Custom Output	193
14.8	Prompting	194
14.9	Port Primitives	196
14.9.1	Port Types	197
14.9.2	Constructors and Accessors for Ports	198
14.9.3	Input Port Operations	198
14.9.4	Output Port Operations	200
14.9.5	Blocking Mode	202

14.9.6	Terminal Mode	203
14.10	Parser Buffers	204
14.11	Parser Language	207
14.11.1	*Matcher	209
14.11.2	*Parser	212
14.11.3	Parser-language Macros	215
14.12	XML Parser	217
15	Operating-System Interface	221
15.1	Pathnames	221
15.1.1	Filenames and Pathnames	222
15.1.2	Components of Pathnames	223
15.1.3	Operations on Pathnames	226
15.1.4	Miscellaneous Pathname Procedures	229
15.2	Working Directory	230
15.3	File Manipulation	232
15.4	Directory Reader	238
15.5	Date and Time	238
15.5.1	Universal Time	239
15.5.2	Decoded Time	239
15.5.3	File Time	242
15.5.4	Time-Format Conversion	242
15.5.5	External Representation of Time	245
15.6	Machine Time	246
15.7	Subprocesses	248
15.7.1	Subprocess Procedures	248
15.7.2	Subprocess Conditions	249
15.7.3	Subprocess Options	249
15.8	TCP Sockets	252
15.9	Miscellaneous OS Facilities	254
16	Error System	257
16.1	Condition Signalling	258
16.2	Error Messages	260
16.3	Condition Handling	261
16.4	Restarts	263
16.4.1	Establishing Restart Code	264
16.4.2	Invoking Standard Restart Code	265
16.4.3	Finding and Invoking General Restart Code ...	267
16.4.4	The Named Restart Abstraction	268
16.5	Condition Instances	268
16.5.1	Generating Operations on Conditions	269
16.5.2	Condition Abstraction	270
16.5.3	Simple Operations on Condition Instances	271
16.6	Condition Types	271
16.7	Condition-Type Taxonomy	272

17	Graphics	281
17.1	Opening and Closing of Graphics Devices	281
17.2	Coordinates for Graphics	282
17.3	Drawing Graphics	283
17.4	Characteristics of Graphics Output	284
17.5	Buffering of Graphics Output	285
17.6	Clipping of Graphics Output	286
17.7	Custom Graphics Operations	286
17.8	Images	287
17.9	X Graphics	288
17.9.1	X Graphics Type	288
17.9.2	Utilities for X Graphics	289
17.9.3	Custom Operations on X Graphics Devices	290
17.10	Win32 Graphics	292
17.10.1	Win32 Graphics Type	292
17.10.2	Custom Operations for Win32 Graphics	293
17.11	OS/2 Graphics	295
17.11.1	OS/2 Graphics Type	295
17.11.2	Color Operations for OS/2 Graphics	296
17.11.3	Window Operations for OS/2 Graphics	297
17.11.4	Event Operations for OS/2 Graphics	298
17.11.5	Miscellaneous Operations for OS/2 Graphics..	301
18	Win32 Package Reference	303
18.1	Overview	303
18.2	Foreign Function Interface	303
18.2.1	Windows Types	304
18.2.2	Windows Foreign Procedures	307
18.2.3	Win32 API names and procedures	308
18.3	Device Independent Bitmap Utilities	309
18.3.1	DIB procedures	310
18.3.2	Other parts of the DIB Utilities implementation	312
	GNU Free Documentation License	313
	ADDENDUM: How to use this License for your documents	318
	Binding Index	319
	Concept Index	335