



Github repo url

My Github repo


W06-P1: add 3 breakpoints for different devices




127.0.0.1:5500/demo/w06_94/blog_94.html

768 435 DPR: ... 不限速


Latest Blog



LIFESTYLE
兩杯果汁
就飲料
[Read More](#)



LIFESTYLE
現在我有冰淇淋
冰淇淋我最喜歡
[Read More](#)



LIFESTYLE
Pizza
pizza好吃
[Read More](#)

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Blog</title>
  </head>
  <body>
    <link rel="stylesheet" href="._blog_94.css">
    <div class="section-title">
      <h2>Latest Blog</h2>
    </div>
    <div class="blog-center">
      <div class="blog">
        <img alt="Smoothie" data-bbox="304 125 414 214"/>
        <p>LIFESTYLE</p>
        <p>兩杯果汁</p>
        <p>就飲料</p>
        <a href="#">Read More</a>
      </div>
      <div class="blog">
        <img alt="Ice cream" data-bbox="444 125 554 214"/>
        <p>LIFESTYLE</p>
        <p>現在我有冰淇淋</p>
        <p>冰淇淋我最喜歡</p>
        <a href="#">Read More</a>
      </div>
      <div class="blog">
        <img alt="Pizza" data-bbox="584 125 694 214"/>
        <p>LIFESTYLE</p>
        <p>Pizza</p>
        <p>pizza好吃</p>
        <a href="#">Read More</a>
      </div>
    </div>
  </body>
</html>
```

元素 (過渡樣式)

@media screen and (min-width: 768px)

blog_94.css:59

grid-template-columns: repeat(3, 1fr);

@media screen and (min-width: 450px)

blog_94.css:54

.blog-center {

grid-template-columns: repeat(2, 1fr);

.blog-center {

blog_94.css:44

Flexbox

選擇 Flex 容器或項目繼續

格線

覆蓋格線

div.blog-center


div.blog-center2

格線顯示選項


127.0.0.1:5500/demo/w06_94/blog_94.html

992 435 DPR: ... 不限速


Latest Blog




LIFESTYLE
兩杯果汁
就飲料
[Read More](#)



LIFESTYLE
現在我有冰淇淋
冰淇淋我最喜歡
[Read More](#)



LIFESTYLE
Pizza
pizza好吃
[Read More](#)



LIFESTYLE
鬆餅
鬆餅讚
[Read More](#)

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Blog</title>
  </head>
  <body>
    <link rel="stylesheet" href="._blog_94.css">
    <div class="section-title">
      <h2>Latest Blog</h2>
    </div>
    <div class="blog-center">
      <div class="blog">
        <img alt="Smoothie" data-bbox="244 484 344 573"/>
        <p>LIFESTYLE</p>
        <p>兩杯果汁</p>
        <p>就飲料</p>
        <a href="#">Read More</a>
      </div>
      <div class="blog">
        <img alt="Ice cream" data-bbox="374 484 474 573"/>
        <p>LIFESTYLE</p>
        <p>現在我有冰淇淋</p>
        <p>冰淇淋我最喜歡</p>
        <a href="#">Read More</a>
      </div>
      <div class="blog">
        <img alt="Pizza" data-bbox="504 484 604 573"/>
        <p>LIFESTYLE</p>
        <p>Pizza</p>
        <p>pizza好吃</p>
        <a href="#">Read More</a>
      </div>
      <div class="blog">
        <img alt="Crepes" data-bbox="634 484 734 573"/>
        <p>LIFESTYLE</p>
        <p>鬆餅</p>
        <p>鬆餅讚</p>
        <a href="#">Read More</a>
      </div>
    </div>
  </body>
</html>
```

元素 (過渡樣式)

@media screen and (min-width: 992px)

blog_94.css:65

grid-template-columns: repeat(4, 1fr);

@media screen and (min-width: 768px)

blog_94.css:59

.blog-center {

grid-template-columns: repeat(2, 1fr);

@media screen and (min-width: 450px)

blog_94.css:54

Flexbox

選擇 Flex 容器或項目繼續

格線


覆蓋格線

div.blog-center


div.blog-center2


格線顯示選項

W06-P2: add navbar for demo links



W06-P3: run 4 classdemo one by one





EXPLORER

OPEN EDITORS 1 unsaved

w06_94.md demo\w...

index.html

blog_94.html

style_94.css

demo_94.html

demo_94.js

blog_94.css

1111-SWEB...

css

style_94.css

demo

md

w01_94

w02_94

w03_94

w04_94

w05_94

w06_94

images

blog_94.css

blog_94.html

images

demo_94.html

index.html

README.md

demo > w06_94 > blog_94.html > html > body > section.blogs > div.section-title

```
74 
79 <div class="blog-content">
80   <span
81     <lifestyle <i class="fa-solid fa-martini-glass"
82   </span>
83   <h3>兩杯果汁</h3>
84   <p>就飲料</p>
85   <a href="a">read more</a>
86 </div>
87 </article>
88 <article class="blog">
89   
91     <span>lifestyle <i class="fa-solid fa-ice-crea
92     <h3>現在我有冰淇淋</h3>
93     <p>冰淇淋我最喜歡</p>
94     <a href="a">read more</a>
95   </div>
96 </article>
97 <article class="blog">
98   
100    <span>lifestyle <i class="fa-solid fa-ice-crea
101    <h3>pizza</h3>
102    <p>pizza好吃</p>
103    <a href="a">read more</a>
104  </div>
105 </article>
```

TERMINAL

GITLENS

JUPYTER

PROBLEMS 9


bash

User@E281-29 MINGW64 /d/1111-sweb--1N-demo-211410294 (main)
\$

127.0.0.1:5500/demo_94.html#

JohnDoe

w1-intro w2-card w4-blog w6-grid




LIFESTYLE

兩杯果汁

就飲料

Read More



LIFESTYLE

現在我有冰淇淋

冰淇淋我最喜歡

Read More

DevTools is now available in Chinese! Always match Chrome's language Switch DevTools to Chinese Don't show again

Elements

Console

Sources

Network

Performance

Memory

3

2

Settings

Close

<li onclick="change(2)">

<li onclick="change(3)">

<li onclick="change(4)">

</div>

</nav>

<section class="showClassdemo">

<iframe src="./demo/w06_94/blog_94.html" width="100% height="100%"></iframe>

<script src="./js/demo_94.js"></script>

<!-- Code injected by live-server -->

Styles

Computed

Layout

Event Listeners

Filter

hov .cls +

element.style {

}

, ::after, ::before {

style_94.css:58

margin: 0;

padding: 0;

box-sizing: border-box;

}

{

display: list-item;

text-align: -webkit-match-parent;

}

Inherited from ul.nav-links