
A Connectome Based Hexagonal Lattice Convolutional Network Model of the Drosophila Visual System - Supplemental Material

Anonymous Author(s)

Affiliation

Address

email

1 Computational Throughput and Implementation




Figure 1: Network speed using a *nVidia GTX 1080*.

2 In order to simulate our model efficiently, we used the tensor data structures and gradient based optimizers from the Caffe deep
3 learning library [1] combined with runtime code generating modules from LibDNN [2]. Choosing an existing framework brings
4 advantages over prior work [3], like having an efficient memory and GPU management system, while also providing typical deep
5 learning layers such as activations and fully connected layers that can be combined arbitrarily with our simulated visual system.
6 Caffe’s Python interface allows to conduct experiments rapidly, as it can be combined with Python tools to generate artificial
7 stimuli and analyze the neuronal responses.

8 We introduce a new layer, *sparse repeated pattern recurrent neural network*, which takes care of translating our connectome-based
9 network defined in Python to runtime generated CUDA or OpenCL code. The network is simulated in a 4D tensor of shape
10 $[batch\ size, neuron\ type, y, x]$ which can be interpreted as either a cartesian or hexagonal lattice. Images have to be resampled
11 and rearranged for the hexagonal lattice. To this end, we implemented nearest neighbor and bilinear interpolations as well as an
12 ommatidia-mode which resamples an RGB image to grayscale for the rhabdomeres R1-R6, R7 receives red (simulates UV),
13 30% of R8 sample blue and 70% of R8 sample green [4]. Note that we normalize the images and do not simulate any spherical
14 projections that occur in real fly vision [5], since our focus is on the lamina and medulla circuitry.




15 The hexagonal lattice of size $h \times w$ is kept contiguous in GPU memory along the x -axis. The secondary (y) axis stays aligned
16 with the dorsal-ventral orientation of the fly. However, such an arrangement does not result in a rectangular system. To correct
17 for this, we introduced an additional border condition at $y + \frac{1}{2} \cdot x = h$ and let lateral connections wrap around at $y = 0$. This
18 trick lets us work with rectangular images and introduces only marginal GPU overhead.

19 The newly introduced layer supports backpropagation through time (BPTT, [6][7]) during training, and a variable history length
20 can be chosen. In our setup, we used a batchsize of 5 steps and a history of 10 steps. Neurons at time t can reference any state
21 $[t-1, \dots, t-9]$ of another neuron or itself (as autapse), which simulates dynamic temporal delays.


22 Our implementation can process up to $\sim 15 \cdot 10^{10}$ synapses (5000 images) per second with our model, which requires
23 ~ 30 GFLOP/s of computational power. However the grid size (20×35) and number of neuron types (43) used are not enough
24 to saturate our GPU (*nVidia GTX 1080*). During training, the throughput is additionally limited by the sequential bottleneck of
25 atomically updating the 1183 synaptic weights in our model. This limitation will be lifted with more complex models in the
26 future, allowing us to simulate larger and bilateral fly vision models without loss of speed.

27 **Filters**


28 The filters applied to the inputs to a specific neuron. The target neuron is positioned in the center column of the hexagonal
 29 lattices describing the feature maps of the receptive fields respective to its inputs.






C2	Bias	Mi1	L5	Am	Lawf2	L1	Weight	Synapse count
Temporal synaptic delay (a.u.)	0	0	1	1	1	0		






C3	Bias	Tm1	Tm2	C2	Tm4	Am	T4c	L5	L2	L3	L1	Mi1	T4b	T4a	Lawf2	T4d	Weight	Synapse count
Temporal synaptic delay (a.u.)	0	0	1	0	1	1	1	0	0	0	0	0	1	1	1	1		




C3	Bias	Tm1	Tm2	C2	Tm4	Am	T4c	L5	L2	L3	L1	Mi1	T4b	T4a	Lawf2	T4d	Weight	Synapse count
Temporal synaptic delay (a.u.)	0	0	1	0	1	1	1	0	0	0	0	0	1	1	1	1		







L2	Bias	R4	R5	Tm2	R7	R1	R2	Tm1	R3	Am	R6	T1	L4	L5	L2	C3	C2	Lawf2	Weight	Synapse count	
Temporal synaptic delay (a.u.)		0	0	1	0	0	0	1	0	1	0	1	1	1	1	1	1	1	1	0.8	60











L2	Bias	R4	R5	Tm2	R7	R1	R2	Tm1	R3	Am	R6	T1	L4	L5	L2	C3	C2	Lawf2	Weight	Synapse count	
Temporal synaptic delay (a.u.)		0	0	1	0	0	0	1	0	1	0	1	1	1	1	1	1	1	1	0.8	60












L3	Bias	R4	Mi15	R6	R7	R1	R2	R3	R8	Am	L4	R5	C3	C2	Lawf2	Weight	Synapse count		
Temporal synaptic delay (a.u.)		0	1	0	0	0	0	0	0	1	1	0	1	1	1	1	1	0.20	15




















































































30 Computations

31 Computations carried out by our model, including initial bias and synapse count. The neurons are annotated with their relative
32 spatial (y, x -subscript) and temporal (t -superscript) offset relative to the central neuron.

33 Input neurons

- 34 • $R4_{0,0}^0$
- 35 • $R5_{0,0}^0$
- 36 • $R6_{0,0}^0$
- 37 • $R7_{0,0}^0$
- 38 • $R1_{0,0}^0$
- 39 • $R2_{0,0}^0$
- 40 • $R3_{0,0}^0$
- 41 • $R8_{0,0}^0$

42 Output neurons

- 43 • $Tm1_{0,0}^0$
- 44 • $Tm2_{0,0}^0$
- 45 • $Tm3_{0,0}^0$
- 46 • $Tm4_{0,0}^0$
- 47 • $TmY5a_{0,0}^0$
- 48 • $Tm6_{0,0}^0$
- 49 • $T2a_{0,0}^0$
- 50 • $Tm9_{0,0}^0$
- 51 • $T2_{0,0}^0$
- 52 • $T3_{0,0}^0$
- 53 • $T5a_{0,0}^0$
- 54 • $Tm20_{0,0}^0$
- 55 • $T4c_{0,0}^0$
- 56 • $T4b_{0,0}^0$
- 57 • $T4a_{0,0}^0$
- 58 • $T5c_{0,0}^0$
- 59 • $T5d_{0,0}^0$
- 60 • $T5b_{0,0}^0$
- 61 • $T4d_{0,0}^0$

62 Computations

- 63 • $T5a_{0,0}^0 = ReLU(3.5 + (3.5 \cdot Tm1_{0,-1}^0) + (5.0 \cdot Tm1_{1,-1}^0) + (-8.5 \cdot Tm4_{-1,1}^{-1}) + (-8.5 \cdot Tm2_{1,-1}^{-1}) + (34.5 \cdot Tm1_{0,0}^0) + (-6.0 \cdot Tm4_{0,1}^{-1}) + (2.5 \cdot Tm1_{-1,0}^0) + (11.0 \cdot Tm9_{0,0}^0) + (22.5 \cdot Tm1_{1,0}^0) + (-4.5 \cdot Tm2_{0,-1}^{-1}) + (-3.0 \cdot Tm4_{-1,2}^{-1}) + (7.0 \cdot Tm9_{0,-1}^0) + (5.0 \cdot Tm9_{-1,1}^0))$
- 64 • $T2_{0,0}^0 = ReLU(3.5 + (4.5 \cdot L5_{1,-2}^0) + (0.7 \cdot R8_{0,0}^0) + (4.1 \cdot T2_{-1,1}^{-1}) + (1.4 \cdot T3_{0,0}^0) + (4.1 \cdot T2_{1,-1}^{-1}) + (4.5 \cdot Tm3_{0,0}^0) + (-3.8 \cdot C3_{1,-1}^{-1}) + (0.8 \cdot L2_{0,-1}^0) + (15.1 \cdot Tm2_{0,0}^0) + (12.3 \cdot L5_{0,0}^0) + (6.4 \cdot L4_{0,0}^0) + (-4.5 \cdot C3_{1,-2}^{-1}) + (19.0 \cdot L5_{1,-1}^0) + (1.0 \cdot T2_{0,0}^{-1}) + (13.0 \cdot L5_{0,-1}^0) + (5.7 \cdot Mi1_{0,0}^0) + (4.1 \cdot T2_{1,0}^{-1}) + (4.5 \cdot Tm2_{1,-2}^0) + (0.5 \cdot L2_{1,-2}^0) + (4.1 \cdot T2_{0,-1}^{-1}) + (17.0 \cdot Tm2_{0,-1}^0) + (18.2 \cdot Tm2_{1,-1}^0) + (-5.3 \cdot C3_{0,0}^{-1}) + (4.1 \cdot T2_{0,1}^{-1}) + (7.8 \cdot Mi1_{0,-1}^0) + (-3.8 \cdot C3_{0,-1}^{-1}) + (9.0 \cdot Mi1_{1,-1}^0) + (-0.7 \cdot Mi4_{0,0}^0) + (-0.4 \cdot C2_{0,0}^{-1}) + (3.5 \cdot Mi1_{1,-2}^0) + (1.5 \cdot L2_{1,-1}^0) + (4.1 \cdot T2_{-1,0}^{-1}))$

- $T4a_{0,0}^0 = \text{ReLU}(3.5 + (5.0 \cdot Mi1_{1,-1}^0) + (3.5 \cdot Mi1_{0,-1}^0) + (12.0 \cdot T4a_{0,0}^{-1}) + (-3.0 \cdot Mi9_{-1,2}^{-1}) + (34.5 \cdot Mi1_{0,0}^0) + (22.5 \cdot Mi1_{1,0}^0) + (-6.0 \cdot Mi9_{0,1}^{-1}) + (-3.5 \cdot C3_{0,-1}^{-1}) + (-3.5 \cdot C3_{1,-1}^{-1}) + (7.0 \cdot Tm3_{0,-1}^0) + (5.0 \cdot Tm3_{-1,1}^0) + (-4.5 \cdot Mi4_{0,-1}^{-1}) + (-8.5 \cdot Mi4_{1,-1}^{-1}) + (2.5 \cdot Mi1_{-1,0}^0) + (-8.5 \cdot Mi9_{-1,1}^{-1}) + (11.0 \cdot Tm3_{0,0}^0))$
- $T3_{0,0}^0 = \text{ReLU}(3.5 + (3.2 \cdot Mi1_{0,-1}^0) + (11.2 \cdot Mi1_{1,-1}^0) + (5.8 \cdot Tm1_{1,0}^0) + (9.2 \cdot Tm1_{1,-1}^0) + (4.8 \cdot Tm1_{0,-1}^0) + (24.9 \cdot Mi1_{0,0}^0) + (6.2 \cdot Mi1_{1,0}^0) + (22.7 \cdot Tm1_{0,0}^0))$
- $L5_{0,0}^0 = \text{ReLU}(3.5 + (-0.1 \cdot Lawf2_{-2,-2}^{-1}) + (-0.1 \cdot Lawf2_{4,-2}^{-1}) + (-0.1 \cdot Lawf2_{-1,-1}^{-1}) + (-0.1 \cdot Lawf2_{1,1}^{-1}) + (67.4 \cdot L2_{0,0}^{-1}) + (-15.0 \cdot C3_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{4,-1}^{-1}) + (-0.1 \cdot Lawf2_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{0,0}^{-1}) + (-26.4 \cdot C2_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{-1,-2}^{-1}) + (-0.1 \cdot Lawf2_{2,0}^{-1}) + (-0.1 \cdot Lawf2_{3,-2}^{-1}) + (3.0 \cdot L5_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{-2,-1}^{-1}) + (8.6 \cdot Mi1_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{-2,0}^{-1}) + (24.6 \cdot Tm2_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{2,1}^{-1}) + (2.0 \cdot L4_{0,1}^{-1}) + (3.0 \cdot L4_{-1,1}^{-1}) + (-0.1 \cdot Lawf2_{-3,1}^{-1}) + (1.1 \cdot R8_{0,0}^0) + (-0.1 \cdot Lawf2_{3,0}^{-1}) + (-0.1 \cdot Lawf2_{1,0}^{-1}) + (-0.1 \cdot Lawf2_{-3,0}^{-1}) + (-0.1 \cdot Lawf2_{0,-1}^{-1}) + (-0.1 \cdot Lawf2_{3,-1}^{-1}) + (17.0 \cdot Tm1_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{2,-1}^{-1}) + (-1.0 \cdot Mi4_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{3,1}^{-1}) + (-0.1 \cdot Lawf2_{2,-2}^{-1}) + (2.0 \cdot L4_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{-1,1}^{-1}) + (-0.1 \cdot Lawf2_{1,-2}^{-1}) + (132.9 \cdot L1_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{-1,0}^{-1}) + (1.6 \cdot T1_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{0,-2}^{-1}) + (-0.1 \cdot Lawf2_{-2,1}^{-1}))$
- $T4c_{0,0}^0 = \text{ReLU}(3.5 + (9.0 \cdot Mi1_{-1,0}^0) + (-11.0 \cdot Mi9_{1,-1}^{-1}) + (-4.5 \cdot Mi9_{0,0}^{-1}) + (11.0 \cdot Tm3_{0,0}^0) + (-5.0 \cdot Mi9_{1,0}^{-1}) + (-6.0 \cdot C3_{-1,0}^{-1}) + (18.0 \cdot Mi1_{-1,1}^0) + (38.0 \cdot Mi1_{0,0}^0) + (12.0 \cdot T4c_{0,0}^{-1}) + (-6.5 \cdot Mi4_{-1,0}^{-1}) + (4.0 \cdot Mi1_{1,-1}^0) + (7.0 \cdot Tm3_{-1,0}^0) + (5.0 \cdot Tm3_{1,0}^0) + (11.0 \cdot Mi1_{0,-1}^0))$
- $R3_{0,0}^0 = \text{ReLU}(3.5 + (-0.1 \cdot Lawf2_{-2,-2}^{-1}) + (-0.1 \cdot Lawf2_{-1,-2}^{-1}) + (-0.1 \cdot Lawf2_{1,-1}^{-1}) + (-0.1 \cdot Lawf2_{-2,-1}^{-1}) + (-0.1 \cdot C3_{2,-1}^{-1}) + (-0.1 \cdot Lawf2_{4,-1}^{-1}) + (-0.1 \cdot Lawf2_{-3,1}^{-1}) + (-0.1 \cdot Lawf2_{-1,-1}^{-1}) + (-0.1 \cdot Lawf2_{1,1}^{-1}) + (-0.1 \cdot Lawf2_{-3,0}^{-1}) + (-0.1 \cdot Lawf2_{3,-2}^{-1}) + (-0.1 \cdot Lawf2_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{-2,1}^{-1}) + (-0.1 \cdot Lawf2_{3,0}^{-1}) + (-0.1 \cdot Lawf2_{2,-2}^{-1}) + (2.0 \cdot L4_{0,1}^{-1}) + (2.0 \cdot L4_{-1,1}^{-1}) + (-0.1 \cdot Lawf2_{-2,0}^{-1}) + (-0.1 \cdot Lawf2_{1,0}^{-1}) + (-0.1 \cdot Lawf2_{-3,0}^{-1}) + (-0.1 \cdot Lawf2_{-1,0}^{-1}) + (-0.1 \cdot Lawf2_{1,-2}^{-1}) + (-0.1 \cdot Lawf2_{2,-1}^{-1}) + (-0.1 \cdot Lawf2_{0,1}^{-1}) + (-0.1 \cdot Lawf2_{0,-2}^{-1}) + (-0.1 \cdot Lawf2_{3,1}^{-1}) + (-0.1 \cdot Lawf2_{4,-2}^{-1}) + (-0.1 \cdot Lawf2_{2,1}^{-1}) + (-0.1 \cdot Lawf2_{-1,1}^{-1}) + (-0.1 \cdot Lawf2_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{-2,0}^{-1}) + (-0.1 \cdot Lawf2_{0,-1}^{-1}))$
- $T4b_{0,0}^0 = \text{ReLU}(3.5 + (7.0 \cdot Tm3_{0,1}^0) + (-5.5 \cdot Mi9_{1,-2}^{-1}) + (11.0 \cdot Tm9_{0,0}^0) + (-14.5 \cdot Mi9_{1,-1}^{-1}) + (5.0 \cdot Tm3_{1,-1}^0) + (6.0 \cdot Mi1_{0,1}^0) + (6.0 \cdot Mi1_{1,0}^0) + (6.5 \cdot Mi1_{-1,0}^0) + (-1.5 \cdot C3_{0,1}^{-1}) + (5.0 \cdot Tm9_{1,-1}^0) + (12.0 \cdot T4b_{0,0}^{-1}) + (36.5 \cdot Mi1_{0,0}^0) + (2.5 \cdot Mi1_{-1,1}^0) + (-13.5 \cdot Mi9_{0,-1}^{-1}) + (-4.5 \cdot C3_{-1,1}^{-1}) + (-5.5 \cdot Mi4_{-1,1}^{-1}) + (-6.5 \cdot Mi4_{0,1}^{-1}) + (11.0 \cdot Tm3_{0,0}^0))$
- $L3_{0,0}^0 = \text{ReLU}(3.5 + (-4.0 \cdot R3_{0,0}^0) + (1.0 \cdot L4_{-1,1}^{-1}) + (-8.0 \cdot R4_{0,0}^0) + (-1.9 \cdot Lawf2_{-1,-2}^{-1}) + (-1.9 \cdot Lawf2_{2,-2}^{-1}) + (-1.9 \cdot Lawf2_{1,1}^{-1}) + (1.0 \cdot Mi15_{0,0}^{-1}) + (-1.9 \cdot Lawf2_{-1,-1}^{-1}) + (-12.0 \cdot R6_{0,0}^0) + (-1.9 \cdot Lawf2_{0,1}^{-1}) + (-4.7 \cdot C2_{0,0}^{-1}) + (14.0 \cdot Am_{0,0}^{-1}) + (1.9 \cdot R8_{0,0}^0) + (-1.0 \cdot C3_{0,0}^{-1}) + (-1.9 \cdot Lawf2_{1,0}^{-1}) + (-1.9 \cdot Lawf2_{-3,1}^{-1}) + (-1.9 \cdot Lawf2_{4,-1}^{-1}) + (-6.0 \cdot R5_{0,0}^0) + (-1.9 \cdot Lawf2_{-1,1}^{-1}) + (1.3 \cdot R7_{0,0}^0) + (-1.9 \cdot Lawf2_{2,-1}^{-1}) + (-1.9 \cdot Lawf2_{2,0}^{-1}) + (-11.0 \cdot R1_{0,0}^0) + (-1.9 \cdot Lawf2_{0,0}^{-1}) + (1.0 \cdot L4_{0,1}^{-1}) + (0.0 \cdot L4_{0,0}^{-1}) + (-1.9 \cdot Lawf2_{3,-2}^{-1}) + (-1.9 \cdot Lawf2_{-2,1}^{-1}) + (-1.9 \cdot Lawf2_{2,-2}^{-1}) + (-1.9 \cdot Lawf2_{1,-1}^{-1}) + (-1.9 \cdot Lawf2_{-1,-2}^{-1}) + (-1.9 \cdot Lawf2_{0,-1}^{-1}) + (-1.9 \cdot Lawf2_{3,-1}^{-1}) + (-1.9 \cdot Lawf2_{2,1}^{-1}) + (-1.9 \cdot Lawf2_{3,1}^{-1}) + (-1.9 \cdot Lawf2_{0,-2}^{-1}) + (-10.0 \cdot R2_{0,0}^0) + (-1.9 \cdot Lawf2_{-2,0}^{-1}) + (-1.9 \cdot Lawf2_{3,0}^{-1}) + (-1.9 \cdot Lawf2_{-1,0}^{-1}) + (-1.9 \cdot Lawf2_{1,-1}^{-1}) + (-1.9 \cdot Lawf2_{-2,-1}^{-1}) + (-1.9 \cdot Lawf2_{3,0}^{-1}) + (-1.9 \cdot Lawf2_{4,-2}^{-1}))$
- $Mi9_{0,0}^0 = \text{ReLU}(3.5 + (-12.9 \cdot C3_{0,0}^{-1}) + (0.9 \cdot T1_{0,0}^{-1}) + (63.9 \cdot L3_{0,0}^0) + (16.0 \cdot T4d_{0,0}^{-1}) + (0.9 \cdot L4_{0,0}^0) + (5.3 \cdot Tm20_{0,0}^0) + (16.0 \cdot T4b_{0,0}^{-1}) + (0.8 \cdot L4_{0,1}^0) + (0.6 \cdot Tm9_{0,0}^{-1}) + (16.4 \cdot Tm2_{0,0}^{-1}) + (6.0 \cdot Tm1_{0,0}^{-1}) + (1.5 \cdot L4_{-1,1}^0) + (1.6 \cdot L2_{0,0}^0) + (-56.7 \cdot Mi4_{0,0}^{-1}) + (16.0 \cdot T4c_{0,0}^{-1}) + (3.6 \cdot R8_{0,0}^0) + (1.7 \cdot R7_{0,0}^0) + (10.1 \cdot Mi1_{0,0}^0) + (16.0 \cdot T4a_{0,0}^{-1}))$
- $L2_{0,0}^0 = \text{ReLU}(3.5 + (-0.8 \cdot Lawf2_{3,0}^{-1}) + (-67.6 \cdot C3_{0,0}^{-1}) + (-0.8 \cdot Lawf2_{1,-2}^{-1}) + (-0.8 \cdot Lawf2_{0,0}^{-1}) + (-0.8 \cdot Lawf2_{-1,-1}^{-1}) + (1.9 \cdot Tm2_{0,0}^{-1}) + (-0.8 \cdot Lawf2_{3,1}^{-1}) + (-0.8 \cdot Lawf2_{3,-2}^{-1}) + (-0.8 \cdot Lawf2_{1,-1}^{-1}) + (-0.8 \cdot Lawf2_{2,0}^{-1}) + (-0.8 \cdot Lawf2_{4,-1}^{-1}) + (-0.8 \cdot Lawf2_{1,0}^{-1}) + (-14.9 \cdot C2_{0,0}^{-1}) + (-41.0 \cdot R4_{0,0}^0) + (-46.0 \cdot R1_{0,0}^0) + (-0.8 \cdot Lawf2_{-3,0}^{-1}) + (-0.8 \cdot Lawf2_{0,-1}^{-1}) + (-39.0 \cdot R5_{0,0}^0) + (-45.0 \cdot R2_{0,0}^0) + (3.3 \cdot Tm1_{0,0}^{-1}) + (-0.8 \cdot Lawf2_{3,-1}^{-1}) + (3.0 \cdot R7_{0,0}^0) + (-0.8 \cdot Lawf2_{1,-1}^{-1}) + (-0.8 \cdot Lawf2_{2,-1}^{-1}) + (-0.8 \cdot Lawf2_{-3,1}^{-1}) + (-0.8 \cdot Lawf2_{1,1}^{-1}) + (-0.8 \cdot Lawf2_{-2,1}^{-1}) + (-39.0 \cdot R3_{0,0}^0) + (-0.8 \cdot Lawf2_{-2,1}^{-1}) + (-0.8 \cdot Lawf2_{0,1}^{-1}) + (4.0 \cdot L4_{0,0}^{-1}) + (-0.8 \cdot Lawf2_{4,-2}^{-1}) + (7.3 \cdot T1_{0,0}^{-1}) + (5.0 \cdot L4_{0,1}^{-1}) + (-0.8 \cdot Lawf2_{2,-1}^{-1}) + (4.0 \cdot Am_{0,0}^{-1}) + (-47.0 \cdot R6_{0,0}^0) + (6.0 \cdot L4_{-1,1}^{-1}) + (-0.8 \cdot Lawf2_{-1,-2}^{-1}) + (-0.8 \cdot Lawf2_{-1,0}^{-1}) + (-0.8 \cdot Lawf2_{2,-2}^{-1}) + (-0.8 \cdot Lawf2_{2,0}^{-1}) + (0.6 \cdot L2_{0,0}^{-1}) + (-0.8 \cdot Lawf2_{0,-2}^{-1}) + (7.6 \cdot L5_{0,0}^{-1}) + (-0.8 \cdot Lawf2_{-2,0}^{-1}))$
- $Mi4_{0,0}^0 = \text{ReLU}(3.5 + (1.0 \cdot Tm20_{0,0}^{-1}) + (-24.4 \cdot Mi9_{0,0}^{-1}) + (4.7 \cdot L5_{-1,1}^0) + (22.0 \cdot R8_{0,0}^0) + (4.7 \cdot L5_{1,0}^0) + (1.1 \cdot Tm1_{0,0}^{-1}) + (4.7 \cdot L5_{0,-1}^0) + (1.0 \cdot Mi15_{0,0}^0) + (4.7 \cdot L2_{0,0}^0) + (-0.7 \cdot C2_{0,0}^{-1}) + (21.3 \cdot L5_{0,0}^0) + (-1.4 \cdot C3_{0,0}^{-1}) + (4.7 \cdot L5_{0,1}^0) + (4.7 \cdot L5_{-1,0}^0) + (1.3 \cdot L3_{0,0}^0) + (4.3 \cdot Tm2_{0,0}^{-1}) + (4.7 \cdot L5_{1,-1}^0) + (16.1 \cdot Mi1_{0,0}^0) + (4.0 \cdot Dm2_{0,0}^0))$
- $C3_{0,0}^0 = \text{ReLU}(3.5 + (-0.2 \cdot Lawf2_{0,-2}^{-1}) + (4.0 \cdot T4d_{0,0}^{-1}) + (10.3 \cdot L5_{0,0}^0) + (2.0 \cdot Tm4_{0,0}^0) + (-0.2 \cdot Lawf2_{-2,1}^{-1}) + (-0.2 \cdot Lawf2_{3,-2}^{-1}) + (82.4 \cdot L1_{0,0}^0) + (4.0 \cdot T4b_{0,0}^{-1}) + (-0.2 \cdot Lawf2_{4,-1}^{-1}) + (-0.2 \cdot Lawf2_{-2,0}^{-1}) + (-0.2 \cdot Lawf2_{3,0}^{-1}) + (3.5 \cdot Tm2_{0,1}^0) + (1.0 \cdot Am_{0,0}^{-1}) + (-0.2 \cdot Lawf2_{-2,-1}^{-1}) + (-0.2 \cdot Lawf2_{1,-1}^{-1}) + (-1.3 \cdot C2_{0,0}^{-1}) + (1.5 \cdot$

121 $\text{Tm}2_{-1,1}^0 + (1.0 \cdot \text{Tm}2_{0,0}^0) + (-0.2 \cdot \text{Lawf}2_{0,-1}^{-1}) + (-0.2 \cdot \text{Lawf}2_{-3,1}^{-1}) + (11.6 \cdot \text{Mi}1_{0,0}^0) + (-0.2 \cdot \text{Lawf}2_{2,-2}^{-1}) +$
 122 $(-0.2 \cdot \text{Lawf}2_{0,1}^{-1}) + (1.0 \cdot \text{Tm}1_{0,0}^0) + (-0.2 \cdot \text{Lawf}2_{3,-1}^{-1}) + (-0.2 \cdot \text{Lawf}2_{3,-1}^{-1}) + (6.4 \cdot \text{L}3_{0,0}^0) + (-0.2 \cdot \text{Lawf}2_{1,-2}^{-1}) +$
 123 $(-0.2 \cdot \text{Lawf}2_{0,0}^{-1}) + (-0.2 \cdot \text{Lawf}2_{2,1}^{-1}) + (-0.2 \cdot \text{Lawf}2_{1,0}^{-1}) + (-0.2 \cdot \text{Lawf}2_{2,0}^{-1}) + (-0.2 \cdot \text{Lawf}2_{-1,-2}^{-1}) + (-0.2 \cdot$
 124 $\text{Lawf}2_{4,-2}^{-1}) + (-0.2 \cdot \text{Lawf}2_{-1,1}^{-1}) + (-0.2 \cdot \text{Lawf}2_{-3,0}^{-1}) + (-0.2 \cdot \text{Lawf}2_{-1,-1}^{-1}) + (-0.2 \cdot \text{Lawf}2_{2,-1}^{-1}) + (4.0 \cdot$
 125 $\text{T}4\text{a}_{0,0}^{-1}) + (-0.2 \cdot \text{Lawf}2_{-1,0}^{-1}) + (-0.2 \cdot \text{Lawf}2_{-2,-2}^{-1}) + (3.3 \cdot \text{L}2_{0,0}^0) + (-0.2 \cdot \text{Lawf}2_{1,1}^{-1}) + (4.0 \cdot \text{T}4\text{c}_{0,0}^{-1}))$
 126 • $\text{Tm}9_{0,0}^0 = \text{ReLU}(15.0 + (-3.0 \cdot \text{C}3_{0,0}^{-1}) + (3.6 \cdot \text{Tm}20_{0,0}^0) + (0.8 \cdot \text{L}4_{-1,1}^0) + (2.3 \cdot \text{Tm}1_{0,0}^{-1}) + (-12.3 \cdot \text{Mi}4_{0,0}^0) +$
 127 $(-2.0 \cdot \text{C}2_{0,0}^{-1}) + (1.0 \cdot \text{L}4_{-1,2}^0) + (27.9 \cdot \text{L}3_{0,0}^0) + (1.5 \cdot \text{L}4_{0,1}^0) + (1.0 \cdot \text{Tm}2_{0,0}^{-1}))$
 128 • $\text{Dm}2_{0,0}^0 = \text{ReLU}(3.5 + (9.0 \cdot \text{R}8_{0,0}^0) + (5.0 \cdot \text{Mi}1_{0,0}^0) + (3.0 \cdot \text{Dm}8_{0,0}^0) + (1.0 \cdot \text{Mi}15_{0,0}^0) + (2.0 \cdot \text{Dm}2_{0,0}^{-1}) +$
 129 $(11.0 \cdot \text{L}5_{0,0}^0) + (1.0 \cdot \text{Tm}9_{0,0}^{-1}) + (1.0 \cdot \text{R}7_{0,0}^0))$
 130 • $\text{Tm}6_{0,0}^0 = \text{ReLU}(3.5 + (-4.0 \cdot \text{Mi}9_{0,0}^0) + (5.0 \cdot \text{L}5_{0,0}^0) + (2.0 \cdot \text{Tm}2_{0,0}^{-1}) + (1.0 \cdot \text{TmY}5\text{a}_{0,0}^{-1}) + (6.0 \cdot \text{Tm}1_{0,0}^{-1}) +$
 131 $(2.0 \cdot \text{T}2_{0,0}^{-1}))$
 132 • $\text{T}4\text{d}_{0,0}^0 = \text{ReLU}(3.5 + (36.5 \cdot \text{Mi}1_{0,0}^0) + (-6.0 \cdot \text{C}3_{1,0}^{-1}) + (6.0 \cdot \text{Mi}1_{0,-1}^0) + (4.5 \cdot \text{Mi}1_{1,0}^0) + (-15.0 \cdot \text{Mi}9_{-1,0}^{-1}) +$
 133 $(12.0 \cdot \text{Mi}1_{0,1}^0) + (-9.5 \cdot \text{Mi}4_{1,0}^{-1}) + (11.0 \cdot \text{Tm}3_{0,0}^0) + (12.0 \cdot \text{T}4\text{d}_{0,0}^{-1}) + (7.0 \cdot \text{Tm}3_{1,0}^0) + (-8.5 \cdot \text{Mi}9_{0,-1}^{-1}) + (3.5 \cdot$
 134 $\text{Mi}1_{1,-1}^0) + (-7.0 \cdot \text{Mi}9_{-1,1}^{-1}) + (5.0 \cdot \text{Tm}3_{-1,0}^0) + (-5.0 \cdot \text{Mi}9_{0,0}^{-1}))$
 135 • $\text{T}2\text{a}_{0,0}^0 = \text{ReLU}(3.5 + (1.0 \cdot \text{Tm}20_{0,0}^0) + (8.0 \cdot \text{Mi}1_{1,-1}^0) + (4.5 \cdot \text{Mi}1_{1,-2}^0) + (-0.7 \cdot \text{Mi}9_{0,0}^0) + (-0.8 \cdot \text{Mi}9_{0,-1}^0) +$
 136 $(1.5 \cdot \text{Tm}3_{0,0}^0) + (6.7 \cdot \text{Tm}1_{0,0}^0) + (-2.2 \cdot \text{Mi}9_{1,-1}^0) + (10.0 \cdot \text{Tm}1_{0,-1}^0) + (5.6 \cdot \text{Mi}1_{0,0}^0) + (4.0 \cdot \text{Tm}1_{1,-1}^0) + (13.0 \cdot$
 137 $\text{Mi}1_{0,-1}^0) + (1.0 \cdot \text{Tm}2_{0,0}^0))$
 138 • $\text{Lawf}2_{0,0}^0 = \text{ReLU}(3.5 + (5.0 \cdot \text{L}2_{0,6}^0) + (5.0 \cdot \text{L}2_{-6,2}^0) + (-5.0 \cdot \text{C}2_{1,-1}^0) + (5.0 \cdot \text{L}2_{0,-5}^0) + (5.0 \cdot \text{L}1_{-3,1}^0) + (5.0 \cdot$
 139 $\text{L}1_{-3,-1}^0) + (5.0 \cdot \text{L}1_{-3,-2}^0) + (-5.0 \cdot \text{C}2_{-2,2}^0) + (5.0 \cdot \text{L}1_{-5,-1}^0) + (5.0 \cdot \text{L}1_{-5,5}^0) + (-5.0 \cdot \text{C}2_{2,-1}^0) + (5.0 \cdot \text{L}1_{5,-1}^0) +$
 140 $(5.0 \cdot \text{L}1_{5,-2}^0) + (5.0 \cdot \text{L}1_{-1,1}^0) + (5.0 \cdot \text{L}2_{-3,-1}^0) + (-5.0 \cdot \text{C}3_{1,1}^0) + (5.0 \cdot \text{L}1_{-2,1}^0) + (5.0 \cdot \text{L}1_{1,1}^0) + (5.0 \cdot \text{L}2_{-2,0}^0) +$
 141 $(-5.0 \cdot \text{C}2_{0,-1}^0) + (5.0 \cdot \text{L}1_{4,0}^0) + (5.0 \cdot \text{L}2_{-4,5}^0) + (5.0 \cdot \text{L}2_{6,-6}^0) + (5.0 \cdot \text{L}2_{1,5}^0) + (-1.4 \cdot \text{Lawf}2_{-2,-1}^{-1}) + (5.0 \cdot \text{L}1_{0,-3}^0) +$
 142 $(5.0 \cdot \text{L}1_{2,-5}^0) + (5.0 \cdot \text{L}2_{-2,6}^0) + (5.0 \cdot \text{L}1_{3,-6}^0) + (-5.0 \cdot \text{C}3_{0,-2}^0) + (5.0 \cdot \text{L}2_{-3,2}^0) + (5.0 \cdot \text{L}2_{5,0}^0) + (5.0 \cdot \text{L}1_{5,0}^0) + (5.0 \cdot$
 143 $\text{L}2_{-2,-2}^0) + (-5.0 \cdot \text{C}2_{-1,1}^0) + (5.0 \cdot \text{L}2_{-4,1}^0) + (5.0 \cdot \text{L}1_{-1,-3}^0) + (5.0 \cdot \text{L}1_{1,-4}^0) + (5.0 \cdot \text{L}1_{-6,3}^0) + (-5.0 \cdot \text{C}2_{2,0}^0) + (5.0 \cdot$
 144 $\text{L}2_{4,-5}^0) + (5.0 \cdot \text{L}2_{3,-5}^0) + (-5.0 \cdot \text{C}3_{-1,-1}^0) + (5.0 \cdot \text{L}2_{-5,-1}^0) + (5.0 \cdot \text{L}2_{0,-3}^0) + (5.0 \cdot \text{L}2_{0,5}^0) + (-5.0 \cdot \text{C}3_{-1,2}^0) + (5.0 \cdot$
 145 $\text{L}2_{0,4}^0) + (5.0 \cdot \text{L}2_{-2,2}^0) + (5.0 \cdot \text{L}1_{3,1}^0) + (5.0 \cdot \text{L}1_{0,-4}^0) + (5.0 \cdot \text{L}2_{-5,0}^0) + (-5.0 \cdot \text{C}3_{0,1}^0) + (5.0 \cdot \text{L}1_{3,2}^0) + (5.0 \cdot \text{L}1_{0,-5,4}^0) +$
 146 $(5.0 \cdot \text{L}2_{-5,5}^0) + (5.0 \cdot \text{L}2_{-3,3}^0) + (5.0 \cdot \text{L}2_{-3,1}^0) + (-5.0 \cdot \text{C}2_{-2,0}^0) + (5.0 \cdot \text{L}2_{-3,5}^0) + (5.0 \cdot \text{L}2_{-1,-2}^0) + (5.0 \cdot \text{L}2_{-1,-1}^0) +$
 147 $(5.0 \cdot \text{L}2_{-4,6}^0) + (5.0 \cdot \text{L}1_{-3,0}^0) + (5.0 \cdot \text{L}2_{6,-2}^0) + (5.0 \cdot \text{L}1_{-2,-3}^0) + (5.0 \cdot \text{L}1_{3,3}^0) + (-5.0 \cdot \text{C}3_{0,-1}^0) + (-5.0 \cdot \text{C}2_{1,0}^0) +$
 148 $(5.0 \cdot \text{L}1_{-2,-1}^0) + (5.0 \cdot \text{L}2_{4,-6}^0) + (5.0 \cdot \text{L}2_{-5,6}^0) + (5.0 \cdot \text{L}1_{-3,5}^0) + (5.0 \cdot \text{L}2_{-3,4}^0) + (-5.0 \cdot \text{C}2_{-1,2}^0) + (5.0 \cdot \text{L}2_{5,-1}^0) +$
 149 $(5.0 \cdot \text{L}2_{4,1}^0) + (5.0 \cdot \text{L}1_{6,-6}^0) + (5.0 \cdot \text{L}1_{6,1}^0) + (5.0 \cdot \text{L}1_{2,-4}^0) + (5.0 \cdot \text{L}1_{1,-2}^0) + (5.0 \cdot \text{L}2_{1,-5}^0) + (5.0 \cdot \text{L}1_{6,-3}^0) + (5.0 \cdot$
 150 $\text{L}2_{3,-1}^0) + (-1.4 \cdot \text{Lawf}2_{0,-2}^{-1}) + (5.0 \cdot \text{L}2_{4,-2}^0) + (5.0 \cdot \text{L}1_{-2,0}^0) + (5.0 \cdot \text{L}2_{6,-4}^0) + (5.0 \cdot \text{L}2_{-5,4}^0) + (-1.4 \cdot \text{Lawf}2_{3,-1}^{-1}) +$
 151 $(5.0 \cdot \text{L}2_{-3,6}^0) + (5.0 \cdot \text{L}2_{-2,-1}^0) + (5.0 \cdot \text{L}1_{-1,-4}^0) + (5.0 \cdot \text{L}1_{1,2}^0) + (5.0 \cdot \text{L}1_{6,0}^0) + (5.0 \cdot \text{L}1_{5,3}^0) + (5.0 \cdot \text{L}1_{0,-6}^0) +$
 152 $(-5.0 \cdot \text{C}2_{0,0}^0) + (5.0 \cdot \text{L}2_{-1,0}^0) + (5.0 \cdot \text{L}1_{2,0}^0) + (5.0 \cdot \text{L}1_{1,-3}^0) + (5.0 \cdot \text{L}2_{2,1}^0) + (5.0 \cdot \text{L}2_{6,-5}^0) + (-1.4 \cdot \text{Lawf}2_{3,1}^{-1}) +$
 153 $(5.0 \cdot \text{L}1_{-1,4}^0) + (5.0 \cdot \text{L}2_{4,-1}^0) + (5.0 \cdot \text{L}2_{-6,1}^0) + (-5.0 \cdot \text{C}2_{1,-2}^0) + (5.0 \cdot \text{L}1_{-3,2}^0) + (5.0 \cdot \text{L}1_{-4,3}^0) + (5.0 \cdot \text{L}1_{-1,-5}^0) +$
 154 $(5.0 \cdot \text{L}1_{2,-6}^0) + (-1.4 \cdot \text{Lawf}2_{-2,1}^{-1}) + (5.0 \cdot \text{L}1_{-6,4}^0) + (5.0 \cdot \text{L}1_{-2,4}^0) + (-1.4 \cdot \text{Lawf}2_{3,-2}^{-1}) + (5.0 \cdot \text{L}2_{-3,-2}^0) + (-5.0 \cdot$
 155 $\text{C}2_{1,1}^0) + (5.0 \cdot \text{L}2_{-6,0}^0) + (5.0 \cdot \text{L}2_{0,1}^0) + (5.0 \cdot \text{L}2_{2,-4}^0) + (5.0 \cdot \text{L}2_{1,-2}^0) + (5.0 \cdot \text{L}2_{0,-6}^0) + (5.0 \cdot \text{L}1_{2,3}^0) + (5.0 \cdot \text{L}1_{1,3}^0) +$
 156 $(-1.4 \cdot \text{Lawf}2_{2,-2}^{-1}) + (5.0 \cdot \text{L}1_{4,-3}^0) + (5.0 \cdot \text{L}2_{1,-6}^0) + (-5.0 \cdot \text{C}3_{0,0}^0) + (5.0 \cdot \text{L}1_{0,-1,6}^0) + (5.0 \cdot \text{L}2_{0,0}^0) + (5.0 \cdot \text{L}2_{0,-1,4}^0) +$
 157 $(5.0 \cdot \text{L}2_{-1,1}^0) + (5.0 \cdot \text{L}2_{-5,2}^0) + (5.0 \cdot \text{L}2_{-5,3}^0) + (5.0 \cdot \text{L}2_{2,-3}^0) + (5.0 \cdot \text{L}2_{3,-2}^0) + (-1.4 \cdot \text{Lawf}2_{0,0}^{-1}) + (5.0 \cdot \text{L}1_{2,4}^0) +$
 158 $(-1.4 \cdot \text{Lawf}2_{1,-2}^{-1}) + (5.0 \cdot \text{L}1_{0,6}^0) + (5.0 \cdot \text{L}1_{6,0}^0) + (5.0 \cdot \text{L}1_{0,-2,3}^0) + (5.0 \cdot \text{L}2_{6,-3}^0) + (5.0 \cdot \text{L}2_{-6,4}^0) +$
 159 $(-5.0 \cdot \text{C}2_{-1,0}^0) + (5.0 \cdot \text{L}2_{0,-3}^0) + (5.0 \cdot \text{L}1_{6,-1}^0) + (-1.4 \cdot \text{Lawf}2_{4,-2}^{-1}) + (5.0 \cdot \text{L}1_{1,4}^0) + (-5.0 \cdot \text{C}2_{0,1}^0) + (5.0 \cdot \text{L}2_{0,-4}^0) +$
 160 $(5.0 \cdot \text{L}2_{4,0}^0) + (-5.0 \cdot \text{C}3_{2,-2}^0) + (5.0 \cdot \text{L}2_{1,1}^0) + (5.0 \cdot \text{L}1_{-4,1}^0) + (5.0 \cdot \text{L}1_{0,4}^0) + (5.0 \cdot \text{L}1_{-3,3}^0) + (5.0 \cdot \text{L}1_{-6,6}^0) + (-1.4 \cdot$
 161 $\text{Lawf}2_{-1,-1}^{-1}) + (5.0 \cdot \text{L}2_{2,-6}^0) + (5.0 \cdot \text{L}1_{4,-5}^0) + (5.0 \cdot \text{L}2_{4,-4}^0) + (5.0 \cdot \text{L}2_{-6,3}^0) + (5.0 \cdot \text{L}2_{-3,0}^0) + (5.0 \cdot \text{L}2_{-3,-3}^0) +$
 162 $(5.0 \cdot \text{L}2_{-4,-2}^0) + (5.0 \cdot \text{L}1_{-1,-1}^0) + (5.0 \cdot \text{L}1_{-5,0}^0) + (5.0 \cdot \text{L}1_{3,0}^0) + (5.0 \cdot \text{L}2_{1,-4}^0) + (5.0 \cdot \text{L}2_{-5,1}^0) + (5.0 \cdot \text{L}2_{-6,5}^0) +$
 163 $(5.0 \cdot \text{L}2_{-1,-3}^0) + (-1.4 \cdot \text{Lawf}2_{0,1}^{-1}) + (5.0 \cdot \text{L}2_{0,-3}^0) + (5.0 \cdot \text{L}1_{0,-5,1}^0) + (5.0 \cdot \text{L}1_{-2,5}^0) + (5.0 \cdot \text{L}2_{-1,6}^0) + (5.0 \cdot \text{L}1_{5,1}^0) +$
 164 $(5.0 \cdot \text{L}1_{2,2}^0) + (-1.4 \cdot \text{Lawf}2_{2,0}^{-1}) + (-5.0 \cdot \text{C}3_{1,0}^0) + (-1.4 \cdot \text{Lawf}2_{-2,0}^{-1}) + (-1.4 \cdot \text{Lawf}2_{-2,-1}^{-1}) + (5.0 \cdot \text{L}2_{2,2}^0) + (5.0 \cdot$
 165 $\text{L}1_{3,-1}^0) + (5.0 \cdot \text{L}1_{2,-1}^0) + (5.0 \cdot \text{L}1_{-5,2}^0) + (5.0 \cdot \text{L}1_{-1,3}^0) + (-1.4 \cdot \text{Lawf}2_{-3,1}^{-1}) + (5.0 \cdot \text{L}2_{-4,2}^0) + (5.0 \cdot \text{L}2_{-2,-4}^0) +$
 166 $(5.0 \cdot \text{L}1_{-2,-2}^0) + (5.0 \cdot \text{L}2_{-6,6}^0) + (5.0 \cdot \text{L}1_{-2,-4}^0) + (-1.4 \cdot \text{Lawf}2_{1,1}^{-1}) + (5.0 \cdot \text{L}1_{-4,4}^0) + (5.0 \cdot \text{L}1_{0,2}^0) + (5.0 \cdot \text{L}1_{0,3}^0) +$
 167 $(5.0 \cdot \text{L}1_{6,-4}^0) + (5.0 \cdot \text{L}1_{-6,5}^0) + (5.0 \cdot \text{L}1_{-1,5}^0) + (5.0 \cdot \text{L}2_{0,3}^0) + (5.0 \cdot \text{L}2_{-4,4}^0) + (5.0 \cdot \text{L}1_{-3,6}^0) + (-5.0 \cdot \text{C}2_{-2,1}^0) +$
 168 $(5.0 \cdot \text{L}1_{-1,2}^0) + (5.0 \cdot \text{L}1_{-4,-2}^0) + (-5.0 \cdot \text{C}3_{-1,1}^0) + (5.0 \cdot \text{L}2_{0,2}^0) + (5.0 \cdot \text{L}2_{-2,-5}^0) + (5.0 \cdot \text{L}1_{-1,0}^0) + (5.0 \cdot \text{L}2_{5,1}^0) + (5.0 \cdot$
 169 $\text{L}2_{5,-4}^0) + (5.0 \cdot \text{L}1_{4,2}^0) + (5.0 \cdot \text{L}1_{3,-2}^0) + (-1.4 \cdot \text{Lawf}2_{4,-1}^{-1}) + (5.0 \cdot \text{L}1_{-2,2}^0) + (5.0 \cdot \text{L}1_{0,-2}^0) + (5.0 \cdot \text{L}1_{3,-5}^0) + (5.0 \cdot$
 170 $\text{L}2_{-4,3}^0) + (5.0 \cdot \text{L}2_{1,0}^0) + (-5.0 \cdot \text{C}3_{-1,0}^0) + (-1.4 \cdot \text{Lawf}2_{1,0}^{-1}) + (5.0 \cdot \text{L}1_{0,-5,6}^0) + (5.0 \cdot \text{L}2_{3,-4}^0) + (5.0 \cdot \text{L}2_{3,2}^0) + (5.0 \cdot$
 171 $\text{L}1_{0,5}^0) + (5.0 \cdot \text{L}1_{0,-5}^0) + (5.0 \cdot \text{L}1_{3,-3}^0) + (-5.0 \cdot \text{C}3_{2,-1}^0) + (-1.4 \cdot \text{Lawf}2_{3,0}^{-1}) + (5.0 \cdot \text{L}2_{5,-6}^0) + (5.0 \cdot \text{L}2_{2,-2}^0) + (-5.0 \cdot$

172 $C3_{-2,0}^0 + (5.0 \cdot L2_{3,0}^0) + (5.0 \cdot L2_{-4,-1}^0) + (5.0 \cdot L1_{4,-6}^0) + (5.0 \cdot L2_{1,2}^0) + (-5.0 \cdot C3_{-2,2}^0) + (5.0 \cdot L2_{1,3}^0) + (-1.4 \cdot$
 173 $\text{Lawf2}_{2,1}^{-1}) + (-5.0 \cdot C3_{1,-2}^0) + (5.0 \cdot L2_{-1,3}^0) + (5.0 \cdot L1_{4,1}^0) + (-1.4 \cdot \text{Lawf2}_{-1,1}^{-1}) + (5.0 \cdot L1_{2,-2}^0) + (5.0 \cdot L1_{5,-4}^0) +$
 174 $(5.0 \cdot L1_{1,-1}^0) + (5.0 \cdot L2_{1,-3}^0) + (5.0 \cdot L1_{-4,5}^0) + (5.0 \cdot L1_{6,-5}^0) + (5.0 \cdot L2_{1,-1}^0) + (-5.0 \cdot C3_{2,0}^0) + (5.0 \cdot L2_{6,0}^0) + (5.0 \cdot$
 175 $L2_{0,-1}^0) + (5.0 \cdot L2_{-2,5}^0) + (5.0 \cdot L2_{1,4}^0) + (-1.4 \cdot \text{Lawf2}_{-2,-2}^{-1}) + (5.0 \cdot L1_{-4,0}^0) + (5.0 \cdot L1_{-1,-2}^0) + (5.0 \cdot L1_{-6,2}^0) +$
 176 $(5.0 \cdot L1_{5,-5}^0) + (5.0 \cdot L1_{2,1}^0) + (5.0 \cdot L2_{2,-1}^0) + (5.0 \cdot L1_{6,-2}^0) + (5.0 \cdot L1_{5,-6}^0) + (5.0 \cdot L2_{5,-5}^0) + (5.0 \cdot L2_{-2,1}^0) + (5.0 \cdot$
 177 $L2_{3,-3}^0) + (5.0 \cdot L2_{-1,-4}^0) + (5.0 \cdot L2_{6,-1}^0) + (5.0 \cdot L2_{-1,-5}^0) + (5.0 \cdot L2_{3,1}^0) + (5.0 \cdot L2_{3,3}^0) + (-5.0 \cdot C2_{0,-2}^0) + (5.0 \cdot$
 178 $L1_{1,5}^0) + (5.0 \cdot L2_{3,-6}^0) + (5.0 \cdot L1_{-4,2}^0) + (-5.0 \cdot C2_{2,-2}^0) + (5.0 \cdot L1_{-2,6}^0) + (5.0 \cdot L1_{5,-3}^0) + (-5.0 \cdot C2_{0,2}^0) + (5.0 \cdot$
 179 $L1_{4,-4}^0) + (5.0 \cdot L2_{2,4}^0) + (-1.4 \cdot \text{Lawf2}_{-1,-2}^{-1}) + (-5.0 \cdot C3_{0,2}^0) + (-1.4 \cdot \text{Lawf2}_{0,-1}^{-1}) + (5.0 \cdot L1_{0,1}^0) + (5.0 \cdot L2_{-4,0}^0) +$
 180 $(5.0 \cdot L2_{-1,5}^0) + (5.0 \cdot L2_{0,-2}^0) + (5.0 \cdot L1_{1,0}^0) + (5.0 \cdot L1_{-3,4}^0) + (5.0 \cdot L1_{2,-3}^0) + (5.0 \cdot L1_{0,-1}^0) + (5.0 \cdot L1_{4,-2}^0) + (-1.4 \cdot$
 181 $\text{Lawf2}_{1,-1}^{-1}) + (5.0 \cdot L2_{-1,2}^0) + (5.0 \cdot L2_{4,-3}^0) + (5.0 \cdot L1_{3,-3}^0) + (5.0 \cdot L1_{3,-4}^0) + (5.0 \cdot L2_{5,-2}^0) + (5.0 \cdot L2_{2,0}^0) + (-5.0 \cdot$
 182 $C3_{1,-1}^0) + (-5.0 \cdot C3_{-2,1}^0) + (5.0 \cdot L2_{2,3}^0) + (-5.0 \cdot C2_{-1,-1}^0) + (-1.4 \cdot \text{Lawf2}_{-3,0}^{-1}) + (5.0 \cdot L1_{0,0}^0) + (5.0 \cdot L2_{4,2}^0) +$
 183 $(-1.4 \cdot \text{Lawf2}_{-1,0}^{-1}) + (5.0 \cdot L1_{-4,-1}^0) + (5.0 \cdot L2_{-2,4}^0) + (5.0 \cdot L1_{1,-6}^0) + (5.0 \cdot L1_{-4,6}^0) + (5.0 \cdot L1_{4,-1}^0) + (5.0 \cdot L1_{1,-5}^0))$

- $R5_{0,0}^0 = \text{ReLU}(3.5 + (-0.0 \cdot \text{Lawf2}_{4,-2}^{-1}) + (3.0 \cdot L4_{0,1}^{-1}) + (-0.0 \cdot \text{Lawf2}_{-1,-2}^{-1}) + (-0.0 \cdot \text{Lawf2}_{-2,0}^{-1}) + (-0.0 \cdot$
 185 $\text{Lawf2}_{3,-1}^{-1}) + (-0.0 \cdot \text{Lawf2}_{2,0}^{-1}) + (-0.0 \cdot \text{Lawf2}_{-1,-1}^{-1}) + (-0.0 \cdot \text{Lawf2}_{-2,-2}^{-1}) + (-0.0 \cdot \text{Lawf2}_{4,-1}^{-1}) + (-0.0 \cdot$
 186 $\text{Lawf2}_{2,-2}^{-1}) + (-0.0 \cdot \text{Lawf2}_{0,-1}^{-1}) + (1.0 \cdot L4_{0,0}^{-1}) + (-0.0 \cdot \text{Lawf2}_{1,1}^{-1}) + (-0.0 \cdot \text{Lawf2}_{-3,0}^{-1}) + (-0.0 \cdot$
 187 $\text{Lawf2}_{3,1}^{-1}) + (-0.0 \cdot \text{Lawf2}_{-1,1}^{-1}) + (-0.0 \cdot \text{Lawf2}_{2,-1}^{-1}) + (-0.0 \cdot \text{Lawf2}_{0,1}^{-1}) + (-0.0 \cdot \text{Lawf2}_{-3,1}^{-1}) + (-0.0 \cdot$
 188 $\text{Lawf2}_{0,0}^{-1}) + (-0.0 \cdot \text{Lawf2}_{1,-2}^{-1}) + (-0.0 \cdot \text{Lawf2}_{1,0}^{-1}) + (-0.0 \cdot \text{Lawf2}_{-2,-1}^{-1}) + (-0.0 \cdot \text{Lawf2}_{3,-2}^{-1}) + (-0.0 \cdot$
 189 $\text{Lawf2}_{1,-1}^{-1}) + (-0.0 \cdot \text{Lawf2}_{-1,0}^{-1}) + (-0.0 \cdot \text{Lawf2}_{2,1}^{-1}) + (-0.0 \cdot \text{Lawf2}_{-1,0}^{-1}) + (-0.0 \cdot \text{Lawf2}_{-2,1}^{-1}) + (2.0 \cdot \text{Am}_{0,0}^{-1}))$

• $Dm8_{0,0}^0 = \text{ReLU}(3.5 + (35.0 \cdot R7_{0,0}^0) + (1.0 \cdot Mi1_{0,0}^0))$

- $R1_{0,0}^0 = \text{ReLU}(3.5 + (-0.1 \cdot \text{Lawf2}_{3,-2}^{-1}) + (1.0 \cdot L4_{0,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{1,-2}^{-1}) + (-0.1 \cdot \text{Lawf2}_{2,1}^{-1}) + (-0.1 \cdot$
 192 $\text{Lawf2}_{1,-1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{1,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{0,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{4,-2}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-3,1}^{-1}) + (-0.1 \cdot$
 193 $\text{Lawf2}_{2,-1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{4,-1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{2,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-1,-2}^{-1}) + (-0.1 \cdot \text{Lawf2}_{2,-2}^{-1}) + (-0.1 \cdot$
 194 $\text{Lawf2}_{0,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{3,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-2,-1}^{-1}) + (1.0 \cdot L4_{-1,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{1,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-3,0}^{-1}) +$
 195 $(1.0 \cdot \text{Am}_{0,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-2,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{2,-1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-2,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{0,-1}^{-1}) + (1.0 \cdot$
 196 $L2_{0,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-1,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{3,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{3,-1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{0,-2}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-1,1}^{-1}) +$
 197 $(-0.1 \cdot \text{Lawf2}_{-2,-2}^{-1}))$

- $C2_{0,0}^0 = \text{ReLU}(3.5 + (-0.5 \cdot \text{Lawf2}_{2,1}^{-1}) + (4.3 \cdot L5_{-1,0}^0) + (4.3 \cdot L5_{1,-1}^0) + (-0.5 \cdot \text{Lawf2}_{1,1}^{-1}) + (0.2 \cdot Mi1_{1,0}^0) +$
 199 $(-0.5 \cdot \text{Lawf2}_{3,-1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{1,-2}^{-1}) + (4.3 \cdot L5_{0,1}^0) + (1.0 \cdot \text{Am}_{0,0}^{-1}) + (-0.5 \cdot \text{Lawf2}_{1,-1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{3,1}^{-1}) +$
 200 $(4.3 \cdot L5_{-1,1}^0) + (7.3 \cdot Mi1_{0,0}^0) + (-0.5 \cdot \text{Lawf2}_{-1,-2}^{-1}) + (-0.5 \cdot \text{Lawf2}_{2,-1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{4,-2}^{-1}) + (-0.5 \cdot$
 201 $\text{Lawf2}_{0,-2}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-1,1}^{-1}) + (10.1 \cdot L5_{0,0}^0) + (-0.5 \cdot \text{Lawf2}_{4,-1}^{-1}) + (5.0 \cdot Mi1_{1,-1}^0) + (-0.5 \cdot \text{Lawf2}_{1,0}^{-1}) +$
 202 $(-0.5 \cdot \text{Lawf2}_{3,0}^{-1}) + (-0.5 \cdot \text{Lawf2}_{0,-1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-2,0}^{-1}) + (3.8 \cdot Mi1_{-1,1}^0) + (-0.5 \cdot \text{Lawf2}_{-1,0}^{-1}) + (-0.5 \cdot$
 203 $\text{Lawf2}_{-1,-1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-3,0}^{-1}) + (-0.5 \cdot \text{Lawf2}_{2,-2}^{-1}) + (1.5 \cdot Mi1_{0,-1}^0) + (1.5 \cdot Mi1_{0,1}^0) + (-0.5 \cdot \text{Lawf2}_{-2,1}^{-1}) +$
 204 $(-0.5 \cdot \text{Lawf2}_{3,-2}^{-1}) + (4.3 \cdot L5_{0,-1}^0) + (-0.5 \cdot \text{Lawf2}_{0,0}^{-1}) + (56.6 \cdot L1_{0,0}^0) + (-0.5 \cdot \text{Lawf2}_{2,0}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-3,1}^{-1}) +$
 205 $(-0.5 \cdot \text{Lawf2}_{-2,-2}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-2,-1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{0,1}^{-1}) + (0.8 \cdot Mi1_{-1,0}^0) + (4.3 \cdot L5_{1,0}^0))$

- $Tm1_{0,0}^0 = \text{ReLU}(15.0 + (-21.4 \cdot C3_{0,0}^{-1}) + (1.0 \cdot Tm4_{0,0}^{-1}) + (1.0 \cdot Tm6_{0,0}^{-1}) + (1.0 \cdot Tm1_{0,0}^{-1}) + (1.9 \cdot Mi1_{0,0}^0) +$
 207 $(0.7 \cdot L5_{0,0}^0) + (189.3 \cdot L2_{0,0}^0) + (4.7 \cdot Tm2_{0,0}^{-1}) + (-7.3 \cdot C2_{0,0}^{-1}) + (-16.4 \cdot Mi9_{0,0}^0) + (-3.4 \cdot Mi4_{0,0}^0))$

- $T5b_{0,0}^0 = \text{ReLU}(3.5 + (7.0 \cdot Tm9_{0,1}^0) + (-14.5 \cdot Tm4_{1,-1}^{-1}) + (2.5 \cdot Tm1_{-1,1}^0) + (6.0 \cdot Tm1_{0,1}^0) + (36.5 \cdot Tm1_{0,0}^0) +$
 209 $(-13.5 \cdot Tm4_{0,-1}^{-1}) + (-5.5 \cdot Tm2_{-1,1}^{-1}) + (6.5 \cdot Tm1_{-1,0}^0) + (6.0 \cdot Tm1_{1,0}^0) + (-6.5 \cdot Tm2_{0,1}^{-1}) + (-5.5 \cdot Tm4_{1,-2}^{-1}))$

- $Mi15_{0,0}^0 = \text{ReLU}(3.5 + (15.0 \cdot R8_{0,0}^0) + (2.0 \cdot L5_{0,0}^0) + (-7.0 \cdot C2_{0,0}^{-1}) + (1.0 \cdot Mi1_{0,0}^0))$

- $Am_{0,0}^0 = \text{ReLU}(3.5 + (1.0 \cdot L4_{0,0}^{-1}) + (-3.3 \cdot \text{Lawf2}_{3,1}^{-1}) + (-3.3 \cdot \text{Lawf2}_{4,-1}^{-1}) + (-3.3 \cdot \text{Lawf2}_{3,-1}^{-1}) + (-3.3 \cdot$
 212 $\text{Lawf2}_{0,-1}^{-1}) + (-3.3 \cdot \text{Lawf2}_{1,1}^{-1}) + (-36.0 \cdot R1_{0,0}^0) + (-8.0 \cdot C2_{0,0}^{-1}) + (-3.3 \cdot \text{Lawf2}_{-1,-2}^{-1}) + (-3.3 \cdot \text{Lawf2}_{2,0}^{-1}) +$
 213 $(2.0 \cdot \text{Am}_{0,0}^{-1}) + (-3.3 \cdot \text{Lawf2}_{-2,1}^{-1}) + (-3.3 \cdot \text{Lawf2}_{2,-1}^{-1}) + (-3.3 \cdot \text{Lawf2}_{3,-2}^{-1}) + (-3.3 \cdot \text{Lawf2}_{-1,-1}^{-1}) + (-37.0 \cdot$
 214 $R4_{0,0}^0) + (-3.3 \cdot \text{Lawf2}_{2,1}^{-1}) + (-3.3 \cdot \text{Lawf2}_{0,1}^{-1}) + (-3.3 \cdot \text{Lawf2}_{1,-2}^{-1}) + (1.0 \cdot L4_{-1,1}^{-1}) + (-3.3 \cdot \text{Lawf2}_{-3,1}^{-1}) + (-40.0 \cdot$
 215 $R3_{0,0}^0) + (-3.3 \cdot \text{Lawf2}_{-3,0}^{-1}) + (-22.0 \cdot C3_{0,0}^{-1}) + (-3.3 \cdot \text{Lawf2}_{0,-2}^{-1}) + (-35.0 \cdot R5_{0,0}^0) + (-3.3 \cdot \text{Lawf2}_{3,0}^{-1}) +$
 216 $(-39.0 \cdot R2_{0,0}^0) + (-3.3 \cdot \text{Lawf2}_{-2,-1}^{-1}) + (-3.3 \cdot \text{Lawf2}_{4,-2}^{-1}) + (-3.3 \cdot \text{Lawf2}_{-2,0}^{-1}) + (-3.3 \cdot \text{Lawf2}_{0,0}^{-1}) + (-3.3 \cdot$
 217 $\text{Lawf2}_{1,-1}^{-1}) + (-3.3 \cdot \text{Lawf2}_{-1,1}^{-1}) + (-3.3 \cdot \text{Lawf2}_{1,0}^{-1}) + (-3.3 \cdot \text{Lawf2}_{2,-2}^{-1}) + (-3.3 \cdot \text{Lawf2}_{-1,0}^{-1}) + (-3.3 \cdot$
 218 $\text{Lawf2}_{-2,-2}^{-1}) + (-40.0 \cdot R6_{0,0}^0) + (1.0 \cdot L4_{-1,1}^{-1}))$

- $R6_{0,0}^0 = \text{ReLU}(3.5 + (-0.1 \cdot \text{Lawf2}_{2,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-2,-1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-1,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{2,0}^{-1}) +$
 220 $(-0.1 \cdot \text{Lawf2}_{3,-2}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-2,-2}^{-1}) + (-0.1 \cdot \text{Lawf2}_{4,-2}^{-1}) + (-0.1 \cdot \text{Lawf2}_{0,-1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-3,0}^{-1}) +$
 221 $(-0.1 \cdot \text{Lawf2}_{2,-2}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-1,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{2,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{4,-1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-2,-2}^{-1}) +$

- 222 $(-0.1 \cdot \text{Lawf2}_{3,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{1,1}^{-1}) + (2.0 \cdot \text{L4}_{-1,1}^{-1}) + (2.0 \cdot \text{L4}_{0,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{3,-1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{3,0}^{-1}) +$
 223 $(-0.1 \cdot \text{Lawf2}_{0,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-1,-1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-3,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-2,1}^{-1}) + (-0.1 \cdot \text{Lawf2}_{2,-1}^{-1}) +$
 224 $(-0.1 \cdot \text{Lawf2}_{-1,-2}^{-1}) + (-0.1 \cdot \text{Lawf2}_{1,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{1,-2}^{-1}) + (-0.1 \cdot \text{Lawf2}_{-2,0}^{-1}) + (-0.1 \cdot \text{Lawf2}_{1,-1}^{-1}))$
- 225 $\bullet \text{Tm3}_{0,0}^0 = \text{ReLU}(3.5 + (58.0 \cdot \text{L1}_{0,-1}^0) + (58.0 \cdot \text{L1}_{-1,1}^0) + (39.0 \cdot \text{L5}_{0,0}^0) + (38.0 \cdot \text{Mi1}_{0,0}^0) + (2.0 \cdot \text{TmY5a}_{0,0}^{-1}) +$
 226 $(58.0 \cdot \text{L1}_{0,1}^0) + (6.8 \cdot \text{Tm3}_{0,0}^{-1}) + (2.0 \cdot \text{T2a}_{0,0}^{-1}) + (116.0 \cdot \text{L1}_{0,0}^0) + (-1.0 \cdot \text{Mi4}_{0,0}^0) + (58.0 \cdot \text{L1}_{1,-1}^0) + (58.0 \cdot$
 227 $\text{L1}_{-1,0}^0) + (58.0 \cdot \text{L1}_{1,0}^0))$
- 228 $\bullet \text{T5d}_{0,0}^0 = \text{ReLU}(3.5 + (-8.5 \cdot \text{Tm4}_{0,-1}^{-1}) + (-7.0 \cdot \text{Tm4}_{-1,1}^{-1}) + (12.0 \cdot \text{Tm1}_{0,1}^0) + (-15.0 \cdot \text{Tm4}_{-1,0}^{-1}) + (4.5 \cdot$
 229 $\text{Tm1}_{1,0}^0) + (5.0 \cdot \text{Tm9}_{-1,0}^0) + (11.0 \cdot \text{Tm9}_{0,0}^0) + (36.5 \cdot \text{Tm1}_{0,0}^0) + (7.0 \cdot \text{Tm9}_{1,0}^0) + (3.5 \cdot \text{Tm1}_{1,-1}^0) + (6.0 \cdot$
 230 $\text{Tm1}_{0,-1}^0) + (-5.0 \cdot \text{Tm4}_{0,0}^{-1}) + (-9.5 \cdot \text{Tm2}_{1,0}^{-1}))$
- 231 $\bullet \text{L1}_{0,0}^0 = \text{ReLU}(3.5 + (-0.2 \cdot \text{Lawf2}_{4,-2}^{-1}) + (-0.2 \cdot \text{Lawf2}_{3,1}^{-1}) + (-0.2 \cdot \text{Lawf2}_{3,0}^{-1}) + (3.0 \cdot \text{L2}_{0,0}^{-1}) + (-0.2 \cdot$
 232 $\text{Lawf2}_{1,1}^{-1}) + (-0.2 \cdot \text{Lawf2}_{-2,0}^{-1}) + (-0.2 \cdot \text{Lawf2}_{2,-2}^{-1}) + (-0.2 \cdot \text{Lawf2}_{3,-1}^{-1}) + (-0.2 \cdot \text{Lawf2}_{1,0}^{-1}) + (-25.7 \cdot$
 233 $\text{C2}_{0,0}^{-1}) + (-0.2 \cdot \text{Lawf2}_{3,-2}^{-1}) + (-38.0 \cdot \text{R4}_{0,0}^0) + (-0.2 \cdot \text{Lawf2}_{0,1}^{-1}) + (1.0 \cdot \text{Am}_{0,0}^{-1}) + (-0.2 \cdot \text{Lawf2}_{-2,-2}^{-1}) +$
 234 $(-0.2 \cdot \text{Lawf2}_{2,-1}^{-1}) + (-0.2 \cdot \text{Lawf2}_{-1,0}^{-1}) + (-6.0 \cdot \text{C3}_{0,0}^{-1}) + (-0.2 \cdot \text{Lawf2}_{-2,1}^{-1}) + (-0.2 \cdot \text{Lawf2}_{-3,1}^{-1}) + (-45.0 \cdot$
 235 $\text{R6}_{0,0}^0) + (-0.2 \cdot \text{Lawf2}_{2,0}^{-1}) + (-0.2 \cdot \text{Lawf2}_{-1,-1}^{-1}) + (-38.0 \cdot \text{R5}_{0,0}^0) + (-0.2 \cdot \text{Lawf2}_{-2,-1}^{-1}) + (-43.0 \cdot \text{R2}_{0,0}^0) +$
 236 $(-0.2 \cdot \text{Lawf2}_{1,-1}^{-1}) + (-0.2 \cdot \text{Lawf2}_{-3,0}^{-1}) + (-40.0 \cdot \text{R1}_{0,0}^0) + (-0.2 \cdot \text{Lawf2}_{0,-2}^{-1}) + (6.7 \cdot \text{R8}_{0,0}^0) + (-0.2 \cdot$
 237 $\text{Lawf2}_{-1,-2}^{-1}) + (26.1 \cdot \text{Mi1}_{0,0}^{-1}) + (6.8 \cdot \text{Tm3}_{0,0}^{-1}) + (-0.2 \cdot \text{Lawf2}_{-1,1}^{-1}) + (-0.2 \cdot \text{Lawf2}_{4,-1}^{-1}) + (-37.0 \cdot \text{R3}_{0,0}^0) +$
 238 $(-0.2 \cdot \text{Lawf2}_{2,1}^{-1}) + (32.4 \cdot \text{L5}_{0,0}^{-1}) + (-0.2 \cdot \text{Lawf2}_{0,-1}^{-1}) + (-0.2 \cdot \text{Lawf2}_{1,-2}^{-1}) + (-0.2 \cdot \text{Lawf2}_{0,0}^{-1}))$
- 239 $\bullet \text{L4}_{0,0}^0 = \text{ReLU}(3.5 + (2.0 \cdot \text{L4}_{-1,1}^{-1}) + (3.0 \cdot \text{L2}_{0,-1}^{-1}) + (-5.5 \cdot \text{C2}_{1,-1}^{-1}) + (3.0 \cdot \text{L4}_{0,1}^{-1}) + (1.0 \cdot \text{Tm2}_{0,0}^{-1}) + (1.0 \cdot$
 240 $\text{L4}_{1,0}^{-1}) + (5.0 \cdot \text{L2}_{0,0}^{-1}) + (-7.2 \cdot \text{C2}_{0,-1}^{-1}) + (5.0 \cdot \text{Am}_{0,0}^{-1}) + (5.0 \cdot \text{L2}_{1,-1}^{-1}) + (3.0 \cdot \text{L4}_{-1,0}^{-1}))$
- 241 $\bullet \text{Tm2}_{0,0}^0 = \text{ReLU}(15.0 + (14.5 \cdot \text{L4}_{0,1}^0) + (-4.3 \cdot \text{Mi4}_{0,0}^0) + (4.7 \cdot \text{L4}_{0,0}^0) + (173.4 \cdot \text{L2}_{0,0}^0) + (-10.4 \cdot \text{Mi9}_{0,0}^0) +$
 242 $(-1.0 \cdot \text{C3}_{0,0}^{-1}) + (8.5 \cdot \text{L4}_{-1,1}^0) + (2.4 \cdot \text{Tm1}_{0,0}^{-1}) + (1.0 \cdot \text{T1}_{0,0}^{-1}))$
- 243 $\bullet \text{Tm4}_{0,0}^0 = \text{ReLU}(15.0 + (3.0 \cdot \text{Tm2}_{0,0}^{-1}) + (67.0 \cdot \text{L2}_{0,0}^0) + (2.0 \cdot \text{TmY5a}_{0,0}^{-1}) + (3.0 \cdot \text{Tm1}_{0,0}^{-1}) + (1.0 \cdot \text{Dm8}_{0,0}^0) +$
 244 $(-20.0 \cdot \text{C3}_{0,0}^{-1}) + (-2.0 \cdot \text{Mi9}_{0,0}^0) + (1.0 \cdot \text{T2}_{0,0}^{-1}) + (5.0 \cdot \text{L4}_{0,0}^0) + (3.0 \cdot \text{Mi15}_{0,0}^0))$
- 245 $\bullet \text{R8}_{0,0}^0 = \text{ReLU}(3.5 + (1.7 \cdot \text{R7}_{0,0}^{-1}))$
- 246 $\bullet \text{T5c}_{0,0}^0 = \text{ReLU}(3.5 + (-4.5 \cdot \text{Tm4}_{0,0}^{-1}) + (-5.0 \cdot \text{Tm4}_{1,0}^{-1}) + (11.0 \cdot \text{Tm1}_{0,-1}^0) + (-6.5 \cdot \text{Tm2}_{-1,0}^{-1}) + (5.0 \cdot$
 247 $\text{Tm9}_{1,0}^0) + (9.0 \cdot \text{Tm1}_{-1,0}^0) + (7.0 \cdot \text{Tm9}_{-1,0}^0) + (-11.0 \cdot \text{Tm4}_{1,-1}^{-1}) + (18.0 \cdot \text{Tm1}_{-1,1}^0) + (4.0 \cdot \text{Tm1}_{1,-1}^0) + (38.0 \cdot$
 248 $\text{Tm1}_{0,0}^0) + (11.0 \cdot \text{Tm9}_{0,0}^0))$
- 249 $\bullet \text{R2}_{0,0}^0 = \text{ReLU}(3.5 + (-0.3 \cdot \text{Lawf2}_{-2,-2}^{-1}) + (-0.3 \cdot \text{Lawf2}_{0,-1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{1,0}^{-1}) + (1.0 \cdot \text{L4}_{0,1}^{-1}) + (-0.3 \cdot$
 250 $\text{Lawf2}_{3,-2}^{-1}) + (-0.3 \cdot \text{Lawf2}_{0,-2}^{-1}) + (-0.3 \cdot \text{Lawf2}_{-3,1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{-1,0}^{-1}) + (-0.3 \cdot \text{Lawf2}_{-2,0}^{-1}) + (-0.3 \cdot$
 251 $\text{Lawf2}_{-1,1}^{-1}) + (2.0 \cdot \text{L2}_{0,0}^{-1}) + (-0.3 \cdot \text{Lawf2}_{-3,0}^{-1}) + (-0.3 \cdot \text{Lawf2}_{-2,-1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{1,-1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{4,-2}^{-1}) +$
 252 $(-0.3 \cdot \text{Lawf2}_{-1,-2}^{-1}) + (-0.3 \cdot \text{Lawf2}_{1,-2}^{-1}) + (-0.3 \cdot \text{Lawf2}_{-1,-1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{2,1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{2,-2}^{-1}) +$
 253 $(-0.3 \cdot \text{Lawf2}_{2,1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{-2,-1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{3,-1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{3,1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{2,0}^{-1}) + (-0.3 \cdot$
 254 $\text{Lawf2}_{-2,1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{3,0}^{-1}) + (-0.3 \cdot \text{Lawf2}_{0,1}^{-1}) + (-0.3 \cdot \text{Lawf2}_{4,-1}^{-1}) + (1.0 \cdot \text{Am}_{0,0}^{-1}) + (-0.3 \cdot \text{Lawf2}_{0,0}^{-1}))$
- 255 $\bullet \text{T1}_{0,0}^0 = \text{ReLU}(3.5 + (-0.5 \cdot \text{Lawf2}_{-3,1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{1,0}^{-1}) + (-0.5 \cdot \text{Lawf2}_{1,-1}^{-1}) + (-2.0 \cdot \text{R4}_{0,0}^0) + (-0.5 \cdot$
 256 $\text{Lawf2}_{0,-1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-1,0}^{-1}) + (-0.5 \cdot \text{Lawf2}_{2,0}^{-1}) + (1.4 \cdot \text{L5}_{0,0}^0) + (-0.5 \cdot \text{Lawf2}_{0,0}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-3,0}^{-1}) +$
 257 $(-0.5 \cdot \text{Lawf2}_{0,1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-1,-1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{2,1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-1,-2}^{-1}) + (-0.5 \cdot \text{Lawf2}_{3,1}^{-1}) +$
 258 $(-0.5 \cdot \text{Lawf2}_{-2,-1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{4,-1}^{-1}) + (-2.0 \cdot \text{R2}_{0,0}^0) + (-0.5 \cdot \text{Lawf2}_{3,0}^{-1}) + (-0.5 \cdot \text{Lawf2}_{2,-1}^{-1}) +$
 259 $(-0.5 \cdot \text{Lawf2}_{-2,-2}^{-1}) + (-0.5 \cdot \text{Lawf2}_{0,-2}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-1,1}^{-1}) + (0.7 \cdot \text{Tm2}_{0,0}^0) + (-0.5 \cdot \text{Lawf2}_{1,-2}^{-1}) + (-0.5 \cdot$
 260 $\text{Lawf2}_{3,-1}^{-1}) + (-2.0 \cdot \text{R1}_{0,0}^0) + (-0.5 \cdot \text{Lawf2}_{1,1}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-2,0}^{-1}) + (-0.5 \cdot \text{Lawf2}_{3,-2}^{-1}) + (-0.5 \cdot \text{Lawf2}_{-2,1}^{-1}) +$
 261 $(63.0 \cdot \text{Am}_{0,0}^0) + (-5.4 \cdot \text{C2}_{0,0}^{-1}) + (1.0 \cdot \text{Tm20}_{0,0}^0) + (-162.3 \cdot \text{C3}_{0,0}^{-1}) + (2.0 \cdot \text{Tm1}_{0,0}^0) + (-2.0 \cdot \text{R6}_{0,0}^0) + (-0.5 \cdot$
 262 $\text{Lawf2}_{2,-2}^{-1}) + (-2.0 \cdot \text{R3}_{0,0}^0) + (-0.5 \cdot \text{Lawf2}_{4,-2}^{-1}) + (-2.0 \cdot \text{R5}_{0,0}^0) + (176.7 \cdot \text{L2}_{0,0}^0) + (-1.7 \cdot \text{Mi4}_{0,0}^0))$
- 263 $\bullet \text{TmY5a}_{0,0}^0 = \text{ReLU}(3.5 + (2.0 \cdot \text{T2a}_{0,0}^{-1}) + (-1.0 \cdot \text{Mi9}_{0,0}^0) + (4.0 \cdot \text{T2}_{0,0}^{-1}) + (1.0 \cdot \text{Mi15}_{0,0}^0) + (6.0 \cdot \text{Tm3}_{0,0}^0) +$
 264 $(13.0 \cdot \text{Tm4}_{0,0}^{-1}) + (-2.0 \cdot \text{Mi4}_{0,0}^0))$
- 265 $\bullet \text{Mi1}_{0,0}^0 = \text{ReLU}(3.5 + (43.9 \cdot \text{L5}_{0,0}^0) + (16.0 \cdot \text{R8}_{0,0}^0) + (10.7 \cdot \text{Mi1}_{0,0}^{-1}) + (1.1 \cdot \text{Tm2}_{0,0}^{-1}) + (-0.9 \cdot \text{Mi9}_{0,0}^{-1}) +$
 266 $(155.7 \cdot \text{L1}_{0,0}^0) + (1.1 \cdot \text{T2a}_{0,0}^{-1}) + (1.0 \cdot \text{T2}_{0,0}^{-1}) + (1.0 \cdot \text{Tm4}_{0,0}^{-1}) + (3.0 \cdot \text{T2a}_{0,1}^{-1}) + (3.5 \cdot \text{T2}_{-1,1}^{-1}) + (3.5 \cdot \text{T2}_{0,1}^{-1}) +$
 267 $(-2.0 \cdot \text{Mi4}_{0,0}^{-1}) + (-2.4 \cdot \text{C3}_{0,0}^{-1}) + (1.2 \cdot \text{T2a}_{-1,1}^{-1}) + (-15.3 \cdot \text{C2}_{0,0}^{-1}) + (1.4 \cdot \text{Tm1}_{0,0}^{-1}) + (0.7 \cdot \text{L2}_{0,0}^0) + (26.0 \cdot \text{L3}_{0,0}^0))$
- 268 $\bullet \text{R7}_{0,0}^0 = \text{ReLU}(3.5 + (24.7 \cdot \text{R8}_{0,0}^{-1}))$

- $Tm20_{0,0}^0 = ReLU(3.5 + (1.1 \cdot Tm9_{0,0}^{-1}) + (3.7 \cdot Tm20_{-1,1}^{-1}) + (3.4 \cdot Mi1_{0,0}^0) + (3.7 \cdot Tm20_{-1,0}^{-1}) + (3.7 \cdot Tm20_{0,1}^{-1}) + (-8.6 \cdot C3_{0,0}^{-1}) + (3.7 \cdot Tm20_{1,-1}^{-1}) + (0.6 \cdot R7_{0,0}^0) + (9.7 \cdot Tm1_{0,0}^{-1}) + (1.0 \cdot T2a_{0,0}^{-1}) + (-14.9 \cdot Mi4_{0,0}^0) + (13.1 \cdot L2_{0,0}^0) + (3.7 \cdot Tm20_{1,0}^{-1}) + (26.7 \cdot L3_{0,0}^0) + (2.3 \cdot T1_{0,0}^{-1}) + (3.7 \cdot Tm20_{0,-1}^{-1}) + (16.4 \cdot R8_{0,0}^0) + (2.3 \cdot L5_{0,0}^0))$
- $R4_{0,0}^0 = ReLU(3.5 + (-0.1 \cdot Lawf2_{2,-2}^{-1}) + (-0.1 \cdot Lawf2_{1,1}^{-1}) + (-0.1 \cdot Lawf2_{1,-2}^{-1}) + (-0.1 \cdot Lawf2_{4,-2}^{-1}) + (-0.1 \cdot Lawf2_{-1,1}^{-1}) + (-0.1 \cdot Lawf2_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{0,-1}^{-1}) + (1.0 \cdot L4_{-1,1}^{-1}) + (-0.1 \cdot Lawf2_{2,-1}^{-1}) + (-0.1 \cdot Lawf2_{2,1}^{-1}) + (-0.1 \cdot Lawf2_{-1,0}^{-1}) + (-0.1 \cdot Lawf2_{3,-1}^{-1}) + (-0.1 \cdot Lawf2_{2,0}^{-1}) + (-0.1 \cdot Lawf2_{1,0}^{-1}) + (-0.1 \cdot Lawf2_{-2,1}^{-1}) + (-0.1 \cdot Lawf2_{3,0}^{-1}) + (-0.1 \cdot Lawf2_{-2,0}^{-1}) + (-0.1 \cdot Lawf2_{0,-2}^{-1}) + (-0.1 \cdot Lawf2_{4,-1}^{-1}) + (-0.1 \cdot Lawf2_{1,-1}^{-1}) + (-0.1 \cdot Lawf2_{3,-2}^{-1}) + (-0.1 \cdot Lawf2_{-3,0}^{-1}) + (1.0 \cdot L4_{0,1}^{-1}) + (-0.1 \cdot Lawf2_{-2,-2}^{-1}) + (-0.1 \cdot Lawf2_{0,1}^{-1}) + (-0.1 \cdot Lawf2_{-3,1}^{-1}) + (-0.1 \cdot Lawf2_{-1,-1}^{-1}) + (-0.1 \cdot Lawf2_{-2,-1}^{-1}) + (2.0 \cdot Am_{0,0}^{-1}) + (-0.1 \cdot Lawf2_{-1,-2}^{-1}) + (-0.1 \cdot Lawf2_{3,1}^{-1}))$

278 References

279 Complete references including sources not used for the main paper.

- 280 [1] *SRPRNN Caffe*. 2017.
- 281 [2] *LibDNN*. 2017.
- 282 [3] Lev E. Givon and Aurel A. Lazar. “Neurokernel: An Open Source Platform for Emulating the Fruit Fly Brain”. In: *PLOS ONE* 11.1 (Jan. 2016). Ed. by William W Lytton, e0146581. DOI: 10.1371/journal.pone.0146581. URL: <https://doi.org/10.1371%2Fjournal.pone.0146581>.
- 285 [4] Javier Morante and Claude Desplan. “Building a projection map for photoreceptor neurons in the Drosophila optic lobes”. In: *Seminars in Cell & Developmental Biology* 15.1 (Feb. 2004), pp. 137–143. DOI: 10.1016/j.semcd.2003.09.007. URL: <https://doi.org/10.1016%2Fj.semcd.2003.09.007>.
- 288 [5] Aurel A. Lazar et al. “A Parallel Processing Model of the Drosophila Retina”. In: (2015). DOI: 10.5281/zenodo.30036.
- 289 [6] Michael C. Mozer. “Backpropagation”. In: ed. by Yves Chauvin and David E. Rumelhart. Hillsdale, NJ, USA: L. Erlbaum Associates Inc., 1995. Chap. A Focused Backpropagation Algorithm for Temporal Pattern Recognition, pp. 137–169. ISBN: 0-8058-1259-8. URL: <http://dl.acm.org/citation.cfm?id=201784.201791>.
- 292 [7] A. J. Robinson and F. Fallside. *The utility driven dynamic error propagation network*. Tech. rep. CUED/F-INFENG/TR.1. Cambridge: Cambridge University Engineering Department, 1987.
- 294 [8] D. L. K. Yamins et al. “Performance-optimized hierarchical models predict neural responses in higher visual cortex”. In: *Proceedings of the National Academy of Sciences* 111.23 (May 2014), pp. 8619–8624. DOI: 10.1073/pnas.1403112111. URL: <https://doi.org/10.1073/pnas.1403112111>.
- 297 [9] Diederik P. Kingma and Jimmy Ba. “Adam: A Method for Stochastic Optimization”. In: *CoRR* abs/1412.6980 (2014). URL: <http://arxiv.org/abs/1412.6980>.
- 299 [10] Kaiming He et al. “Delving Deep into Rectifiers: Surpassing Human-Level Performance on ImageNet Classification”. In: *2015 IEEE International Conference on Computer Vision (ICCV)*. IEEE, Dec. 2015. DOI: 10.1109/iccv.2015.123. URL: <https://doi.org/10.1109/iccv.2015.123>.
- 302 [11] Xavier Glorot and Yoshua Bengio. “Understanding the difficulty of training deep feedforward neural networks”. In: *In Proceedings of the International Conference on Artificial Intelligence and Statistics (AISTATS’10). Society for Artificial Intelligence and Statistics*. 2010.
- 305 [12] Rudy Behnia et al. “Processing properties of ON and OFF pathways for Drosophila motion detection”. In: *Nature* 512.7515 (July 2014), pp. 427–430. DOI: 10.1038/nature13427. URL: <https://doi.org/10.1038/nature13427>.
- 307 [13] R. C. Hardie. “A histamine-activated chloride channel involved in neurotransmission at a photoreceptor synapse”. In: *Nature* 339.6227 (June 1989), pp. 704–706. DOI: 10.1038/339704a0. URL: <https://doi.org/10.1038/339704a0>.
- 309 [14] Nicolas Pinto et al. “A High-Throughput Screening Approach to Discovering Good Forms of Biologically Inspired Visual Representation”. In: *PLoS Computational Biology* 5.11 (Nov. 2009). Ed. by Karl J. Friston, e1000579. DOI: 10.1371/journal.pcbi.1000579. URL: <https://doi.org/10.1371/journal.pcbi.1000579>.
- 312 [15] H. S. Seung and H. S. Seung. “How the brain keeps the eyes still”. In: *Proc. Natl. Acad. Sci. USA* (1996), pp. 13339–13344.
- 313 [16] Moritz Helmstaedter et al. “Connectomic reconstruction of the inner plexiform layer in the mouse retina”. In: *Nature* 500.7461 (Aug. 2013), pp. 168–174. DOI: 10.1038/nature12346. URL: <https://doi.org/10.1038/nature12346>.
- 315 [17] Mark S. Goldman. “Memory without Feedback in a Neural Network”. In: *Neuron* 61.4 (Feb. 2009), pp. 621–634. DOI: 10.1016/j.neuron.2008.12.012. URL: <https://doi.org/10.1016/j.neuron.2008.12.012>.
- 317 [18] H. Sebastian Seung. “Reading the Book of Memory: Sparse Sampling versus Dense Mapping of Connectomes”. In: *Neuron* 62.1 (Apr. 2009), pp. 17–29. DOI: 10.1016/j.neuron.2009.03.020. URL: <https://doi.org/10.1016/j.neuron.2009.03.020>.
- 320 [19] Balázs Csanad Csaji and Huub Ten Eikelder. “Approximation with Artificial Neural Networks”. In: (2001).
- 321 [20] G. Cybenko. “Approximation by superpositions of a sigmoidal function”. In: *Mathematics of Control, Signals, and Systems* 5.4 (Dec. 1992), pp. 455–455. DOI: 10.1007/bf02134016. URL: <https://doi.org/10.1007/bf02134016>.
- 323 [21] W Reichardt. “Autocorrelation, a principle for evaluation of sensory information by the central nervous system”. In: *Principles of sensory communications* (1961).
- 325 [22] H B Barlow and W R Levick. “The mechanism of directionally selective units in rabbit’s retina.” In: *The Journal of Physiology* 178.3 (June 1965), pp. 477–504. DOI: 10.1113/jphysiol.1965.sp007638. URL: <https://doi.org/10.1113/jphysiol.1965.sp007638>.
- 328 [23] Mark Mazurek, Marisa Kager, and Stephen D. Van Hooser. “Robust quantification of orientation selectivity and direction selectivity”. In: *Frontiers in Neural Circuits* 8 (Aug. 2014). DOI: 10.3389/fncir.2014.00092. URL: <https://doi.org/10.3389%2Ffncir.2014.00092>.
- 331 [24] Jinseop S. Kim et al. “Space–time wiring specificity supports direction selectivity in the retina”. In: *Nature* 509.7500 (May 2014), pp. 331–336. DOI: 10.1038/nature13240. URL: <https://doi.org/10.1038%2Fnature13240>.
- 333 [25] Jordi Pont-Tuset et al. “The 2017 DAVIS Challenge on Video Object Segmentation”. In: *arXiv:1704.00675* (2017).
- 334 [26] F. Perazzi et al. “A Benchmark Dataset and Evaluation Methodology for Video Object Segmentation”. In: *Computer Vision and Pattern Recognition*. 2016.
- 336 [27] Shin-ya Takemura et al. “The comprehensive connectome of a neural substrate for ‘ON’ motion detection in Drosophila”. In: *eLife* 6 (Apr. 2017). DOI: 10.7554/elife.24394. URL: <https://doi.org/10.7554%2Felife.24394>.

- 338 [28] Shin-ya Takemura et al. “Synaptic circuits and their variations within different columns in the visual system of *Drosophila*”.
339 In: *Proceedings of the National Academy of Sciences* 112.44 (Oct. 2015), pp. 13711–13716. DOI: 10.1073/pnas.1509820112. URL: <http://dx.doi.org/10.1073/pnas.1509820112>.
- 341 [29] James A. Strother, Aljoscha Nern, and Michael B. Reiser. “Direct Observation of ON and OFF Pathways in the *Drosophila*
342 Visual System”. In: *Current Biology* 24.9 (May 2014), pp. 976–983. DOI: 10.1016/j.cub.2014.03.017. URL:
343 <http://dx.doi.org/10.1016/j.cub.2014.03.017>.
- 344 [30] Shin-ya Takemura et al. “A visual motion detection circuit suggested by *Drosophila* connectomics”. In: *Nature* 500.7461
345 (Aug. 2013), pp. 175–181. DOI: 10.1038/nature12450. URL: <http://dx.doi.org/10.1038/nature12450>.
- 346 [31] John C. Tuthill et al. “Contributions of the 12 Neuron Classes in the Fly Lamina to Motion Vision”. In: *Neuron* 79.1
347 (July 2013), pp. 128–140. DOI: 10.1016/j.neuron.2013.05.024. URL: <http://dx.doi.org/10.1016/j.neuron.2013.05.024>.
- 348 [32] Marta Rivera-Alba et al. “Wiring Economy and Volume Exclusion Determine Neuronal Placement in the *Drosophila*
349 Brain”. In: *Current Biology* 21.23 (Dec. 2011), pp. 2000–2005. DOI: 10.1016/j.cub.2011.10.022. URL: <http://dx.doi.org/10.1016/j.cub.2011.10.022>.
- 350 [33] Justin P. Kumar. “Building an ommatidium one cell at a time”. In: *Dev. Dyn.* 241.1 (Dec. 2011), pp. 136–149. DOI:
351 10.1002/dvdy.23707. URL: <http://dx.doi.org/10.1002/dvdy.23707>.
- 352 [34] V. Braatenberg. “Patterns of projection in the visual system of the fly. I. Retina-lamina projections”. In: *Experimental*
353 *Brain Research* 3.3 (1967), pp. 271–298. ISSN: 1432-1106. DOI: 10.1007/BF00235589. URL: <http://dx.doi.org/10.1007/BF00235589>.
- 354 [35] Kuno Kirschfeld. “Die projektion der optischen umwelt auf das raster der rhabdomere im komplexauge von *Musca*”.
355 In: *Experimental Brain Research* 3.3 (1967), pp. 248–270. ISSN: 1432-1106. DOI: 10.1007/BF00235588. URL: <http://dx.doi.org/10.1007/BF00235588>.
- 356 [36] Yvette E. Fisher, Marion Silies, and Thomas R. Clandinin. “Orientation Selectivity Sharpens Motion Detection in
357 *Drosophila*”. In: *Neuron* 88.2 (Oct. 2015), pp. 390–402. DOI: 10.1016/j.neuron.2015.09.033. URL: <https://doi.org/10.1016%2Fj.neuron.2015.09.033>.
- 358 [37] Y. Peng et al. “Experience Improves Feature Extraction in *Drosophila*”. In: *Journal of Neuroscience* 27.19 (May 2007),
359 pp. 5139–5145. DOI: 10.1523/jneurosci.0472-07.2007. URL: <https://doi.org/10.1523%2Fjneurosci.0472-07.2007>.
- 360 [38] Mehmet F. Keleş and Mark A. Frye. “Object-Detecting Neurons in *Drosophila*”. In: *Current Biology* 27.5 (Mar. 2017),
361 pp. 680–687. DOI: 10.1016/j.cub.2017.01.012. URL: <https://doi.org/10.1016%2Fj.cub.2017.01.012>.
- 362 [39] Alexander Borst. “*Drosophila*’s View on Insect Vision”. In: *Current Biology* 19.1 (Jan. 2009), R36–R47. DOI: 10.1016/
363 j.cub.2008.11.001. URL: <https://doi.org/10.1016%2Fj.cub.2008.11.001>.
- 364 [40] Stephanie Cabrera and Jamie C. Theobald. “Flying fruit flies correct for visual sideslip depending on relative speed of
365 forward optic flow”. In: *Frontiers in Behavioral Neuroscience* 7 (2013). DOI: 10.3389/fnbeh.2013.00076. URL:
366 <https://doi.org/10.3389%2Ffnbeh.2013.00076>.
- 367 [41] Hideo Otsuna and Kei Ito. “Systematic analysis of the visual projection neurons of *Drosophila melanogaster*. I. Lobula-
368 specific pathways”. In: *The Journal of Comparative Neurology* 497.6 (2006), pp. 928–958. DOI: 10.1002/cne.21015.
369 URL: <https://doi.org/10.1002%2Fcne.21015>.
- 370 [42] Ming Wu et al. “Visual projection neurons in the *Drosophila* lobula link feature detection to distinct behavioral programs”.
371 In: *eLife* 5 (Dec. 2016). DOI: 10.7554/elife.21022. URL: <https://doi.org/10.7554%2Felife.21022>.
- 372 [43] Matthew S. Maisak et al. “A directional tuning map of *Drosophila* elementary motion detectors”. In: *Nature* 500.7461
373 (Aug. 2013), pp. 212–216. DOI: 10.1038/nature12320. URL: <https://doi.org/10.1038/nature12320>.
- 374 [44] Alexander Borst and Thomas Euler. “Seeing Things in Motion: Models, Circuits, and Mechanisms”. In: *Neuron* 71.6
375 (Sept. 2011), pp. 974–994. DOI: 10.1016/j.neuron.2011.08.031. URL: <https://doi.org/10.1016/j.neuron.2011.08.031>.
- 376 [45] Alexander Borst, Juergen Haag, and Dierk F. Reiff. “Fly Motion Vision”. In: *Annual Review of Neuroscience* 33.1 (June
377 2010), pp. 49–70. DOI: 10.1146/annurev-neuro-060909-153155. URL: <https://doi.org/10.1146%2Fannurev-neuro-060909-153155>.
- 378 [46] Maximilian Joesch et al. “ON and OFF pathways in *Drosophila* motion vision”. In: *Nature* 468.7321 (Nov. 2010),
379 pp. 300–304. DOI: 10.1038/nature09545. URL: <https://doi.org/10.1038%2Fnature09545>.
- 380 [47] Lane McIntosh et al. “Deep Learning Models of the Retinal Response to Natural Scenes”. In: *Advances in Neural*
381 *Information Processing Systems* 29. Ed. by D. D. Lee et al. Curran Associates, Inc., 2016, pp. 1369–1377. URL: <http://papers.nips.cc/paper/6388-deep-learning-models-of-the-retinal-response-to-natural-scenes.pdf>.
- 382 [48] John K. Douglass and Nicholas J. Strausfeld. “Anatomical organization of retinotopic motion-sensitive pathways in the
383 optic lobes of flies”. In: *Microscopy Research and Technique* 62.2 (Sept. 2003), pp. 132–150. DOI: 10.1002/jemt.10367.
384 URL: <https://doi.org/10.1002%2Fjemt.10367>.
- 385 [49] Alexander Borst and Moritz Helmstaedter. “Common circuit design in fly and mammalian motion vision”. In: *Nature*
386 *Neuroscience* 18.8 (June 2015), pp. 1067–1076. DOI: 10.1038/nn.4050. URL: <https://doi.org/10.1038%2Fnn.4050>.
- 387 [50] K.-F. Fischbach and A.P.M. Dittrich. “The optic lobe of *Drosophila melanogaster*. I. A Golgi analysis of wild-type
388 structure”. In: *Cell and Tissue Research* 258.3 (Dec. 1989). DOI: 10.1007/bf00218858. URL: <https://doi.org/10.1007%2Fbf00218858>.

- 401 [51] Armin Bahl. “The role of direction-selective visual interneurons T4 and T5 in Drosophila orientation behavior”. Feb. 2015.
402 URL: <http://nbn-resolving.de/urn:nbn:de:bvb:19-180474>.
- 403 [52] Etienne Serbe. “Analysis of the neural circuit underlying the detection of visual motion in *Drosophila melanogaster*”.
404 Sept. 2016. URL: <http://nbn-resolving.de/urn:nbn:de:bvb:19-199173>.
- 405 [53] John C. Tuthill et al. “Wide-Field Feedback Neurons Dynamically Tune Early Visual Processing”. In: *Neuron* 82.4 (May
406 2014), pp. 887–895. DOI: 10.1016/j.neuron.2014.04.023. URL: <https://doi.org/10.1016%2Fj.neuron.2014.04.023>.
- 407 [54] Jürg Berger et al. “Systematic Identification of Genes that Regulate Neuronal Wiring in the Drosophila Visual System”.
408 In: *PLoS Genetics* 4.5 (May 2008). Ed. by Joseph S. Takahashi, e1000085. DOI: 10.1371/journal.pgen.1000085.
409 URL: <https://doi.org/10.1371%2Fjournal.pgen.1000085>.
- 410 [55] Irina Hein, Takashi Suzuki, and Ilona C. Grunwald Kadow. “Gogo Receptor Contributes to Retinotopic Map Formation
411 and Prevents R1-6 Photoreceptor Axon Bundling”. In: *PLoS ONE* 8.6 (June 2013). Ed. by Edward Giniger, e66868. DOI:
412 10.1371/journal.pone.0066868. URL: <https://doi.org/10.1371%2Fjournal.pone.0066868>.
- 413 [56] E. Hasegawa et al. “Concentric zones, cell migration and neuronal circuits in the Drosophila visual center”. In: *Development*
414 138.5 (Feb. 2011), pp. 983–993. DOI: 10.1242/dev.058370. URL: <https://doi.org/10.1242%2Fdev.058370>.
- 415