

```

import { useState, useEffect, useRef } from "react";

const PROPERTY = {
  id: 1,
  title: "Luxury 5-Bed Duplex",
  location: "Maitama, Abuja",
  price: 320000000,
  type: "sell",
  lat: 9.0820,
  lng: 7.4891,
  agent: "Emeka Okafor",
  agentPhoto: "👤",
  phone: "+2348030000001",
  beds: 5, baths: 4, sqm: 480,
  images: [
    "https://images.unsplash.com/photo-1600596542815-ffad4c1539a9?w=900&q=80",
    "https://images.unsplash.com/photo-1600607687939-ce8a6c25118c?w=900&q=80",
    "https://images.unsplash.com/photo-1600566753086-00f18fb6b3ea?w=900&q=80",
    "https://images.unsplash.com/photo-1600573472592-401b489a3cdc?w=900&q=80",
    "https://images.unsplash.com/photo-1512917774080-9991f1c4c750?w=900&q=80",
    "https://images.unsplash.com/photo-1613977257363-707ba9348227?w=900&q=80",
  ],
  features: ["Swimming Pool", "Boys Quarters", "CCTV", "Generator", "Smart Home",
  desc: "A breathtaking luxury duplex in the heart of Maitama diplomatic zone. It
  verified: true,
  rating: 4.9,
  reviews: 28,
};

const fmt = (n) => `₦${(n / 1_000_000).toFixed(0)}M`;

const NEARBY = [
  { icon: "🏫", name: "American Int'l School", dist: "0.8km", type: "School" },
  { icon: "🏥", name: "Maitama Hospital", dist: "1.2km", type: "Hospital" },
  { icon: "🛒", name: "Ceddi Plaza", dist: "2.1km", type: "Mall" },
  { icon: "🛢️", name: "NNPC Station", dist: "0.4km", type: "Fuel" },
  { icon: "🏦", name: "GTBank Maitama", dist: "0.6km", type: "Bank" },
  { icon: "✈️", name: "Abuja Airport", dist: "18km", type: "Airport" },
];

const AI_STEPS = [
  { label: "Scanning exterior & walls...", icon: "🏠" },
  { label: "Analysing roof condition...", icon: "🔍" },
  { label: "Checking drainage & flood risk...", icon: "💧" },

```

```

    { label: "Inspecting windows & doors...", icon: "🚪" },
    { label: "Running AI valuation model...", icon: "💰" },
    { label: "Generating full report...", icon: "📄" },
  ];

const AI_REPORT = {
  score: 94,
  verdict: "Excellent Condition",
  color: "#00e676",
  findings: [
    { icon: "✅", label: "Structural Integrity", status: "Excellent", detail: "No" },
    { icon: "✅", label: "Roof & Ceiling", status: "Excellent", detail: "New roof" },
    { icon: "✅", label: "Paint & Finishes", status: "Very Good", detail: "Fresh" },
    { icon: "⚠️", label: "Drainage", status: "Fair", detail: "Minor water pooling" },
    { icon: "✅", label: "Security & Gates", status: "Excellent", detail: "Reinfc" },
    { icon: "✅", label: "Utilities", status: "Very Good", detail: "Solar panels" },
  ],
  valuation: "AI estimates fair market value at ₦300M - ₦340M. Listed price of ₦3",
  recommendation: "Strong buy recommendation. Negotiate ₦5-10M discount citing mi",
};

const SLOTS = [
  { time: "Today 2:00 PM", available: true },
  { time: "Today 5:00 PM", available: true },
  { time: "Tomorrow 10:00 AM", available: true },
  { time: "Tomorrow 2:00 PM", available: false },
  { time: "Saturday 11:00 AM", available: true },
];

// Scanning animation component
const Scanline = () => (
  <div style={{
    position: "absolute", left: 0, right: 0, height: 3,
    background: "linear-gradient(90deg, transparent 0%, #00e676 40%, #00e676 60%,
    boxShadow: "0 0 16px 4px rgba(0,230,118,0.5)",
    animation: "scanline 2s linear infinite", pointerEvents: "none", zIndex: 10
  }} />
);

// Corner brackets for AR scanning UI
const ScanBrackets = ({ color = "#00e676" }) => (
  <>
    {[
      { top: 8, left: 8, borderTop: true, borderLeft: true },
      { top: 8, right: 8, borderTop: true, borderRight: true },
      { bottom: 8, left: 8, borderBottom: true, borderLeft: true },
      { bottom: 8, right: 8, borderBottom: true, borderRight: true },
    ]}
  </>
);

```

```

].map((b, i) => (
  <div key={i} style={{
    position: "absolute", ...b,
    width: 22, height: 22,
    borderColor: color,
    borderStyle: "solid",
    borderWidth: 0,
    borderTopWidth: b.borderTop ? 2.5 : 0,
    borderLeftWidth: b.borderLeft ? 2.5 : 0,
    borderRightWidth: b.borderRight ? 2.5 : 0,
    borderBottomWidth: b.borderBottom ? 2.5 : 0,
    borderRadius: b.borderTop && b.borderLeft ? "4px 0 0 0" : b.borderTop &&
    pointerEvents: "none", zIndex: 20
  }} />
  )})
</>
);

export default function Naijaest() {
  const [tab, setTab] = useState("gallery");
  const [imgIdx, setImgIdx] = useState(0);
  const [mapMode, setMapMode] = useState("earth"); // earth | street
  const [streetDir, setStreetDir] = useState(0);
  const [aiState, setAiState] = useState("idle"); // idle | scanning | done
  const [aiStep, setAiStep] = useState(0);
  const [aiPct, setAiPct] = useState(0);
  const [liveStep, setLiveStep] = useState("intro"); // intro | slots | confirm
  const [liveSlot, setLiveSlot] = useState(null);
  const [chatOpen, setChatOpen] = useState(false);
  const [chatInput, setChatInput] = useState("");
  const [chatHistory, setChatHistory] = useState([
    { from: "agent", text: "Welcome to Naijaest! 🏠 I'm Emeka, your agent for thi
  ]});
  const [chatLoading, setChatLoading] = useState(false);
  const [arMode, setArMode] = useState(false);
  const [arScanImg, setArScanImg] = useState(0);
  const chatEndRef = useRef(null);

  useEffect(() => {
    chatEndRef.current?.scrollIntoView({ behavior: "smooth" });
  }, [chatHistory, chatLoading]);

  // AI inspection runner
  const startAI = () => {
    setAiState("scanning");
    setAiStep(0);
    setAiPct(0);

```

```

let s = 0;
const tick = setInterval(() => {
  s++;
  setAiStep(s);
  setAiPct(Math.round((s / AI_STEPS.length) * 100));
  if (s >= AI_STEPS.length) {
    clearInterval(tick);
    setTimeout(() => setAiState("done"), 700);
  }
}, 950);
};

// AI chat
const sendChat = async () => {
  if (!chatInput.trim() || chatLoading) return;
  const msg = chatInput.trim();
  setChatInput("");
  setChatHistory(h => [...h, { from: "user", text: msg }]);
  setChatLoading(true);
  try {
    const res = await fetch("https://api.anthropic.com/v1/messages", {
      method: "POST",
      headers: { "Content-Type": "application/json" },
      body: JSON.stringify({
        model: "claude-sonnet-4-20250514",
        max_tokens: 1000,
        system: `You are Emeka Okafor, a top Lagos/Abuja real estate agent on N
You represent a luxury 5-bed duplex in Maitama, Abuja at ₦320M for sale (5 beds,
Naijaest covers Lagos and Abuja first, then all Nigeria, then Africa.
Be SHORT (2-3 sentences), warm, confident, and use natural Nigerian context (ment
If they want to view, mention the Live AR Inspection feature on Naijaest.com.`,
        messages: [{ role: "user", content: msg }]
      })
    });
    const data = await res.json();
    const reply = data.content?.[0]?.text || "Please call me directly -- +234 8
    setChatHistory(h => [...h, { from: "agent", text: reply }]);
  } catch {
    setChatHistory(h => [...h, { from: "agent", text: "Network issue -- WhatsApp
  }
  setChatLoading(false);
};

// Cycle AR scan image
useEffect(() => {
  if (!arMode) return;
  const t = setInterval(() => setArScanImg(i => (i + 1) % PROPERTY.images.lengt

```

```

    return () => clearInterval(t);
  }, [arMode]);

const TABS = [
  { id: "gallery", label: "Gallery", emoji: "🖼️" },
  { id: "earth", label: "Earth View", emoji: "🌍" },
  { id: "ai", label: "AI Inspect", emoji: "🤖" },
  { id: "live", label: "Live Tour", emoji: "🎥" },
];

return (
  <>
    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Space+Grotesk:wght@
      *(box-sizing:border-box;margin:0;padding:0;}
      body{font-family:'Space Grotesk',sans-serif;background:#050508;}
      @keyframes scanline{0%{top:-2%}100%{top:102%}}
      @keyframes fadeUp{from{opacity:0;transform:translateY(16px)}to{opacity:1;
      @keyframes pulse{0%,100%{opacity:1}50%{opacity:.35}}
      @keyframes glow{0%,100%{box-shadow:0 0 20px rgba(0,230,118,.25)}50%{box-s
      @keyframes earthSpin{from{background-position:0% center}to{background-pos
      @keyframes ripple{0%{transform:scale(.8);opacity:1}100%{transform:scale(2
      @keyframes slideIn{from{opacity:0;transform:translateX(16px)}to{opacity:1
      ::-webkit-scrollbar{width:3px}::-webkit-scrollbar-thumb{background:#1e253
    `}</style>

    <div style={{ maxWidth: 480, margin: "0 auto", background: "#050508", minHe

      /* — LOGO BAR ————— */
      <div style={{ padding: "16px 20px 0", display: "flex", alignItems: "cente
        <div style={{ display: "flex", alignItems: "center", gap: 8 }}>
          <div style={{ width: 34, height: 34, borderRadius: 10, background: "1
            <div>
              <span style={{ fontFamily: "'Bricolage Grotesque', sans-serif", fon
                <span style={{ fontFamily: "'Bricolage Grotesque', sans-serif", fon
                  <span style={{ fontSize: 10, color: "#555", marginLeft: 4 }}>.com</
                </div>
              </div>
            </div>
          <div style={{ display: "flex", alignItems: "center", gap: 6, background
            <div style={{ width: 6, height: 6, borderRadius: "50%", background: "
              <span style={{ fontSize: 11, color: "#00e676", fontWeight: 600 }}>Lag
            </div>
          </div>

      /* — PROPERTY HEADER ————— */
      <div style={{ padding: "18px 20px 0" }}>
        <div style={{ display: "flex", justifyContent: "space-between", alignIt

```



```

        {t.label}
      </button>
    )))
  </div>

  {/* =====
    TAB: GALLERY
    ===== */}

  {tab === "gallery" && (
    <div style={{ animation: "fadeUp 0.3s ease", marginTop: 16 }}>

      {/* AR Mode toggle */}
      <div style={{ display: "flex", justifyContent: "flex-end", padding: "
        <button onClick={() => setArMode(m => !m)} style={{
          display: "flex", alignItems: "center", gap: 6,
          background: arMode ? "rgba(0,230,118,.15)" : "#0d0d18",
          border: arMode ? "1px solid rgba(0,230,118,.4)" : "1px solid #1a1
          borderRadius: 20, padding: "6px 14px", cursor: "pointer",
          color: arMode ? "#00e676" : "#666", fontSize: 11, fontWeight: 600
        }}>
        <span style={{ fontSize: 14 }}><img alt="AR Mode icon" data-bbox="568 431 588 441"/></span>
        {arMode ? "AR Mode ON" : "Try AR View"}
      </button>
    </div>

    {/* Main image with AR overlay */}
    <div style={{ position: "relative", height: 280, margin: "0 20px", bo
      <img
        src={PROPERTY.images[arMode ? arScanImg : imgIdx]}
        alt=""
        style={{ width: "100%", height: "100%", objectFit: "cover", trans
      />

      {arMode && (
        <>
          {/* AR scan overlay */}
          <div style={{ position: "absolute", inset: 0, background: "rgba
            <Scanline />
            <ScanBrackets color="#00e676" />

          {/* AR data tags */}
          {[
            { top: "18%", left: "12%", label: "Living Room", sub: "Est. 4
            { top: "55%", right: "10%", label: "Pool Area", sub: "Verifie
            { top: "30%", left: "55%", label: "Roof", sub: "Good Cond.",
          ].map((tag, i) => (
            <div key={i} style={{

```

```

        position: "absolute", top: tag.top, left: tag.left, right:
        background: "rgba(0,0,0,0.75)", backdropFilter: "blur(6px)"
        border: `1px solid ${tag.color}60`, borderRadius: 8,
        padding: "5px 10px", animation: `fadeUp 0.4s ease ${i * 0.1
    }}>
    <div style={{ fontSize: 10, fontWeight: 700, color: tag.col
    <div style={{ fontSize: 9, color: "#aaa", marginTop: 1 }}>{
  </div>
)}}

    <div style={{ position: "absolute", top: 10, left: 12, display:
    <div style={{ width: 6, height: 6, borderRadius: "50%", backg
    <span style={{ fontSize: 9, color: "#00e676", fontWeight: 700
  </div>
</>
  )}

  {!arMode && (
    <>
      <button onClick={() => setImgIdx(i => (i - 1 + PROPERTY.images.
      <button onClick={() => setImgIdx(i => (i + 1) % PROPERTY.images
      <div style={{ position: "absolute", bottom: 10, left: "50%", tr
        {PROPERTY.images.map((_, i) => <div key={i} onClick={() => se
      </div>
    </>
  )}
</div>

  {/* Thumbnail strip */}
  {!arMode && (
    <div style={{ display: "flex", gap: 8, padding: "12px 20px", overfl
      {PROPERTY.images.map((img, i) => (
        <div key={i} onClick={() => setImgIdx(i)} style={{ flexShrink:
          <img src={img} alt="" style={{ width: "100%", height: "100%",
        </div>
      )}}
    </div>
  )}

  {/* Features */}
  <div style={{ padding: "0 20px 100px", marginTop: arMode ? 12 : 0 }}>
    <div style={{ fontSize: 11, fontWeight: 700, color: "#555", letters
    <div style={{ display: "flex", flexWrap: "wrap", gap: 8, marginBott
      {PROPERTY.features.map(f => (
        <span key={f} style={{ background: "#0d0d18", border: "1px soli
          <span style={{ color: "#00e676", fontSize: 10 }}>✓</span>{f}
        </span>

```

```

    )))
  </div>
  <p style={{ fontSize: 13, color: "#777", lineHeight: 1.7 }}>{PROPER
</div>
</div>
})

{/* =====
  TAB: GOOGLE EARTH VIEW
===== */}

{tab === "earth" && (
  <div style={{ animation: "fadeUp 0.3s ease", marginTop: 16 }}>

    {/* Mode switch */}
    <div style={{ display: "flex", margin: "0 20px 14px", background: "#0
      [[
        { id: "earth", label: "🌍 Earth View" },
        { id: "street", label: "🚶 Street View" },
      ]}.map(m => (
        <button key={m.id} onClick={() => setMapMode(m.id)} style={{
          flex: 1, padding: "9px", border: "none", borderRadius: 9, curso
          background: mapMode === m.id ? "#e63946" : "transparent",
          color: mapMode === m.id ? "#fff" : "#555",
          fontWeight: 700, fontSize: 12, transition: "all 0.2s"
        }}>{m.label}</button>
      )))
    </div>

    {mapMode === "earth" ? (
      <div>
        {/* Real OpenStreetMap embed of Maitama, Abuja */}
        <div style={{ margin: "0 20px", borderRadius: 18, overflow: "hidd
          <iframe
            title="Naijaest Earth View"
            width="100%"
            height="300"
            style={{ border: "none", display: "block" }}
            src="https://www.openstreetmap.org/export/embed.html?bbox=7.4
          />
          {/* Property pin overlay */}
          <div style={{ position: "absolute", top: 10, left: 12, backgrou
            <div style={{ fontSize: 10, color: "#e63946", fontWeight: 700
              <div style={{ fontSize: 12, color: "#fff", marginTop: 2 }}>Ma
            </div>
          <a href={`https://www.google.com/maps/@${PROPERTY.lat},${PROPER
            position: "absolute", bottom: 10, right: 10,
            background: "#4285F4", borderRadius: 8, padding: "6px 12px",

```

```

        fontSize: 11, fontWeight: 700, color: "#fff", textDecoration:
        display: "flex", alignItems: "center", gap: 5
    }}> Open in Google Maps</a>
</div>

{/* Neighbourhood stats */}
<div style={{ padding: "16px 20px" }}>
    <div style={{ fontSize: 11, fontWeight: 700, color: "#555", let
    [
        { label: "Security", pct: 95, color: "#00e676" },
        { label: "Road Quality", pct: 88, color: "#00e676" },
        { label: "Power Supply", pct: 72, color: "#f4a261" },
        { label: "Water Access", pct: 80, color: "#f4a261" },
        { label: "Proximity to Amenities", pct: 91, color: "#00e676"
    ].map(s => (
        <div key={s.label} style={{ marginBottom: 12 }}>
            <div style={{ display: "flex", justifyContent: "space-betwe
                <span style={{ fontSize: 12, color: "#bbb" }}>{s.label}</
                <span style={{ fontSize: 12, fontWeight: 700, color: s.co
            </div>
            <div style={{ background: "#1a1a2e", borderRadius: 4, heigh
                <div style={{ height: "100%", width: `${s.pct}%`, backgro
            </div>
        </div>
    )))
</div>

{/* Nearby */}
<div style={{ padding: "0 20px 100px" }}>
    <div style={{ fontSize: 11, fontWeight: 700, color: "#555", let
    <div style={{ display: "flex", flexDirection: "column", gap: 8
        {NEARBY.map(n => (
            <div key={n.name} style={{ display: "flex", alignItems: "ce
                <span style={{ fontSize: 20 }}>{n.icon}</span>
                <div style={{ flex: 1 }}>
                    <div style={{ fontSize: 13, fontWeight: 600, color: "#d
                        <div style={{ fontSize: 11, color: "#555", marginTop: 1
                    </div>
                    <div style={{ fontSize: 12, fontWeight: 700, color: "#00e
                </div>
            )))
        </div>
    </div>
</div>
) : (
    // Street View
<div>

```

```

<div style={{ margin: "0 20px", borderRadius: 18, overflow: "hidd
  {/* Panoramic street simulation */}
  <div style={{
    position: "absolute", inset: 0,
    backgroundImage: `url(${PROPERTY.images[streetDir % PROPERTY.
    backgroundSize: "cover",
    backgroundPosition: `${(streetDir * 15) % 100}% center`,
    filter: "brightness(0.8) saturate(1.1)",
    transition: "background-position 0.6s ease"
  }} />
  <div style={{ position: "absolute", inset: 0, background: "line

  {/* Street HUD */}
  <div style={{ position: "absolute", top: 12, left: 12, right: 1
    <div style={{ background: "rgba(0,0,0,0.75)", backdropFilter:
      <div style={{ fontSize: 9, color: "#00e676", fontWeight: 70
        <div style={{ fontSize: 11, color: "#ccc", marginTop: 1 }}>
      </div>
    <div style={{ background: "rgba(0,0,0,0.75)", borderRadius: 1
      [{" N", " E", " S", " W"][streetDir % 4]}
    </div>
  </div>
</div>

  {/* Street labels */}
  <div style={{ position: "absolute", bottom: 55, left: "50%", tr
    <span style={{ fontSize: 11, color: "#e63946", fontWeight: 70
  </div>

  {/* Nav controls */}
  <div style={{ position: "absolute", bottom: 12, left: "50%", tr
    <button onClick={() => setStreetDir(d => d - 1)} style={{ bac
      <div style={{ width: 36, height: 36, borderRadius: "50%", bac
        <button onClick={() => setStreetDir(d => d + 1)} style={{ bac
      </div>
    </div>
  </div>

  {/* Street details */}
  <div style={{ padding: "16px 20px 100px" }}>
    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1f
      {[
        { icon: "", label: "Road", value: "Tarmac" },
        { icon: "", label: "Security", value: "Gated" },
        { icon: "", label: "Lighting", value: "Solar" },
        { icon: "", label: "Trees", value: "Yes" },
        { icon: "", label: "Parking", value: "Wide" },
        { icon: "", label: "Zone", value: "Premium" },
      ]}.map(d => (

```

```

        <div key={d.label} style={{ background: "#0d0d18", borderRa
          <div style={{ fontSize: 18 }}>{d.icon}</div>
          <div style={{ fontSize: 10, color: "#555", marginTop: 4 }
            <div style={{ fontSize: 12, fontWeight: 700, color: "#ddd
              </div>
            )}}
          </div>
        <a href={`https://www.google.com/maps/@?api=1&map_action=pano&v
          display: "flex", alignItems: "center", justifyContent: "cente
          marginTop: 14, padding: "12px", background: "#4285F4", border
          color: "#fff", fontWeight: 700, fontSize: 13, textDecoration:
        }}><img alt="Globe icon" data-bbox="325 258 345 273"/> Open Full Street View in Google Maps</a>
      </div>
    </div>
  )}
</div>
)}

{ /* =====
  TAB: AI REALITY INSPECTION
  ===== */
{tab === "ai" && (
  <div style={{ padding: "16px 20px 100px", animation: "fadeUp 0.3s ease"

    {aiState === "idle" && (
      <>
        <div style={{ textAlign: "center", marginBottom: 24 }}>
          <div style={{ fontSize: 52, marginBottom: 12 }}><img alt="AI icon" data-bbox="750 565 765 580"/></div>
          <h2 style={{ fontFamily: "'Bricolage Grotesque', sans-serif", f
            <p style={{ color: "#666", fontSize: 13, marginTop: 8, lineHeig
          </div>

        <div style={{ background: "#0d0d18", borderRadius: 16, padding: 1
          <div style={{ fontSize: 11, fontWeight: 700, color: "#555", let
            {AI_STEPS.map((s, i) => (
              <div key={i} style={{ display: "flex", alignItems: "center",
                <span style={{ fontSize: 20, width: 28 }}>{s.icon}</span>
                <span style={{ fontSize: 13, color: "#bbb" }}>{s.label}</sp
                <span style={{ marginLeft: "auto", fontSize: 10, color: "#0
              </div>
            )}}
          </div>

        <button onClick={startAI} style={{
          width: "100%", padding: 16, border: "none", borderRadius: 14, c
          background: "linear-gradient(135deg, #00e676, #00c853)",
          color: "#050508", fontFamily: "'Bricolage Grotesque', sans-seri

```

```

        fontWeight: 800, fontSize: 16, display: "flex", alignItems: "center",
        justifyContent: "center", gap: 10, animation: "glow 2.5s infinite"
      }}>
         Start AI Inspection
      </button>
    </>
  )}

{aiState === "scanning" && (
  <div style={{ textAlign: "center" }}>
    <div style={{ position: "relative", width: 220, height: 165, margin: 0 auto }}>
      <img src={PROPERTY.images[Math.floor(aiStep / 2) % PROPERTY.images.length]} alt="AI Step icon" data-bbox="295 260 318 275"/>
      <div style={{ position: "absolute", inset: 0, background: "linear-gradient(to top, transparent 49%, #000 49%, #000 51%, transparent 51%)" }}>
        <Scanline />
      </div>
      <ScanBrackets />
    </div>
    <div style={{ fontFamily: "'Bricolage Grotesque', sans-serif", font-size: 16, color: "#888" }}>
      <div style={{ color: "#888", fontSize: 13, marginTop: 6, animation: "glow 2.5s infinite" }}>
        {AI_STEPS[Math.min(aiStep, AI_STEPS.length - 1)].icon} {AI_STEPS[Math.min(aiStep, AI_STEPS.length - 1)].label}
      </div>
      <div style={{ margin: "20px auto 0", maxWidth: 260, background: "linear-gradient(to top, transparent 49%, #000 49%, #000 51%, transparent 51%)" }}>
        <div style={{ height: "100%", width: `${aiPct}%`, background: "linear-gradient(to top, transparent 49%, #000 49%, #000 51%, transparent 51%)" }}>
        </div>
      </div>
    </div>
  )}

{aiState === "done" && (
  <div style={{ animation: "fadeUp 0.5s ease" }}>
    <div style={{ background: "linear-gradient(135deg, #0d1f0d, #0d0d0d)", padding: 10, border-radius: 16 }}>
      <div style={{ fontFamily: "'Bricolage Grotesque', sans-serif", font-size: 10, color: "#555", letterSpacing: 2, margin-bottom: 10 }}>
        <div style={{ fontFamily: "'Bricolage Grotesque', sans-serif", font-size: 10, color: "#555", letterSpacing: 2, margin-bottom: 10 }}>
          <div style={{ display: "inline-flex", alignItems: "center", gap: 10 }}>
            <span style={{ fontSize: 10, color: "#00e676", fontWeight: 700 }}>
              </span>
            <span style={{ fontSize: 10, color: "#00e676", fontWeight: 700 }}>
              </span>
          </div>
        </div>
      </div>
      <div style={{ background: "linear-gradient(to top, transparent 49%, #000 49%, #000 51%, transparent 51%)" }}>
        <div style={{ display: "flex", justify-content: "space-between", padding: 10, border-radius: 16 }}>
          <div style={{ display: "flex", align-items: "center", gap: 10 }}>
            <span>{f.icon}</span>
            <span style={{ fontSize: 13, fontWeight: 600, color: "#555" }}>
              </span>
          </div>
        </div>
      </div>
    </div>
  )}

```

```

        </div>
        <span style={{ fontSize: 11, fontWeight: 700, color: f.pc
    </div>
    <div style={{ background: "#1a1a2e", borderRadius: 4, heigh
        <div style={{ height: "100%", width: `${f.pct}%`, backgro
    </div>
        <div style={{ fontSize: 11, color: "#666" }}>{f.detail}</di
    </div>
    )))
</div>

{/* Valuation */}
<div style={{ background: "linear-gradient(135deg, #1a1005, #0d0d
    <div style={{ fontSize: 10, fontWeight: 700, color: "#f4a261",
        <div style={{ fontSize: 13, color: "#bbb", lineHeight: 1.7 }}>{
    </div>

    <div style={{ background: "linear-gradient(135deg, #1a0d05, #0d0d
        <div style={{ fontSize: 10, fontWeight: 700, color: "#00e676",
            <div style={{ fontSize: 13, color: "#bbb", lineHeight: 1.7 }}>{
    </div>

    <button onClick={() => { setAiState("idle"); setAiPct(0); setAiSt
    </div>
    )}
</div>
)}

{/* =====
    TAB: LIVE VIDEO TOUR
    ===== */}
{tab === "live" && (
    <div style={{ padding: "16px 20px 100px", animation: "fadeUp 0.3s ease"

        {liveStep === "intro" && (
            <>
                {/* Live preview mockup */}
                <div style={{ position: "relative", borderRadius: 18, overflow: "
                    <img src={PROPERTY.images[1]} alt="" style={{ width: "100%", he
                    <div style={{ position: "absolute", inset: 0, display: "flex",
                        <div style={{ position: "relative", width: 64, height: 64, ma
                            <div style={{ position: "absolute", inset: 0, borderRadius:
                                <div style={{ position: "absolute", inset: 6, borderRadius:
                                    <div style={{ position: "absolute", inset: 12, borderRadius
                                        <span style={{ fontSize: 18 }}>▶</span>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        )}
    )}

```

```

        <div style={{ fontFamily: "'Bricolage Grotesque', sans-serif"
        <div style={{ fontSize: 12, color: "rgba(255,255,255,0.6)", m
    </div>
    <div style={{ position: "absolute", top: 12, left: 12, display:
        <div style={{ width: 7, height: 7, borderRadius: "50%", backg
            <span style={{ fontSize: 10, color: "#fff", fontWeight: 700 }
        </div>
    </div>
</div>

<h2 style={{ fontFamily: "'Bricolage Grotesque', sans-serif", fon
<p style={{ color: "#666", fontSize: 13, lineHeight: 1.6, marginB

<div style={{ display: "flex", flexDirection: "column", gap: 10,
    [[
        { icon: "📱", title: "Works on WhatsApp or Zoom", desc: "No s
        { icon: "🌐", title: "Join from anywhere in the world", desc:
        { icon: "🤖", title: "AI assists the tour live", desc: "Flags
        { icon: "📋", title: "Receive full report after tour", desc:
    ].map(f => (
        <div key={f.title} style={{ display: "flex", gap: 14, padding
            <span style={{ fontSize: 22 }}>{f.icon}</span>
            <div>
                <div style={{ fontSize: 13, fontWeight: 600, color: "#ddd
                    <div style={{ fontSize: 11, color: "#666", marginTop: 2 }
                </div>
            </div>
        </div>
    )))
</div>

<button onClick={() => setLiveStep("slots")} style={{ width: "100
    17 Choose a Time Slot
</button>
</>
))

{liveStep === "slots" && (
    <>
        <button onClick={() => setLiveStep("intro")} style={{ background:
        <h2 style={{ fontFamily: "'Bricolage Grotesque', sans-serif", fon
        <p style={{ color: "#666", fontSize: 13, marginBottom: 20 }}>All

    <div style={{ display: "flex", flexDirection: "column", gap: 10,
        {SLOTS.map(s => (
            <button key={s.time} onClick={() => s.available && setLiveSlo
                padding: "15px 16px", borderRadius: 14, cursor: s.available
                border: liveSlot === s.time ? "1.5px solid #e63946" : "1.5px
                background: liveSlot === s.time ? "rgba(230,57,70,.08)" : s

```

```

        color: !s.available ? "#333" : liveSlot === s.time ? "#e639
display: "flex", alignItems: "center", justifyContent: "spa
fontWeight: 700, fontSize: 14, transition: "all 0.2s"
    }}>
    <span> {s.time}</span>
    {!s.available && <span style={{ fontSize: 11, color: "#333"
    {s.available && liveSlot === s.time && <span style={{ fontS
    {s.available && liveSlot !== s.time && <span style={{ fontS
    </button>
    )))
</div>

<button onClick={() => liveSlot && setLiveStep("confirm")} style=
width: "100%", padding: 16, border: "none", borderRadius: 14,
background: liveSlot ? "linear-gradient(135deg, #e63946, #c1121
color: liveSlot ? "#fff" : "#444",
fontFamily: "'Bricolage Grotesque', sans-serif", fontWeight: 80
cursor: liveSlot ? "pointer" : "default",
display: "flex", alignItems: "center", justifyContent: "center"
boxShadow: liveSlot ? "0 6px 24px rgba(230,57,70,0.35)" : "none
    }}>
     {liveSlot ? `Confirm -- ${liveSlot}` : "Select a slot first"
    </button>
</>
))

{liveStep === "confirm" && (
  <div style={{ textAlign: "center", animation: "fadeUp 0.4s ease" }}>
    <div style={{ fontSize: 64, marginBottom: 20 }}>

```

```

        <div style={{ background: "#050508", borderRadius: 10, padding:
            📱 {PROPERTY.agent} will send a WhatsApp video call link to y
        </div>
    </div>

    <div style={{ display: "flex", flexDirection: "column", gap: 10 }
        <a href={`https://wa.me/${PROPERTY.phone.replace(/\D/g, "")}`}
            🗨️ Message Agent on WhatsApp
        </a>
        <button onClick={() => { setLiveStep("intro"); setLiveSlot(null
    </div>
</div>
    )}
</div>
)}

{/* — FLOATING AI CHAT ————— */}
{chatOpen && (
    <div style={{
        position: "fixed", bottom: 80, right: 16, width: 330, zIndex: 600,
        background: "#0d0d18", borderRadius: 20, border: "1px solid #1a1a2e",
        boxShadow: "0 24px 64px rgba(0,0,0,0.7)", overflow: "hidden",
        animation: "slideIn 0.25s ease"
    }}>
        <div style={{ background: "linear-gradient(135deg, #e63946, #c1121f)"
            <div style={{ fontSize: 26 }}>👤</div>
            <div style={{ flex: 1 }}>
                <div style={{ fontFamily: "'Bricolage Grotesque', sans-serif", fo
                    <div style={{ fontSize: 10, color: "rgba(255,255,255,0.7)", displ
                        <div style={{ width: 5, height: 5, borderRadius: "50%", backgro
                    </div>
                </div>
                <button onClick={() => setChatOpen(false)} style={{ background: "rg
            </div>

        <div style={{ height: 250, overflowY: "auto", padding: 14, display: "
            {chatHistory.map((m, i) => (
                <div key={i} style={{ display: "flex", justifyContent: m.from ===
                    <div style={{ maxWidth: "82%", padding: "9px 13px", borderRadiu
                        {m.text}
                    </div>
                </div>
            </div>
        )}}
        {chatLoading && (
            <div style={{ display: "flex", gap: 5, padding: "9px 14px", backg
                {[0, 1, 2].map(i => <div key={i} style={{ width: 6, height: 6,
                    </div>
            </div>
        )}
    )}
}

```

```

    ))
    <div ref={chatEndRef} />
  </div>

  <div style={{ padding: "10px 12px", borderTop: "1px solid #1a1a2e", d
    <input
      value={chatInput}
      onChange={e => setChatInput(e.target.value)}
      onKeyDown={e => e.key === "Enter" && sendChat()}
      placeholder="Ask about this property..."
      style={{ flex: 1, background: "#050508", border: "1px solid #1a1a
    />
    <button onClick={sendChat} style={{ background: "#e63946", border:
  </div>
</div>
))

{/* Chat FAB */}
<button onClick={() => setChatOpen(o => !o)} style={{
  position: "fixed", bottom: 24, right: 20, zIndex: 700,
  width: 54, height: 54, borderRadius: "50%",
  background: chatOpen ? "#1a1a2e" : "linear-gradient(135deg, #e63946, #c
  border: chatOpen ? "1px solid #2a2a40" : "none",
  cursor: "pointer", fontSize: 22, display: "flex", alignItems: "center",
  boxShadow: chatOpen ? "none" : "0 6px 24px rgba(230,57,70,0.5)",
  animation: chatOpen ? "none" : "glow 3s infinite", transition: "all 0.2
}}>
  {chatOpen ? "x" : "..."}
</button>

</div>
</>
);
}

```