

```
#include <stdio.h>
```

```
int main() {
```

```
    // 1. soru
```

```
    printf("--- 1. Soru ---\n");
```

```
    int i = 1;
```

```
    while (i <= 20) {
```

```
        printf("%d ", i);
```

```
        i++;
```

```
    }
```

```
    printf("\n\n");
```

```
    // 2. soru
```

```
    printf("--- 2. Soru ---\n");
```

```
    int j = 1;
```

```
    while (j <= 20) {
```

```
        if (j % 2 != 0) {
```

```
            printf("%d ", j);
```

```
        }
```

```
        j++;
```

```
    }
```

```
    printf("\n\n");
```

```
    // 3. soru
```

```
    printf("--- 3. Soru ---\n");
```

```
    int sayi;
```

```
    int toplam = 0;
```

```
    do {
```

```
        printf("Sayi gir (bitirmek icin 0): ");
```

```
        scanf("%d", &sayi);
```

```
        toplam += sayi;
```

```
    } while (sayi != 0);
```

```
    printf("Toplam: %d\n\n", toplam);
```

```
    // 4. soru
```

```
    printf("--- 4. Soru ---\n");
```

```
    int sifre = 1234;
```

```
    int girilen;
```

```
    do {
```

```
        printf("Sifre gir: ");
```

```
        scanf("%d", &girilen);
```

```
        if (girilen != sifre) {
```

```
            printf("Yanlis sifre!\n");
```

```
        }
```

```
} while (girilen != sifre);
```

```
printf("Giris yapildi.\n\n");
```

```
// 5. soru
```

```
printf("--- 5. Soru ---\n");
```

```
char gizli = 'k';
```

```
char harf;
```

```
do {
```

```
    printf("Harf tahmin et: ");
```

```
    scanf(" %c", &harf);
```

```
    if (harf != gizli) {
```

```
        printf("Bilemedin!\n");
```

```
    }
```

```
} while (harf != gizli);
```

```
printf("Dogru harf!\n\n");
```

```
// 6. soru
```

```
printf("--- 6. Soru ---\n");
```

```
int sayi6 = 5;
```

```
printf("%d sayisinin karesi: %d\n", sayi6, sayi6 * sayi6);
```

```
return 0;
```

```
}
```