

my_test

Plate Overview: Raw Ct values – Plate 1

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
A	Control 1	Control 2	Control 3	Control 4	Treatment 1 1	Treatment 1 2	Treatment 1 3	Treatment 1 4	Treatment 2 1	Treatment 2 2	Treatment 2 3	Treatment 2 4	100											
B	Control 1	Control 2	Control 3	Control 4	Treatment 1 1	Treatment 1 2	Treatment 1 3	Treatment 1 4	Treatment 2 1	Treatment 2 2	Treatment 2 3	Treatment 2 4	100											
C	Control 1	Control 2	Control 3	Control 4	Treatment 1 1	Treatment 1 2	Treatment 1 3	Treatment 1 4	Treatment 2 1	Treatment 2 2	Treatment 2 3	Treatment 2 4	100											
D	Control 1	Control 2	Control 3	Control 4	Treatment 1 1	Treatment 1 2	Treatment 1 3	Treatment 1 4	Treatment 2 1	Treatment 2 2	Treatment 2 3	Treatment 2 4	100											
E	Control 1	Control 2	Control 3	Control 4	Treatment 1 1	Treatment 1 2	Treatment 1 3	Treatment 1 4	Treatment 2 1	Treatment 2 2	Treatment 2 3	Treatment 2 4	100											
F	Control 1	Control 2	Control 3	Control 4	Treatment 1 1	Treatment 1 2	Treatment 1 3	Treatment 1 4	Treatment 2 1	Treatment 2 2	Treatment 2 3	Treatment 2 4	100											
G																								
H																								
I																								
J																								
K																								
L																								
M																								
N																								
O																								
P																								

used_in_analysis



FALSE



TRUE