

Input knee radiograph



KL prediction path

hybrid

Display preprocessing

Clip + CLAHE display

Overlay distance labels

JSN distance in px

Display scale mm/px

1

Medial JSN



Lateral JSN

Osteophytes

Sclerosis

KL badge

Analyze radiograph



Structured Clinical Report

AUTOMATED KOA ASSESSMENT REPORT (Knee-xRAI)

KL Grade: 3 (Confidence: 73.9%)

Grade distribution: KL0:0.0% | KL1:0.4% | KL2:15.0% | KL3:73.9% | KL4:10.7%

JOINT SPACE NARROWING:

- Medial compartment: mJSW = 7.5 px (JSN rate: 38%)
-> Narrowed
- Lateral compartment: mJSW = 12.5 px (JSN rate: 10%)
-> Normal
- Medial-lateral ratio: 0.60 (Asymmetric - predominantly medial)

OSTEOPHYTES:

- Medial femur: OARSI Grade 2.0 (Definite/moderate)
- Lateral femur: OARSI Grade 1.0 (Small/doubtful)
- Medial tibia: OARSI Grade 3.0 (Large/severe)
- Lateral tibia: OARSI Grade 2.0 (Definite/moderate)
- Total osteophyte burden: 8.0/12

SUBCHONDRAL SCLEROSIS:

- Medial tibial plateau: None/minimal (Bone density index: 156, Trabecular complexity: FD=1.685)
- Lateral tibial plateau: None/minimal (Bone density index: 159, Trabecular complexity: FD=1.709)

CLINICAL IMPRESSION:

Moderate osteoarthritis with definite joint space narrowing. Predominantly medial compartment involvement.

NOTE: This is an AI-assisted assessment. All findings should be confirmed by a qualified radiologist before clinical decision-making.