



Marwadi University

Faculty of Computer Applications

Enrolment No:	92500588011	
Student Name:	Naimraza kadivar	
Subject	DBMS-ii Academic Year	2025-2026
Subject Code	05BS0204 Subject Type	Department level

Index

Sr.	Details Submission no	Date
1	Write a trigger to restrict user form accessing the table on weekends.	
2	Write a trigger that restricts the entry of record in EMP table if salary is greater than Rs 50000.	
3	Write a trigger to insert the values into the NEWEMP table when the records are inserted into the EMP table.	
4	Write a trigger to insert the existing values of the EMPtable into NEWEMP table when the record is updatedin EMP table.	

5	Write a trigger to insert the existing values of the EMP table into NEWEMP table when the record is deleted from EMP table.	
---	---	--



FACULTY OF
COMPUTER APPLICATIONS



Marwadi
University
Marwadi Education Group



Marwadi University

Faculty of Computer Applications

DEFINITION 1

--Write a trigger to restrict user from accessing the table on weekends.

create or replace trigger trig_def1

before INSERT or update or delete

on emp

for each row

begin

if trim(to_char(sysdate,'Day'))='Sunday' then

RAISE_APPLICATION_ERROR(-20202,'You cant access
table on weekend');

end if;

end;

/

DEFINITION - 2

--Write a trigger that restricts the entry of record in EMP table if salary is greater than Rs 50000

create or replace trigger trig_def2

before insert on emp

for each row

begin

if :NEW.basicsal > 50000 then

RAISE_APPLICATION_ERROR(-20201,' salary must be less than 50000');

end if;

end;

/

DEFINITION - 3

--Write a trigger to insert the values into the NEWEMP table when the records are inserted into the EMP table.

create or replace trigger tri_def3

before insert on emp
for each row

begin

```
insert into newemp values(:new.eid,  
    :new.ename,  
    :new.deptno,  
    :new.deptname,  
    :new.gender,  
    :new.age,  
    :new.basicsal);
```

end;

/

DEFINITION – 4

--Write a trigger to insert the existing values of the EMP table into NEWEMP table when the record is updated in EMP table.

create or replace trigger trig_def4

before update on emp

for each row

begin

```
insert into newemp (EID,ENAME,BASICSAL)
```

```
        values(:OLD.EID, :OLD.ENAME ,:OLD.basicsal);  
end;  
/  
DEFINITION – 5
```

--Write a trigger to insert the existing values of the EMP table into NEWEMP table when the record is deleted from EMP table.

```
create or replace trigger trig_def5
```

```
before delete on emp
```

```
for each row
```

```
begin
```

```
    insert into newemp values  
    (:old.eid,  
    :old.ename,  
    :old.deptno,  
    :old.deptname,  
    :old.gender,  
    :old.age,  
    :old.basicsal);
```

```
end;
```

```
/
```