


CSS (Cascading Style Sheet)



Web Page (with & without CSS)

BBC Menu

NEWS Sections

Health

Early Down's test 'more sensitive'

7 June 2013



A DNA blood test for Down's syndrome could be given earlier in pregnancy than current checks, research suggests.

Half 'will get cancer in lifetime'

7 June 2013

The number of people in the UK who will get cancer during their lifetime will increase to

BBC

- [News](#)
- [Sport](#)
- [Weather](#)
- [Menu](#)


More from the BBC

- [News](#)
- [Sport](#)
- [Weather](#)
- [iPlayer](#)
- [TV](#)
- [Radio](#)
- [CBBC](#)
- [CBeebies](#)
- [Food](#)
- [Health](#)
- [Music](#)
- [Entertainment](#)
- [Travel](#)
- [Lottery](#)
- [Full A-Z](#)


[BBC News](#) [BETA](#) [Sections](#)

Sections


CSS Types



CSS Syntax



Types of Selectors



Tag/Element Selector

```
h1 {  
    color: white;  
    background-color: yellow;  
}
```

ID Selector

```
#xyz {  
    color: white;  
    background-color: yellow;  
}
```

Note: You can not start an id with a number.

Class Selector

```
.abc {  
    color: white;  
    background-color: yellow;  
}
```

Universal Selector

```
*{  
    color: white;  
    background-color: yellow;  
}
```

Group Selector

```
h1,p,h2{  
    color: white;  
    background-color: yellow;  
}
```

Combinator Selector

A combinator is a way to define the relation between selectors.
It has 4 types:

Descendant selector (space)

```
div p{  
    background-color: yellow;  
}
```

Child selector (>)

```
div > p{  
    background-color: yellow;  
}
```

Adjacent sibling selector (+)

```
div + p{  
    background-color: yellow;  
}
```

General sibling selector (~)

```
div ~ p{  
    background-color: yellow;  
}
```

Combinator Selector

div p { }

<article>

<h1>CSS Combinators</h1>

<div>

<p>Example 1</p>

<p>Example 2</p>

<section>

<p>Example 3</p>

<p>Example 4</p>

</section>

</div>

div > p { }

<p>Example 5</p>

<p>Example 6</p>

</article>

div + p { }

div ~ p { }

Color Formats

Format	Syntax	Example
Hex Code	#RRGGBB	{ color: #FF0000; }
Short Hex Code	#RGB	{ color: #6A7; }
RGB %	rgb(rrr%,ggg%,bbb%)	{ color: rgb(50%,50%,50%); }
RGB Absolute	rgb(rrr,ggg,bbb)	{ color: rgb(0,0,255); }
keyword	red, black, etc.	{ color: red; }

Border Property

Border property represent the border width, style and color of an element.

```
h1 {  
    border: 5px solid red;  
}
```

This is a Border example.




solid



dashed



dotted



double



inset



outset



groove



ridge

Round Border

```
h1 {  
    border: 5px solid red;  
    border-radius: 15px;  
    border-radius: 10px 0px 0px 20px;  
}
```

This is a Border example.

Outline Property

Outline is a line outside the border of an element.

```
h1 {  
    outline: 5px solid green;  
    border: 5px solid red;  
}
```

This is a Outline example.




solid




dashed



dotted



double




inset



outset



groove



ridge

Height and Width Property

```
h1 {  
    height: 50px ;  
    width: 100px ;  
}
```



CSS Dimensions:


- Height
- Width
- Max-Height
- Min-Height
- Max-Width
- Min-Width

Unit	Description
cm	centimeters
mm	millimeters
in	inches (1in = 96px = 2.54cm)
px *	pixels (1px = 1/96th of 1in)
pt	points (1pt = 1/72 of 1in)
pc	picas (1pc = 12 pt)

Margin and Padding Property

Margin is a space around an element that separates it from other elements.

Padding is a space around an element's content.



```
h1 {  
    margin: 20px ;  
    padding: 30px ;  
}
```

To get better control we can set margin / padding separately for each sides:

- margin-top / padding-top
- margin-right / padding-right
- margin-bottom / padding-bottom
- margin-left / padding-left

Background Property

This property sets the background of html elements.

background-color	set the background color
background-image	set the background image
background-repeat	control the repetition of an image in the background
background-position	control the position of an image in the background
background-attachment	control the scrolling of an image in the background
background	shorthand to specify a number of other background properties

Background Gradients

Background Gradients displays smooth transitions between two or more specified colors.


Syntax:

background-image: *linear-gradient(direction, color-1, color-2, ...);*

Syntax:

background-image: *radial-gradient(shape size at position, start-color, ..., last-color);*

Background Gradients Linear



```
background-image: linear-gradient(yellow, blue);
```

```
background-image: linear-gradient(to right,yellow, blue);
```

```
background-image: linear-gradient(to bottom right,yellow, blue);
```

```
background-image: linear-gradient(160deg,yellow, blue);
```


```
background-image: linear-gradient(orange,white,green);
```

```
background-image: linear-gradient(to left,orange,white,green);
```


```
background-image: linear-gradient(to left, rgba(255,0,0,0), rgba(255,0,0,1));
```

Background Gradients Radial


linear-gradient- default [evenly spaced color]



linear-gradient- radial gradient with differently spaced



linear-gradient- Set Shape to circle [It can only take the value circle or ellipse. The default value is ellipse.]



```
background-image: radial-gradient(green ,  
white, orange);
```

```
background-image: radial-gradient(green 5%,  
white 15%, orange 60%);
```

```
background-image: radial-gradient(circle,  
green, white, orange);
```

Text Formatting

Text Align

text-align : center/left/right/justify ;

Text Direction

direction : ltr/rtl ;

Text Decoration

text-decoration : none/overline/line-through/underline;

Text Transform

text-transform : uppercase/lowercase/capitalize ;

Text Intent

text-intent : value;

Text Spacing

text-spacing : value;

Line Height

line-height : value;

Word Spacing

word-spacing : value;

Text Shadow

text-shadow : values;

Box Shadow

This property attaches one or more shadows to an element.

Syntax: **box-shadow: *h-offset v-offset blur spread color;***

This is INCAPP.

Hi India

Hello World

Hello World

This is INCAPP.

Hi India

Hello World

Hello World

Font Property

Font-Family

font-family: *monospace/serif/fantasy/etc.;*

Font-Style

font-style: *normal/italic;*

Font-Weight

font-weight: *none/bold;*

Font-Size

font-size: *value;*

Adding Fonts

@font-face { *font-family: FONT_NAME; src: url('FONT_NAME');* }

Display Property

Display property in defines how the components(div, hyperlink, heading, etc) are going to be display on the web page.

Syntax

display : block | inline | inline-block | none ;

This is INCAPP.

Incapp 1

Incapp 2


Incapp 3

Position Property


Position property specifies the type of positioning method used for an element.

Syntax


position : static / relative / absolute / fixed / sticky ;




Static




Relative



Absolute



Fixed



Sticky

Z index


z-index property specifies the stack order of an element.

An element with greater stack order is always in front of an element with a lower stack order.

Note: z-index only works on positioned elements (position: absolute, position: relative, position: fixed, or position: sticky).

Syntax

z-index: value ;



Opacity Property

Opacity property specifies the opacity/transparency of an element.

Syntax

opacity : 0.0 to 1.0 ;

opacity
1.0

opacity
0.9

opacity
0.8

opacity
0.7

opacity
0.6

opacity
0.5

opacity
0.4

opacity
0.3

opacity
0.2

opacity
0.1

Overflow Property

Overflow property allowing you to specify whether to clip content, render scroll bars or display overflow content of a element.

Syntax

overflow : visible (default) | hidden | scroll | auto;

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Voluptatum quo sequi debitis et facilis ab repudiandae animi incidentum ullam suscipit quam eos quidem similique est accusamus natus dolor voluptatibus blanditiis. Lorem ipsum dolor sit amet, consectetur adipisicing elit. Molestias ipsam nisi ipsum odio qui cumque sapiente magni ullam sint blanditiis nam laudantium mollitia minima cupiditate facilis quasi eligendi amet soluta.

overflow: visible;

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Deserunt quam necessitatibus blanditiis impedit accusantium illum quos cumque id mollitia a consectetur possimus repellat natus harum asperiores similique vitae eum tenetur. Lorem ipsum dolor sit amet, consectetur adipisicing elit. Tenetur voluptatem delectus recusandae. Alias doloremque

overflow: hidden;

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Architecto deleniti nemo quo praesentium enim recusandae voluptate soluta iusto animi ipsam asperiores sint. Sunt architecto temporibus praesentium numquam repellat iste quis. Lorem ipsum dolor sit amet, consectetur adipisicing elit. Totam illo modi

overflow: scroll;

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Excepturi commodi quibusdam eligendi dolore dolorum unde eaque a aliquam autem corporis fugit totam minima delectus voluptatem at quia ea reprehenderit nulla. Lorem ipsum dolor sit amet, consectetur adipisicing elit. Iure harum consequatur


overflow: auto;

Float Property

CSS float property placed the element to left or right side of its containing block.

Syntax

float : left | right | none;



Make Div content in Center

```
.center-content {  
    text-align: center;  
    width: max-content;  
    margin: 0 auto;  
}
```



Hello 1

Hello 2

Hello 3

Navigation Vertical

Home

About Us

Services

Contact Us

About Us

Services

Contact Us

About Us

Services

Contact Us

Hello Incapp

Hi India

Navigation Horizontal

Call US: 0120-4108484

Email Us: info@incapp.in



Home

About Us

Services

Contact

Setting

Hello Incapp

Hi India

Filter

CSS filter provide a way to control graphical effects like blur, brightness, invert etc.

```
filter: blur(5px);
filter: brightness(0.4);
filter: contrast(200%);
filter: drop-shadow(16px 16px 20px blue);
filter: grayscale(50%);
filter: hue-rotate(90deg);
filter: invert(75%);
filter: opacity(25%);
filter: saturate(30%);
filter: sepia(60%);
```

Transition

CSS transitions provide a way to control animation.

Syntax

transition : [property] [duration] [timing-function] [delay] ;

or

transition-property: width;
transition-duration: 2s;
transition-timing-function: linear;
transition-delay: 1s;

Transition-timing-function

The **transition-timing-function** property specifies the Speed Curve of the Transition.
The transition-timing-function property can have the following values:

ease
linear
ease-in
ease-out
ease-in-out

slow start, then fast, then end slowly (this is default)
same speed from start to end
slow start
slow end
slow start and end

Transform


CSS transform move, rotate, scale, and skew elements.

```
translate(30px, 60px)  
rotate(40deg)  
scale(3,5)  
scaleX(2)  
scaleY(2)  
skew(30deg, 10deg)  
skewX(10deg)  
skewY(10deg)
```


Skew



Scale



Rotate



Translate

