

This page contains the current search results in simple HTML, designed to be easily interpreted by the external data import facilities of common desktop applications.

Select all of the table, and copy it to the clipboard. From there, the data can be pasted into your application. Most applications will retain the tabular structure of the data. Microsoft Excel, for example, will accept the paste, correctly mapping HTML table cells, onto spreadsheet grid cells.

[Click here to export as an Excel file](#)

Name	Address	City	Description	Closed	Reopened	Reason
DENNYS #6826	5142 TRIGGS ST	LOS ANGELES	RESTAURANT (61-150) SEATS HIGH RISK		04/10/2026	No closure reason provided
EL NUEVO GUANAQUITO NO 2	9220 S WESTERN AVE	LOS ANGELES	RESTAURANT (0-30) SEATS HIGH RISK		04/06/2026	No closure reason provided
TELESIS ACADEMY OF SCIENCE AND MATH	2800 E HOLLINGWORTH ST	WEST COVINA	PUBLIC SCHOOL CAFETERIA	04/10/2026		No closure reason provided
SMART & FINAL #522	855 N WILCOX AVE	MONTEBELLO	FOOD MKT RETAIL (2,000+ SF) LOW RISK	04/09/2026		Vermin Infestation California Health and Safety Code Section 114259.1
EL ATACOR TAQUERIA #7	14412 RAMONA BLVD	BALDWIN PARK	RESTAURANT (31-60) SEATS HIGH RISK	04/09/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
KANG NAM RESTAURANT	4103 W OLYMPIC BLVD	LOS ANGELES	RESTAURANT (151 +) SEATS HIGH RISK	04/09/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
DUMPLING HOUSE	3525 W 3RD ST #6	LOS ANGELES	RESTAURANT (0-30) SEATS HIGH RISK	04/09/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
CARAMELO CAFE	1447 VALINDA AVE A	LA PUENTE	RESTAURANT (61-150) SEATS HIGH RISK	04/09/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
SEPULVEDA TERRACE	9620 SEPULVEDA BLVD	NORTH HILLS	PUBLIC SWIMMING POOL LOW RISK ADDITIONAL	04/09/2026		No closure reason provided
KWON'S RESTAURANT	1625 HOLT AVE	POMONA	RESTAURANT (0-30) SEATS HIGH RISK	04/09/2026		Vermin Infestation - California Health

						and Safety Code Section 114259.1
LA MICHOACANA FAVORITA	7017 ATLANTIC AVE	BELL	RESTAURANT (0-30) SEATS MODERATE RISK	04/08/2026		Vermin Infestation - California Health and Safety Code Section 114259.1 Inspection Score Less Than 70 - LACC 8.04.225 Sewage Discharge - California Health and Safety Code Section 114190
ABHIRUCHI GRILL	10823 VENICE BLVD	LOS ANGELES	RESTAURANT (0-30) SEATS HIGH RISK	04/08/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
SKYLINE TERRACE APARTMENTS- P	930 FIGUEROA TER	LOS ANGELES	PUBLIC SWIMMING POOL LOW RISK 1	04/08/2026		Fecal Accident or Other Water Contamination California Health & Safety Code 116043, California Code of Regulations 65533, 65545, 65546
LOCAL KITCHEN & WINE BAR	1736 OCEAN PARK BLVD	SANTA MONICA	RESTAURANT (61-150) SEATS HIGH RISK	04/08/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
PIONEER MOBILE ESTATES	16123 PIONEER BLVD	NORWALK	PUBLIC SWIMMING POOL LOW RISK 1	04/08/2026		Pool Water is Cloudy/green with Algae and/or the Main Drain is Not Clearly Visible California Code of Regulations 65527, 65545 Pool Water Characteristics - pH in Excess of 8.0 California Code of Regulations 65530, 65545
RIKAS	3553 W 3RD ST	LOS ANGELES	RESTAURANT (0-30) SEATS HIGH RISK	04/08/2026		Vermin Infestation - California Health and Safety Code Section 114259.1

EL POLLO LOCO #3742	451 S VINCENT AVE	WEST COVINA	RESTAURANT (61-150) SEATS HIGH RISK	04/07/2026	04/07/2026	No Method to Clean and Sanitize Available California Health and Safety Code Section 114095
2344-2354 FLETCHER HOA	2344 FLETCHER DR	LOS ANGELES	PUBLIC SWIMMING POOL LOW RISK ADDITIONAL	04/07/2026		Fecal Accident or Other Water Contamination California Health & Safety Code 116043, California Code of Regulations 65533, 65545, 65546
THE ORIGINAL HOY KA NOODLE	5908 SUNSET BLVD	LOS ANGELES	RESTAURANT (31-60) SEATS HIGH RISK	04/07/2026	04/10/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
GARDENA SUPERMARKET	1012 W GARDENA BLVD	GARDENA	FOOD MKT RETAIL (1-1,999 SF) HIGH RISK	04/07/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
SALO SALO GRILL	2530 E AMAR RD	WEST COVINA	RESTAURANT (61-150) SEATS HIGH RISK	04/07/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
GARDENA SUPERMARKET	1012 W GARDENA BLVD	GARDENA	RESTAURANT (0-30) SEATS HIGH RISK	04/07/2026		VERMIN INFESTATION-CALIFORNIA HEALTH AND SAFETY CODE SECTION 114259.1
FAIR OAKS	3199 DRAGONFLY ST	GLENDALE	PUBLIC SWIMMING POOL LOW RISK ADDITIONAL	04/07/2026		Inadequate Chlorine / Disinfectant Residual California Code of Regulations 65529, 65545 Cyanuric Acid in Excess of 100 ppm California Code of Regulations 65530, 65545
CAPITAL SEAFOOD BEV HILLS	50 N LA CIENEGA BLVD STE 130	BEVERLY HILLS	RESTAURANT (61-150) SEATS HIGH RISK	04/07/2026		Vermin Infestation - California Health and Safety Code Section 114259.1 Unsafe Food

						Temperatures - California Health and Safety Code Section 113996
LA COMIDA MARKET Y PANDERIA	2314 E EL SEGUNDO BLVD	COMPTON	FOOD MKT RETAIL (1-1,999 SF) MODERATE RISK	04/07/2026		Inspection Score Less Than 70 LACC 8.04.225 Vermin Infestation - California Health and Safety Code Section 114259.1
HAI PHONG NOODLES	10990 LOWER AZUSA RD STE 2	EL MONTE	RESTAURANT (0-30) SEATS HIGH RISK	04/07/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
EL TORITO CANTINA AUTENTICA	3133 E GARVEY AVE N	WEST COVINA	RESTAURANT (151 +) SEATS HIGH RISK	04/07/2026	04/09/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
FIESTA MICHOACANA	4433 S ALAMEDA ST UNIT 1& 2	LOS ANGELES	RESTAURANT (0-30) SEATS MODERATE RISK	04/06/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
FLYING CHOPSTIX	174 E CARSON ST	CARSON	RESTAURANT (31-60) SEATS HIGH RISK	04/03/2026	04/09/2026	Vermin Infestation - California Health & Safety Code 114259.1
LA MAISON DE CREME	265 S ROBERTSON BLVD # 2	BEVERLY HILLS	RESTAURANT (0-30) SEATS HIGH RISK	04/03/2026		No Public Health Permit - California Health and Safety Code Section 114381
OLGUITAS COCINA	4640 ROSEMEAD BLVD	PICO RIVERA	RESTAURANT (61-150) SEATS HIGH RISK	04/02/2026	04/07/2026	Inspection Score Less Than 70 LACC 8.04.225
THE FLAME BROILER	24427 CRENSHAW BLVD STE C	TORRANCE	RESTAURANT (0-30) SEATS HIGH RISK	04/02/2026	04/02/2026	California Health & Safety Code, Section 114190 - Sewage Discharge California Health & Safety Code, Section 114250 - No Working Toilet Facilities
PALOS VERDES HIGH SCHOOL	600 CLOYDEN RD	PALOS VERDES ESTATES	PUBLIC SWIMMING POOL MODERATE RISK 1	04/02/2026	04/06/2026	Fecal Accident or Other Water Contamination California Health & Safety Code 116043,

						California Code of Regulations 65533, 65545, 65546
SHAMROCK BAR & LOUNGE	7400 STATE ST	HUNTINGTON PARK	RESTAURANT (31-60) SEATS LOW RISK	04/02/2026		Vermin Infestation - California Health and Safety Code Section 114259.1 No Method to Clean and Sanitize Available California Health and Safety Code Section 114095
DELICIOUS KITCHEN INC	6913 PACIFIC BLVD	HUNTINGTON PARK	RESTAURANT (31-60) SEATS HIGH RISK	04/02/2026	04/05/2026	Vermin Infestation - California Health and Safety Code Section 114259.1 Inspection Score Less Than 70 LACC8.04.225
CHAPALA BAKERY #3	1410 HUNTINGTON DR	DUARTE	RESTAURANT (0-30) SEATS HIGH RISK	04/02/2026	04/02/2026	No Public Health Permit - California Health and Safety Code Section 114381
HOT BOX SMOKE SHOP	9115 S WESTERN AVE	LOS ANGELES	FOOD MKT RETAIL (1-1,999 SF) LOW RISK	04/01/2026		Gross Contamination of Food Contact Surfaces - California Health and Safety Code Section 114115
DOMINO'S PIZZA #7886	1510 S GAFFEY ST	SAN PEDRO	RESTAURANT (0-30) SEATS MODERATE RISK	04/01/2026	04/03/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
PARK VILLA MOBILE HOME ESTATES	21711 VERA ST	CARSON	PUBLIC SWIMMING POOL LOW RISK 1	03/31/2026		Inadequate Chlorine / Disinfectant Residual California Code of Regulations 65529, 65545 Recirculation System Not Operating California Code of Regulations 65525, 65545 Gate/Door Not Self-Closing and/or Self-Latching, and/or Unapproved / in Disrepair California Code

						of Regulations 65545, California Building Code 3119B
GOLDEN CORRAL	17308 BELLFLOWER BLVD	BELLFLOWER	RESTAURANT (151 +) SEATS HIGH RISK	03/26/2026	03/31/2026	Vermin infestation California Health and Safety code section 114259.1
CHO MAK	357 S WESTERN BLVD STE 101	LOS ANGELES	RESTAURANT (31-60) SEATS HIGH RISK	03/26/2026	03/31/2026	Vermin Infestation- California Health & Safety Code 114259
QIN WEST CHINESE CUISINE	727 N BROADWAY STE 111	LOS ANGELES	RESTAURANT (0-30) SEATS HIGH RISK	03/26/2026	03/28/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
DAVE & BUSTER'S #0078	6801 HOLLYWOOD BLVD #363	LOS ANGELES	RESTAURANT (151 +) SEATS HIGH RISK	03/26/2026	03/28/2026	Vermin infestation- California Health & Safety Code section 114259.1
POLLY'S PIES	1322 W BEVERLY BLVD	MONTEBELLO	RESTAURANT (151 +) SEATS HIGH RISK	03/26/2026	04/04/2026	Vermin infestation California Health & Safety Code section 114259.1
CVS/PHARMACY #2289	19701 W VANOWEN ST	WINNETKA	FOOD MKT RETAIL (1-1,999 SF) LOW RISK	03/26/2026	03/31/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
168 MARKET #801	1421 E VALLEY BLVD	ALHAMBRA	FOOD MKT RETAIL (2,000+ SF) LOW RISK	03/25/2026	03/27/2026	Sewage Discharge - California Health and Safety Code Section 114190
JUST POP'N	1030 E 25TH ST	LOS ANGELES	RESTAURANT (0-30) SEATS HIGH RISK	03/24/2026	03/26/2026	No Method to Clean and Sanitize Available California Health and Safety Code Section 114095
SAMOSA HOUSE SANTA MONICA	2301 MAIN ST	SANTA MONICA	RESTAURANT (0-30) SEATS HIGH RISK	03/24/2026		Sewage Discharge - California Health and Safety Code Section 114190
JAOPAYA THAI RESTAURANT	7321 RESEDA BLVD	RESEDA	RESTAURANT (31-60) SEATS HIGH RISK	03/24/2026	03/27/2026	Vermin Infestation California Health and Safety Code Section 114259.1.

QIN WEST CHINESE CUISINE	727 N BROADWAY STE 111	LOS ANGELES	REMOTE STORAGE FACILITY	03/23/2026	03/26/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
CHARLIE'S BEST BURGERS ELA	5138 E OLYMPIC BLVD	LOS ANGELES	RESTAURANT (31-60) SEATS HIGH RISK	03/23/2026	03/25/2026	Sewage Discharge - California Health and Safety Code Section 114190 Inspection Score Less Than 70 - LACC 8.04.225
BAOSHUTANG RESTAURANT	987 S GLENDORA AVE 5	WEST COVINA	RESTAURANT (0-30) SEATS HIGH RISK	03/23/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
COLDSTONE CREAMERY WEST LA	10875 PICO BLVD	LOS ANGELES	RESTAURANT (0-30) SEATS LOW RISK	03/23/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
PANERA BREAD #1703	8700 WASHINGTON BLVD	PICO RIVERA	RESTAURANT (151 +) SEATS HIGH RISK	03/20/2026	03/25/2026	Vermin Infestation California Health and Safety Code Section 114259.1
LA RAMADA RESTAURANT	6330 SANTA FE AVE	HUNTINGTON PARK	RESTAURANT (31-60) SEATS HIGH RISK	03/20/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
KOREAN BBQ HOUSE	123 S ONIZUKA ST # 302	LOS ANGELES	RESTAURANT (0-30) SEATS HIGH RISK	03/20/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
CORNER STOP LIQUOR MART	3109 CENTURY BLVD B	SOUTH GATE	FOOD MKT RETAIL (1-1,999 SF) LOW RISK	03/19/2026	03/21/2026	Vermin Infestation - California Health and Safety Code Section 114259.1.
MELODY BEER & WINE	9136 S BUDLONG AVE	LOS ANGELES	FOOD MKT RETAIL (1-1,999 SF) LOW RISK	03/19/2026	03/23/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
TACOS Y BURRITOS METRO B #1	1118 N HACIENDA BLVD	LA PUENTE	RESTAURANT (31-60) SEATS HIGH RISK	03/19/2026	03/30/2026	Vermin Infestation - California Health and Safety Code

						Section 114259.1
PARADISE BIRYANI POINTE	18158 PIONEER BLVD	ARTESIA	RESTAURANT (61-150) SEATS HIGH RISK	03/19/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
PALM TERRACE APARTMENTS	15116 PARTHENIA ST	NORTH HILLS	PUBLIC SWIMMING POOL LOW RISK 1	03/18/2026		Pool Water is Cloudy/green with Algae and/or the Main Drain is Not Clearly Visible California Code of Regulations 65527, 65545
PISTA HOUSE	18521 PIONEER BLVD	CERRITOS	RESTAURANT (0-30) SEATS MODERATE RISK	03/18/2026	03/20/2026	Vermin infestation California Health and Safety code section 114259.1
PALM TERRACE APARTMENTS	15116 PARTHENIA ST	NORTH HILLS	PUBLIC SWIMMING POOL LOW RISK ADDITIONAL	03/18/2026		Pool Water is Cloudy/green with Algae and/or the Main Drain is Not Clearly Visible California Code of Regulations 65527, 65545
17ROOTEA	331 E 1ST ST	LOS ANGELES	RESTAURANT (0-30) SEATS LOW RISK	03/18/2026	03/20/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
THE BOWL LA VERNE	2087 FOOTHILL BLVD	LA VERNE	RESTAURANT (0-30) SEATS LOW RISK	03/18/2026	03/24/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
A&S LIQUOR MARKET	3088 W PICO BLVD	LOS ANGELES	FOOD MKT RETAIL (1-1,999 SF) LOW RISK	03/17/2026	04/02/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
#1 BUFFET	14418 HAWTHORNE BLVD	LAWNDALE	RESTAURANT (151 +) SEATS HIGH RISK	03/17/2026	03/19/2026	Sewage Discharge - California Health and Safety Code Section 114190 Vermin Infestation - California Health and Safety Code Section 114259.1

TACOS EL CHAPARRITO	9611 GARVEY AVE STE 105	SOUTH EL MONTE	RESTAURANT (0-30) SEATS HIGH RISK	03/17/2026	03/19/2026	California Health & Safety Code Section 114259.1 - Vermin Infestation
RICK'S BURGER	132 W MAIN ST	ALHAMBRA	RESTAURANT (61-150) SEATS HIGH RISK	03/17/2026		Vermin Infestation - California Health and Safety Code Section 114259.1
BOILING POINT #2	153 W GARVEY AVE	MONTEREY PARK	RESTAURANT (0-30) SEATS HIGH RISK	03/17/2026	03/21/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
LE LYCEE FRANCAIS SCHOOL	3261 OVERLAND AVE	LOS ANGELES	PUBLIC SWIMMING POOL MODERATE RISK 1	03/17/2026	03/23/2026	Gate/Door Not Self-Closing and/or Self-Latching, and/or Unapproved / in Disrepair California Code of Regulations 65545, California Building Code 3119B
7-ELEVEN #39698A	15317 VANOWEN ST	VAN NUYS	FOOD MKT RETAIL (1-1,999 SF) LOW RISK	03/16/2026	03/18/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
LONDON GASTROPUB	419 S MYRTLE AVE	MONROVIA	RESTAURANT (31-60) SEATS HIGH RISK	03/13/2026	03/17/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
PARK TARZANA	18620 HATTERAS ST	TARZANA	PUBLIC SWIMMING POOL LOW RISK 1	03/13/2026		Pool Water is Cloudy/green with Algae and/or the Main Drain is Not Clearly Visible California Code of Regulations 65527, 65545
BOBOS	12949 ROSECRANS AVE	NORWALK	RESTAURANT (31-60) SEATS HIGH RISK	03/13/2026	03/20/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
SANDWICH EXPRESS	18575 SHERMAN WAY	RESEDA	RESTAURANT (0-30) SEATS HIGH RISK	03/13/2026	03/20/2026	Vermin Infestation California Health and Safety Code Section 114259.1.

MARGARITA JONES MEXICAN RESTAURANT	6341 PACIFIC BLVD	HUNTINGTON PARK	RESTAURANT (151 +) SEATS HIGH RISK	03/13/2026	03/20/2026	Vermin Infestation - California Health and Safety Code Section 114259.1 No Method to Clean and Sanitize Available California Health and Safety Code Section 114095
BIRIYANI KABOB HOUSE	3525 W 3RD ST # 1	LOS ANGELES	RESTAURANT (0-30) SEATS HIGH RISK	03/12/2026	03/16/2026	Vermin Infestation California Health and Safety Code Section 114259.1
SAMOSA HOUSE SANTA MONICA	2301 MAIN ST	SANTA MONICA	RESTAURANT (0-30) SEATS HIGH RISK	03/12/2026	03/13/2026	Unsafe Food Temperatures - California Health and Safety Code Section 113996
THE HEIGHTS	16201 RIDGEVIEW LN	LA MIRADA	PUBLIC SWIMMING POOL LOW RISK ADDITIONAL	03/12/2026	03/13/2026	Inadequate Chlorine / Disinfectant Residual California Code of Regulations 65529, 65545
COLLEGE OF THE CANYONS	26455 ROCKWELL CANYON RD	VALENCIA	PUBLIC SWIMMING POOL MODERATE RISK 1	03/12/2026		Pool, Equipment, or Facilities have been Modified Without Submittal of Plans California Code of Regulations 65545
MIRA BELLA AT NORTHRIDGE HOA	9761 LUCY LN	NORTHRIDGE	PUBLIC SWIMMING POOL LOW RISK 1	03/11/2026		Pool Water Characteristics - pH in Excess of 8.0 California Code of Regulations 65530, 65545
CARL'S JR	13157 TELEGRAPH RD	SANTA FE SPRINGS	RESTAURANT (61-150) SEATS MODERATE RISK	03/11/2026	03/11/2026	Sewage Discharge - California Health and Safety Code Section 114190
THE VILLAGE AT NORTHRIDGE	9222 CORBIN AVE	NORTHRIDGE	PUBLIC SWIMMING POOL LOW RISK 1	03/11/2026		Inadequate Chlorine / Disinfectant Residual California Code of Regulations 65529, 65545 Pool Water Characteristics - pH in Excess of 8.0 California

						Code of Regulations 65530, 65545 Gate/Door Not Self-Closing and/or Self-Latching, and/or Unapproved / in Disrepair California Code of Regulations 65545, 3119B
NADC BURGER	1091 BROXTON	LOS ANGELES	RESTAURANT (31-60) SEATS HIGH RISK	03/11/2026		No Plans Submitted California Health and Safety Code Section 114380
CORNER GRILL EXPRESS	6135 PACIFIC BLVD	HUNTINGTON PARK	RESTAURANT (0-30) SEATS HIGH RISK	03/11/2026	03/17/2026	Vermin Infestation - California Health and Safety Code Section 114259.1 Inspection Score Less Than 70 - LACC 8.04.225
THE VILLAGE AT NORTHRIDGE	9222 CORBIN AVE	NORTHRIDGE	PUBLIC SWIMMING POOL LOW RISK ADDITIONAL	03/11/2026		Pool Water Characteristics - pH in Excess of 8.0 California Code of Regulations 65530, 65545 Gate/Door Not Self-Closing and/or Self-Latching, and/or Unapproved / in Disrepair California Code of Regulations 65545, 3119B
ALVAREZ MARKET	4737 E OLYMPIC BLVD	LOS ANGELES	FOOD MKT RETAIL (1-1,999 SF) LOW RISK	03/11/2026	03/16/2026	VERMIN INFESTATION - CALIFORNIA HEALTH AND SAFETY CODE SECTION 114259.1 NO METHOD TO CLEAN AND SANITIZE AVAILABLE - CALIFORNIA HEALTH AND SAFETY CODE SECTION 114095
NAGAHASU BY SUSHI YU/MI	8103 1/2 BEVERLY BLVD	LOS ANGELES	RESTAURANT (0-30) SEATS HIGH RISK	03/11/2026	03/16/2026	Vermin Infestation - California Health and Safety Code Section 114259.1

MIRA BELLA AT NORTHRIDGE HOA	9761 LUCY LN	NORTHRIDGE	PUBLIC SWIMMING POOL LOW RISK ADDITIONAL	03/11/2026		Inadequate Chlorine / Disinfectant Residual California Code of Regulations 65529, 65545 Pool Water Characteristics - pH in Excess of 8.0 California Code of Regulations 65530, 65545
ARAX	316 W BEVERLY BLVD	MONTEBELLO	FOOD MKT RETAIL (1- 1,999 SF) MODERATE RISK	03/11/2026	03/12/2026	No Method to Clean and Sanitize Available California Health and Safety Code Section 114095
THE GROVE	125 CRABAPPLE DR	POMONA	PUBLIC SWIMMING POOL LOW RISK ADDITIONAL	03/10/2026	03/11/2026	Inadequate Chlorine / Disinfectant Residual California Code of Regulations 65529, 65545
RITROVO	6020 S SEABLUFF DR STE 4	PLAYA VISTA	RESTAURANT (31-60) SEATS HIGH RISK	03/10/2026	03/17/2026	Vermin Infestation California Health and Safety Code Section 114259.1
NL MARKET	1575 E IMPERIAL HWY	LOS ANGELES	FOOD MKT RETAIL (1- 1,999 SF) MODERATE RISK	03/10/2026	03/13/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
WECHAT CAFE	10131 VALLEY BLVD	EL MONTE	RESTAURANT (31-60) SEATS HIGH RISK	03/09/2026	03/16/2026	Vermin Infestation - California Health and Safety Code Section 114259.1
TANTAWAN THAI KITCHEN	9000 GARVEY AVE STE C & D	ROSEMEAD	RESTAURANT (61-150) SEATS HIGH RISK	03/09/2026	03/11/2026	Vermin Infestation California Health and Safety Code Section 114259.1
LA QUINTA REAL	400 E COMPTON BLVD	COMPTON	RESTAURANT (61-150) SEATS HIGH RISK	03/07/2026	03/12/2026	No Method to Clean and Sanitize Available California Health and Safety Code Section 114095 Inspection Score Less Than 70 - LACC 8.04.225

						Health Officer Order
KFC	2807 S FIGUEROA ST	LOS ANGELES	RESTAURANT (31-60) SEATS HIGH RISK	03/06/2026	03/09/2026	Vermin Infestation - California Health and Safety Code Section 114259.1.
TIERRA DEL SOL (501-25 N 4TH	400 W BEVERLY BLVD	MONTEBELLO	PUBLIC SWIMMING POOL LOW RISK ADDITIONAL	03/06/2026	03/12/2026	Excessive Chlorine / Disinfectant Residual California Code of Regulations 65529, 65545 Flooded Pool Light or Pool Light Electrical / Entanglement Hazard California Code of Regulations 65545, California Building Code 3115B
TIERRA DEL SOL (501-25 N 4TH	400 W BEVERLY BLVD	MONTEBELLO	PUBLIC SWIMMING POOL LOW RISK 1	03/06/2026	03/12/2026	Flooded Pool Light or Pool Light Electrical / Entanglement Hazard California Code of Regulations 65545, California Building Code 3115B