Practical – 3

6. Create an HTML page to display unordered list as shown below

Hello User!....
The following list uses the Square mark in front of list items.

- Cars
- bikes
- Aeroplanes
- Trains
- Ships

The following list uses the Circle mark in front of list items.

- BMW
- Audi
- Mercedes
- Jaguar
- Lamborghini

The following list uses the Disc mark in front of list items.

- Apache
- KTM
- R15
- Ducati
- Harley-Davidson

HTML Code

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Rowspan & Colspan </title>
</head>
<body>
Hello User!....
    <br>
    The following list uses the Square mark in front of list items.
    <ul type="square">
        <li>Cars</li>
        <li>bikes</li>
        <li>Aeroplane</li>
        <li>Trains</li>
        <li>Ships</li>
    </ul>
    The following list uses the Circle mark in front of list items.
    <ul type="circle">
        <li>BMW</li>
        <li>Audi</li>
        <li>Mercedes</li>
        <li>Jaguar</li>
        <li>Lamborghini</li>
    </ul>
    The following list uses the Disc mark in front of the list items.
    <ul type="disc">
        <li>Apache</li>
        <li>KTM</li>
        <li>R15</li>
        <li>Ducati</li>
        <li>Harley Davidson</li>
    </ul>
</body>
</html>
```

<u>Output</u>

Hello User!....
The following list uses the Square mark in front of list items.

- Cars
- bikes
- Aeroplane
- Trains
- Ships

The following list uses the Circle mark in front of list items.

- BMW
- Audi
- Mercedes
- Jaguar
- Lamborghini

The following list uses the Disc mark in front of the list items.

- Apache
- KTM
- R15
- Ducati
- Harley Davidson