

<optgroup> Tag

```
<form>
  <select id="city">

    <optgroup label="India">
      <option value="delhi">Delhi</option>
      <option value="mumbai">Mumbai</option>
    </optgroup>

    <optgroup label="America">
      <option value="nyc">NYC</option>
      <option value="la">LA</option>
    </optgroup>

  </select>
  <input type="submit" value="Submit">
</form>
```

Icons

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
  <title>Document</title>
</head>
<body>
  <i class="fa fa-address-book">Home</i>
</body>
</html>
```

<label> Tag

```
<form action="/action_page.php">
  <input type="checkbox" id="elephant" value="Elephant">
  <label for="elephant">Elephant</label><br>
  <input type="checkbox" id="tiger" value="Tiger">
  <label for="tiger">Tiger</label><br><br>
  <input type="submit" value="Submit">
</form>
```

.....

For attribute selects the checkbox when we click on the label.....try removing for

<datalist> Tag

```
<form>
  <label for="browser">Student Names:</label>
  <input list="students" id="student">
    <datalist id="students">
      <option value="Ria">
      <option value="Reena">
      <option value="John">
      <option value="Sam">
      <option value="Ron">
    </datalist><br><br>
  <input type="submit">
</form>
```

, and Tags

Fruits

Vegetables

Fruits

Vegetables

<table>, <tr>, <th> and <td> Tags

```
<table border="1">  
  <caption>Marks Card</caption>  
  <tr>  
    <th>Subject</th>  
    <th>Marks</th>  
  </tr>  
  <tr>  
    <td>Maths</td>  
    <td>90%</td>  
  </tr>  
</table>
```

<thead>, <tbody> and <tfoot> Tags

```
<table border="1">  
  <thead>  
    <tr><th>Subject</th><th>Marks</th></tr>  
  </thead>  
  <tbody>  
    <tr><td>Maths</td><td>80</td></tr>  
    <tr><td>Science</td><td>90</td></tr>  
  </tbody>  
  <tfoot>  
    <tr><td>Sum</td><td>170</td></tr>  
  </tfoot>  
</table>
```

<colgroup> and <col> Tags

```
<table border="1">
```

```
  <colgroup>
```

```
    <col span="2" style="background-color:red">
```

```
    <col style="background-color:yellow">
```

```
  </colgroup>
```

```
  <tr><th>Name</th><th>Course</th><th>Score</th></tr>
```

```
  <tr><td>John</td><td>BE</td><td>90%</td></tr>
```

```
  <tr><td>Jay</td><td>BTech</td><td>80%</td></tr>
```

```
</table>
```


<details> and <summary> Tag

<details>

<summary>Show Details</summary>

<p>This is a dummy text and can be replaced. This is a dummy text and can be replaced. This is a dummy text and can be replaced. </p>

</details>

 Tag

<p>This is a dummy
text and and can be <span style="color:darkolivegreen;font-
weight:bold">replaced.</p>

<p>

Hello

World

</p>

Href to same page using

```
<a href="#p1">Paragraph 1</a> | <a href="#p2">Paragraph  
2</a><br><br>
```

```
<p id="p1">
```

```
  <h1>Paragraph 1</h1>
```

This is a dummy text and can be replaced. This is a dummy text
and can be

```
  replaced.This is a dummy text a</p>
```

<iframe> Tag

```
<a href="https://www.skillup.net.in" target="frm">Skillup</a>
```

```
<iframe name="frm"  
style="width:600px;height:800px;border:none"></iframe >
```

.....

Try creating pages and link all of them to an iframe

<svg> Tag

.....

```
<svg width="900" height="900">  
  <circle cx="250" cy="400" r="200" stroke="red" stroke-width="5" fill="pink" />  
</svg>
```

.....

```
<svg width="900" height="900">  
  <ellipse cx="100" cy="70" rx="85" ry="55" fill="red" />  
  <text fill="black" font-size="45" font-family="Verdana" x="50"  
y="86">SVG</text>  
</svg>
```

.....

```
<rect x="50" y="20" width="150" height="150" stroke="red" stroke-width="5"  
fill="pink" />
```

Scalable Vector Graphics