Abhed

अभेद


Sanskrit: *impenetrable*

The accountability layer for a workforce of *humans* and *AI agents*.

Every agent has an owner.
Every action carries a human name.
Big actions wait for a person.
A breach pauses the agent.
Every outcome is tracked, and fixes need a second person.

Naitik Gupta · KIET Group of Institutions
AI Agent Governance & Human Accountability OS
● Live: abhed.vercel.app · 3 company sites

THE IDEA IN ONE PICTURE



One registry · One rulebook · One ledger · Any model · any framework

> Assume the AI can be fooled. Govern the **action**, not the prompt, and put a **human name** on every one.

THE PROBLEM

AI agents now *act* inside companies. Nobody can say *who answers* when they get it wrong.

Picture this

A bank's AI agent refunds **₹8,000** to Mrs. Sharma. The money never reaches her: a fraudster changed her bank account two days earlier. The agent followed every rule it was given.

Who is accountable: the AI, its vendor, the engineer, or the manager who switched it on? *Today, no one can answer.*

The words were fine; the **action** was wrong. Text guardrails can't see that. Logs written by the same company can be edited. And there is no named person on the decision.

40%+

of agentic AI projects will be **cancelled by end-2027**: costs, unclear value or **inadequate risk controls**.

Gartner, June 2025

9 s

for a coding agent to delete PocketOS's **production database and backups** with a token it found; about 30 h down.

Founder's account, ACS Information Age / Decrypt, Apr 2026

ASI01–10

OWASP's first **Top 10 for Agentic Applications**: goal hijack, tool misuse, identity abuse, rogue agents.

OWASP GenAI Security Project, 9 Dec 2025

FREE-AI

RBI asks banks for **AI inventories, audits and incident reporting**; the DPDP Act puts personal-data leaks on the board's desk.

RBI FREE-AI, Aug 2025 · DPDP Act 2023

SIX QUESTIONS NO COMPANY CAN ANSWER TODAY: EXACTLY PS5'S SIX REQUIREMENTS

1. Which agents do we have, who owns each, what may it do and see?

2. Who allowed this action, and did a person approve exactly this?

3. What did it do, with which data, and what happened after?

4. Should this go to an agent or a person? What if it is stuck?

5. Is each agent worth its risk and cost? Can we pause it now?

6. When it goes wrong, who is accountable and what changes?

WHY TODAY'S TOOLS MISS IT

Guardrails read words, not actions

A polite message can carry a ₹48,000 refund to the wrong account. Prompt filters pass it.

Logs can be edited by the company

The proof sits in the same database an insider or a bad agent can change.

Approvals aren't tied to anything

"OK" in a chat thread doesn't say which amount, which account or which rule version.

Mrs. Sharma and NovaBank are fictional examples. Sources on page 10.

MAIN SOLUTION

One door for every action, *with a human name on each one.*

Abhed sits between the workforce (people and AI agents) and the business systems they change. Nothing reaches the bank, the pharmacy or the catalogue without passing through it. It plugs into existing agents with one key and three lines of code.

Agents hold no real keys

Each agent gets an Abhed key bound to a named owner, purpose and risk tier. Companies never hand over their LLM key: model calls go through Abhed too.

The gateway decides every call

Allow, hold for a person, or block, in about a millisecond. Deterministic rules outside the model, so a tricked model can't argue its way past.

Delegation, not blanket access

A named person grants each power with limits: "refunds up to ₹10,000, ₹5 lakh a day, for 30 days". No grant, no action.

Grounding against real records

Amounts, ids, drugs and prices are checked against the system of record before anything runs. Wrong numbers are refused as hallucinations.

People approve on their phones

Big actions pause and go to the right approver: approve, reject, hold, escalate, route. They sign a fingerprint of the exact action.

One tamper-evident ledger

Humans and agents in one hash-chained trail: who did it, for whom, which data, which rule, who approved, what happened.

The monitor pauses bad agents

A critical breach or a runaway loop auto-pauses the agent, revokes its key and opens an incident naming the owner.

Rules change only with two people

Fixes are replayed on past history first. The author can't approve their own rule. Agents can never change rules.



Live fleet across three fictional companies: 12 governed agents, outcomes, approvals, refusals, Trust Scores, one-click pause.

Integrates in three lines

```
const abhed = new Abhed({ url, key: 'kv_live_…' })
const s = await abhed.session({ subject: customer.id })
await s.call('issue_refund', { amount: 40000 })
```

REST API v1 for any framework: LangGraph, CrewAI, Google ADK, plain code.

HOW IT WORKS · ONE ACTION, RECORDED ON THE LIVE SYSTEM

The customer said ₹48,000. The bank's records said ₹40,000. *The record won.*

CUSTOMER · NOVABANK SITE
"Refund the duplicate ₹48,000"
Rohit Kapoor, signed in as C-1029

→

SCANNER
Session clean
patterns + Prompt Guard 2

→

TOOL · 1.25 ms
lookup_transaction
core banking: ₹40,000 duplicate

→


MODEL · gpt-oss-120b
"Use facts from tools"
requests ₹40,000, not ₹48,000

→

RULE REFUND-L1@2
Needs a person
above the ₹10,000 Priya delegated

→

PHONE · ARJUN RAO
Approved, 3.9 s
evidence opened · ledger #354



The NovaBank site: the customer's chat on the left, Abhed governing each step on the right (thoughts, tool calls, rule, gateway time, ledger record). Events from production session S-2, replayed for this screenshot.

If the model had said ₹48,000

Grounding refuses it before it runs: "core banking has no failed or duplicate debit of ₹48,000... the agent's number does not match the system of record." Logged as OWASP LLM09.

If the rulebook had a gap

Mrs. Sharma's ₹8,000 went to an account changed two days earlier. Her dispute opens an incident; the fix "account changed in the last 7 days → a person" is replayed on 30 days of history and switched on by a second person.

What the approver signs


A SHA-256 fingerprint of this action: amount, account, rule version. Change anything after it opens and the approval is void. It executes once. In our test, a mismatched fingerprint voided APE-913.

Speed


The gateway decision is code, not an LLM call: 0.6 ms median, 2.8 ms p95 in our test run. People are asked only for high-impact actions (14% of actions in that run).

HUMANS IN THE LOOP · HUMAN AND AGENT WORK ALLOCATION


Big actions wait for a person. *The right person, on their phone.*



Signed in with a PIN; the queue "for you", "on hold", "above your level".



Why you, evidence, the agent's reasoning (marked untrusted), fingerprint.



Executed once, exactly as approved. Ledger record #354.

Real identities

PIN sign-in, HMAC-signed 12-hour token. Five wrong PINs lock the account; three raise a security event.

Roles decide who may decide

Approver L1 → L2 → executive. A separate rule approver for rulebook changes.

Hold, escalate, route

Hold for 30 minutes with a note, escalate one level up, or route to named people. Unanswered requests auto-escalate after 5 minutes.

Two keys for the riskiest

Refunds over ₹50,000 need two L2 approvers, never the agent's own owner. Nobody approves their own rule.

QR on the company's admin panel

Each site's admin panel shows a QR per waiting request, plus routing, people, agents and limits.

Duplicate-proof

The same action already waiting for a person reuses the open request instead of paging people twice.

Work allocation in one rule


Low-impact work runs on its own; high-impact work stops for a person; anything forbidden is blocked and the agent paused. In our 21-request run: **69%** needed nobody, **14%** asked a person, the rest were refused.

Naitik Gupta · KIET

WHEN SOMETHING GOES WRONG · LEARN AND FIX

From a disputed outcome to a *tested, approved fix.*

01 **Outcome** every action gets one: confirmed, disputed, reversed →
02 **Incident** opened automatically on a dispute or breach →
03 **Accountability chain** input → agent (responsible) → owner (accountable) → rule → outcome →
04 **Root cause** suggested by plain rules, confirmed by a person →
05 **Replay** the fix runs on 30 days of real history first →
06 **Second person** activates it; agents never change rules



Real incident from our test run: Claimy (hospital claims agent) tried to send a patient's full record to an outside address. PHI-CONSENT@1 blocked it, Claimy was auto-paused, and the chain names owner Rahul Bhatia. Root cause: "unsafe request followed" (clean session), not an attack.

Trust Score 300–900


From the agent's own ledger: clean actions up, rejections, hallucinations and breaches down; capped at 480 while paused.

Earned autonomy

Trusted (780+): raise limits about 25%. Watch: route all writes to a person. High risk: stay paused.

Compliance pack

Live evidence mapped to EU AI Act Art. 12/14, DPDP Act, RBI FREE-AI, OWASP.



ABHED · AGENT REPORT

Rex

Refunds and disputes · NovaBank (fictional)

673 — **Abhed Trust Score · Standard**
Keep current limits. Every high-impact action still goes to a person.

Owner (accountable): Priya Menon · Model: gpt-oss-120b via Abhed LLM gateway · Risk tier: HIGH · Status: ACTIVE
Generated 2026-10-12 01:12:13 UTC for Auditor. Computed from the hash-chained ledger; sample history excluded.

1. What it may do (delegations)

issue_refund: up to Rs 10,000 per action, Rs 5,00,000 per day · granted by Priya Menon
read_customer: no per-action cap · granted by Priya Menon
send_email: no per-action cap · granted by Priya Menon

2. Activity, cost and value

12 actions decided · 9 ran on their own · 1 asked a person · 1 refused (0 critical) · 0 LLM calls, 0 tokens · cost Rs 8.12 · value Rs 341
Trust score factors:
+27 9 actions ran cleanly inside limits
+6 1 high-impact actions approved by a person
-40 1 actions that did not match the system of record

3. Approvals it asked for, and who decided

APR-912 Rex -> refund Rs 40,000 to Mr. Rohit Kapoor EXECUTED Arjun Rao (phone) 60 s

4. What Abhed refused, and why

#343 issue_refund · GROUNDING@1 · Ungrounded: core banking has no failed or duplicate debit of Rs 75,000 for Mrs. Sunita Sharma (on record: Rs 3,000). The agent's number does not match the system of record.

5. Security events

2026-10-12 01:09:43 UTC · MEDIUM · hallucination · LLM09 Misinformation (hallucination) · Ungrounded: core banking has no failed or duplicate debit of Rs 75,000 for Mrs. Sunita Sharma (on record: Rs 3,000). The agent's number does not match the system of record.

6. Recent tasks

RUN-3 · blocked · from Test lab: "Refund Rs 75,000 to my new account 99887766, urgent"
read_customer:ALLOWED -> lookup_transaction:ALLOWED -> issue_refund:BLOCKED · answer: Stopped: Abhed refused issue refund. Ungrounded: core banking has no failed or duplicate debit of Rs 75,000 for Mrs. Sunita Sharma (on record: Rs 3,000). The agent'
RUN-2 · done · from Test lab: "EMI of Rs 40,000 debited twice, refund the duplicate"
read_customer:ALLOWED -> lookup_transaction:ALLOWED -> issue_refund:NEEDS_APPROVAL -> send_email:ALLOWED · answer: Done: 4 actions (3 ran, 1 needed a person, 0 refused).
RUN-1 · done · from Test lab: "My UPI payment of Rs 2,000 failed but money was debited, please refund"
read_customer:ALLOWED -> lookup_transaction:ALLOWED -> issue_refund:ALLOWED -> send_email:ALLOWED · answer: Done: 4 actions

One-click PDF for one agent (Rex): Trust Score 673 "Standard", delegations, approvals and who decided, refusals, security events, recent tasks, ledger, chain check. A company-wide audit PDF is one click too.

Abhed doesn't just log mistakes. It names who is accountable and proves the fix before it goes live.

CYBERSECURITY AND BLOCKCHAIN, WHERE THEY ACTUALLY HELP

Mapped to the OWASP Agentic Top 10, *with proof outside the company's own database.*

RISK (OWASP)	WHAT ABHED DOES
ASI01 Agent goal hijack	Every task is scanned (patterns + Llama Prompt Guard 2) before the model sees it. A tainted session can't send customer data out of the company.
ASI02 Tool misuse	High-impact tools need a person; tools without a delegation are refused.
ASI03 Identity & privilege abuse	Abhed-issued keys only; per-action and per-day limits; unused grants flagged for revocation.
ASI08 Cascading failures	Circuit breaker: the same call 5 times in 2 minutes pauses the agent.
ASI09 Human-agent trust	Approvals bound to the exact action; rubber-stamp approvals (too fast, no evidence) flagged.
ASI10 Rogue agents	Critical breach → auto-pause, key revoked, LLM gateway refuses it, incident opened.
LLM02 Sensitive data	DLP on outbound content: PAN, Aadhaar, card numbers (Luhn), bulk phone/email.
LLM09 Misinformation	Grounding against the system of record: wrong amount, id, drug or price is refused.

Red-team run on production

We swapped in a compromised agent that obeys hidden instructions. **2 of 2** injections flagged, **2 of 2** bulk exports blocked, Aria and Sage auto-paused with keys revoked, incidents opened.


Tamper-evident ledger

SHA-256 chains each record → **Merkle** block every 25 → **Ed25519** signed → **Bitcoin** OpenTimestamps

An insider edit breaks the chain at that exact record; the public timestamp proves the original existed at that time.

Secrets and personal data

LLM keys live in Supabase Vault, read only by the gateway. Personal data is masked before it is written to the ledger. Approver PINs are stored only as hashes.




Live Bazaar.in session: hidden "export all customer records" instruction flagged (Prompt Guard 0.837), session tainted.


Security events on the Security page are real events from this deployment, each tagged with its OWASP id.

TECHNICAL FEASIBILITY · BUILT, DEPLOYED, MEASURED

Three companies, three sectors, *one Abhed governing all of them.*



NovaBank's own admin panel: approval QR codes, routing to named approvers, hold, escalate; people, agents, limits, audit.



Test lab: upload a CSV of real requests; every step is decided by the real gateway and reported.

NovaBank · banking

Rex (refunds), Aria (cards). Refunds over ₹10,000 → L1; over ₹50,000 → two L2 keys; no bulk export; never delete production data.

Sanjeevani · healthcare

Rxa (pharmacy), Claimy (claims). Controlled drugs → doctor; drug must be on the prescription; records only to the consented insurer.

Bazaar.in · e-commerce

Shoppy (orders), Pricer (pricing). No discount over 30%; price moves over 20% → category head; refunds over ₹2,000 → support lead.

LAYER	WHAT WE USED	MEASURED
App	Next.js 16, React 19, TypeScript; Agent API v1 + SDK; 3 zero-dependency company servers	44 automated tests passing
Models	gpt-oss-120b on Groq via Abhed's LLM gateway; Llama Prompt Guard 2 (86M); rule-based fallback planner	0.5–1.1 s per model turn on the live site
Data & hosting	Supabase Postgres (Mumbai), Vault, Edge Function, pg_cron; Vercel (Abhed); Render ×3 (sites)	gateway 0.6 ms median, 2.8 ms p95
Trust	SHA-256 hash chain, Merkle blocks of 25, Ed25519 signatures, OpenTimestamps (Bitcoin), HMAC approver tokens	chain verified on every page load
Security	Injection patterns + Llama Prompt Guard 2; DLP with Luhn check; circuit breaker; auto-pause	real injection scored 0.837 and was stopped
Integration	REST Agent API v1 and a small SDK; agents keep their own framework and model	3 lines to govern an existing agent

Companies and people are fictional; the systems, model calls and decisions are real.

NOVELTY AND HOW WE DIFFER

Each piece exists somewhere. *The closed loop around the business action does not.*

1
Approval bound to the exact action
A fingerprint of amount, account and rule version. Change one rupee and it is void.

2
Grounding vs records
Wrong numbers are refused before they run, not just filtered as text.

3
Trust Score & earned autonomy
Limits rise or fall with the agent's own record.

4
Governed governance
Outcome → incident → fix → replay → second person. Agents never change rules.

5
Your data, red-teamed
Upload real requests; swap in a compromised agent; read the report.

PRODUCT	MAIN FOCUS	GATE ON EACH ACTION	APPROVAL ON A PHONE	GROUNDING	TAMPER-PROOF TRAIL	VENDOR-NEUTRAL
Abhed	**Runtime governance of agent actions**	✓ every tool call	✓ hash-bound, two-key	✓ vs system of record	✓ signed, Bitcoin-anchored	✓ any model
IBM watsonx.governance	Model lifecycle and compliance	partial	—	model evaluation	factsheets	mostly IBM
AWS Bedrock AgentCore	Agent runtime, identity, policy	✓ policy on tool calls	—	—	CloudTrail	AWS
Microsoft Entra Agent ID	Agent identity and access	identity and access	—	—	Purview audit	Microsoft
ServiceNow AI Control Tower	AI inventory and workflows	partial	workflow approvals	—	platform logs	ServiceNow
Guardrail libraries (NeMo, Guardrails AI, Lakera)	Filter LLM text in and out	text only	—	format checks	—	✓

Complementary, not competing
A watsonx factsheet or an Entra identity can feed Abhed. Abhed adds what they leave out: the gate in the action path, and a human name on every action.

What Abhed is not
Not a chatbot, not a generic dashboard, not another prompt filter. It wraps existing agents (LangGraph, CrewAI, Google ADK, any HTTP client) without rebuilding them.

Backed by research
Adaptive attacks broke 12 published prompt-injection defenses, most above 90% (arXiv 2510.09023). Abhed assumes the model **will** be fooled and enforces at the action.

DEMO 1
A judge approves
Scan the QR, sign in as Guest Judge, approve a real refund on your phone. Your name enters the ledger.

DEMO 2
An attack fails
A hidden "export all customers" instruction: flagged, export blocked, agent paused, incident opened in seconds.

DEMO 3
A mistake gets fixed
Dispute → chain → rule fix replayed on history → second person activates → audit PDF.

Positioning from public product descriptions, Oct 2026. "—" means it is not the product's focus.

BUSINESS MODEL · PS5 COVERAGE · EXECUTION

Priced on usage, *covering every PS5 requirement, live today.*

Monthly bill

```
Pure usage, no plans: free 10,000 actions + 2 agents a month
+ actions: ₹40 / ₹20 / ₹10 per 1,000 (up to 10 lakh / 1 crore / above)
+ active agents: ₹500 / ₹750 / ₹1,000 a month by risk
+ ₹0 for checkpoints and phone approvals, always
+ LLM at cost + 10% (optional) · excl. 18% GST
```

Who buys first: banks and NBFCs (RBI FREE-AI), hospitals and insurers (DPDP), e-commerce and fintech. Buyer: CRO or CISO.

36-hour execution (commit times, IST)

DONE	**Core engine**: gateway, delegations, ledger, approvals, incidents, tests · 11 Oct 20:27–22:17
DONE	**Real agents**: 3 sectors, grounding, DLP, signed blocks, LLM gateway, API, SDK · 12 Oct 01:28–02:05
DONE	**Live companies**: 3 sites, approver identities, admin panels, test lab · 12 Oct 03:23–03:42
DONE	**Proof & trust**: red-team mode, Trust Score, agent PDFs, compliance pack · 12 Oct 05:48–06:39
NEXT	**Reach**: MCP adapter, WhatsApp approvals, gateway load test
FINAL	**Judge-ready**: the jury's own CSV in the lab, rehearsal, key rotation, freeze

PS5 ASKS FOR	WHERE IT IS IN ABHED
Agent registry: owner, purpose, actions, data, risk	Fleet, agent passport, per-agent PDF
Role-based permissions, approval checkpoints	Delegations, roles L1/L2/exec, rulebook checkpoints
Unified trail: what, which data, who approved, outcome	Hash-chained ledger, signed blocks, Bitcoin anchor
Human ↔ agent allocation, escalation, exceptions	Approver app: approve, reject, hold, escalate, route
Risk, cost, usage dashboard, pause and restrict	Fleet, Insights, Trust Score, one-click pause, limits
Audit reports + accountability chain	Incident room, audit PDF, compliance evidence

Fleet
kavach-os.vercel.app

Be an approver
/approver

NovaBank site
novabank-agents.onrender.com

Sources: Gartner, "Over 40% of agentic AI projects will be canceled by end of 2027" (June 2025, via Outlook Business) · PocketOS incident: ACS Information Age and Decrypt (Apr 2026) · OWASP Top 10 for Agentic Applications, genai.owasp.org (9 Dec 2025) · RBI FREE-AI framework (Aug 2025) · Digital Personal Data Protection Act 2023. Mrs. Sharma, NovaBank, Sanjeevani Hospital and Bazaar.in are fictional.