

Index of /naitik			
Name	Last modified	Size	Description
Parent Directory	-		
Register_page.html	2023-03-28 02:43	2.2K	
delete_last_record.php	2023-03-28 03:45	613	
login.html	2023-03-29 20:57	587	
login.php	2023-03-29 19:42	1.2K	
login_style.css	2023-03-29 20:56	1.1K	
logout.php	2023-03-29 19:32	197	
new.php	2023-03-27 23:42	312	
register.php	2023-03-28 03:49	4.5K	
style.css	2023-03-28 03:49	3.0K	
style2.css	2023-03-28 02:19	272	
update.php	2023-03-29 21:10	3.1K	
update_page.html	2023-03-28 02:19	237	
view_info.php	2023-03-29 19:57	2.5K	
welcome.php	2023-03-29 19:57	1.2K	

Apache/2.4.52 (Ubuntu) Server at localhost Port 80

localhost/naitik/Register_page.html

User Registration Form

First Name:

Naitik

Last Name:

Raj

Email:

naitik_2101cs49@iitp.ac.in

Password:

.....

Weak

Confirm Password:

.....|

Register

User Registration Form

First Name:

Last Name:

Email:

Password:

Confirm Password:

Register

Update User

Congratulations! You have successfully registered.

Delete Last Record

```
mysql> select * from users;
```

```
+-----+-----+-----+-----+-----+
| id | first_name | last_name | email | password |
+-----+-----+-----+-----+-----+
| 81 | Naitik | Raj | naitik_2101cs49@iitp.ac.in | 12345678 |
+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

Update Form

First Name:

Last Name:

Email:

Password:

```
mysql> select * from users;
```

```
+-----+-----+-----+-----+-----+
| id | first_name | last_name | email | password |
+-----+-----+-----+-----+-----+
| 81 | Naitik | Raj | naitik_2101cs49@iitp.ac.in | 87654321 |
+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

User Login

Email

Password

Welcome!

Hello, Naitik Raj!

View Your Information

Logout

User Information

Field	Value
First Name	Naitik
Last Name	Raj
Email	naitik_2101cs49@iitp.ac.in

Log Out

Password:

localhost

Are you sure you want to delete the last record?

Cancel


OK

Register

Update User

Congratulations! You have successfully registered.

Delete Last Record



```
1 row in set (0.00 sec)

mysql> select * from users;
Empty set (0.00 sec)

mysql>
```


REGISTRATION(HTML/CSS/PHP)

HTML FILE

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>User Registration Form</title>
```

```
    <link rel="stylesheet" type="text/css" href="style.css">
```

```
    <script type="text/javascript">
```

```
        function validateForm() {
```

```
            var password = document.forms["registration"]["password"].value;
```

```
            var confirm_password = document.forms["registration"]  
["confirm_password"].value;
```

```
            if (password != confirm_password) {
```

```
                alert("Error: Passwords do not match.");
```

```
                return false;
```

```
            }
```

```
        }
```

```
        function checkPasswordStrength(password) {
```

```
            var strengthBar = document.getElementById("password-strength-  
bar");
```

```
            var strengthText = document.getElementById("password-strength-  
text");
```

```
            var strength = 0;
```

```
            if (password.match(/[a-z]+/)) {
```

```
                strength++;
```

```
            }
```

```
            if (password.match(/[A-Z]+/)) {
```

```

        strength++;

    }

    if (password.match(/[0-9]+)/) {

        strength++;

    }

    if (password.match(/[$@#&!]+)/) {

        strength++;

    }

    switch(strength) {

        case 0:

            case 1:

                strengthBar.style.backgroundColor =
"#e74c3c";

                strengthText.innerHTML = "Weak";

                break;

            case 2:

                strengthBar.style.backgroundColor =
"#f1c40f";

                strengthText.innerHTML = "Moderate";

                break;

            case 3:

                strengthBar.style.backgroundColor =
"#2ecc71";

                strengthText.innerHTML = "Strong";

                break;

            case 4:

                strengthBar.style.backgroundColor =
"#2ecc71";

                strengthText.innerHTML = "Very Strong";

                break;

```



```
                default:
                    break;
            }
        }
    }
</script>
</head>
<body>
    <form name="registration" method="post" action="register.php" onsubmit="return
    validateForm()">
        <h2>User Registration Form</h2>
        <label>First Name:</label>
        <input type="text" name="first_name" required>

        <label>Last Name:</label>
        <input type="text" name="last_name" required>

        <label>Email:</label>
        <input type="email" name="email" required>

        <label>Password:</label>
        <input type="password" name="password" required
onkeyup="checkPasswordStrength(this.value)">
        <div id="password-strength">
            <div id="password-strength-bar"></div>
            <span id="password-strength-text"></span>
        </div>

        <label>Confirm Password:</label>
        <input type="password" name="confirm_password" required>
```

```
<input type="submit" value="Register">
```

```
</form>
```

```
</body>
```

```
</html>
```

CSS (STYLE.CSS)

```
body {
```

```
    font-family: Arial, sans-serif;
```

```
    background-color: #f2f2f2;
```

```
}
```

```
h2 {
```

```
    text-align: center;
```

```
    margin-top: 30px;
```

```
    color: #333;
```

```
}
```

```
form {
```

```
    width: 400px;
```

```
    margin: 0 auto;
```

```
    background-color: #fff;
```

```
    padding: 30px;
```

```
    border-radius: 5px;
```

```
    box-shadow: 0px 0px 10px 0px rgba(0, 0, 0, 0.3);
```

```
}
```

```
label {  
  
    display: block;  
  
    margin-bottom: 8px;  
  
    color: #666;  
  
}
```

```
input[type="text"],  
input[type="email"],  
input[type="password"] {  
  
    width: 100%;  
  
    padding: 12px 20px;  
  
    margin: 8px 0;  
  
    box-sizing: border-box;  
  
    border: 2px solid #ccc;  
  
    border-radius: 4px;  
  
    font-size: 16px;  
  
}
```

```
input[type="submit"] {  
  
    background-color: #4CAF50;  
  
    color: #fff;  
  
    padding: 12px 20px;  
  
    border: none;  
  
    border-radius: 4px;  
  
    cursor: pointer;  
  
    font-size: 16px;  
  
}
```

```
input[type="submit"]:hover {  
    background-color: #45a049;  
}
```

```
.error {  
    color: red;  
    margin-bottom: 10px;  
}
```

```
.strength-meter {  
    display: inline-block;  
    margin-top: 8px;  
    margin-left: 5px;  
    vertical-align: middle;  
}
```

```
.strength-meter span {  
    display: inline-block;  
    width: 10px;  
    height: 10px;  
    margin-right: 2px;  
    border-radius: 50%;  
}
```

```
.strength-meter .weak {  
    background-color: #ff4d4d;  
}
```

```
.strength-meter .medium {  
    background-color: #ffc107;  
}
```

```
.strength-meter .strong {  
    background-color: #4caf50;  
}
```

```
.show-password {  
    position: relative;  
}
```

```
.show-password input[type="checkbox"] {  
    position: absolute;  
    top: 50%;  
    right: 10px;  
    transform: translateY(-50%);  
}
```

```
.show-password input[type="checkbox"] + label {  
    position: absolute;  
    top: 50%;  
    right: 30px;  
    transform: translateY(-50%);  
    cursor: pointer;  
}
```

```
.show-password input[type="checkbox"] + label:before {
```

```
content: "";

position: absolute;

top: -5px;

left: -5px;

right: -5px;

bottom: -5px;

border: 1px solid #ccc;

border-radius: 4px;

box-sizing: border-box;

}
```

```
.show-password input[type="checkbox"]:checked + label:before {

    border-color: #4caf50;

}
```

```
.show-password input[type="checkbox"]:checked + label:after {

    content: "\f070";

    font-family: FontAwesome;

    position: absolute;

    top: 50%;

    right: 30px;

    transform: translateY(-50%);

    font-size: 16px;

    color: #4caf50;

}
```

```
.success-message {

    background-color: #2ecc71;
```

```
color: #fff;

padding: 10px;

font-size: 16px;

text-align: center;

}
```

```
.failure-message {

background-color: #2ec324;

color: #fff;

padding: 10px;

font-size: 16px;

text-align: center;

}
```

```
button {

background-color: #4CAF50; /* Green background */

color: white; /* White text */

padding: 12px 24px; /* Some padding */

border: none; /* No border */

border-radius: 4px; /* Rounded corners */

cursor: pointer; /* On hover, change cursor to a hand */

}
```

```
button:hover {

background-color: #3e8e41; /* Darker green on hover */

}
```

```
button {  
  
    margin-top: 10px;  
  
    margin-right: 10px;  
  
}
```

```
button.update {  
  
    margin-top: 10px;  
  
    margin-left: 10px;  
  
}
```

```
.button-container {  
  
    text-align: center;  
  
}
```

REGISTRATION(PHP)

```
<?php  
  
$check=false;  
  
// Connect to the database  
  
$servername = "localhost";  
  
$username = "naitik";  
  
$password = "naitik";  
  
$dbname = "register";  
  
  
  
$conn = new mysqli($servername, $username, $password, $dbname);  
  
if ($conn->connect_error) {
```



```
die("Connection failed: " . $conn->connect_error);

}


// Get user input from form

$first_name = mysqli_real_escape_string($conn, $_POST['first_name']);

$last_name = mysqli_real_escape_string($conn, $_POST['last_name']);

$email = mysqli_real_escape_string($conn, $_POST['email']);

$password = mysqli_real_escape_string($conn, $_POST['password']);

$confirm_password = mysqli_real_escape_string($conn, $_POST['confirm_password']);


// Validate user input

if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {

    echo "Error: Invalid email format.";

    exit();

}


if (strlen($password) < 8) {

    echo "Error: Password must be at least 8 characters long.";

    exit();

}


if ($password != $confirm_password) {

    echo "Error: Passwords do not match.";

    exit();

}


// Hash password
```

```
// $password = password_hash($password, PASSWORD_DEFAULT);
```

```
// Generate unique ID for user
```

```
$id = uniqid();
```

```
// Insert user data into database using prepared statements
```

```
$stmt = $conn->prepare("INSERT INTO users (first_name, last_name, email, password) VALUES  
(?, ?, ?, ?)");
```

```
$stmt->bind_param("ssss", $first_name, $last_name, $email, $password);
```

```
// $stmt->execute();
```

```
if($stmt->execute()){
```

```
    $check=true;
```

```
}
```

```
// Close database connection
```

```
$stmt->close();
```

```
$conn->close();
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>User Registration Form</title>
```

```
<link rel="stylesheet" type="text/css" href="style.css">
```

```
<script type="text/javascript">
```

```
function deleteLastRecord() {  
  
    var confirmation = confirm("Are you sure you want to delete the last record?");  
  
    if (confirmation == true) {  
  
        // send request to delete last record  
  
        var xhttp = new XMLHttpRequest();  
  
        xhttp.onreadystatechange = function() {  
  
            if (this.readyState == 4 && this.status == 200) {  
  
                alert("Last record deleted successfully!");  
  
            }  
  
        };  
  
        xhttp.open("GET", "delete_last_record.php", true);  
  
        xhttp.send();  
  
    }  
  
}
```

```
function validateForm() {  
  
    var password = document.forms["registration"]["password"].value;  
  
    var confirm_password = document.forms["registration"]  
["confirm_password"].value;  
  
    if (password != confirm_password) {  
  
        alert("Error: Passwords do not match.");  
  
        return false;  
  
    }  
  
}
```

```
}
```

```
}
```

```
function checkPasswordStrength(password) {  
  
    var strengthBar = document.getElementById("password-strength-  
bar");  
  
    var strengthText = document.getElementById("password-strength-  
text");  
  
    var strength = 0;  
  
    if (password.match(/[a-z]+/)) {  
        strength++;  
    }  
  
    if (password.match(/[A-Z]+/)) {  
        strength++;  
    }  
  
    if (password.match(/[0-9]+/)) {  
        strength++;  
    }  
  
    if (password.match(/[$@#&!]+/)) {  
        strength++;  
    }  
  
    switch(strength) {  
        case 0:  
        case 1:  
            strengthBar.style.backgroundColor =  
"#e74c3c";  
            strengthText.innerHTML = "Weak";  
            break;  
        case 2:  
            strengthBar.style.backgroundColor =
```

```
"#f1c40f";
```

```
strengthText.innerHTML = "Moderate";
```

```
break;
```

```
case 3:
```

```
strengthBar.style.backgroundColor =
```

```
"#2ecc71";
```

```
strengthText.innerHTML = "Strong";
```

```
break;
```

```
case 4:
```

```
strengthBar.style.backgroundColor =
```

```
"#2ecc71";
```

```
strengthText.innerHTML = "Very Strong";
```

```
break;
```

```
default:
```

```
break;
```

```
}
```

```
}
```

```
</script>
```

```
</head>
```

```
<body>
```

```
<form name="registration" method="post" action="register.php" onsubmit="return  
validateForm()">
```

```
<h2>User Registration Form</h2>
```

```
<label>First Name:</label>
```

```
<input type="text" name="first_name" required>
```

```
<label>Last Name:</label>
```

```
<input type="text" name="last_name" required>
```

```
<label>Email:</label>
```

```
<input type="email" name="email" required>
```

```
<label>Password:</label>
```

```
<input type="password" name="password" required  
onkeyup="checkPasswordStrength(this.value)">
```

```
<div id="password-strength">
```

```
<div id="password-strength-bar"></div>
```

```
<span id="password-strength-text"></span>
```

```
</div>
```

```
<label>Confirm Password:</label>
```

```
<input type="password" name="confirm_password" required>
```

```
<input type="submit" value="Register">
```

```
<button onclick="location.href='update_page.html'">Update User</button>
```

```
</form>
```

```
<?php
```

```
if($check==true){
```

```
    echo "<div class='success-message'>Congratulations! You have successfully registered.</div>";
```

```
    // show button to delete last inserted data
```

```
    echo "<div class='button-container'><button onclick='deleteLastRecord()'>Delete Last  
Record</button></div>";
```

```
}else{
```

```
echo "<div class='failure-message'>Failure! not registered.</div>";
```

```
}
```

```
?>
```

```
</body>
```

```
</html>
```

DELETE AND UPDATE

DELETE

```
<?php

// Connect to the database

$servername = "localhost";

$username = "naitik";

$password = "naitik";

$dbname = "register";


$conn = new mysqli($servername, $username, $password, $dbname);

if ($conn->connect_error) {

    die("Connection failed: " . $conn->connect_error);

}


// Delete last record from users table

$sql = "DELETE FROM users WHERE id = (SELECT max_id FROM (SELECT MAX(id) AS max_id
FROM users) AS t)";


if ($conn->query($sql) === TRUE) {

    echo "Last record deleted successfully";

} else {

    echo "Error deleting record: " . $conn->error;

}


// Close database connection

$conn->close();
```


?>

UPDATE HTML

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<link rel="stylesheet" type="text/css" href="style2.css">
```

```
<title>Update Page</title>
```

```
</head>
```

```
<body>
```

```
<h1>Update Form</h1>
```

```
<iframe src="update.php" width="100%" height="400px"></iframe>
```

```
</body>
```

```
</html>
```

UPDATE PHP

```
<?php
```

```
// Connect to the database
```

```
$servername = "localhost";
```

```
$username = "naitik";
```

```
$password = "naitik";
```

```
$dbname = "register";
```

```
$conn = mysqli_connect($servername, $username, $password, $dbname);

// Check connection

if (!$conn) {

    die("Connection failed: " . mysqli_connect_error());

}


// Check if the form was submitted

if ($_SERVER["REQUEST_METHOD"] == "POST") {

    $id = $_POST["id"];

    $first_name = $_POST["first_name"];

    $last_name = $_POST["last_name"];

    $email = $_POST["email"];

    $password=$_POST["password"];

    // Update the user information in the database

    $sql = "UPDATE users SET first_name='$first_name', last_name='$last_name',
email='$email',password='$password' WHERE id=$id";

    if (mysqli_query($conn, $sql)) {

        echo '<p style="color: green; font-family: Arial, sans-serif; font-size: 16px; font-weight: bold; margin-top: 20px;">User information updated successfully.</p>';

    } else {

        echo '<p style="color: red; font-family: Arial, sans-serif; font-size: 16px; font-weight: bold; margin-top: 20px;">Error updating user information: ' . mysqli_error($conn) . '</p>';

    }

}
```

```
// Get the last user record from the database

$sql = "SELECT * FROM users ORDER BY id DESC LIMIT 1";

$result = mysqli_query($conn, $sql);

if (mysqli_num_rows($result) > 0) {

    echo " Connected to DB";

    $row = mysqli_fetch_assoc($result);

    $id = $row["id"];

    $first_name = $row["first_name"];

    $last_name = $row["last_name"];

    $email = $row["email"];

    $password = $row["password"];

    // Display the user information in a form

    echo '

<form action="update.php" method="post" style="font-family: Arial, sans-serif; background-color:
#f9f9f9; padding: 40px;">

    <h2 style="font-size: 24px; margin-bottom: 20px;">Edit User Information</h2>

    <label for="first_name" style="display: block; margin-bottom: 10px;">First Name:</label>

    <input type="text" id="first_name" name="first_name" value="'.$first_name.'" style="padding: 8px;
border: 1px solid #ccc; border-radius: 4px; margin-bottom: 20px;" required>

    <label for="last_name" style="display: block; margin-bottom: 10px;">Last Name:</label>

    <input type="text" id="last_name" name="last_name" value="'.$last_name.'" style="padding: 8px;
border: 1px solid #ccc; border-radius: 4px; margin-bottom: 20px;" required>

    <label for="email" style="display: block; margin-bottom: 10px;">Email:</label>

    <input type="email" id="email" name="email" value="'.$email.'" style="padding: 8px; border: 1px solid
#ccc; border-radius: 4px; margin-bottom: 20px;" required>

    <label for="password" style="display: block; margin-bottom: 10px;">Password:</label>
```

```
<input type="password" id="password" name="password" value="".$password." style="padding: 8px; border: 1px solid #ccc; border-radius: 4px; margin-bottom: 20px;" required>
```

```
<input type="hidden" name="id" value="".$id.">
```

```
<input type="submit" value="Save" style="background-color: #4CAF50; color: white; padding: 12px 20px; border: none; border-radius: 4px; cursor: pointer; font-size: 16px;">
```

```
</form>
```

```
';
```

```
} else {
```

```
    echo "No users found.";
```

```
}
```

```
mysqli_close($conn);
```

```
?>
```

LOGIN,WELCOME,VIEW INFO,LOGOUT FUNCTION CODE

LOGIN HTML

```
<!DOCTYPE html>

<html>

<head>

    <title>User Login Form</title>

    <link rel="stylesheet" href="login_style.css">

</head>

<body>

    <div class="login-container">

        <form action="login.php" method="post">

            <h2>User Login</h2>

            <div class="input-container">

                <label for="email">Email</label>

                <input type="email" id="email" name="email" required>

            </div>

            <div class="input-container">

                <label for="password">Password</label>

                <input type="password" id="password" name="password"

required>

            </div>

            <button type="submit">Login</button>

        </form>

    </div>

</body>

</html>
```

```
</div>
```

```
</body>
```

```
</html>
```

LOGIN STYLE CSS

```
/* Resetting styles */
```

```
* {
```

```
    box-sizing: border-box;
```

```
    margin: 0;
```

```
    padding: 0;
```

```
}
```

```
/* Body styles */
```

```
body {
```

```
    background-color: #e6e6e6;
```

```
}
```

```
/* Login container styles */
```

```
.login-container {
```

```
    display: flex;
```

```
    justify-content: center;
```

```
    align-items: center;
```

```
    height: 100vh;
```

```
}
```

```
/* Form styles */
```

```
form {  
  
    background-color: #fff;  
  
    border-radius: 8px;  
  
    padding: 32px;  
  
    box-shadow: 0px 0px 10px 0px rgba(0, 0, 0, 0.2);  
  
}
```

```
/* Input container styles */
```

```
.input-container {  
  
    margin-bottom: 16px;  
  
}
```

```
.input-container label {  
  
    display: block;  
  
    margin-bottom: 8px;  
  
    font-size: 16px;  
  
    font-weight: bold;  
  
}
```

```
.input-container input[type="email"],  
.input-container input[type="password"] {  
  
    border: none;  
  
    border-radius: 4px;  
  
    padding: 8px;  
  
    width: 100%;  
  
    font-size: 16px;  
  
    background-color: #f5f5f5;  
  
}
```

```
/* Button styles */

button[type="submit"] {

    background-color: #4CAF50;

    color: #fff;

    border: none;

    border-radius: 40px;

    padding: 12px 24px;

    font-size: 30px;

    font-weight: bold;

    cursor: pointer;

    transition: background-color 0.3s ease-in-out;

}

button[type="submit"]:hover {

    background-color: #44a047;

}
```

LOGIN PHP

```
<?php

// Start session

session_start();//session starts here


// Connect to the database

$servername = "localhost";

$username = "naitik";

$password = "naitik";

$dbname = "register";
```



```

$conn = new mysqli($servername, $username, $password, $dbname);

if ($conn->connect_error) {

    die("Connection failed: " . $conn->connect_error);

}


// Get user input from login form

$email = $_POST['email'];

$password = $_POST['password'];


// Prepare SQL query to retrieve user data

$sql = "SELECT * FROM users WHERE email='$email' AND password='$password'";

$result = $conn->query($sql);


// Check if query returns any rows

if ($result->num_rows > 0) {

    // Authentication successful, retrieve user data

    $row = $result->fetch_assoc();

    $first_name = $row["first_name"];

    $last_name = $row["last_name"];

    $email=$row["email"];

    $id=$row["id"];

    // Set session variables for welcome page

    $_SESSION['first_name'] = $first_name;

    $_SESSION['last_name'] = $last_name;

    $_SESSION['email']=$email;

    $_SESSION['id']=$id;

    $_SESSION["loggedin"]=true;

```

```
// Redirect to welcome page

header("Location: welcome.php");

exit();

} else {

    // Authentication failed, display error message

    echo "Invalid email or password.";

}


// Close database connection

$conn->close();

?>
```

WELCOME PHP

```
<?php

// Start session

session_start();


// Check if user is logged in, redirect to login form if not

if (!isset($_SESSION['first_name']) || !isset($_SESSION['last_name'])) {

    header("Location: login_form.php");

    exit();

}


// Get user data from session variables

$first_name = $_SESSION['first_name'];

$last_name = $_SESSION['last_name'];

?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <title>Welcome Page</title>
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial, sans-serif;
```

```
      background-color: #f2f2f2;
```

```
    }
```

```
    h1 {
```

```
      color: #333;
```

```
      text-align: center;
```

```
      margin-top: 50px;
```

```
    }
```

```
    p {
```

```
      color: #371;
```

```
      text-align: center;
```

```
      margin-top: 20px;
```

```
      font-size: 1.2em;
```

```
    }
```

```
    a {
```

```
      display: block;
```

```
      margin-top: 30px;
```

```
      font-size: 1.1em;
```

```
      text-align: center;
```

```
      color: #333;
```

```

        text-decoration: none;

        padding: 10px;

        background-color: #f2f2f2;

        border: 1px solid #ccc;

        border-radius: 5px;

        width: 200px;

        margin: 0 auto;

    }

    a:hover {

        background-color: #ddd;

    }

</style>

</head>

<body>

    <h1>Welcome!</h1>

    <p>Hello, <?php echo $first_name . " " . $last_name; ?>!</p>

    <a href="view_info.php">View Your Information</a>

    <a href="logout.php">Logout</a>

</body>

</html>

```

LOGOUT PHP

```

<?php

session_start();

// Unset all of the session variables

$_SESSION = array();

```

```
// Destroy the session

session_destroy();


// Redirect to login page

header("Location: login.html");

exit();

?>
```

VIEW INFO PHP

```
<?php

// Start a session to access user information


session_start();

//$user_id = $_SESSION["id"];

// echo $user_id;

// Check if user is logged in, otherwise redirect to login page

if(!isset($_SESSION["loggedin"]) || $_SESSION["loggedin"] !== true){

    header("location: login.html");

    exit;

}


// Connect to the database

$servername = "localhost";

$username = "naitik";

$password = "naitik";

$dbname = "register";
```

```
$conn = new mysqli($servername, $username, $password, $dbname);
```

```
if ($conn->connect_error) {
```

```
    die("Connection failed: " . $conn->connect_error);
```

```
}
```

```
// Get user information from database
```

```
$user_id = $_SESSION["id"];
```

```
$sql = "SELECT * FROM users WHERE id = '$user_id'";
```

```
$result = $conn->query($sql);
```

```
if ($result->num_rows > 0) {
```

```
    $row = $result->fetch_assoc();
```

```
    $first_name = $row["first_name"];
```

```
    $last_name = $row["last_name"];
```

```
    $email = $row["email"];
```

```
} else {
```

```
    echo "Error: User not found.";
```

```
}
```

```
// Close database connection
```

```
$conn->close();
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<title>User Information</title>
```

```
<style>
```

```
body {  
  
    background-color: #f2f2f2;  
  
    font-family: Arial, sans-serif;  
  
}
```

```
h1 {  
  
    text-align: center;  
  
    margin-top: 50px;  
  
}
```

```
table {  
  
    margin: 0 auto;  
  
    border-collapse: collapse;  
  
    width: 50%;  
  
}
```

```
td {  
  
    padding: 10px;  
  
    border: 1px solid #ccc;  
  
    text-align: center;  
  
}
```

```
th {  
  
    padding: 10px;  
  
    border: 1px solid #ccc;
```

```
background-color: #ddd;

text-align: center;

}
```

```
    a {

        display: block;

        margin-top: 30px;

        font-size: 1.1em;

        text-align: center;

        color: #333;

        text-decoration: none;

        padding: 10px;

        background-color: #f2f2f2;

        border: 1px solid #ccc;

        border-radius: 5px;

        width: 200px;

        margin: 0 auto;

    }

    a:hover {

        background-color: #ddd;

    }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>User Information</h1>
```

```
<table>
```

```
<tr>
```

```
<th>Field</th>
```


<th>Value</th>

</tr>

<tr>

<td>First Name</td>

<td><?php echo \$first_name; ?></td>

</tr>

<tr>

<td>Last Name</td>

<td><?php echo \$last_name; ?></td>

</tr>

<tr>

<td>Email</td>

<td><?php echo \$email; ?></td>

</tr>

</table>

Log Out

</body>

</html>