

fbfrontend - Phase 8.2

Feature styling and accessibility

Complete source files and before/after changes

46 file entries: 33 updated, 10 added and 3 renamed. Implemented locally on top of Phase 8.1.

Feature-owned CSS Modules, shared labelled form fields and consistent operation feedback. Navigation adds active routes, keyboard dismissal, focus return and a skip link. Current API and authentication logic are retained.

Verified: production build; 7 sidebar tests; existing sidebar browser regression; 48 responsive screen combinations; form payload and navigation checks. No external traffic or browser JavaScript errors in the successful UI run.

Same 13 pre-existing lint warnings and existing dynamic-import build warning remain. Backend and FrndBookWC2 were not modified. Nothing was deployed.

CSS source: 2,366 to 1,965 lines. Gzipped CSS: 4.75 to 5.60 kB. Gzipped JavaScript: 109.71 to 113.49 kB. Better modularity is not a bundle-size reduction.

Each file has full current content and a unified diff against the pre-8.2 snapshot. Renamed stylesheets show their previous filenames in the diff. Green + lines are added; red - lines are removed. Gutter numbers are document aids. Long lines wrap with a > marker.

Use the companion Plan and Testing Markdown for the full rationale, manual checklist, test commands and remaining scope boundaries. Real mobile-keyboard testing and later functional improvements remain separate.

File index

src/auth/ProtectedRoute.jsx	4
src/auth/PublicRoute.jsx	6
src/components/chat/ChatWindow.jsx	8
src/components/chat/ConversationList.jsx	15
src/components/chat/MessageComposer.jsx	19
src/components/chat/MessageList.jsx	21
src/components/layout/Navbar.jsx	27
src/components/ui/FormField.jsx	33
src/components/ui/PageContainer.jsx	35
src/components/ui/StatusMessage.jsx	37
src/components/ui/feedback.module.css	39
src/components/ui/foundation.module.css	42
src/components/users/FriendAction.jsx	44
src/components/users/FriendCard.jsx	48
src/components/users/FriendRequestCard.jsx	50
src/components/users/UserAvatar.jsx	53
src/components/users/UserCard.jsx	55
src/components/users/UserSearch.jsx	57
src/index.css	64
src/main.jsx	77
src/pages/ForgotPassword.jsx	79
src/pages/FriendRequests.jsx	82
src/pages/Friends.jsx	87
src/pages/Home.jsx	91
src/pages/Login.jsx	93
src/pages/Messages.jsx	96
src/pages/Notifications.jsx	101

File index (continued)

src/pages/Profile.jsx	107
src/pages/ResetPassword.jsx	113
src/pages/Signup.jsx	116
src/pages/UserProfile.jsx	119
src/pages/VerifyEmail.jsx	127
src/styles/auth.module.css	131
src/styles/base.css	133
src/styles/chat.module.css	136
src/styles/friends.module.css	154
src/styles/home.module.css	164
src/styles/navbar.module.css	166
src/styles/notifications.module.css	174
src/styles/profile.module.css	180
src/styles/shared.css	184
src/styles/tokens.css	186
src/styles/users.module.css	188
src/utils/bindStyles.js	194
tests/ui.browser.mjs	196
vite.config.js	202

src/auth/ProtectedRoute.jsx

FULL CURRENT CONTENT

```
1 import { Navigate } from "react-router-dom";
2
3 import { useAuth } from "../AuthContext";
4
5 const ProtectedRoute = ({ children }) => {
6   const { user, loading } = useAuth();
7
8   if (loading) {
9     return <div role="status" className="loading-screen">Loading...</div>;
10  }
11
12  if (!user) {
13    return <Navigate to="/login" replace />;
14  }
15
16  return children;
17 };
18
19 export default ProtectedRoute;
```

src/auth/ProtectedRoute.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1 --- before/src/auth/ProtectedRoute.jsx
2 +++ after/src/auth/ProtectedRoute.jsx
3 @@ -6,7 +6,7 @@
4     const { user, loading } = useAuth();
5
6     if (loading) {
7 -     return <div className="loading-screen">Loading...</div>;
8 +     return <div role="status" className="loading-screen">Loading...</div>;
9   }
10
11   if (!user) {
```

src/auth/PublicRoute.jsx

FULL CURRENT CONTENT

```
1 import { Navigate } from "react-router-dom";
2
3 import { useAuth } from "../AuthContext";
4
5 const PublicRoute = ({ children }) => {
6   const { user, loading } = useAuth();
7
8   if (loading) {
9     return <div role="status" className="loading-screen">Loading...</div>;
10  }
11
12  /*
13   * User is already authenticated.
14   *
15   * Therefore:
16   *
17   * /login → /
18   * /signup → /
19   */
20
21   if (user) {
22     return <Navigate to="/" replace />;
23   }
24
25   return children;
26 };
27
28 export default PublicRoute;
```

src/auth/PublicRoute.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/auth/PublicRoute.jsx
2  +++ after/src/auth/PublicRoute.jsx
3  @@ -6,7 +6,7 @@
4     const { user, loading } = useAuth();
5
6     if (loading) {
7 -     return <div className="loading-screen">Loading...</div>;
8 +     return <div role="status" className="loading-screen">Loading...</div>;
9   }
10
11  /*
```

```

1  import chatStyles from "../../styles/chat.module.css";
2  import { bindStyles } from "../../utils/bindStyles";
3  import StatusMessage from "../ui/StatusMessage";
4  import { useEffect, useRef, useState } from "react";
5  import { Link } from "react-router-dom";
6
7  import UserAvatar from "../users/UserAvatar";
8
9  import MessageList from "../MessageList";
10 import MessageComposer from "../MessageComposer";
11
12 import { getMessages, markMessagesAsRead } from "../../api/messageApi";
13
14 import { createChatWebSocket } from "../../services/chatWebSocketService";
15
16 const css = bindStyles(chatStyles);
17
18 const PAGE_SIZE = 10;
19
20 const ChatWindow = ({
21   conversation,
22   currentUserId,
23   onMessageReceived,
24   onBackToConversations,
25 }) => {
26   const [messages, setMessages] = useState([]);
27
28   const [loading, setLoading] = useState(true);
29
30   const [loadingOlder, setLoadingOlder] = useState(false);
31
32   const [currentPage, setCurrentPage] = useState(0);
33
34   const [totalPages, setTotalPages] = useState(0);
35
36   const [socketConnected, setSocketConnected] = useState(false);
37
38   const [error, setError] = useState("");
39
40   const websocketRef = useRef(null);
41
42   const conversationId = conversation?.id;
43
44   // =====
45   // LOAD INITIAL MESSAGES
46   // =====
47
48   useEffect(() => {
49     if (!conversationId) {
50       return;
51     }
52
53     let cancelled = false;
54
55     const initializeChat = async () => {
56       try {
57         setLoading(true);
58         setError("");
59
60         setMessages([]);
61         setCurrentPage(0);
62         setTotalPages(0);
63         setSocketConnected(false);
64
65         const data = await getMessages(conversationId, 0, PAGE_SIZE);
66
67         if (cancelled) {
68           return;
69         }
70

```

```

71     const loadedMessages = [...(data?.content || [])].reverse();
72
73     setMessages(loadedMessages);
74
75     setCurrentPage(data?.number ?? 0);
76
77     setTotalPages(data?.totalPages ?? 0);
78
79     await markMessagesAsRead(conversationId);
80   } catch (error) {
81     if (!cancelled) {
82       console.error("Failed to initialize chat:", error);
83
84       setError(error.response?.data?.message || "Unable to load messages");
85     }
86   } finally {
87     if (!cancelled) {
88       setLoading(false);
89     }
90   }
91 };
92
93 initializeChat();
94
95 return () => {
96   cancelled = true;
97 };
98 }, [conversationId]);
99
100 // =====
101 // WEBSOCKET
102 // =====
103
104 useEffect(() => {
105   if (!conversationId) {
106     return;
107   }
108
109   let cancelled = false;
110
111   const webSocket = createChatWebSocket({
112     conversationId,
113
114     onMessage: async (message) => {
115       if (cancelled) {
116         return;
117       }
118
119       setMessages((currentMessages) => {
120         const exists = currentMessages.some(
121           (item) => String(item.id) === String(message.id),
122         );
123
124         if (exists) {
125           return currentMessages;
126         }
127
128         return [...currentMessages, message];
129       });
130
131       onMessageReceived?.(message);
132
133       if (String(message.sender?.id) !== String(currentUserId)) {
134         try {
135           await markMessagesAsRead(conversationId);
136         } catch (error) {
137           console.error("Failed to mark messages as read:", error);
138         }
139       }
140     },

```

```

141
142     onConnect: () => {
143         if (!cancelled) {
144             setSocketConnected(true);
145             setError("");
146         }
147     },
148
149     onDisconnect: () => {
150         if (!cancelled) {
151             setSocketConnected(false);
152         }
153     },
154
155     onError: (error) => {
156         if (!cancelled) {
157             console.error("Chat WebSocket error:", error);
158
159             setSocketConnected(false);
160         }
161     },
162 });
163
164 if (!webSocket) {
165     return;
166 }
167
168 webSocketRef.current = webSocket;
169
170 webSocket.connect();
171
172 return () => {
173     cancelled = true;
174
175     const currentWebSocket = webSocketRef.current;
176
177     webSocketRef.current = null;
178
179     if (currentWebSocket) {
180         currentWebSocket.disconnect().catch((error) => {
181             console.error("Failed to disconnect chat WebSocket:", error);
182         });
183     }
184 };
185 }, [conversationId, currentUserId, onMessageReceived]);
186
187 // =====
188 // LOAD OLDER MESSAGES
189 // =====
190
191 const loadOlderMessages = async () => {
192     if (loadingOlder || currentPage >= totalPages - 1) {
193         return;
194     }
195
196     const nextPage = currentPage + 1;
197
198     try {
199         setLoadingOlder(true);
200         setError("");
201
202         const data = await getMessages(conversationId, nextPage, PAGE_SIZE);
203
204         const olderMessages = [...(data?.content || [])].reverse();
205
206         setMessages((currentMessages) => {
207             const existingIds = new Set(
208                 currentMessages.map((message) => String(message.id)),
209             );
210

```

```

211         const uniqueOlderMessages = olderMessages.filter(
212             (message) => !existingIds.has(String(message.id)),
213         );
214
215         return [...uniqueOlderMessages, ...currentMessages];
216     });
217
218     setCurrentPage(data?.number ?? nextPage);
219
220     setTotalPages(data?.totalPages ?? totalPages);
221 } catch (error) {
222     console.error("Failed to load older messages:", error);
223
224     setError(
225         error.response?.data?.message || "Unable to load older messages",
226     );
227 } finally {
228     setLoadingOlder(false);
229 }
230 };
231
232 // =====
233 // SEND MESSAGE
234 // =====
235
236 const handleSendMessage = async (content) => {
237     setError("");
238
239     try {
240         if (websocketRef.current && websocketRef.current.isConnected()) {
241             websocketRef.current.sendMessage(content);
242
243             return;
244         }
245
246         const { sendMessage } = await import("../api/messageApi");
247
248         const savedMessage = await sendMessage(conversationId, content);
249
250         if (!savedMessage) {
251             return;
252         }
253     } catch (error) {
254         console.error("Failed to send message:", error);
255
256         setError(
257             error.response?.data?.message ||
258             error.message ||
259             "Unable to send message",
260         );
261
262         throw error;
263     }
264 };
265
266 // =====
267 // NO CONVERSATION
268 // =====
269
270 if (!conversation) {
271     return (
272         <section className={css("chat-window chat-window-empty")}>
273             <p>Select a conversation to start chatting.</p>
274         </section>
275     );
276 }
277
278 const otherUser = conversation.otherUser;
279
280 return (

```

```

281     <section className={css("chat-window")}>
282       <header className={css("chat-header")}>
283         <button
284           type="button"
285           className={css("mobile-chat-back-button")}
286           onClick={onBackToConversations}
287           aria-label="Back to conversations"
288         >
289           ←
290         </button>
291
292         <Link
293           to={` /users/${otherUser?.id}`}
294           className={css("chat-header-avatar-link")}
295           aria-label={`View ${otherUser?.name || "user"} profile`}
296         >
297           <UserAvatar
298             name={otherUser?.name}
299             image={otherUser?.profileImage}
300             userId={otherUser?.id}
301             size="medium"
302           />
303         </Link>
304
305         <div className={css("chat-header-info")}>
306           <h2>{otherUser?.name || "Unknown User"}</h2>
307
308           <span
309             className={css(
310               socketConnected
311               ? "chat-connection-status connected"
312               : "chat-connection-status"
313             )}
314           >
315             {socketConnected ? "Connected" : "Connecting..."}
316           </span>
317         </div>
318       </header>
319
320       {error && <StatusMessage tone="error" className={css("error chat-error")}>{error}</StatusMessage>}
321
322       <MessageList
323         messages={messages}
324         currentUserId={currentUserId}
325         loading={loading}
326         loadingOlder={loadingOlder}
327         hasOlderMessages={currentPage < totalPages - 1}
328         onLoadOlder={loadOlderMessages}
329       />
330
331       <MessageComposer onSend={handleSendMessage} disabled={!conversationId} />
332     </section>
333   );
334 };
335
336 export default ChatWindow;

```

src/components/chat/ChatWindow.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/chat/ChatWindow.jsx
2  +++ after/src/components/chat/ChatWindow.jsx
3  @@ -1,3 +1,6 @@
4  +import chatStyles from "../../styles/chat.module.css";
5  +import { bindStyles } from "../../utils/bindStyles";
6  +import StatusMessage from "../ui/StatusMessage";
7  import { useEffect, useRef, useState } from "react";
8  import { Link } from "react-router-dom";
9
10 @@ -9,6 +12,8 @@
11 import { getMessages, markMessagesAsRead } from "../../api/messageApi";
12
13 import { createChatWebSocket } from "../../services/chatWebSocketService";
14 +
15 +const css = bindStyles(chatStyles);
16
17 const PAGE_SIZE = 10;
18
19 @@ -264,7 +269,7 @@
20
21 if (!conversation) {
22   return (
23 -    <section className="chat-window chat-window-empty">
24 +    <section className={css("chat-window chat-window-empty")}>
25     <p>Select a conversation to start chatting.</p>
26   </section>
27   );
28 @@ -273,11 +278,11 @@
29   const otherUser = conversation.otherUser;
30
31   return (
32 -    <section className="chat-window">
33 -      <header className="chat-header">
34 +    <section className={css("chat-window")}>
35 +    <header className={css("chat-header")}>
36       <button
37         type="button"
38 -        className="mobile-chat-back-button"
39 +        className={css("mobile-chat-back-button")}
40         onClick={onBackToConversations}
41         aria-label="Back to conversations"
42       >
43 @@ -286,7 +291,7 @@
44
45       <Link
46         to={` /users/${otherUser?.id}`}
47 -        className="chat-header-avatar-link"
48 +        className={css("chat-header-avatar-link")}
49         aria-label={`View ${otherUser?.name || "user"} profile`}
50       >
51         <UserAvatar
52 @@ -297,22 +302,22 @@
53       />
54     </Link>
55
56 -    <div className="chat-header-info">
57 +    <div className={css("chat-header-info")}>
58     <h2>{otherUser?.name || "Unknown User"}</h2>
59
60     <span
61 -      className={
62 +      className={css(
63       socketConnected
64         ? "chat-connection-status connected"
65         : "chat-connection-status"
66 -    }
67 +    )}
68   >
69     {socketConnected ? "Connected" : "Connecting..."}
70   </span>
```

src/components/chat/ChatWindow.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
71         </div>
72     </header>
73
74 -     {error && <p className="error chat-error">{error}</p>}
75 +     {error && <StatusMessage tone="error" className={css("error chat-error")}>{error}</StatusMessage>}
76
77     <MessageList
78         messages={messages}
```

```

1  import chatStyles from "../../styles/chat.module.css";
2  import { bindStyles } from "../../utils/bindStyles";
3  import UserAvatar from "../../users/UserAvatar";
4
5  const css = bindStyles(chatStyles);
6
7  const ConversationList = ({
8    conversations,
9    selectedConversationId,
10   onSelect,
11   loading,
12 }) => {
13   return (
14     <aside className={css("conversation-list")}>
15       <div className={css("conversation-list-header")}>
16         <h2>Messages</h2>
17       </div>
18
19       {loading && conversations.length === 0 && (
20         <p className={css("chat-status")}>Loading conversations...</p>
21       )}
22
23       {!loading && conversations.length === 0 && (
24         <div className={css("conversation-empty")}>
25           <p>No conversations yet.</p>
26           <p>Open a friend and start a conversation.</p>
27         </div>
28       )}
29
30       <div className={css("conversation-items")}>
31         {conversations.map((conversation) => {
32           const otherUser = conversation.otherUser;
33
34           const isSelected =
35             String(conversation.id) === String(selectedConversationId);
36
37           return (
38             <button
39               key={conversation.id}
40               type="button"
41               className={css(`conversation-item ${
42                 isSelected ? "conversation-item-active" : ""
43               }`)}
44               aria-current={isSelected ? "true" : undefined}
45               onClick={() => onSelect(conversation)}
46             >
47               <UserAvatar
48                 name={otherUser?.name}
49                 image={otherUser?.profileImage}
50                 userId={otherUser?.id}
51                 size="medium"
52               />
53
54               <div className={css("conversation-item-content")}>
55                 <strong>{otherUser?.name || "Unknown User"}</strong>
56
57                 <span>
58                   {conversation.lastMessage?.content || "No messages yet"}
59                 </span>
60               </div>
61
62               <div className={css("conversation-item-time")}>
63                 {conversation.updatedAt
64                   ? new Date(conversation.updatedAt).toLocaleTimeString([], {
65                       hour: "2-digit",
66                       minute: "2-digit",
67                     })
68                   : ""}
69               </div>
70             </button>

```

src/components/chat/ConversationList.jsx

FULL CURRENT CONTENT

```
71         );  
72     }  
73     </div>  
74 </aside>  
75 );  
76 };  
77  
78 export default ConversationList;
```

src/components/chat/ConversationList.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/chat/ConversationList.jsx
2  +++ after/src/components/chat/ConversationList.jsx
3  @@ -1,4 +1,8 @@
4  +import chatStyles from "../../styles/chat.module.css";
5  +import { bindStyles } from "../../utils/bindStyles";
6  import UserAvatar from "../../users/UserAvatar";
7  +
8  +const css = bindStyles(chatStyles);
9
10 const ConversationList = ({
11   conversations,
12   @@ -7,23 +11,23 @@
13   loading,
14 }) => {
15   return (
16 -    <aside className="conversation-list">
17 -    <div className="conversation-list-header">
18 +    <aside className={css("conversation-list")}>
19 +    <div className={css("conversation-list-header")}>
20       <h2>Messages</h2>
21     </div>
22
23     {loading && conversations.length === 0 && (
24 -    <p className="chat-status">Loading conversations...</p>
25 +    <p className={css("chat-status")}>Loading conversations...</p>
26     )}
27
28     {!loading && conversations.length === 0 && (
29 -    <div className="conversation-empty">
30 +    <div className={css("conversation-empty")}>
31       <p>No conversations yet.</p>
32       <p>Open a friend and start a conversation.</p>
33     </div>
34     )}
35
36 -    <div className="conversation-items">
37 +    <div className={css("conversation-items")}>
38       {conversations.map((conversation) => {
39         const otherUser = conversation.otherUser;
40
41   @@ -34,9 +38,10 @@
42         <button
43           key={conversation.id}
44           type="button"
45 -          className={`conversation-item ${
46 +          className={css(`conversation-item ${
47             isSelected ? "conversation-item-active" : ""
48           }`}
49 +          `)}
50 +          aria-current={isSelected ? "true" : undefined}
51           onClick={() => onSelect(conversation)}
52         >
53           <UserAvatar
54   @@ -46,7 +51,7 @@
55             size="medium"
56           />
57
58 -          <div className="conversation-item-content">
59 +          <div className={css("conversation-item-content")}>
60             <strong>{otherUser?.name || "Unknown User"}</strong>
61
62             <span>
63   @@ -54,7 +59,7 @@
64             </span>
65           </div>
66
67 -          <div className="conversation-item-time">
68 +          <div className={css("conversation-item-time")}>
69             {conversation.updatedAt
70               ? new Date(conversation.updatedAt).toLocaleTimeString([], {
```

src/components/chat/ConversationList.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
71             hour: "2-digit",
```

```

1  import chatStyles from "../../styles/chat.module.css";
2  import { bindStyles } from "../../utils/bindStyles";
3  import { useState } from "react";
4
5  const css = bindStyles(chatStyles);
6
7  const MAX_MESSAGE_LENGTH = 5000;
8
9  const MessageComposer = ({ onSend, disabled = false }) => {
10   const [content, setContent] = useState("");
11
12   const handleSubmit = async (event) => {
13     event.preventDefault();
14
15     const trimmedContent = content.trim();
16
17     if (!trimmedContent || disabled) {
18       return;
19     }
20
21     try {
22       await onSend(trimmedContent);
23
24       setContent("");
25     } catch {
26       // Parent handles the error.
27     }
28   };
29
30   const handleKeyDown = (event) => {
31     if (event.key === "Enter" && !event.shiftKey) {
32       event.preventDefault();
33
34       event.currentTarget.form?.requestSubmit();
35     }
36   };
37
38   return (
39     <form className={css("message-composer")} onSubmit={handleSubmit}>
40       <textarea aria-label="Message"
41         value={content}
42         maxLength={MAX_MESSAGE_LENGTH}
43         rows={2}
44         placeholder="Write a message..."
45         onChange={(event) => setContent(event.target.value)}
46         onKeyDown={handleKeyDown}
47         disabled={disabled}
48       />
49
50       <div className={css("message-composer-footer")}>
51         <span>
52           {content.length}/{MAX_MESSAGE_LENGTH}
53         </span>
54
55         <button type="submit" disabled={disabled || !content.trim()}>
56           Send
57         </button>
58       </div>
59     </form>
60   );
61 };
62
63 export default MessageComposer;

```

src/components/chat/MessageComposer.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/chat/MessageComposer.jsx
2  +++ after/src/components/chat/MessageComposer.jsx
3  @@ -1,4 +1,8 @@
4  +import chatStyles from "../../styles/chat.module.css";
5  +import { bindStyles } from "../../utils/bindStyles";
6  import { useState } from "react";
7  +
8  +const css = bindStyles(chatStyles);
9
10  const MAX_MESSAGE_LENGTH = 5000;
11
12  @@ -32,8 +36,8 @@
13  };
14
15  return (
16  -   <form className="message-composer" onSubmit={handleSubmit}>
17  -     <textarea
18  +     <form className={css("message-composer")} onSubmit={handleSubmit}>
19  +     <textarea aria-label="Message"
20         value={content}
21         maxLength={MAX_MESSAGE_LENGTH}
22         rows={2}
23  @@ -43,7 +47,7 @@
24         disabled={disabled}
25       />
26
27  -   <div className="message-composer-footer">
28  +   <div className={css("message-composer-footer")}>
29     <span>
30       {content.length}/{MAX_MESSAGE_LENGTH}
31     </span>
```

```

1  import chatStyles from "../../styles/chat.module.css";
2  import { bindStyles } from "../../utils/bindStyles";
3  import { useEffect, useLayoutEffect, useRef } from "react";
4
5  import UserAvatar from "../users/UserAvatar";
6
7  const css = bindStyles(chatStyles);
8
9  const MessageList = ({
10    messages,
11    currentUserId,
12    loading,
13    loadingOlder,
14    hasOlderMessages,
15    onLoadOlder,
16  }) => {
17    const messageListRef = useRef(null);
18
19    const preserveScrollRef = useRef(null);
20    const initialScrollPendingRef = useRef(false);
21    const previousMessageCountRef = useRef(0);
22    const isNearBottomRef = useRef(true);
23
24    const scrollToBottom = (behavior = "auto") => {
25      const element = messageListRef.current;
26
27      if (!element) {
28        return;
29      }
30
31      element.scrollTo({
32        top: element.scrollHeight,
33        behavior,
34      });
35    };
36
37    const updateNearBottom = () => {
38      const element = messageListRef.current;
39
40      if (!element) {
41        return;
42      }
43
44      const distanceFromBottom =
45        element.scrollHeight - element.scrollTop - element.clientHeight;
46
47      isNearBottomRef.current = distanceFromBottom <= 80;
48    };
49
50    const handleScroll = () => {
51      updateNearBottom();
52    };
53
54    /*
55     * When a conversation starts loading, prepare for the
56     * initial scroll-to-bottom after the first page arrives.
57     */
58    useEffect(() => {
59      if (loading) {
60        initialScrollPendingRef.current = true;
61        preserveScrollRef.current = null;
62      }
63    }, [loading]);
64
65    /*
66     * Handle all scroll positioning after the DOM has updated.
67     *
68     * 1. Older messages:
69     *   Preserve the user's visual position.
70     */

```

```

71  * 2. Initial load:
72  *   Start at the newest message.
73  *
74  * 3. New realtime messages:
75  *   Scroll only when the user is already near the bottom.
76  */
77  useEffect(() => {
78    if (loading) {
79      return;
80    }
81
82    const element = messageListRef.current;
83
84    if (!element) {
85      return;
86    }
87
88    /*
89     * Older messages were prepended.
90     *
91     * Keep the same message in approximately the same
92     * visual position instead of jumping to the bottom.
93     */
94    if (!loadingOlder && preserveScrollRef.current) {
95      const previousScroll = preserveScrollRef.current;
96
97      const heightDifference =
98        element.scrollHeight - previousScroll.scrollHeight;
99
100     element.scrollTop = previousScroll.scrollTop + heightDifference;
101
102     preserveScrollRef.current = null;
103     previousMessageCountRef.current = messages.length;
104
105     updateNearBottom();
106
107     return;
108   }
109
110   /*
111    * First successful conversation load.
112    */
113   if (initialScrollPendingRef.current) {
114     scrollToBottom("auto");
115
116     initialScrollPendingRef.current = false;
117     previousMessageCountRef.current = messages.length;
118
119     updateNearBottom();
120
121     return;
122   }
123
124   /*
125    * New realtime message.
126    *
127    * Do not disturb someone who is reading older messages.
128    */
129   if (messages.length !== previousMessageCountRef.current) {
130     if (isNearBottomRef.current) {
131       scrollToBottom("smooth");
132     }
133
134     previousMessageCountRef.current = messages.length;
135
136     updateNearBottom();
137   }
138 }, [messages.length, loading, loadingOlder]);
139
140 const handleLoadOlder = async () => {

```

```

141     const element = messageListRef.current;
142
143     if (element) {
144         preserveScrollRef.current = {
145             scrollTop: element.scrollTop,
146             scrollHeight: element.scrollHeight,
147         };
148     }
149
150     try {
151         await onLoadOlder();
152     } catch {
153         /*
154          * Parent handles the actual error.
155          *
156          * Keeping this catch prevents the button handler
157          * from producing an unhandled promise rejection.
158          */
159     }
160 };
161
162 if (loading) {
163     return (
164         <div className={css("message-list-container")}>
165             <div className={css("message-list message-list-loading")}>
166                 Loading messages...
167             </div>
168         </div>
169     );
170 }
171
172 return (
173     <div className={css("message-list-container")}>
174         {hasOlderMessages && (
175             <div className={css("older-messages-bar")}>
176                 <button
177                     type="button"
178                     className={css("chat-secondary-button")}
179                     onClick={handleLoadOlder}
180                     disabled={loadingOlder}
181                 >
182                     {loadingOlder
183                         ? "Loading older messages..."
184                         : "↑ See older messages"}
185                 </button>
186             </div>
187         )}
188
189         <div
190             ref={messageListRef}
191             className={css("message-list")}
192             onScroll={handleScroll}
193         >
194             {messages.length === 0 && (
195                 <div className={css("message-empty")}>
196                     <p>No messages yet.</p>
197                     <p>Say hello 🙋</p>
198                 </div>
199             )}
200
201             {messages.map((message) => {
202                 const isOwnMessage =
203                     String(message.sender?.id) === String(currentUserId);
204
205                 return (
206                     <div
207                         key={message.id}
208                         className={css(`message-row ${
209                             isOwnMessage ? "message-row-own" : "message-row-other"
210                         }`)}

```

```

211         >
212         {!isOwnMessage && (
213             <UserAvatar
214                 name={message.sender?.name}
215                 image={message.sender?.profileImage}
216                 userId={message.sender?.id}
217                 size="small"
218             />
219         )}
220
221         <div
222             className={css(`message-bubble ${
223                 isOwnMessage ? "message-bubble-own" : "message-bubble-other"
224             }`)}
225         >
226             <p>{message.content}</p>
227
228             <span>
229                 {message.createdAt
230                     ? new Date(message.createdAt).toLocaleTimeString([], {
231                         hour: "2-digit",
232                         minute: "2-digit",
233                     })
234                     : ""}
235             </span>
236         </div>
237     </div>
238 );
239 }}}
240 </div>
241 </div>
242 );
243 };
244
245 export default MessageList;

```

src/components/chat/MessageList.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/chat/MessageList.jsx
2  +++ after/src/components/chat/MessageList.jsx
3  @@ -1,6 +1,10 @@
4  +import chatStyles from "../../styles/chat.module.css";
5  +import { bindStyles } from "../../utils/bindStyles";
6  import { useEffect, useLayoutEffect, useRef } from "react";
7
8  import UserAvatar from "../../users/UserAvatar";
9  +
10 +const css = bindStyles(chatStyles);
11
12  const MessageList = ({
13    messages,
14    @@ -157,8 +161,8 @@
15
16    if (loading) {
17      return (
18 -      <div className="message-list-container">
19 -      <div className="message-list message-list-loading">
20 +      <div className={css("message-list-container")}>
21 +      <div className={css("message-list message-list-loading")}>
22        Loading messages...
23      </div>
24    </div>
25    @@ -166,12 +170,12 @@
26  }
27
28  return (
29 -  <div className="message-list-container">
30 +  <div className={css("message-list-container")}>
31    {hasOlderMessages && (
32 -    <div className="older-messages-bar">
33 +    <div className={css("older-messages-bar")}>
34      <button
35        type="button"
36 -        className="chat-secondary-button"
37 +        className={css("chat-secondary-button")}
38        onClick={handleLoadOlder}
39        disabled={loadingOlder}
40      >
41    @@ -184,11 +188,11 @@
42
43    <div
44      ref={messageListRef}
45 -      className="message-list"
46 +      className={css("message-list")}
47      onScroll={handleScroll}
48    >
49      {messages.length === 0 && (
50 -      <div className="message-empty">
51 +      <div className={css("message-empty")}>
52        <p>No messages yet.</p>
53        <p>Say hello 🐼</p>
54      </div>
55    @@ -201,9 +205,9 @@
56      return (
57        <div
58          key={message.id}
59 -          className={`message-row ${
60 +          className={css(`message-row ${
61            isOwnMessage ? "message-row-own" : "message-row-other"
62          }}` }
63 +          `)}
64        >
65          {!isOwnMessage && (
66            <UserAvatar
67    @@ -215,9 +219,9 @@
68          )}
69
70        <div
```

src/components/chat/MessageList.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
71 -         className={`message-bubble ${
72 +         className={css(`message-bubble ${
73             isOwnMessage ? "message-bubble-own" : "message-bubble-other"
74 -         }}`}
75 +         }}`)}
76         >
77         <p>{message.content}</p>
78
```

```

1  import { useEffect, useId, useRef, useState } from "react";
2  import { Link, NavLink, useNavigate } from "react-router-dom";
3  import { useAuth } from "../../auth/AuthContext";
4  import { useNotifications } from "../../context/NotificationContext";
5  import styles from "../../styles/navbar.module.css";
6  import { bindStyles } from "../../utils/bindStyles";
7
8  const css = bindStyles(styles);
9  const links = [
10   ["/", "Home"], ["/friends", "Friends"], ["/messages", "Messages"],
11   ["/friend-requests", "Requests"], ["/notifications", "Notifications"],
12   ["/profile", "Profile"],
13 ];
14
15 export default function Navbar() {
16   const navigate = useNavigate();
17   const { user, logout } = useAuth();
18   const { unreadCount } = useNotifications();
19   const [menuOpen, setMenuOpen] = useState(false);
20   const menuId = useId();
21   const navRef = useRef(null);
22   const toggleRef = useRef(null);
23   const closeMenu = () => setMenuOpen(false);
24
25   useEffect(() => {
26     if (!menuOpen) return;
27     const onKeyDown = (event) => {
28       if (event.key === "Escape") {
29         setMenuOpen(false);
30         toggleRef.current?.focus();
31       }
32     };
33     const onPointerDown = (event) => {
34       if (!navRef.current?.contains(event.target)) setMenuOpen(false);
35     };
36     const desktop = window.matchMedia("(min-width: 901px)");
37     const onResize = (event) => { if (event.matches) setMenuOpen(false); };
38     document.addEventListener("keydown", onKeyDown);
39     document.addEventListener("pointerdown", onPointerDown);
40     desktop.addEventListener("change", onResize);
41     return () => {
42       document.removeEventListener("keydown", onKeyDown);
43       document.removeEventListener("pointerdown", onPointerDown);
44       desktop.removeEventListener("change", onResize);
45     };
46   }, [menuOpen]);
47
48   const handleLogout = async () => {
49     closeMenu();
50     await logout();
51     navigate("/login", { replace: true });
52   };
53   const renderLinks = (mobile = false) => links.map(([to, label]) => (
54     <NavLink
55       key={to} to={to} end={to === "/"} onClick={closeMenu}
56       className={({ isActive }) => css(
57         `${mobile ? "navbar-mobile-link" : "navbar-link"} ${isActive ? "active" : ""}`,
58       )}
59       aria-label={to === "/notifications" && unreadCount > 0
60         ? `Notifications, ${unreadCount} unread` : undefined}
61     >
62       <span>{label}</span>
63       {to === "/notifications" && unreadCount > 0 && (
64         <span className={css("notification-badge")} aria-hidden="true">
65           {unreadCount > 99 ? "99+" : unreadCount}
66         </span>
67       )}
68     </NavLink>
69   ));
70

```

```

71   return (
72     <>
73       <a className="skip-link" href="#main-content">Skip to content</a>
74       <nav
75         ref={navRef} className={css("navbar")} aria-label="Main navigation"
76         onBlur={(event) => {
77           if (!event.currentTarget.contains(event.relatedTarget)) closeMenu();
78         }}
79       >
80         <div className={css("navbar-left")}>
81           <Link to="/" className={css("navbar-brand")} onClick={closeMenu}>FrndBook</Link>
82         </div>
83         <div className={css("navbar-right")}>
84           {renderLinks()}
85           <span className={css("navbar-user")}>{user?.name}</span>
86           <button type="button" className={css("navbar-logout")} onClick={handleLogout}>Logout</button>
87         </div>
88         <button
89           ref={toggleRef} type="button" className={css("navbar-menu-toggle")}
90           onClick={() => setMenuOpen((current) => !current)}
91           aria-label={menuOpen ? "Close navigation menu" : "Open navigation menu"}
92           aria-expanded={menuOpen} aria-controls={menuId}
93         >
94           <span aria-hidden="true" /><span aria-hidden="true" /><span aria-hidden="true" />
95         </button>
96         <div id={menuId} className={css(`navbar-mobile-menu ${menuOpen ? "open" : ""}`)}>
97           <div className={css("navbar-mobile-user")}>
98             <span className={css("navbar-mobile-user-name")}>{user?.name || "Account"}</span>
99             {user?.email && <span className={css("navbar-mobile-user-email")}>{user.email}</span>}
100           </div>
101           {renderLinks(true)}
102           <button type="button" className={css("navbar-mobile-logout")} onClick={handleLogout}>Logout</button>
103         </div>
104       </nav>
105     </>
106   );
107 }

```

src/components/layout/Navbar.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/layout/Navbar.jsx
2  +++ after/src/components/layout/Navbar.jsx
3  @@ -1,152 +1,107 @@
4  -import { useState } from "react";
5  -import { Link, useNavigate } from "react-router-dom";
6  -
7  +import { useEffect, useId, useRef, useState } from "react";
8  +import { Link, NavLink, useNavigate } from "react-router-dom";
9  +import { useAuth } from "../../auth/AuthContext";
10 +import { useNotifications } from "../../context/NotificationContext";
11 +import styles from "../../styles/navbar.module.css";
12 +import { bindStyles } from "../../utils/bindStyles";
13
14 -const Navbar = () => {
15 +const css = bindStyles(styles);
16 +const links = [
17 +  ["/", "Home"], ["/friends", "Friends"], ["/messages", "Messages"],
18 +  ["/friend-requests", "Requests"], ["/notifications", "Notifications"],
19 +  ["/profile", "Profile"],
20 +];
21 +
22 +export default function Navbar() {
23   const navigate = useNavigate();
24 -
25   const { user, logout } = useAuth();
26   const { unreadCount } = useNotifications();
27 +  const [menuOpen, setMenuOpen] = useState(false);
28 +  const menuId = useId();
29 +  const navRef = useRef(null);
30 +  const toggleRef = useRef(null);
31 +  const closeMenu = () => setMenuOpen(false);
32
33 -  const [menuOpen, setMenuOpen] = useState(false);
34 -
35 -  const closeMenu = () => {
36 -    setMenuOpen(false);
37 -  };
38 +  useEffect(() => {
39 +    if (!menuOpen) return;
40 +    const onKeyDown = (event) => {
41 +      if (event.key === "Escape") {
42 +        setMenuOpen(false);
43 +        toggleRef.current?.focus();
44 +      }
45 +    };
46 +    const onPointerDown = (event) => {
47 +      if (!navRef.current?.contains(event.target)) setMenuOpen(false);
48 +    };
49 +    const desktop = window.matchMedia("(min-width: 901px)");
50 +    const onResize = (event) => { if (event.matches) setMenuOpen(false); };
51 +    document.addEventListener("keydown", onKeyDown);
52 +    document.addEventListener("pointerdown", onPointerDown);
53 +    desktop.addEventListener("change", onResize);
54 +    return () => {
55 +      document.removeEventListener("keydown", onKeyDown);
56 +      document.removeEventListener("pointerdown", onPointerDown);
57 +      desktop.removeEventListener("change", onResize);
58 +    };
59 +  }, [menuOpen]);
60
61   const handleLogout = async () => {
62     closeMenu();
63 -
64     await logout();
65 -
66 -    navigate("/login", {
67 -      replace: true,
68 -    });
69 +    navigate("/login", { replace: true });
70   };
```

```

71 +   const renderLinks = (mobile = false) => links.map(([to, label]) => (
72 +     <NavLink
73 +       key={to} to={to} end={to === "/"} onClick={closeMenu}
74 +       className={({ isActive }) => css(
75 +         `${mobile ? "navbar-mobile-link" : "navbar-link"} ${isActive ? "active" : ""}`,
76 +       ))
77 +       aria-label={to === "/notifications" && unreadCount > 0
78 +         ? `Notifications, ${unreadCount} unread` : undefined}
79 +     >
80 +       <span>{label}</span>
81 +       {to === "/notifications" && unreadCount > 0 && (
82 +         <span className={css("notification-badge")} aria-hidden="true">
83 +           {unreadCount > 99 ? "99+" : unreadCount}
84 +         </span>
85 +       )}
86 +     </NavLink>
87 +   ));
88
89   return (
90 -     <nav className="navbar">
91 -       <div className="navbar-left">
92 -         <Link to="/" className="navbar-brand" onClick={closeMenu}>
93 -           FrndBook
94 -         </Link>
95 -       </div>
96 -
97 -       { /* Desktop navigation */ }
98 -       <div className="navbar-right">
99 -         <Link to="/" className="navbar-link">
100 -           Home
101 -         </Link>
102 -
103 -         <Link to="/friends" className="navbar-link">
104 -           Friends
105 -         </Link>
106 -
107 -         <Link to="/messages" className="navbar-link">
108 -           Messages
109 -         </Link>
110 -
111 -         <Link to="/friend-requests" className="navbar-link">
112 -           Requests
113 -         </Link>
114 -
115 -         <Link to="/notifications" className="navbar-link">
116 -           Notifications
117 -           {unreadCount > 0 && (
118 -             <span className="notification-badge">
119 -               {unreadCount > 99 ? "99+" : unreadCount}
120 -             </span>
121 -           )}
122 -         </Link>
123 -
124 -         <Link to="/profile" className="navbar-link">
125 -           Profile
126 -         </Link>
127 -
128 -         <div className="navbar-user">
129 -           <span>{user?.name}</span>
130 +       <>
131 +         <a className="skip-link" href="#main-content">Skip to content</a>
132 +         <nav
133 +           ref={navRef} className={css("navbar")} aria-label="Main navigation"
134 +           onBlur={(event) => {
135 +             if (!event.currentTarget.contains(event.relatedTarget)) closeMenu();
136 +           }}
137 +         >
138 +           <div className={css("navbar-left")}>
139 +             <Link to="/" className={css("navbar-brand")} onClick={closeMenu}>FrndBook</Link>
140           </div>

```

```

141 -
142 -     <button type="button" className="navbar-logout" onClick={handleLogout}>
143 -         Logout
144 +     <div className={css("navbar-right")}>
145 +         {renderLinks()}
146 +         <span className={css("navbar-user")}>{user?.name}</span>
147 +         <button type="button" className={css("navbar-logout")} onClick={handleLogout}>Logout</button>
148 +     </div>
149 +     <button
150 +         ref={toggleRef} type="button" className={css("navbar-menu-toggle")}
151 +         onClick={() => setMenuOpen((current) => !current)}
152 +         aria-label={menuOpen ? "Close navigation menu" : "Open navigation menu"}
153 +         aria-expanded={menuOpen} aria-controls={menuId}
154 +     >
155 +         <span aria-hidden="true" /><span aria-hidden="true" /><span aria-hidden="true" />
156         </button>
157 -     </div>
158 -
159 -     {/* Mobile menu button */}
160 -     <button
161 -         type="button"
162 -         className="navbar-menu-toggle"
163 -         onClick={() => setMenuOpen((current) => !current)}
164 -         aria-label={menuOpen ? "Close navigation menu" : "Open navigation menu"}
165 -         aria-expanded={menuOpen}
166 -     >
167 -         <span />
168 -         <span />
169 -         <span />
170 -     </button>
171 -
172 -     {/* Mobile navigation */}
173 -     <div className={`navbar-mobile-menu ${menuOpen ? "open" : ""}`}>
174 -         <div className="navbar-mobile-user">
175 -             <span className="navbar-mobile-user-name">
176 -                 {user?.name || "Account"}
177 -             </span>
178 -
179 -             {user?.email && (
180 -                 <span className="navbar-mobile-user-email">{user.email}</span>
181 -             )}
182 +         <div id={menuId} className={css(`navbar-mobile-menu ${menuOpen ? "open" : ""}`)}>
183 +             <div className={css("navbar-mobile-user")}>
184 +                 <span className={css("navbar-mobile-user-name")}>{user?.name || "Account"}</span>
185 +                 {user?.email && <span className={css("navbar-mobile-user-email")}>{user.email}</span>}
186 +             </div>
187 +             {renderLinks(true)}
188 +             <button type="button" className={css("navbar-mobile-logout")} onClick={handleLogout}>Logout</button>
189         </div>
190 -
191 -         <Link to="/" className="navbar-mobile-link" onClick={closeMenu}>
192 -             Home
193 -         </Link>
194 -
195 -         <Link to="/friends" className="navbar-mobile-link" onClick={closeMenu}>
196 -             Friends
197 -         </Link>
198 -
199 -         <Link to="/messages" className="navbar-mobile-link" onClick={closeMenu}>
200 -             Messages
201 -         </Link>
202 -
203 -         <Link
204 -             to="/friend-requests"
205 -             className="navbar-mobile-link"
206 -             onClick={closeMenu}
207 -         >
208 -             Requests
209 -         </Link>
210 -

```

```
211 -     <Link
212 -       to="/notifications"
213 -       className="navbar-mobile-link"
214 -       onClick={closeMenu}
215 -     >
216 -       <span>Notifications</span>
217 -
218 -       {unreadCount > 0 && (
219 -         <span className="notification-badge">
220 -           {unreadCount > 99 ? "99+" : unreadCount}
221 -         </span>
222 -       )}
223 -     </Link>
224 -
225 -     <Link to="/profile" className="navbar-mobile-link" onClick={closeMenu}>
226 -       Profile
227 -     </Link>
228 -
229 -     <button
230 -       type="button"
231 -       className="navbar-mobile-logout"
232 -       onClick={handleLogout}
233 -     >
234 -       Logout
235 -     </button>
236 -   </div>
237 - </nav>
238 +   </nav>
239 + </>
240 );
241 -};
242 -
243 -export default Navbar;
244 +}
```

```
1 import { useId } from "react";
2 import styles from "../feedback.module.css";
3
4 export default function FormField({
5   label, id, as: Control = "input", hint, error, className = "", ...props
6 }) {
7   const generatedId = useId();
8   const controlId = id || generatedId;
9   const description = [props["aria-describedby"], hint && `${controlId}-hint`, error && `${controlId}-error`]
10    .filter(Boolean).join(" ") || undefined;
11   return (
12     <div className={styles.field}>
13       <label htmlFor={controlId}>{label}</label>
14       <Control
15         {...props}
16         id={controlId}
17         className={`${styles.control} ${className}`.trim()}
18         aria-describedby={description}
19         aria-invalid={error ? true : props["aria-invalid"]}
20       />
21       {hint && <span id={`${controlId}-hint`} className={styles.hint}>{hint}</span>}
22       {error && <span id={`${controlId}-error`} className={styles.fieldError}>{error}</span>}
23     </div>
24   );
25 }
```

```
1 --- /dev/null
2 +++ after/src/components/ui/FormField.jsx
3 @@ -0,0 +1,25 @@
4 +import { useId } from "react";
5 +import styles from "../feedback.module.css";
6 +
7 +export default function FormField({
8 +  label, id, as: Control = "input", hint, error, className = "", ...props
9 +}) {
10 +  const generatedId = useId();
11 +  const controlId = id || generatedId;
12 +  const description = [props["aria-describedby"], hint && `${controlId}-hint`, error && `${controlId}-error`]
13 +    .filter(Boolean).join(" ") || undefined;
14 +  return (
15 +    <div className={styles.field}>
16 +      <label htmlFor={controlId}>{label}</label>
17 +      <Control
18 +        {...props}
19 +        id={controlId}
20 +        className={` ${styles.control} ${className}`.trim()}
21 +        aria-describedby={description}
22 +        aria-invalid={error ? true : props["aria-invalid"]}
23 +      />
24 +      {hint && <span id={`${controlId}-hint`} className={styles.hint}>{hint}</span>}
25 +      {error && <span id={`${controlId}-error`} className={styles.fieldError}>{error}</span>}
26 +    </div>
27 +  );
28 +}
```

src/components/ui/PageContainer.jsx

FULL CURRENT CONTENT

```
1 import styles from "../foundation.module.css";
2
3 /** Shared page geometry. Feature classes own maximum width and responsive overrides. */
4 export default function PageContainer({ className = "", children, ...props }) {
5   return (
6     <main id="main-content" tabIndex=-1 {...props} className={` ${styles.page} ${className}`.trim()}>
7       {children}
8     </main>
9   );
10 }
```

src/components/ui/PageContainer.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1 --- before/src/components/ui/PageContainer.jsx
2 +++ after/src/components/ui/PageContainer.jsx
3 @@ -3,7 +3,7 @@
4  /** Shared page geometry. Feature classes own maximum width and responsive overrides. */
5  export default function PageContainer({ className = "", children, ...props }) {
6    return (
7 -    <main {...props} className={` ${styles.page} ${className}`.trim()}>
8 +    <main id="main-content" tabIndex=-1 {...props} className={` ${styles.page} ${className}`.trim()}>
9      {children}
10    </main>
11  );
```

src/components/ui/StatusMessage.jsx

FULL CURRENT CONTENT

```
1 import styles from "../feedback.module.css";
2
3 export default function StatusMessage({ tone = "error", children, className = "" }) {
4   if (!children) return null;
5   return (
6     <div
7       role={tone === "error" ? "alert" : "status"}
8       className={` ${styles.message} ${styles[tone]} || styles.info} ${className}`.trim()}
9     >
10      {children}
11    </div>
12  );
13 }
```

src/components/ui/StatusMessage.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1 --- /dev/null
2 +++ after/src/components/ui/StatusMessage.jsx
3 @@ -0,0 +1,13 @@
4 +import styles from "../feedback.module.css";
5 +
6 +export default function StatusMessage({ tone = "error", children, className = "" }) {
7 +  if (!children) return null;
8 +  return (
9 +    <div
10 +      role={tone === "error" ? "alert" : "status"}
11 +      className={` ${styles.message} ${styles[tone]} || styles.info} ${className}`.trim()}
12 +    >
13 +      {children}
14 +    </div>
15 +  );
16 +}
```

```
1  .field {
2    display: flex;
3    flex-direction: column;
4    gap: 6px;
5    min-width: 0;
6  }
7
8  .field label {
9    color: var(--color-text);
10   font-size: 14px;
11   font-weight: 600;
12 }
13
14 .control {
15   width: 100%;
16   min-height: var(--control-height);
17   padding: 11px 12px;
18   border: 1px solid var(--color-control-border);
19   border-radius: var(--radius-md);
20   background: var(--color-surface);
21   color: var(--color-text);
22 }
23
24 .control:disabled {
25   background: var(--color-disabled);
26   color: var(--color-text-secondary);
27 }
28
29 .control[aria-invalid="true"] {
30   border-color: var(--color-danger);
31 }
32
33 .control:focus-visible {
34   outline: 2px solid var(--color-focus);
35   outline-offset: 2px;
36 }
37
38 .hint {
39   color: var(--color-text-secondary);
40   font-size: 13px;
41 }
42
43 .fieldError {
44   color: var(--color-danger);
45   font-size: 13px;
46 }
47
48 .message {
49   padding: 12px 14px;
50   margin: 10px 0;
51   border-radius: var(--radius-md);
52   border-inline-start: 3px solid;
53   overflow-wrap: anywhere;
54 }
55
56 .error {
57   color: var(--color-danger);
58   background: var(--color-danger-surface);
59 }
60
61 .success {
62   color: var(--color-success);
63   background: var(--color-success-surface);
64 }
65
66 .info {
67   color: var(--color-text-secondary);
68   background: var(--color-selected);
69 }
```

```
1 --- /dev/null
2 +++ after/src/components/ui/feedback.module.css
3 @@ -0,0 +1,69 @@
4 +.field {
5 +  display: flex;
6 +  flex-direction: column;
7 +  gap: 6px;
8 +  min-width: 0;
9 +}
10 +
11 +.field label {
12 +  color: var(--color-text);
13 +  font-size: 14px;
14 +  font-weight: 600;
15 +}
16 +
17 +.control {
18 +  width: 100%;
19 +  min-height: var(--control-height);
20 +  padding: 11px 12px;
21 +  border: 1px solid var(--color-control-border);
22 +  border-radius: var(--radius-md);
23 +  background: var(--color-surface);
24 +  color: var(--color-text);
25 +}
26 +
27 +.control:disabled {
28 +  background: var(--color-disabled);
29 +  color: var(--color-text-secondary);
30 +}
31 +
32 +.control[aria-invalid="true"] {
33 +  border-color: var(--color-danger);
34 +}
35 +
36 +.control:focus-visible {
37 +  outline: 2px solid var(--color-focus);
38 +  outline-offset: 2px;
39 +}
40 +
41 +.hint {
42 +  color: var(--color-text-secondary);
43 +  font-size: 13px;
44 +}
45 +
46 +.fieldError {
47 +  color: var(--color-danger);
48 +  font-size: 13px;
49 +}
50 +
51 +.message {
52 +  padding: 12px 14px;
53 +  margin: 10px 0;
54 +  border-radius: var(--radius-md);
55 +  border-inline-start: 3px solid;
56 +  overflow-wrap: anywhere;
57 +}
58 +
59 +.error {
60 +  color: var(--color-danger);
61 +  background: var(--color-danger-surface);
62 +}
63 +
64 +.success {
65 +  color: var(--color-success);
66 +  background: var(--color-success-surface);
67 +}
68 +
69 +.info {
70 +  color: var(--color-text-secondary);
```

src/components/ui/feedback.module.css

UNIFIED DIFF: + ADDED / - REMOVED

```
71 + background: var(--color-selected);  
72 +}
```

FULL CURRENT CONTENT

```
1 :where(.page) {
2   width: 100%;
3   margin: 0 auto;
4   padding: var(--page-padding-y) var(--page-padding-x);
5 }
6
7 :where(.card) {
8   padding: 30px;
9   background: var(--color-surface);
10  border-radius: var(--radius-xl);
11  box-shadow: var(--shadow-card);
12 }
13
14 .button {
15   min-height: var(--control-height);
16   padding: 12px;
17   border: none;
18   border-radius: var(--radius-sm);
19   background: var(--color-primary);
20   color: var(--color-on-primary);
21   font-weight: 600;
22   transition: background var(--transition-fast), transform var(--transition-fast);
23 }
24
25 .button:disabled {
26   opacity: 0.6;
27 }
28
29 .button:hover:not(:disabled) {
30   background: var(--color-primary-hover);
31 }
32
33 .button:disabled {
34   cursor: not-allowed;
35 }
```

src/components/ui/foundation.module.css

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/ui/foundation.module.css
2  +++ after/src/components/ui/foundation.module.css
3  @@ -1,4 +1,3 @@
4  -/* Low specificity lets feature classes retain existing dimensions and breakpoints. */
5  :where(.page) {
6    width: 100%;
7    margin: 0 auto;
8  @@ -26,3 +25,11 @@
9    .button:disabled {
10      opacity: 0.6;
11    }
12  +
13  +.button:hover:not(:disabled) {
14  +  background: var(--color-primary-hover);
15  +}
16  +
17  +.button:disabled {
18  +  cursor: not-allowed;
19  +}
```

```

1  import friendsStyles from "../../styles/friends.module.css";
2  import { bindStyles } from "../../utils/bindStyles";
3  import { FRIENDSHIP_STATUS } from "../../utils/friendship";
4
5  const css = bindStyles(friendsStyles);
6
7  const FriendAction = ({
8    status,
9    onAdd,
10   onAccept,
11   onReject,
12   onRemove,
13   onMessage,
14   loading = false,
15 }) => {
16   // =====
17   // NO FRIENDSHIP
18   // =====
19
20   if (status === FRIENDSHIP_STATUS.NONE) {
21     return (
22       <button
23         type="button"
24         className={css("friend-action-button primary")}
25         onClick={onAdd}
26         disabled={loading}
27       >
28         {loading ? "Sending..." : "Add Friend"}
29       </button>
30     );
31   }
32
33   // =====
34   // REQUEST SENT
35   // =====
36
37   if (status === FRIENDSHIP_STATUS.REQUEST_SENT) {
38     return (
39       <button type="button" className={css("friend-action-button secondary")} disabled>
40         Request Sent
41       </button>
42     );
43   }
44
45   // =====
46   // REQUEST RECEIVED
47   // =====
48
49   if (status === FRIENDSHIP_STATUS.REQUEST_RECEIVED) {
50     return (
51       <div className={css("friend-action-group")}>
52         <button
53           type="button"
54           className={css("friend-action-button primary")}
55           onClick={onAccept}
56           disabled={loading}
57         >
58           {loading ? "Accepting..." : "Accept"}
59         </button>
60
61         <button
62           type="button"
63           className={css("friend-action-button secondary")}
64           onClick={onReject}
65           disabled={loading}
66         >
67           Reject
68         </button>
69       </div>
70     );

```

```
71   }
72
73   // =====
74   // FRIENDS
75   // =====
76
77   if (status === FRIENDSHIP_STATUS.FRIENDS) {
78     return (
79       <div className={css("friend-action-group")}>
80         <span className={css("friend-status-label")}>✓ Friends</span>
81
82         <button
83           type="button"
84           className={css("friend-action-button primary")}
85           onClick={onMessage}
86           disabled={loading}
87         >
88           Message
89         </button>
90
91         <button
92           type="button"
93           className={css("friend-action-button danger")}
94           onClick={onRemove}
95           disabled={loading}
96         >
97           {loading ? "Removing..." : "Remove Friend"}
98         </button>
99       </div>
100     );
101   }
102
103   return null;
104 };
105
106 export default FriendAction;
```

src/components/users/FriendAction.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/users/FriendAction.jsx
2  +++ after/src/components/users/FriendAction.jsx
3  @@ -1,4 +1,8 @@
4  +import friendsStyles from "../../styles/friends.module.css";
5  +import { bindStyles } from "../../utils/bindStyles";
6  import { FRIENDSHIP_STATUS } from "../../utils/friendship";
7  +
8  +const css = bindStyles(friendsStyles);
9
10 const FriendAction = ({
11   status,
12 @@ -17,7 +21,7 @@
13   return (
14     <button
15       type="button"
16 -     className="friend-action-button primary"
17 +     className={css("friend-action-button primary")}
18       onClick={onAdd}
19       disabled={loading}
20     >
21 @@ -32,7 +36,7 @@
22
23   if (status === FRIENDSHIP_STATUS.REQUEST_SENT) {
24     return (
25 -     <button type="button" className="friend-action-button secondary" disabled>
26 +     <button type="button" className={css("friend-action-button secondary")} disabled>
27       Request Sent
28     </button>
29   );
30 @@ -44,10 +48,10 @@
31
32   if (status === FRIENDSHIP_STATUS.REQUEST_RECEIVED) {
33     return (
34 -     <div className="friend-action-group">
35 +     <div className={css("friend-action-group")}>
36       <button
37         type="button"
38 -       className="friend-action-button primary"
39 +       className={css("friend-action-button primary")}
40         onClick={onAccept}
41         disabled={loading}
42       >
43 @@ -56,7 +60,7 @@
44
45       <button
46         type="button"
47 -       className="friend-action-button secondary"
48 +       className={css("friend-action-button secondary")}
49         onClick={onReject}
50         disabled={loading}
51       >
52 @@ -72,12 +76,12 @@
53
54   if (status === FRIENDSHIP_STATUS.FRIENDS) {
55     return (
56 -     <div className="friend-action-group">
57 -     <span className="friend-status-label">✓ Friends</span>
58 +     <div className={css("friend-action-group")}>
59 +     <span className={css("friend-status-label")}>✓ Friends</span>
60
61     <button
62       type="button"
63 -     className="friend-action-button primary"
64 +     className={css("friend-action-button primary")}
65       onClick={onMessage}
66       disabled={loading}
67     >
68 @@ -86,7 +90,7 @@
69
70     <button
```

src/components/users/FriendAction.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
71         type="button"
72 -         className="friend-action-button danger"
73 +         className={css("friend-action-button danger")}
74         onClick={onRemove}
75         disabled={loading}
76     >
```

```

1  import friendsStyles from "../../styles/friends.module.css";
2  import { bindStyles } from "../../utils/bindStyles";
3  import { Link, useNavigate } from "react-router-dom";
4
5  import UserAvatar from "./UserAvatar";
6
7  const css = bindStyles(friendsStyles);
8
9  const FriendCard = ({ friend, onRemove, removing = false }) => {
10   const navigate = useNavigate();
11
12   if (!friend) {
13     return null;
14   }
15
16   const handleMessage = () => {
17     navigate(`/messages?userId=${friend.id}`);
18   };
19
20   return (
21     <div className={css("friend-card")}>
22       <Link to={`/users/${friend.id}`} className={css("friend-card-main")}>
23         <UserAvatar
24           name={friend.name}
25           image={friend.profileImage}
26           userId={friend.id}
27           size="medium"
28         />
29
30         <div className={css("friend-card-info")}>
31           <h3>{friend.name || "Unknown User"}</h3>
32
33           <p>{friend.bio || "No bio available"}</p>
34
35           <span className={css("friend-card-status")}>{friend.status || "-"}</span>
36         </div>
37       </Link>
38
39       <div className={css("friend-card-actions")}>
40         <button
41           type="button"
42           className={css("friend-message-button")}
43           onClick={handleMessage}
44         >
45           Message
46         </button>
47
48         <button
49           type="button"
50           className={css("friend-remove-button")}
51           onClick={() => onRemove(friend)}
52           disabled={removing}
53         >
54           {removing ? "Removing..." : "Remove"}
55         </button>
56       </div>
57     </div>
58   );
59 };
60
61 export default FriendCard;

```

src/components/users/FriendCard.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/users/FriendCard.jsx
2  +++ after/src/components/users/FriendCard.jsx
3  @@ -1,6 +1,10 @@
4  +import friendsStyles from "../../styles/friends.module.css";
5  +import { bindStyles } from "../../utils/bindStyles";
6  import { Link, useNavigate } from "react-router-dom";
7
8  import UserAvatar from "../UserAvatar";
9  +
10 +const css = bindStyles(friendsStyles);
11
12  const FriendCard = ({ friend, onRemove, removing = false }) => {
13    const navigate = useNavigate();
14    @@ -14,8 +18,8 @@
15    };
16
17    return (
18 -    <div className="friend-card">
19 -    <Link to={`/users/${friend.id}`} className="friend-card-main">
20 +    <div className={css("friend-card")}>
21 +    <Link to={`/users/${friend.id}`} className={css("friend-card-main")}>
22      <UserAvatar
23        name={friend.name}
24        image={friend.profileImage}
25    @@ -23,19 +27,19 @@
26        size="medium"
27      />
28
29 -    <div className="friend-card-info">
30 +    <div className={css("friend-card-info")}>
31      <h3>{friend.name || "Unknown User"}</h3>
32
33      <p>{friend.bio || "No bio available"}</p>
34
35 -    <span className="friend-card-status">{friend.status || "-"}</span>
36 +    <span className={css("friend-card-status")}>{friend.status || "-"}</span>
37    </div>
38    </Link>
39
40 -    <div className="friend-card-actions">
41 +    <div className={css("friend-card-actions")}>
42      <button
43        type="button"
44 -    className="friend-message-button"
45 +    className={css("friend-message-button")}
46        onClick={handleMessage}
47      >
48        Message
49    @@ -43,7 +47,7 @@
50
51      <button
52        type="button"
53 -    className="friend-remove-button"
54 +    className={css("friend-remove-button")}
55        onClick={() => onRemove(friend)}
56        disabled={removing}
57      >
```

```

1  import friendsStyles from "../../styles/friends.module.css";
2  import { bindStyles } from "../../utils/bindStyles";
3  import { Link } from "react-router-dom";
4
5  import UserAvatar from "./UserAvatar";
6
7  const css = bindStyles(friendsStyles);
8
9  const FriendRequestCard = ({
10    request,
11    type,
12    onAccept,
13    onReject,
14    actionLoading = false,
15  }) => {
16    if (!request) {
17      return null;
18    }
19
20    const isReceived = type === "received";
21
22    const person = isReceived ? request.sender : request.receiver;
23
24    if (!person) {
25      return null;
26    }
27
28    return (
29      <div className={css("friend-request-card")}>
30        <Link to={` /users/${person.id}`} className={css("friend-request-main")}>
31          <UserAvatar
32            name={person.name}
33            image={person.profileImage}
34            userId={person.id}
35            size="medium"
36          />
37
38          <div className={css("friend-request-info")}>
39            <h3>{person.name || "Unknown User"}</h3>
40
41            <p>{person.bio || "No bio available"}</p>
42
43            <span>
44              {request.createdAt
45                ? new Date(request.createdAt).toLocaleString()
46                : "-"}
47            </span>
48          </div>
49        </Link>
50
51        {isReceived ? (
52          <div className={css("friend-request-actions")}>
53            <button
54              type="button"
55              className={css("friend-action-button primary")}
56              onClick={() => onAccept(request.id)}
57              disabled={actionLoading}
58            >
59              {actionLoading ? "Accepting..." : "Accept"}
60            </button>
61
62            <button
63              type="button"
64              className={css("friend-action-button secondary")}
65              onClick={() => onReject(request.id)}
66              disabled={actionLoading}
67            >
68              Reject
69            </button>
70          </div>

```

src/components/users/FriendRequestCard.jsx

FULL CURRENT CONTENT

```
71      ) : (  
72        <span className={css("friend-request-sent-label")}>Request Sent</span>  
73      )}  
74    </div>  
75  );  
76  };  
77  
78  export default FriendRequestCard;
```

src/components/users/FriendRequestCard.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/users/FriendRequestCard.jsx
2  +++ after/src/components/users/FriendRequestCard.jsx
3  @@ -1,6 +1,10 @@
4  +import friendsStyles from "../../styles/friends.module.css";
5  +import { bindStyles } from "../../utils/bindStyles";
6  import { Link } from "react-router-dom";
7
8  import UserAvatar from "../UserAvatar";
9  +
10 +const css = bindStyles(friendsStyles);
11
12  const FriendRequestCard = ({
13    request,
14  @@ -22,8 +26,8 @@
15  })
16
17  return (
18  -   <div className="friend-request-card">
19  -     <Link to={`/users/${person.id}`} className="friend-request-main">
20  +   <div className={css("friend-request-card")}>
21  +     <Link to={`/users/${person.id}`} className={css("friend-request-main")}>
22       <UserAvatar
23         name={person.name}
24         image={person.profileImage}
25  @@ -31,7 +35,7 @@
26         size="medium"
27       />
28
29  -   <div className="friend-request-info">
30  +   <div className={css("friend-request-info")}>
31     <h3>{person.name || "Unknown User"}</h3>
32
33     <p>{person.bio || "No bio available"}</p>
34  @@ -45,10 +49,10 @@
35     </Link>
36
37     {isReceived ? (
38  -     <div className="friend-request-actions">
39  +     <div className={css("friend-request-actions")}>
40       <button
41         type="button"
42  -     className="friend-action-button primary"
43  +     className={css("friend-action-button primary")}
44         onClick={() => onAccept(request.id)}
45         disabled={actionLoading}
46       >
47  @@ -57,7 +61,7 @@
48
49       <button
50         type="button"
51  -     className="friend-action-button secondary"
52  +     className={css("friend-action-button secondary")}
53         onClick={() => onReject(request.id)}
54         disabled={actionLoading}
55       >
56  @@ -65,7 +69,7 @@
57     </button>
58   </div>
59   ) : (
60  -   <span className="friend-request-sent-label">Request Sent</span>
61  +   <span className={css("friend-request-sent-label")}>Request Sent</span>
62   )}
63 </div>
64 );
```

```
1 import usersStyles from "../../styles/users.module.css";
2 import { bindStyles } from "../../utils/bindStyles";
3 import { useEffect, useState } from "react";
4
5 const css = bindStyles(usersStyles);
6
7 const UserAvatar = ({ name, image, userId, size = "medium" }) => {
8   const firstLetter = name?.trim()?.charAt(0)?.toUpperCase() || "?";
9
10  const [imageError, setImageError] = useState(false);
11
12  // CHANGE: Add the profileImage value as a cache-busting version.
13  // This forces the browser to request the new image when the image changes.
14  const imageUrl =
15    image && userId
16      ? `${import.meta.env.VITE_API_BASE_URL}/api/users/${userId}/profile-image?v=${encodeURIComponent(image)}`
17      : null;
18
19  useEffect(() => {
20    setImageError(false);
21  }, [imageUrl]);
22
23  if (!imageUrl || imageError) {
24    return (
25      <div className={css(`user-avatar user-avatar-placeholder ${size}`)}>
26        {firstLetter}
27      </div>
28    );
29  }
30
31  return (
32    <img
33      src={imageUrl}
34      alt={name || "User"}
35      className={css(`user-avatar ${size}`)}
36      onError={() => setImageError(true)}
37    />
38  );
39 };
40
41 export default UserAvatar;
```

src/components/users/UserAvatar.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/users/UserAvatar.jsx
2  +++ after/src/components/users/UserAvatar.jsx
3  @@ -1,4 +1,8 @@
4  +import usersStyles from "../../styles/users.module.css";
5  +import { bindStyles } from "../../utils/bindStyles";
6  import { useEffect, useState } from "react";
7  +
8  +const css = bindStyles(usersStyles);
9
10 const UserAvatar = ({ name, image, userId, size = "medium" }) => {
11   const firstLetter = name?.trim()?.charAt(0)?.toUpperCase() || "?";
12   @@ -18,7 +22,7 @@
13
14   if (!imageUrl || imageUrl === "") {
15     return (
16 -     <div className={`user-avatar user-avatar-placeholder ${size}`}>
17 +     <div className={css(`user-avatar user-avatar-placeholder ${size}`)}>
18       {firstLetter}
19     </div>
20   );
21   @@ -28,7 +32,7 @@
22   <img
23     src={imageUrl}
24     alt={name || "User"}
25 -     className={`user-avatar ${size}`}
26 +     className={css(`user-avatar ${size}`)}
27     onError={() => setImageError(true)}
28   />
29   );
```

```
1 import usersStyles from "../../styles/users.module.css";
2 import { bindStyles } from "../../utils/bindStyles";
3 import { Link } from "react-router-dom";
4
5 import UserAvatar from "./UserAvatar";
6
7 const css = bindStyles(usersStyles);
8
9 const UserCard = ({ user, onClick }) => {
10   if (!user) {
11     return null;
12   }
13
14   const handleClick = () => {
15     if (onClick) {
16       onClick(user);
17     }
18   };
19
20   return (
21     <Link to={` /users/${user.id}`} className={css("user-card")} onClick={handleClick}>
22       <UserAvatar
23         name={user.name}
24         image={user.profileImage}
25         userId={user.id}
26         size="medium"
27       />
28
29       <div className={css("user-card-info")}>
30         <h3>{user.name || "Unknown User"}</h3>
31
32         {user.bio ? <p>{user.bio}</p> : <p>No bio available</p>}
33       </div>
34     </Link>
35   );
36 };
37
38 export default UserCard;
```

src/components/users/UserCard.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/users/UserCard.jsx
2  +++ after/src/components/users/UserCard.jsx
3  @@ -1,6 +1,10 @@
4  +import usersStyles from "../../styles/users.module.css";
5  +import { bindStyles } from "../../utils/bindStyles";
6  import { Link } from "react-router-dom";
7
8  import UserAvatar from "./UserAvatar";
9  +
10 +const css = bindStyles(usersStyles);
11
12  const UserCard = ({ user, onClick }) => {
13    if (!user) {
14  @@ -14,7 +18,7 @@
15    };
16
17    return (
18  -    <Link to={` /users/${user.id}`} className="user-card" onClick={handleClick}>
19  +    <Link to={` /users/${user.id}`} className={css("user-card")} onClick={handleClick}>
20      <UserAvatar
21        name={user.name}
22        image={user.profileImage}
23  @@ -22,7 +26,7 @@
24        size="medium"
25      />
26
27  -    <div className="user-card-info">
28  +    <div className={css("user-card-info")}>
29      <h3>{user.name || "Unknown User"}</h3>
30
31      {user.bio ? <p>{user.bio}</p> : <p>No bio available</p>}
```

```

1  import usersStyles from "../../styles/users.module.css";
2  import { bindStyles } from "../../utils/bindStyles";
3  import StatusMessage from "../../ui/StatusMessage";
4  import { useEffect, useState } from "react";
5
6  import {
7    addRecentSearch,
8    clearRecentSearches,
9    getRecentSearches,
10   searchUsers,
11 } from "../../api/userApi";
12
13 import { useAuth } from "../../auth/AuthContext";
14
15 import UserCard from "../UserCard";
16
17 const css = bindStyles(usersStyles);
18
19 const UserSearch = () => {
20   const { user: currentUser } = useAuth();
21
22   const [searchTerm, setSearchTerm] = useState("");
23
24   const [results, setResults] = useState([]);
25
26   const [recentSearches, setRecentSearches] = useState([]);
27
28   const [page, setPage] = useState(0);
29
30   const [totalPages, setTotalPages] = useState(0);
31
32   const [loading, setLoading] = useState(false);
33
34   const [recentLoading, setRecentLoading] = useState(true);
35
36   const [error, setError] = useState("");
37
38   // =====
39   // LOAD RECENT SEARCHES
40   // =====
41
42   useEffect(() => {
43     const loadRecentSearches = async () => {
44       try {
45         setRecentLoading(true);
46
47         const data = await getRecentSearches();
48
49         setRecentSearches(data || []);
50       } catch (error) {
51         console.error("Failed to load recent searches:", error);
52       } finally {
53         setRecentLoading(false);
54       }
55     };
56
57     loadRecentSearches();
58   }, []);
59
60   // =====
61   // SEARCH
62   // =====
63
64   useEffect(() => {
65     const trimmedSearch = searchTerm.trim();
66
67     if (!trimmedSearch) {
68       setResults([]);
69
70       setPage(0);

```

```

71
72     setTotalPages(0);
73
74     setError("");
75
76     return;
77 }
78
79 const timer = setTimeout(async () => {
80     try {
81         setLoading(true);
82
83         setError("");
84
85         const data = await searchUsers(trimmedSearch, 0, 10);
86
87         const users = data?.content || [];
88
89         /*
90          * Don't show the currently logged-in
91          * user in user search.
92          */
93
94         const filteredUsers = users.filter(
95             (searchedUser) => searchedUser.id !== currentUser?.id,
96         );
97
98         setResults(filteredUsers);
99
100        setPage(data?.number ?? 0);
101
102        setTotalPages(data?.totalPages ?? 0);
103    } catch (error) {
104        console.error("User search failed:", error);
105
106        setError(error.response?.data?.message || "Unable to search users");
107
108        setResults([]);
109    } finally {
110        setLoading(false);
111    }
112 }, 400);
113
114 return () => {
115     clearTimeout(timer);
116 };
117 }, [searchTerm, currentUser?.id]);
118
119 // =====
120 // LOAD PAGE
121 // =====
122
123 const loadPage = async (nextPage) => {
124     if (!searchTerm.trim()) {
125         return;
126     }
127
128     try {
129         setLoading(true);
130
131         setError("");
132
133         const data = await searchUsers(searchTerm.trim(), nextPage, 10);
134
135         const users = data?.content || [];
136
137         const filteredUsers = users.filter(
138             (searchedUser) => searchedUser.id !== currentUser?.id,
139         );
140

```

```

141     setResults(filteredUsers);
142
143     setPage(data?.number ?? nextPage);
144
145     setTotalPages(data?.totalPages ?? 0);
146   } catch (error) {
147     console.error("Failed to load search page:", error);
148
149     setError(error.response?.data?.message || "Unable to load results");
150   } finally {
151     setLoading(false);
152   }
153 };
154
155 // =====
156 // USER CLICK
157 // =====
158
159 const handleUserClick = async (selectedUser) => {
160   try {
161     await addRecentSearch(selectedUser.id);
162
163     /*
164      * Refresh recent searches so the UI
165      * immediately reflects the backend state.
166      */
167
168     const updatedRecentSearches = await getRecentSearches();
169
170     setRecentSearches(updatedRecentSearches || []);
171   } catch (error) {
172     console.error("Failed to save recent search:", error);
173   }
174 };
175
176 // =====
177 // CLEAR RECENT SEARCHES
178 // =====
179
180 const handleClearRecentSearches = async () => {
181   try {
182     await clearRecentSearches();
183
184     setRecentSearches([]);
185   } catch (error) {
186     console.error("Failed to clear recent searches:", error);
187   }
188 };
189
190 return (
191   <section className={css("user-search")}>
192     <div className={css("section-header")}>
193       <h2>Find People</h2>
194     </div>
195
196     <input
197       type="text"
198       className={css("search-input")}
199       aria-label="Search people by name"
200       placeholder="Search users by name..."
201       value={searchTerm}
202       onChange={(event) => setSearchTerm(event.target.value)}
203     />
204
205     {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
206
207     {loading && <p className={css("search-status")}>Searching...</p>}
208
209     {!loading && searchTerm.trim() && results.length === 0 && !error && (
210       <p className={css("search-status")}>No users found.</p>

```

```

211     })
212
213     <div className={css("user-results")}>
214       {results.map((searchedUser) => (
215         <UserCard
216           key={searchedUser.id}
217           user={searchedUser}
218           onClick={handleUserClick}
219         />
220       ))}
221     </div>
222
223     {totalPages > 1 && searchTerm.trim() && (
224       <div className={css("pagination")}>
225         <button
226           disabled={loading || page === 0}
227           onClick={() => loadPage(page - 1)}
228         >
229           Previous
230         </button>
231
232         <span>
233           Page {page + 1} of {totalPages}
234         </span>
235
236         <button
237           disabled={loading || page >= totalPages - 1}
238           onClick={() => loadPage(page + 1)}
239         >
240           Next
241         </button>
242       </div>
243     )}
244
245     {!searchTerm.trim() && (
246       <section className={css("recent-searches")}>
247         <div className={css("section-header")}>
248           <h3>Recent Searches</h3>
249
250           {recentSearches.length > 0 && (
251             <button
252               className={css("text-button")}
253               onClick={handleClearRecentSearches}
254             >
255               Clear
256             </button>
257           )}
258         </div>
259
260         {recentLoading && (
261           <p className={css("search-status")}>Loading recent searches...</p>
262         )}
263
264         {!recentLoading && recentSearches.length === 0 && (
265           <p className={css("search-status")}>No recent searches.</p>
266         )}
267
268         <div className={css("user-results")}>
269           {recentSearches.map((recentUser) => (
270             <UserCard
271               key={recentUser.id}
272               user={recentUser}
273               onClick={handleUserClick}
274             />
275           ))}
276         </div>
277       </section>
278     )}
279   </section>
280 );

```

src/components/users/UserSearch.jsx

FULL CURRENT CONTENT

```
281  };  
282  
283  export default UserSearch;
```

src/components/users/UserSearch.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/components/users/UserSearch.jsx
2  +++ after/src/components/users/UserSearch.jsx
3  @@ -1,3 +1,6 @@
4  +import usersStyles from "../../styles/users.module.css";
5  +import { bindStyles } from "../../utils/bindStyles";
6  +import StatusMessage from "../../ui/StatusMessage";
7  import { useEffect, useState } from "react";
8
9  import {
10 @@ -10,6 +13,8 @@
11   import { useAuth } from "../../auth/AuthContext";
12
13   import UserCard from "../UserCard";
14 +
15 +const css = bindStyles(usersStyles);
16
17   const UserSearch = () => {
18     const { user: currentUser } = useAuth();
19 @@ -183,28 +188,29 @@
20   };
21
22   return (
23 -   <section className="user-search">
24 -     <div className="section-header">
25 +   <section className={css("user-search")}>
26 +     <div className={css("section-header")}>
27       <h2>Find People</h2>
28     </div>
29
30     <input
31       type="text"
32 -     className="search-input"
33 +     className={css("search-input")}
34 +     aria-label="Search people by name"
35       placeholder="Search users by name..."
36       value={searchTerm}
37       onChange={(event) => setSearchTerm(event.target.value)}
38     />
39
40 -     {error && <p className="error">{error}</p>}
41 -
42 -     {loading && <p className="search-status">Searching...</p>}
43 +     {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
44 +
45 +     {loading && <p className={css("search-status")}>Searching...</p>}
46
47     {!loading && searchTerm.trim() && results.length === 0 && !error && (
48 -     <p className="search-status">No users found.</p>
49 +     <p className={css("search-status")}>No users found.</p>
50   )}
51
52 -   <div className="user-results">
53 +   <div className={css("user-results")}>
54     {results.map((searchedUser) => (
55       <UserCard
56         key={searchedUser.id}
57 @@ -215,7 +221,7 @@
58     </div>
59
60     {totalPages > 1 && searchTerm.trim() && (
61 -     <div className="pagination">
62 +     <div className={css("pagination")}>
63       <button
64         disabled={loading || page === 0}
65         onClick={() => loadPage(page - 1)}
66 @@ -237,13 +243,13 @@
67     )}
68
69     {!searchTerm.trim() && (
70 -     <section className="recent-searches">
```

```

71 -      <div className="section-header">
72 +      <section className={css("recent-searches")}>
73 +      <div className={css("section-header")}>
74          <h3>Recent Searches</h3>
75
76          {recentSearches.length > 0 && (
77              <button
78 -                  className="text-button"
79 +                  className={css("text-button")}
80                  onClick={handleClearRecentSearches}
81              >
82                  Clear
83 @@ -252,14 +258,14 @@
84              </div>
85
86              {recentLoading && (
87 -                  <p className="search-status">Loading recent searches...</p>
88 +                  <p className={css("search-status")}>Loading recent searches...</p>
89              )}
90
91              {!recentLoading && recentSearches.length === 0 && (
92 -                  <p className="search-status">No recent searches.</p>
93 +                  <p className={css("search-status")}>No recent searches.</p>
94              )}
95
96 -      <div className="user-results">
97 +      <div className={css("user-results")}>
98          {recentSearches.map((recentUser) => (
99              <UserCard
100                  key={recentUser.id}

```

src/index.css

FULL CURRENT CONTENT

```
1  /* Application-wide foundations only. Feature CSS is imported by its consumers. */
2  @import "./styles/tokens.css";
3  @import "./styles/base.css";
4  @import "./styles/shared.css";
```

src/index.css

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/index.css
2  +++ after/src/index.css
3  @@ -1,814 +1,4 @@
4  - /* Foundation first; existing feature selectors remain compatible with current markup. */
5  + /* Application-wide foundations only. Feature CSS is imported by its consumers. */
6  @import "./styles/tokens.css";
7  @import "./styles/base.css";
8  @import "./styles/shared.css";
9  -
10 - /* =====
11 - AUTH
12 - ===== */
13 -
14 -.auth-page {
15 -   min-height: 100vh;
16 -   min-height: 100dvh;
17 -
18 -   display: flex;
19 -   align-items: center;
20 -   justify-content: center;
21 -
22 -   padding: 20px;
23 -}
24 -
25 -.auth-card {
26 -   width: min(380px, 100%);
27 -
28 -   background: var(--color-surface);
29 -
30 -   padding: 30px;
31 -
32 -   border-radius: var(--radius-xl);
33 -
34 -   box-shadow: 0 4px 20px rgba(0, 0, 0, 0.08);
35 -}
36 -
37 -.auth-card h1 {
38 -   margin-top: 0;
39 -}
40 -
41 -.auth-card h2 {
42 -   margin-bottom: 25px;
43 -}
44 -
45 -.auth-card form {
46 -   display: flex;
47 -   flex-direction: column;
48 -   gap: 15px;
49 -}
50 -
51 -.auth-card input {
52 -   padding: 12px;
53 -
54 -   border-radius: var(--radius-sm);
55 -}
56 -}
57 -
58 -.auth-card input:focus {
59 -   border-color: var(--color-outline);
60 -}
61 -
62 -.auth-card button {
63 -   width: 100%;
64 -}
65 -
66 - /* =====
67 - COMMON
68 - ===== */
69 -
70 -.error {
```

```

71 - color: #d32f2f;
72 - margin: 10px 0;
73 -}
74 -
75 -.success {
76 - color: var(--color-success);
77 - margin: 10px 0;
78 -}
79 -
80 -.loading-screen {
81 - min-height: 100vh;
82 - min-height: 100dvh;
83 -
84 - display: flex;
85 - align-items: center;
86 - justify-content: center;
87 -
88 - padding: 20px;
89 -
90 - font-size: 18px;
91 - color: var(--color-text-secondary);
92 -
93 - text-align: center;
94 -}
95 -
96 -/* =====
97 - NAVBAR
98 - ===== */
99 -
100 -.navbar {
101 - position: sticky;
102 - top: 0;
103 -
104 - z-index: 1000;
105 -
106 - width: 100%;
107 - min-height: var(--navbar-height);
108 -
109 - padding: 0 30px;
110 -
111 - background: var(--color-surface);
112 - border-bottom: 1px solid var(--color-border);
113 -
114 - display: flex;
115 - align-items: center;
116 - justify-content: space-between;
117 -}
118 -
119 -.navbar-left {
120 - min-width: 0;
121 -
122 - display: flex;
123 - align-items: center;
124 -}
125 -
126 -.navbar-brand {
127 - color: var(--color-text);
128 -
129 - text-decoration: none;
130 -
131 - font-size: 22px;
132 - font-weight: 700;
133 -
134 - white-space: nowrap;
135 -}
136 -
137 -.navbar-right {
138 - display: flex;
139 - align-items: center;
140 -

```

```
141 - gap: 20px;
142 -}
143 -
144 -.navbar-link {
145 - position: relative;
146 -
147 - min-height: 40px;
148 -
149 - display: inline-flex;
150 - align-items: center;
151 -
152 - color: var(--color-text-strong);
153 -
154 - text-decoration: none;
155 -
156 - white-space: nowrap;
157 -
158 - font-size: 14px;
159 -}
160 -
161 -.navbar-link:hover {
162 - text-decoration: underline;
163 -}
164 -
165 -.navbar-user {
166 - max-width: 160px;
167 -
168 - font-weight: 600;
169 -
170 - white-space: nowrap;
171 - overflow: hidden;
172 - text-overflow: ellipsis;
173 -}
174 -
175 -.navbar-logout {
176 - min-height: 40px;
177 -
178 - padding: 8px 14px;
179 -
180 - border: none;
181 - border-radius: var(--radius-sm);
182 -
183 - background: var(--color-primary);
184 - color: var(--color-on-primary);
185 -
186 - font-weight: 600;
187 -
188 - transition: background var(--transition-fast);
189 -}
190 -
191 -.navbar-logout:hover {
192 - background: var(--color-primary-hover);
193 -}
194 -
195 -/* =====
196 - MOBILE NAVBAR
197 - ===== */
198 -
199 -.navbar-menu-toggle {
200 - display: none;
201 -
202 - width: 42px;
203 - height: 42px;
204 -
205 - padding: 9px;
206 -
207 - border: 1px solid var(--color-border);
208 - border-radius: var(--radius-md);
209 -
210 - background: var(--color-surface);
```

```
211 -
212 -   flex-direction: column;
213 -   align-items: center;
214 -   justify-content: center;
215 -
216 -   gap: 4px;
217 -}
218 -
219 -.navbar-menu-toggle span {
220 -   width: 20px;
221 -   height: 2px;
222 -
223 -   border-radius: 2px;
224 -
225 -   background: var(--color-text);
226 -}
227 -
228 -.navbar-mobile-menu {
229 -   display: none;
230 -}
231 -
232 -/* =====
233 -   HOME
234 -   ===== */
235 -
236 -.home-page {
237 -   max-width: 1000px;
238 -
239 -}
240 -
241 -.welcome-section {
242 -   padding: 25px;
243 -
244 -   margin-bottom: 25px;
245 -
246 -}
247 -
248 -.welcome-section h1 {
249 -   margin-top: 0;
250 -   margin-bottom: 12px;
251 -
252 -   line-height: 1.2;
253 -}
254 -
255 -.welcome-section p {
256 -   margin: 6px 0;
257 -
258 -   color: var(--color-text-secondary);
259 -}
260 -
261 -/* =====
262 -   SEARCH
263 -   ===== */
264 -
265 -.user-search {
266 -   background: var(--color-surface);
267 -
268 -   padding: 25px;
269 -
270 -   border-radius: var(--radius-xl);
271 -
272 -   box-shadow: var(--shadow-card);
273 -}
274 -
275 -.section-header {
276 -   display: flex;
277 -   align-items: center;
278 -   justify-content: space-between;
279 -
280 -   gap: 15px;
```

```
281 -
282 -   margin-bottom: 15px;
283 -}
284 -
285 -.section-header h2,
286 -.section-header h3 {
287 -   margin: 0;
288 -}
289 -
290 -.search-input {
291 -   min-height: 44px;
292 -
293 -   padding: 11px 14px;
294 -
295 -   border-radius: var(--radius-md);
296 -
297 -   background: var(--color-surface);
298 -}
299 -
300 -.search-input:focus {
301 -   border-color: var(--color-outline);
302 -}
303 -
304 -.search-status {
305 -   color: var(--color-text-secondary);
306 -}
307 -
308 -.user-results {
309 -   display: flex;
310 -   flex-direction: column;
311 -
312 -   gap: 10px;
313 -
314 -   margin-top: 15px;
315 -}
316 -
317 -/* =====
318 -   USER CARD
319 -   ===== */
320 -
321 -.user-card {
322 -   min-width: 0;
323 -
324 -   display: flex;
325 -   align-items: center;
326 -
327 -   gap: 14px;
328 -
329 -   padding: 12px;
330 -
331 -   border: 1px solid var(--color-border);
332 -   border-radius: var(--radius-lg);
333 -
334 -   background: var(--color-surface);
335 -
336 -   cursor: pointer;
337 -
338 -   text-decoration: none;
339 -   color: inherit;
340 -
341 -   transition:
342 -     background var(--transition-fast),
343 -     transform var(--transition-fast);
344 -}
345 -
346 -.user-card-info {
347 -   min-width: 0;
348 -}
349 -
350 -.user-card-info h3 {
```

```
351 - margin: 0 0 5px;
352 -
353 - font-size: 16px;
354 -}
355 -
356 -.user-card-info p {
357 - margin: 0;
358 -
359 - color: var(--color-text-secondary);
360 -
361 - white-space: nowrap;
362 - overflow: hidden;
363 - text-overflow: ellipsis;
364 -}
365 -
366 -/* =====
367 - AVATAR
368 - ===== */
369 -
370 -.user-avatar {
371 - flex-shrink: 0;
372 -
373 - object-fit: cover;
374 -
375 - border-radius: 50%;
376 -}
377 -
378 -.user-avatar-placeholder {
379 - display: flex;
380 - align-items: center;
381 - justify-content: center;
382 -
383 - background: #dddddd;
384 - color: var(--color-text-strong);
385 -
386 - font-weight: 700;
387 -}
388 -
389 -.user-avatar.small {
390 - width: 36px;
391 - height: 36px;
392 -
393 - font-size: 14px;
394 -}
395 -
396 -.user-avatar.medium {
397 - width: 48px;
398 - height: 48px;
399 -
400 - font-size: 18px;
401 -}
402 -
403 -.user-avatar.large {
404 - width: 120px;
405 - height: 120px;
406 -
407 - font-size: 42px;
408 -}
409 -
410 -/* =====
411 - RECENT SEARCHES
412 - ===== */
413 -
414 -.recent-searches {
415 - margin-top: 30px;
416 -}
417 -
418 -.text-button {
419 - border: none;
420 - background: transparent;
```

```
421 -
422 -   color: #444444;
423 -
424 -   text-decoration: underline;
425 -
426 -   padding: 6px 8px;
427 -}
428 -
429 -/* =====
430 -   PAGINATION
431 -   ===== */
432 -
433 -.pagination {
434 -   margin-top: 20px;
435 -}
436 -
437 -/* =====
438 -   PROFILE
439 -   ===== */
440 -
441 -.profile-page {
442 -   max-width: 700px;
443 -}
444 -
445 -
446 -.profile-card h1 {
447 -   margin-top: 0;
448 -   margin-bottom: 20px;
449 -}
450 -
451 -.profile-image-section {
452 -   display: flex;
453 -   flex-direction: column;
454 -
455 -   align-items: center;
456 -
457 -   gap: 15px;
458 -
459 -   margin: 25px 0;
460 -}
461 -
462 -.profile-image {
463 -   width: 120px;
464 -   height: 120px;
465 -
466 -   object-fit: cover;
467 -
468 -   border-radius: 50%;
469 -}
470 -
471 -.profile-image-section button {
472 -   min-height: 40px;
473 -
474 -   padding: 8px 14px;
475 -
476 -   border: 1px solid var(--color-control-border);
477 -   border-radius: var(--radius-sm);
478 -
479 -   background: var(--color-surface);
480 -
481 -   font-weight: 600;
482 -}
483 -
484 -.profile-form {
485 -   display: flex;
486 -   flex-direction: column;
487 -
488 -   gap: 10px;
489 -}
490 -
```

```
491 -.profile-form label {
492 -   font-weight: 600;
493 -
494 -   margin-top: 8px;
495 -}
496 -
497 -.profile-form input,
498 -.profile-form textarea {
499 -   padding: 11px;
500 -
501 -   border-radius: 7px;
502 -
503 -   resize: vertical;
504 -
505 -}
506 -
507 -.profile-form input:focus,
508 -.profile-form textarea:focus {
509 -   border-color: var(--color-outline);
510 -}
511 -
512 -.profile-form input:disabled {
513 -   background: var(--color-disabled);
514 -
515 -   color: var(--color-text-secondary);
516 -
517 -   cursor: not-allowed;
518 -}
519 -
520 -.profile-form button {
521 -   width: 100%;
522 -
523 -   min-height: 44px;
524 -
525 -   margin-top: 10px;
526 -
527 -   padding: 11px;
528 -
529 -   border: none;
530 -   border-radius: 7px;
531 -
532 -   background: var(--color-primary);
533 -   color: var(--color-on-primary);
534 -
535 -   font-weight: 600;
536 -}
537 -
538 -.profile-form button:disabled {
539 -   opacity: 0.6;
540 -}
541 -
542 -.character-count {
543 -   text-align: right;
544 -
545 -   font-size: 12px;
546 -
547 -   color: var(--color-text-subtle);
548 -}
549 -
550 -.profile-details {
551 -   margin-top: 25px;
552 -
553 -   padding-top: 20px;
554 -
555 -   border-top: 1px solid var(--color-border-light);
556 -
557 -   color: var(--color-outline);
558 -}
559 -
560 -.profile-details p {
```

```
561 - margin: 8px 0;
562 -}
563 -
564 -.back-link {
565 - display: inline-block;
566 -
567 - margin-bottom: 20px;
568 -
569 - color: var(--color-text-strong);
570 -
571 - text-decoration: none;
572 -
573 - font-weight: 600;
574 -}
575 -
576 -.back-link:hover {
577 - text-decoration: underline;
578 -}
579 -
580 -.user-profile-card {
581 - max-width: 700px;
582 - margin: 0 auto;
583 -}
584 -
585 -.user-profile-info {
586 - text-align: center;
587 -}
588 -
589 -.user-profile-info h1 {
590 - margin: 0 0 10px;
591 -}
592 -
593 -.user-profile-bio {
594 - color: var(--color-outline);
595 -
596 - margin: 0;
597 -
598 - line-height: 1.5;
599 -}
600 -
601 -/* =====
602 - REDUCED MOTION
603 - ===== */
604 -
605 -@media (prefers-reduced-motion: reduce) {
606 - *,
607 - *::before,
608 - *::after {
609 - scroll-behavior: auto !important;
610 - transition-duration: 0.01ms !important;
611 - animation-duration: 0.01ms !important;
612 - }
613 -}
614 -
615 -/* =====
616 - MOBILE
617 - ===== */
618 -
619 -@media (max-width: 700px) {
620 - :root {
621 - --navbar-height: 56px;
622 - }
623 -
624 - .navbar {
625 - min-height: var(--navbar-height);
626 -
627 - padding: 0 12px;
628 - }
629 -
630 - .navbar-brand {
```

```
631 -   font-size: 20px;
632 - }
633 -
634 - .navbar-right {
635 -   display: none;
636 - }
637 -
638 - .navbar-menu-toggle {
639 -   display: flex;
640 - }
641 -
642 - .navbar-mobile-menu {
643 -   position: absolute;
644 -
645 -   top: 100%;
646 -   left: 0;
647 -   right: 0;
648 -
649 -   display: flex;
650 -   flex-direction: column;
651 -
652 -   max-height: calc(100dvh - var(--navbar-height));
653 -
654 -   overflow-y: auto;
655 -
656 -   padding: 8px 12px 16px;
657 -
658 -   background: var(--color-surface);
659 -
660 -   border-bottom: 1px solid var(--color-border);
661 -
662 -   box-shadow: var(--shadow-menu);
663 -
664 -   visibility: hidden;
665 -   opacity: 0;
666 -   transform: translateY(-8px);
667 -
668 -   pointer-events: none;
669 -
670 -   transition:
671 -     opacity 0.15s ease,
672 -     transform 0.15s ease,
673 -     visibility 0.15s ease;
674 - }
675 -
676 - .navbar-mobile-menu.open {
677 -   visibility: visible;
678 -   opacity: 1;
679 -   transform: translateY(0);
680 -
681 -   pointer-events: auto;
682 - }
683 -
684 - .navbar-mobile-user {
685 -   display: flex;
686 -   flex-direction: column;
687 -
688 -   padding: 14px 12px;
689 -
690 -   margin-bottom: 4px;
691 -
692 -   border-bottom: 1px solid var(--color-border-light);
693 - }
694 -
695 - .navbar-mobile-user-name {
696 -   font-weight: 700;
697 - }
698 -
699 - .navbar-mobile-user-email {
700 -   margin-top: 3px;
```

```
701 -
702 -     color: var(--color-text-secondary);
703 -
704 -     font-size: 13px;
705 -
706 -     overflow: hidden;
707 -     text-overflow: ellipsis;
708 -     white-space: nowrap;
709 - }
710 -
711 - .navbar-mobile-link {
712 -     min-height: 46px;
713 -
714 -     display: flex;
715 -     align-items: center;
716 -     justify-content: space-between;
717 -
718 -     padding: 0 12px;
719 -
720 -     border-radius: var(--radius-md);
721 -
722 -     color: var(--color-text);
723 -
724 -     text-decoration: none;
725 -
726 -     font-size: 15px;
727 -     font-weight: 500;
728 - }
729 -
730 - .navbar-mobile-link:active {
731 -     background: var(--color-hover);
732 - }
733 -
734 - .navbar-mobile-logout {
735 -     width: 100%;
736 -
737 -     min-height: 46px;
738 -
739 -     margin-top: 8px;
740 -
741 -     border: none;
742 -     border-radius: var(--radius-md);
743 -
744 -     background: var(--color-primary);
745 -     color: var(--color-on-primary);
746 -
747 -     font-weight: 600;
748 - }
749 -
750 - .home-page,
751 - .profile-page {
752 -     padding: 20px 12px;
753 - }
754 -
755 - .welcome-section,
756 - .user-search,
757 - .profile-card {
758 -     padding: 20px;
759 -
760 -     border-radius: var(--radius-lg);
761 - }
762 -
763 - .welcome-section h1 {
764 -     font-size: 24px;
765 - }
766 -
767 - .section-header {
768 -     align-items: flex-start;
769 -     flex-direction: column;
770 - }
```

```
771 -
772 - .pagination {
773 -   gap: 12px;
774 - }
775 -
776 - .pagination button {
777 -   min-width: 90px;
778 - }
779 -
780 - .profile-page {
781 -   padding-top: 20px;
782 - }
783 -
784 - .profile-card {
785 -   width: 100%;
786 - }
787 -}
788 -
789 -@media (max-width: 380px) {
790 -   .auth-page {
791 -     padding: 12px;
792 -   }
793 -
794 -   .auth-card {
795 -     padding: 22px 18px;
796 -   }
797 -
798 -   .welcome-section,
799 -   .user-search,
800 -   .profile-card {
801 -     padding: 16px;
802 -   }
803 -
804 -   .welcome-section h1 {
805 -     font-size: 22px;
806 -   }
807 -}
808 -
809 -/* =====
810 -   DESKTOP-ONLY HOVER
811 -   ===== */
812 -
813 -@media (hover: hover) and (pointer: fine) {
814 -   .user-card:hover {
815 -     background: #f8f8f8;
816 -     transform: translateY(-1px);
817 -   }
818 -}
```

```
1 import { StrictMode } from "react";
2 import { createRoot } from "react-dom/client";
3
4 import App from "./App";
5
6 import { AuthProvider } from "./auth/AuthContext";
7 import { NotificationProvider } from "./context/NotificationContext";
8
9 import "./index.css";
10
11 createRoot(document.getElementById("root")).render(
12   <StrictMode>
13     <AuthProvider>
14       <NotificationProvider>
15         <App />
16       </NotificationProvider>
17     </AuthProvider>
18   </StrictMode>,
19 );
```

src/main.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1 --- before/src/main.jsx
2 +++ after/src/main.jsx
3 @@ -7,8 +7,6 @@
4   import { NotificationProvider } from "../context/NotificationContext";
5
6   import "../index.css";
7 -import "../styles/friends.css";
8 -import "../styles/notifications.css";
9
10  createRoot(document.getElementById("root")).render(
11    <StrictMode>
```

```

1  import authStyles from "../styles/auth.module.css";
2  import { bindStyles } from "../utils/bindStyles";
3  import StatusMessage from "../components/ui/StatusMessage";
4  import FormField from "../components/ui/FormField";
5  import Button from "../components/ui/Button";
6  import { useState } from "react";
7  import { Link } from "react-router-dom";
8
9  import { forgotPassword } from "../api/authApi";
10
11 const css = bindStyles(authStyles);
12
13 const ForgotPassword = () => {
14   const [email, setEmail] = useState("");
15
16   const [error, setError] = useState("");
17   const [success, setSuccess] = useState("");
18
19   const [loading, setLoading] = useState(false);
20
21   const handleSubmit = async (event) => {
22     event.preventDefault();
23
24     setError("");
25     setSuccess("");
26     setLoading(true);
27
28     try {
29       await forgotPassword(email);
30
31       /*
32        * Always show the same message.
33        *
34        * This prevents revealing whether
35        * the email exists in FrndBook.
36        */
37       setSuccess(
38         "If an account exists for this email, a password reset link has been sent.",
39       );
40     } catch (error) {
41       console.error(error);
42
43       setError(
44         error.response?.data?.message || "Unable to process your request",
45       );
46     } finally {
47       setLoading(false);
48     }
49   };
50
51   return (
52     <div className={css("auth-page")}>
53       <div className={css("auth-card")}>
54         <h1>FrndBook</h1>
55
56         <h2>Forgot Password</h2>
57
58         <p>
59           Enter your email and we'll send you a password reset link if an
60           account exists.
61         </p>
62
63         <form onSubmit={handleSubmit}>
64           <FormField label="Email" autoComplete="email"
65             type="email"
66             placeholder="Email"
67             value={email}
68             onChange={(event) => setEmail(event.target.value)}
69             required
70           />

```

```
71
72     {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
73
74     {success && <StatusMessage tone="success" className={css("success")}>{success}</StatusMessage>}
75
76     <Button type="submit" disabled={loading}>
77       {loading ? "Sending..." : "Send Reset Link"}
78     </Button>
79   </form>
80
81   <p>
82     <Link to="/login">Back to Login</Link>
83   </p>
84 </div>
85 </div>
86 );
87 };
88
89 export default ForgotPassword;
```

src/pages/ForgotPassword.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/ForgotPassword.jsx
2  +++ after/src/pages/ForgotPassword.jsx
3  @@ -1,8 +1,14 @@
4  +import authStyles from "../styles/auth.module.css";
5  +import { bindStyles } from "../utils/bindStyles";
6  +import StatusMessage from "../components/ui/StatusMessage";
7  +import FormField from "../components/ui/FormField";
8  import Button from "../components/ui/Button";
9  import { useState } from "react";
10 import { Link } from "react-router-dom";
11
12 import { forgotPassword } from "../api/authApi";
13 +
14 +const css = bindStyles(authStyles);
15
16 const ForgotPassword = () => {
17   const [email, setEmail] = useState("");
18   @@ -43,8 +49,8 @@
19   };
20
21   return (
22 -     <div className="auth-page">
23 -       <div className="auth-card">
24 +     <div className={css("auth-page")}>
25 +     <div className={css("auth-card")}>
26       <h1>FrndBook</h1>
27
28       <h2>Forgot Password</h2>
29   @@ -55,7 +61,7 @@
30       </p>
31
32       <form onSubmit={handleSubmit}>
33 -       <input
34 +       <FormField label="Email" autoComplete="email"
35         type="email"
36         placeholder="Email"
37         value={email}
38   @@ -63,9 +69,9 @@
39         required
40       />
41
42 -       {error && <p className="error">{error}</p>}
43 +       {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
44
45 -       {success && <p className="success">{success}</p>}
46 +       {success && <StatusMessage tone="success" className={css("success")}>{success}</StatusMessage>}
47
48       <Button type="submit" disabled={loading}>
49         {loading ? "Sending..." : "Send Reset Link"}
```

```

1  import friendsStyles from "../styles/friends.module.css";
2  import { bindStyles } from "../utils/bindStyles";
3  import StatusMessage from "../components/ui/StatusMessage";
4  import PageContainer from "../components/ui/PageContainer";
5  import Card from "../components/ui/Card";
6  import { useEffect, useState } from "react";
7
8  import Navbar from "../components/layout/Navbar";
9
10 import FriendRequestCard from "../components/users/FriendRequestCard";
11
12 import {
13   getReceivedFriendRequests,
14   getSentFriendRequests,
15   acceptFriendRequest,
16   rejectFriendRequest,
17 } from "../api/friendApi";
18
19 const css = bindStyles(friendsStyles);
20
21 const FriendRequests = () => {
22   const [receivedRequests, setReceivedRequests] = useState([]);
23
24   const [sentRequests, setSentRequests] = useState([]);
25
26   const [loading, setLoading] = useState(true);
27
28   const [error, setError] = useState("");
29
30   const [actionRequestId, setActionRequestId] = useState(null);
31
32   // =====
33   // LOAD REQUESTS
34   // =====
35
36   const loadRequests = async () => {
37     try {
38       setLoading(true);
39       setError("");
40
41       const [received, sent] = await Promise.all([
42         getReceivedFriendRequests(),
43         getSentFriendRequests(),
44       ]);
45
46       setReceivedRequests(received || []);
47       setSentRequests(sent || []);
48     } catch (error) {
49       console.error("Failed to load friend requests:", error);
50
51       setError(
52         error.response?.data?.message || "Unable to load friend requests",
53       );
54     } finally {
55       setLoading(false);
56     }
57   };
58
59   useEffect(() => {
60     loadRequests();
61   }, []);
62
63   // =====
64   // ACCEPT
65   // =====
66
67   const handleAccept = async (requestId) => {
68     try {
69       setError("");
70       setActionRequestId(requestId);

```

```

71
72     await acceptFriendRequest(requestId);
73
74     setReceivedRequests((requests) =>
75       requests.filter((request) => request.id !== requestId),
76     );
77   } catch (error) {
78     console.error("Failed to accept friend request:", error);
79
80     setError(
81       error.response?.data?.message || "Unable to accept friend request",
82     );
83   } finally {
84     setActionRequestId(null);
85   }
86 };
87
88 // =====
89 // REJECT
90 // =====
91
92 const handleReject = async (requestId) => {
93   try {
94     setError("");
95     setActionRequestId(requestId);
96
97     await rejectFriendRequest(requestId);
98
99     setReceivedRequests((requests) =>
100       requests.filter((request) => request.id !== requestId),
101     );
102   } catch (error) {
103     console.error("Failed to reject friend request:", error);
104
105     setError(
106       error.response?.data?.message || "Unable to reject friend request",
107     );
108   } finally {
109     setActionRequestId(null);
110   }
111 };
112
113 // =====
114 // LOADING
115 // =====
116
117 if (loading) {
118   return (
119     <>
120       <Navbar />
121
122       <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Loading friend reques
123     </div>
124   );
125 }
126
127 // =====
128 // UI
129 // =====
130
131 return (
132   <>
133     <Navbar />
134
135     <PageContainer className={css("friend-requests-page")}>
136       <Card className={css("friend-requests-card")}>
137         <div className={css("friends-header")}>
138           <div>
139             <h1>Friend Requests</h1>

```

```

140
141     <p>Manage your incoming and outgoing requests.</p>
142   </div>
143 </div>
144
145   {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
146
147   {/* =====
148     RECEIVED
149     ===== */}
150
151   <section className={css("request-section")}>
152     <div className={css("request-section-header")}>
153       <h2>Received</h2>
154
155       <span>{receivedRequests.length}</span>
156     </div>
157
158     {receivedRequests.length === 0 ? (
159       <p className={css("request-empty")}>No pending friend requests.</p>
160     ) : (
161       <div className={css("friend-request-list")}>
162         {receivedRequests.map((request) => (
163           <FriendRequestCard
164             key={request.id}
165             request={request}
166             type="received"
167             onAccept={handleAccept}
168             onReject={handleReject}
169             actionLoading={actionRequestId === request.id}
170           </>
171         ))}
172       </div>
173     )}
174   </section>
175
176   {/* =====
177     SENT
178     ===== */}
179
180   <section className={css("request-section")}>
181     <div className={css("request-section-header")}>
182       <h2>Sent</h2>
183
184       <span>{sentRequests.length}</span>
185     </div>
186
187     {sentRequests.length === 0 ? (
188       <p className={css("request-empty")}>No pending sent requests.</p>
189     ) : (
190       <div className={css("friend-request-list")}>
191         {sentRequests.map((request) => (
192           <FriendRequestCard
193             key={request.id}
194             request={request}
195             type="sent"
196           </>
197         ))}
198       </div>
199     )}
200   </section>
201 </Card>
202 </PageContainer>
203 </>
204 );
205 };
206
207 export default FriendRequests;

```

src/pages/FriendRequests.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/FriendRequests.jsx
2  +++ after/src/pages/FriendRequests.jsx
3  @@ -1,3 +1,6 @@
4  +import friendsStyles from "../styles/friends.module.css";
5  +import { bindStyles } from "../utils/bindStyles";
6  +import StatusMessage from "../components/ui/StatusMessage";
7  import PageContainer from "../components/ui/PageContainer";
8  import Card from "../components/ui/Card";
9  import { useEffect, useState } from "react";
10 @@ -13,6 +16,8 @@
11     rejectFriendRequest,
12   } from "../api/friendApi";
13
14 +const css = bindStyles(friendsStyles);
15 +
16   const FriendRequests = () => {
17     const [receivedRequests, setReceivedRequests] = useState([]);
18
19     @@ -114,7 +119,7 @@
20       <>
21         <Navbar />
22
23 -       <div className="loading-screen">Loading friend requests...</div>
24 +       <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Loading friend requ
25 > ests...</div>
26     </>
27   );
28   }
29   @@ -127,9 +132,9 @@
30     <>
31       <Navbar />
32
33 -       <PageContainer className="friend-requests-page">
34 -         <Card className="friend-requests-card">
35 -           <div className="friends-header">
36 +       <PageContainer className={css("friend-requests-page")}>
37 +       <Card className={css("friend-requests-card")}>
38 +       <div className={css("friends-header")}>
39         <div>
40           <h1>Friend Requests</h1>
41
42     @@ -137,23 +142,23 @@
43       </div>
44     </div>
45
46 -     {error && <p className="error">{error}</p>}
47 +     {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
48
49     /* =====
50       RECEIVED
51     ===== */
52
53 -     <section className="request-section">
54 -       <div className="request-section-header">
55 +     <section className={css("request-section")}>
56 +     <div className={css("request-section-header")}>
57       <h2>Received</h2>
58
59       <span>{receivedRequests.length}</span>
60     </div>
61
62     {receivedRequests.length === 0 ? (
63 -     <p className="request-empty">No pending friend requests.</p>
64 +     <p className={css("request-empty")}>No pending friend requests.</p>
65 -   ) : (
66 +   ) : (
67     <div className="friend-request-list">
68 +     <div className={css("friend-request-list")}>
69       {receivedRequests.map((request) => (
70         <FriendRequestCard
71           key={request.id}
```

```

70 @@ -172,17 +177,17 @@
71     SENT
72     ===== */}
73
74 -     <section className="request-section">
75 -     <div className="request-section-header">
76 +     <section className={css("request-section")}>
77 +     <div className={css("request-section-header")}>
78         <h2>Sent</h2>
79
80         <span>{sentRequests.length}</span>
81     </div>
82
83     {sentRequests.length === 0 ? (
84 -     <p className="request-empty">No pending sent requests.</p>
85 +     <p className={css("request-empty")}>No pending sent requests.</p>
86     ) : (
87 -     <div className="friend-request-list">
88 +     <div className={css("friend-request-list")}>
89         {sentRequests.map((request) => (
90             <FriendRequestCard
91                 key={request.id}

```

```

1  import friendsStyles from "../styles/friends.module.css";
2  import { bindStyles } from "../utils/bindStyles";
3  import StatusMessage from "../components/ui/StatusMessage";
4  import PageContainer from "../components/ui/PageContainer";
5  import Card from "../components/ui/Card";
6  import { useEffect, useState } from "react";
7
8  import Navbar from "../components/layout/Navbar";
9
10 import FriendCard from "../components/users/FriendCard";
11
12 import { getFriends, removeFriend } from "../api/friendApi";
13
14 const css = bindStyles(friendsStyles);
15
16 const Friends = () => {
17   const [friends, setFriends] = useState([]);
18
19   const [loading, setLoading] = useState(true);
20
21   const [error, setError] = useState("");
22
23   const [removingFriendId, setRemovingFriendId] = useState(null);
24
25   // =====
26   // LOAD FRIENDS
27   // =====
28
29   const loadFriends = async () => {
30     try {
31       setLoading(true);
32       setError("");
33
34       const data = await getFriends();
35
36       setFriends(data || []);
37     } catch (error) {
38       console.error("Failed to load friends:", error);
39
40       setError(error.response?.data?.message || "Unable to load friends");
41     } finally {
42       setLoading(false);
43     }
44   };
45
46   useEffect(() => {
47     loadFriends();
48   }, []);
49
50   // =====
51   // REMOVE FRIEND
52   // =====
53
54   const handleRemoveFriend = async (friend) => {
55     if (!friend) {
56       return;
57     }
58
59     const confirmed = window.confirm(
60       `Are you sure you want to remove ${friend.name} from your friends?`,
61     );
62
63     if (!confirmed) {
64       return;
65     }
66
67     try {
68       setError("");
69       setRemovingFriendId(friend.id);
70

```

```

71     await removeFriend(friend.id);
72
73     setFriends((currentFriends) =>
74       currentFriends.filter(
75         (currentFriend) => currentFriend.id !== friend.id,
76       ),
77     );
78   } catch (error) {
79     console.error("Failed to remove friend:", error);
80
81     setError(error.response?.data?.message || "Unable to remove friend");
82   } finally {
83     setRemovingFriendId(null);
84   }
85 };
86
87 // =====
88 // LOADING
89 // =====
90
91 if (loading) {
92   return (
93     <>
94       <Navbar />
95
96       <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Loading friends...</div>
97     </>
98   );
99 }
100
101 // =====
102 // UI
103 // =====
104
105 return (
106   <>
107     <Navbar />
108
109     <PageContainer className={css("friends-page")}>
110       <Card className={css("friends-card")}>
111         <div className={css("friends-header")}>
112           <div>
113             <h1>Friends</h1>
114
115             <p>
116               {friends.length} {friends.length === 1 ? "friend" : "friends"}
117             </p>
118           </div>
119         </div>
120
121         {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
122
123         {!error && friends.length === 0 && (
124           <div className={css("friends-empty")}>
125             <h2>No friends yet</h2>
126
127             <p>Search for people and send them a friend request.</p>
128           </div>
129         )}
130
131         {friends.length > 0 && (
132           <div className={css("friends-list")}>
133             {friends.map((friend) => (
134               <FriendCard
135                 key={friend.id}
136                 friend={friend}
137                 onRemove={handleRemoveFriend}
138                 removing={removingFriendId === friend.id}
139               />

```

src/pages/Friends.jsx

FULL CURRENT CONTENT

```
140         )})
141       </div>
142     )}
143   </Card>
144 </PageContainer>
145 </>
146 );
147 };
148
149 export default Friends;
```

src/pages/Friends.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/Friends.jsx
2  +++ after/src/pages/Friends.jsx
3  @@ -1,3 +1,6 @@
4  +import friendsStyles from "../styles/friends.module.css";
5  +import { bindStyles } from "../utils/bindStyles";
6  +import StatusMessage from "../components/ui/StatusMessage";
7  import PageContainer from "../components/ui/PageContainer";
8  import Card from "../components/ui/Card";
9  import { useEffect, useState } from "react";
10 @@ -7,6 +10,8 @@
11 import FriendCard from "../components/users/FriendCard";
12
13 import { getFriends, removeFriend } from "../api/friendApi";
14 +
15 +const css = bindStyles(friendsStyles);
16
17 const Friends = () => {
18   const [friends, setFriends] = useState([]);
19   @@ -88,7 +93,7 @@
20     <>
21       <Navbar />
22
23 -     <div className="loading-screen">Loading friends...</div>
24 +     <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Loading friends...<
25 > /div>
26   </>
27   );
28   }
29   @@ -101,9 +106,9 @@
30     <>
31       <Navbar />
32
33 -     <PageContainer className="friends-page">
34 -       <Card className="friends-card">
35 -         <div className="friends-header">
36 +     <PageContainer className={css("friends-page")}>
37 +     <Card className={css("friends-card")}>
38 +     <div className={css("friends-header")}>
39       <div>
40         <h1>Friends</h1>
41   @@ -113,10 +118,10 @@
42     </div>
43   </div>
44
45 -   {error && <p className="error">{error}</p>}
46 +   {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
47
48   {!error && friends.length === 0 && (
49 -     <div className="friends-empty">
50 +     <div className={css("friends-empty")}>
51     <h2>No friends yet</h2>
52
53     <p>Search for people and send them a friend request.</p>
54   @@ -124,7 +129,7 @@
55   )}
56
57   {friends.length > 0 && (
58 -     <div className="friends-list">
59 +     <div className={css("friends-list")}>
60     {friends.map((friend) => (
61       <FriendCard
62         key={friend.id}
```

```
1 import homeStyles from "../styles/home.module.css";
2 import { bindStyles } from "../utils/bindStyles";
3 import PageContainer from "../components/ui/PageContainer";
4 import Card from "../components/ui/Card";
5 import Navbar from "../components/layout/Navbar";
6
7 import UserSearch from "../components/users/UserSearch";
8
9 import { useAuth } from "../auth/AuthContext";
10
11 const css = bindStyles(homeStyles);
12
13 const Home = () => {
14   const { user } = useAuth();
15
16   return (
17     <>
18       <Navbar />
19
20       <PageContainer className={css("home-page")}>
21         <Card as="section" className={css("welcome-section")}>
22           <h1>Welcome to FrndBook</h1>
23
24           <p>Hello, {user?.name}</p>
25
26           <p>{user?.email}</p>
27         </Card>
28
29         <UserSearch />
30       </PageContainer>
31     </>
32   );
33 };
34
35 export default Home;
```

src/pages/Home.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/Home.jsx
2  +++ after/src/pages/Home.jsx
3  @@ -1,3 +1,5 @@
4  +import homeStyles from "../styles/home.module.css";
5  +import { bindStyles } from "../utils/bindStyles";
6  import PageContainer from "../components/ui/PageContainer";
7  import Card from "../components/ui/Card";
8  import Navbar from "../components/layout/Navbar";
9  @@ -6,6 +8,8 @@
10
11  import { useAuth } from "../auth/AuthContext";
12
13  +const css = bindStyles(homeStyles);
14  +
15  const Home = () => {
16    const { user } = useAuth();
17
18  @@ -13,8 +17,8 @@
19    <>
20      <Navbar />
21
22  -    <PageContainer className="home-page">
23  -      <Card as="section" className="welcome-section">
24  +    <PageContainer className={css("home-page")}>
25  +      <Card as="section" className={css("welcome-section")}>
26        <h1>Welcome to FrndBook</h1>
27
28        <p>Hello, {user?.name}</p>
```

```

1  import authStyles from "../styles/auth.module.css";
2  import { bindStyles } from "../utils/bindStyles";
3  import StatusMessage from "../components/ui/StatusMessage";
4  import FormField from "../components/ui/FormField";
5  import Button from "../components/ui/Button";
6  import { useState } from "react";
7  import { Link, useNavigate } from "react-router-dom";
8
9  import { useAuth } from "../auth/AuthContext";
10
11 const css = bindStyles(authStyles);
12
13 const Login = () => {
14   const navigate = useNavigate();
15
16   const { login } = useAuth();
17
18   const [email, setEmail] = useState("");
19
20   const [password, setPassword] = useState("");
21
22   const [error, setError] = useState("");
23
24   const [loading, setLoading] = useState(false);
25
26   const handleSubmit = async (event) => {
27     event.preventDefault();
28
29     setError("");
30     setLoading(true);
31
32     try {
33       await login(email, password);
34
35       navigate("/");
36     } catch (error) {
37       console.error(error);
38
39       setError(error.response?.data?.message || "Login failed");
40     } finally {
41       setLoading(false);
42     }
43   };
44
45   return (
46     <div className={css("auth-page")}>
47       <div className={css("auth-card")}>
48         <h1>FrndBook</h1>
49
50         <h2>Login</h2>
51
52         <form onSubmit={handleSubmit}>
53           <FormField label="Email" autoComplete="email"
54             type="email"
55             placeholder="Email"
56             value={email}
57             onChange={(event) => setEmail(event.target.value)}
58             required
59           />
60
61           <FormField label="Password" autoComplete="current-password"
62             type="password"
63             placeholder="Password"
64             value={password}
65             onChange={(event) => setPassword(event.target.value)}
66             required
67           />
68
69           {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
70

```

```
71         <Button type="submit" disabled={loading}>
72             {loading ? "Logging in..." : "Login"}
73         </Button>
74     </form>
75
76     <p>
77         <Link to="/forgot-password">Forgot password?</Link>
78     </p>
79
80     <p>
81         Don't have an account? <Link to="/signup">Signup</Link>
82     </p>
83 </div>
84 </div>
85 );
86 };
87
88 export default Login;
```

src/pages/Login.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/Login.jsx
2  +++ after/src/pages/Login.jsx
3  @@ -1,8 +1,14 @@
4  +import authStyles from "../styles/auth.module.css";
5  +import { bindStyles } from "../utils/bindStyles";
6  +import StatusMessage from "../components/ui/StatusMessage";
7  +import FormField from "../components/ui/FormField";
8  import Button from "../components/ui/Button";
9  import { useState } from "react";
10 import { Link, useNavigate } from "react-router-dom";
11
12 import { useAuth } from "../auth/AuthContext";
13 +
14 +const css = bindStyles(authStyles);
15
16 const Login = () => {
17   const navigate = useNavigate();
18   @@ -37,14 +43,14 @@
19   };
20
21   return (
22 -     <div className="auth-page">
23 -     <div className="auth-card">
24 +     <div className={css("auth-page")}>
25 +     <div className={css("auth-card")}>
26       <h1>FrndBook</h1>
27
28       <h2>Login</h2>
29
30       <form onSubmit={handleSubmit}>
31 -     <input
32 +     <FormField label="Email" autoComplete="email"
33       type="email"
34       placeholder="Email"
35       value={email}
36   @@ -52,7 +58,7 @@
37       required
38     />
39
40 -     <input
41 +     <FormField label="Password" autoComplete="current-password"
42       type="password"
43       placeholder="Password"
44       value={password}
45   @@ -60,7 +66,7 @@
46       required
47     />
48
49 -     {error && <p className="error">{error}</p>}
50 +     {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
51
52     <Button type="submit" disabled={loading}>
53       {loading ? "Logging in..." : "Login"}
```

```

1  import chatStyles from "../styles/chat.module.css";
2  import { bindStyles } from "../utils/bindStyles";
3  import StatusMessage from "../components/ui/StatusMessage";
4  import { useCallback, useEffect, useRef, useState } from "react";
5
6  import { useSearchParams } from "react-router-dom";
7
8  import Navbar from "../components/layout/Navbar";
9
10 import ConversationList from "../components/chat/ConversationList";
11 import ChatWindow from "../components/chat/ChatWindow";
12
13 import {
14   getConversations,
15   getConversation,
16   getOrCreateConversation,
17 } from "../api/conversationApi";
18
19 import { useAuth } from "../auth/AuthContext";
20
21 import { createConversationUpdateWebSocket } from "../services/conversationUpdateWebSocketService";
22 import { subscribeConversationSidebar } from "../services/conversationSidebarSubscription";
23 import { applyConversationUpdate, mergeConversation, mergeConversationLists } from "../utils/conversationUpdates";
24 > ;
25
26 const css = bindStyles(chatStyles);
27
28 const Messages = () => {
29   const { user } = useAuth();
30
31   const [searchParams, setSearchParams] = useSearchParams();
32
33   const [conversations, setConversations] = useState([]);
34
35   const [selectedConversation, setSelectedConversation] = useState(null);
36
37   const [loading, setLoading] = useState(true);
38
39   const [error, setError] = useState("");
40   const conversationsRef = useRef(conversations);
41   useEffect(() => {
42     conversationsRef.current = conversations;
43   }, [conversations]);
44
45   /*
46    * Desktop always shows both panels.
47    *
48    * On mobile this controls whether we are currently
49    * looking at the conversation list or the chat window.
50    */
51   const [mobileView, setMobileView] = useState("conversations");
52
53   // =====
54   // LOAD CONVERSATIONS
55   // =====
56
57   const loadConversations = useCallback(async () => {
58     try {
59       setLoading(true);
60       setError("");
61
62       const data = await getConversations();
63
64       setConversations((current) => mergeConversationLists(current, data || []));
65
66       return data || [];
67     } catch (error) {
68       console.error("Failed to load conversations:", error);
69
70       setError(error.response?.data?.message || "Unable to load conversations");
71     }
72   }, []);

```

```

70
71     return [];
72   } finally {
73     setLoading(false);
74   }
75 }, []);
76
77 // =====
78 // INITIAL LOAD
79 // =====
80
81 useEffect(() => {
82   let cancelled = false;
83
84   const initialize = async () => {
85     const data = await loadConversations();
86
87     if (cancelled) {
88       return;
89     }
90
91     const requestedUserId = searchParams.get("userId");
92
93     if (!requestedUserId) {
94       if (data.length > 0) {
95         setSelectedConversation((current) => current || data[0]);
96       }
97
98       return;
99     }
100
101     try {
102       const conversation = await getOrCreateConversation(requestedUserId);
103
104       if (cancelled) {
105         return;
106       }
107
108       const refreshed = await loadConversations();
109
110       if (cancelled) {
111         return;
112       }
113
114       const matchingConversation = refreshed.find(
115         (item) => String(item.id) === String(conversation.id),
116       );
117
118       const resolvedConversation = matchingConversation || conversation;
119
120       setSelectedConversation(resolvedConversation);
121
122       /*
123        * When Messages is opened directly through
124        * /messages?userId=..., mobile should go
125        * directly into the chat.
126        */
127       setMobileView("chat");
128
129       setSearchParams(
130         {},
131         {
132           replace: true,
133         },
134       );
135     } catch (error) {
136       if (!cancelled) {
137         console.error("Failed to open conversation:", error);
138
139         setError(

```

```

140         error.response?.data?.message || "Unable to start conversation",
141     );
142     }
143 }
144 };
145
146 initialize();
147
148 return () => {
149     cancelled = true;
150 };
151 }, [loadConversations, searchParams, setSearchParams]);
152
153 // =====
154 // SELECT CONVERSATION
155 // =====
156
157 const handleSelectConversation = (conversation) => {
158     setSelectedConversation(conversation);
159
160     /*
161     * On mobile, selecting a conversation should
162     * switch from the conversation list to chat.
163     *
164     * On desktop this state has no visual effect.
165     */
166     setMobileView("chat");
167 };
168
169 // =====
170 // BACK TO CONVERSATIONS
171 // =====
172
173 const handleBackToConversations = () => {
174     setMobileView("conversations");
175 };
176
177 // =====
178 // HANDLE REALTIME MESSAGE
179 // =====
180
181 const handleConversationUpdate = useCallback((update) => {
182     if (update?.conversationId == null || !update.lastMessage) return;
183     setConversations((current) => applyConversationUpdate(current, update));
184     setSelectedConversation((current) =>
185         current && String(current.id) === String(update.conversationId)
186             ? mergeConversation(current, {
187                 ...current,
188                 lastMessage: update.lastMessage,
189                 updatedAt: update.updatedAt || update.lastMessage.createdAt,
190             })
191             : current,
192     );
193 }, []);
194
195 const handleMessageReceived = useCallback((message) => {
196     if (message?.conversationId == null) return;
197     handleConversationUpdate({
198         conversationId: message.conversationId,
199         lastMessage: message,
200         updatedAt: message.createdAt,
201     });
202 }, [handleConversationUpdate]);
203
204 useEffect(() => {
205     if (!user?.id) return;
206     return subscribeConversationSidebar({
207         createSocket: createConversationUpdateWebSocket,
208         loadList: getConversations,
209         loadConversation: getConversation,

```

```

210     hasConversation: (id) =>
211       conversationsRef.current.some((row) => String(row.id) === id),
212     onUpdate: handleConversationUpdate,
213     onRows: (rows) => {
214       setConversations((current) => mergeConversationLists(current, rows));
215       setSelectedConversation((current) => {
216         const incoming = rows.find((row) => String(row.id) === String(current?.id));
217         return current && incoming ? mergeConversation(current, incoming) : current;
218       });
219     },
220     onError: (error) => {
221       console.error("Conversation sidebar update failed:", error);
222     },
223   });
224 }, [user?.id, handleConversationUpdate]);
225
226 // =====
227 // LOADING
228 // =====
229
230 if (loading && conversations.length === 0) {
231   return (
232     <>
233       <Navbar />
234
235       <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Loading messages...<
236     > /div>
237     </>
238   );
239 }
240
241 return (
242   <>
243     <Navbar />
244
245     <main id="main-content" tabIndex={-1} className={css("messages-page")}>
246       <div className={css("messages-card")}>
247         {error && <StatusMessage tone="error" className={css("error chat-page-error")}>{error}</StatusMessage>}
248
249         <div
250           className={css(`messages-layout ${
251             mobileView === "chat"
252               ? "mobile-chat-active"
253               : "mobile-conversations-active"
254           })}
255         >
256           <ConversationList
257             conversations={conversations}
258             selectedConversationId={selectedConversation?.id}
259             onSelect={handleSelectConversation}
260             loading={loading}
261           />
262
263           <ChatWindow
264             conversation={selectedConversation}
265             currentUserId={user?.id}
266             onMessageReceived={handleMessageReceived}
267             onBackToConversations={handleBackToConversations}
268           />
269         </div>
270       </div>
271     </main>
272   </>
273 );
274
275 export default Messages;

```

src/pages/Messages.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/Messages.jsx
2  +++ after/src/pages/Messages.jsx
3  @@ -1,3 +1,6 @@
4  +import chatStyles from "../styles/chat.module.css";
5  +import { bindStyles } from "../utils/bindStyles";
6  +import StatusMessage from "../components/ui/StatusMessage";
7  import { useCallback, useEffect, useRef, useState } from "react";
8
9  import { useSearchParams } from "react-router-dom";
10 @@ -19,7 +22,7 @@
11 import { subscribeConversationSidebar } from "../services/conversationSidebarSubscription";
12 import { applyConversationUpdate, mergeConversation, mergeConversationLists } from "../utils/conversationUpdates";
13 > ";
14 -import "../styles/chat.css";
15 +const css = bindStyles(chatStyles);
16
17 const Messages = () => {
18   const { user } = useAuth();
19   @@ -229,7 +232,7 @@
20     <>
21       <Navbar />
22
23 -    <div className="loading-screen">Loading messages...</div>
24 +    <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Loading messages...
25 > </div>
26   </>
27   );
28   }
29   @@ -238,16 +241,16 @@
30     <>
31       <Navbar />
32 -    <main className="messages-page">
33 -      <div className="messages-card">
34 -        {error && <p className="error chat-page-error">{error}</p>}
35 +    <main id="main-content" tabIndex={-1} className={css("messages-page")}>
36 +      <div className={css("messages-card")}>
37 +        {error && <StatusMessage tone="error" className={css("error chat-page-error")}>{error}</StatusMessage>
38 >    }
39
40 -    <div
41 +      <div
42         className={`messages-layout ${
43           className={css(`messages-layout ${
44             mobileView === "chat"
45               ? "mobile-chat-active"
46               : "mobile-conversations-active"
47           }}`}
48 +      >
49       <ConversationList
50         conversations={conversations}
51       >
```

```

1  import notificationsStyles from "../styles/notifications.module.css";
2  import { bindStyles } from "../utils/bindStyles";
3  import StatusMessage from "../components/ui/StatusMessage";
4  import PageContainer from "../components/ui/PageContainer";
5  import Card from "../components/ui/Card";
6  import { useEffect, useState } from "react";
7
8  import Navbar from "../components/layout/Navbar";
9
10 import { useNotifications } from "../context/NotificationContext";
11
12 const css = bindStyles(notificationsStyles);
13
14 const PAGE_SIZE = 10;
15
16 const Notifications = () => {
17   const {
18     notifications,
19     loading,
20     error,
21     loadNotifications,
22     markAsRead,
23     markAllAsRead,
24   } = useNotifications();
25
26   const [page, setPage] = useState(0);
27
28   const [totalPages, setTotalPages] = useState(0);
29
30   const [actionLoadingId, setActionLoadingId] = useState(null);
31
32   const [markAllLoading, setMarkAllLoading] = useState(false);
33
34   const [actionError, setActionError] = useState("");
35
36   // =====
37   // LOAD PAGE
38   // =====
39
40   const loadPage = async (nextPage) => {
41     try {
42       setActionError("");
43
44       const data = await loadNotifications(nextPage, PAGE_SIZE);
45
46       setPage(data?.number ?? nextPage);
47       setTotalPages(data?.totalPages ?? 0);
48     } catch (error) {
49       console.error("Failed to load notification page:", error);
50     }
51   };
52
53   // =====
54   // INITIAL LOAD
55   // =====
56
57   useEffect(() => {
58     loadPage(0);
59   }, []);
60
61   // =====
62   // MARK ONE AS READ
63   // =====
64
65   const handleMarkAsRead = async (notificationId) => {
66     try {
67       setActionError("");
68       setActionLoadingId(notificationId);
69
70       await markAsRead(notificationId);

```

```

71     } catch (error) {
72       console.error("Failed to mark notification as read:", error);
73
74       setActionError(
75         error.response?.data?.message || "Unable to mark notification as read",
76       );
77     } finally {
78       setActionLoadingId(null);
79     }
80   };
81
82   // =====
83   // MARK ALL AS READ
84   // =====
85
86   const handleMarkAllAsRead = async () => {
87     try {
88       setActionError("");
89       setMarkAllLoading(true);
90
91       await markAllAsRead();
92     } catch (error) {
93       console.error("Failed to mark all notifications as read:", error);
94
95       setActionError(
96         error.response?.data?.message ||
97         "Unable to mark all notifications as read",
98       );
99     } finally {
100       setMarkAllLoading(false);
101     }
102   };
103
104   // =====
105   // LOADING
106   // =====
107
108   if (loading && notifications.length === 0) {
109     return (
110       <>
111         <Navbar />
112
113         <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Loading notification
114       </div>
115     );
116   }
117
118   // =====
119   // UI
120   // =====
121
122   return (
123     <>
124       <Navbar />
125
126       <PageContainer className={css("notifications-page")}>
127         <Card className={css("notifications-card")}>
128           <div className={css("notifications-header")}>
129             <div>
130               <h1>Notifications</h1>
131
132               <p>Stay up to date with your FrndBook activity.</p>
133             </div>
134
135             {notifications.some((notification) => !notification.read) && (
136               <button
137                 type="button"
138                 className={css("notifications-mark-all")}
139                 onClick={handleMarkAllAsRead}

```

```

140         disabled={markAllLoading}
141       >
142         {markAllLoading ? "Marking..." : "Mark all as read"}
143       </button>
144     )}
145   </div>
146
147   {(error || actionError) && (
148     <StatusMessage tone="error" className={css("error")}>{actionError || error}</StatusMessage>
149   )}
150
151   {notifications.length === 0 && !error && (
152     <div className={css("notifications-empty")}>
153       <h2>No notifications yet</h2>
154
155       <p>You're all caught up. New activity will appear here.</p>
156     </div>
157   )}
158
159   {notifications.length > 0 && (
160     <div className={css("notification-list")}>
161       {notifications.map((notification) => (
162         <article
163           key={notification.id}
164           className={css(`notification-item ${
165             notification.read
166               ? "notification-read"
167               : "notification-unread"
168           })`}
169         >
170           <div className={css("notification-indicator")}>
171             {!notification.read && (
172               <span
173                 className={css("notification-unread-dot")}
174                 aria-label="Unread"
175               />
176             )}
177           </div>
178
179           <div className={css("notification-content")}>
180             <p className={css("notification-message")}>
181               {notification.message}
182             </p>
183
184             <div className={css("notification-meta")}>
185               <span>
186                 {notification.createdAt
187                   ? new Date(notification.createdAt).toLocaleString()
188                   : ""}
189               </span>
190
191               {notification.type && (
192                 <span className={css("notification-type")}>
193                   {notification.type}
194                 </span>
195               )}
196             </div>
197           </div>
198
199           {!notification.read && (
200             <button
201               type="button"
202               className={css("notification-read-button")}
203               onClick={() => handleMarkAsRead(notification.id)}
204               disabled={actionLoadingId === notification.id}
205             >
206               {actionLoadingId === notification.id
207                 ? "..."
208                 : "Mark read"}
209             </button>

```

```
210         })
211       </article>
212     )}
213   </div>
214 )}
215
216   {totalPages > 1 && (
217     <div className={css("notification-pagination")}>
218       <button
219         type="button"
220         disabled={loading || page === 0}
221         onClick={() => loadPage(page - 1)}
222       >
223         Previous
224       </button>
225
226       <span>
227         Page {page + 1} of {totalPages}
228       </span>
229
230       <button
231         type="button"
232         disabled={loading || page >= totalPages - 1}
233         onClick={() => loadPage(page + 1)}
234       >
235         Next
236       </button>
237     </div>
238   )}
239 </Card>
240 </PageContainer>
241 </>
242 );
243 };
244
245 export default Notifications;
```

src/pages/Notifications.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/Notifications.jsx
2  +++ after/src/pages/Notifications.jsx
3  @@ -1,3 +1,6 @@
4  +import notificationsStyles from "../styles/notifications.module.css";
5  +import { bindStyles } from "../utils/bindStyles";
6  +import StatusMessage from "../components/ui/StatusMessage";
7  import PageContainer from "../components/ui/PageContainer";
8  import Card from "../components/ui/Card";
9  import { useEffect, useState } from "react";
10 @@ -5,6 +8,8 @@
11 import Navbar from "../components/layout/Navbar";
12
13 import { useNotifications } from "../context/NotificationContext";
14 +
15 +const css = bindStyles(notificationsStyles);
16
17 const PAGE_SIZE = 10;
18
19 @@ -105,7 +110,7 @@
20     <>
21       <Navbar />
22
23 -     <div className="loading-screen">Loading notifications...</div>
24 +     <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Loading notificatio
25   > ns...</div>
26   </>
27   );
28   }
29   @@ -118,9 +123,9 @@
30     <>
31       <Navbar />
32
33 -     <PageContainer className="notifications-page">
34 -       <Card className="notifications-card">
35 -         <div className="notifications-header">
36 +     <PageContainer className={css("notifications-page")}>
37 +     <Card className={css("notifications-card")}>
38 +     <div className={css("notifications-header")}>
39       <div>
40         <h1>Notifications</h1>
41
42   @@ -130,7 +135,7 @@
43     {notifications.some((notification) => !notification.read) && (
44       <button
45         type="button"
46 -         className="notifications-mark-all"
47 +         className={css("notifications-mark-all")}
48         onClick={handleMarkAllAsRead}
49         disabled={markAllLoading}
50       >
51     @@ -140,11 +145,11 @@
52     </div>
53
54     {(error || actionError) && (
55 -     <p className="error">{actionError || error}</p>
56 +     <StatusMessage tone="error" className={css("error")}>{actionError || error}</StatusMessage>
57     )}
58
59     {notifications.length === 0 && !error && (
60 -     <div className="notifications-empty">
61 +     <div className={css("notifications-empty")}>
62       <h2>No notifications yet</h2>
63
64       <p>You're all caught up. New activity will appear here.</p>
65   @@ -152,31 +157,31 @@
66   )}
67
68   {notifications.length > 0 && (
69 -   <div className="notification-list">
70 +   <div className={css("notification-list")}>
```

```

70         {notifications.map((notification) => (
71             <article
72                 key={notification.id}
73 -                 className={`notification-item ${
74 +                 className={css(`notification-item ${
75                     notification.read
76                     ? "notification-read"
77                     : "notification-unread"
78 -                 }}`
79 +                 `)`}}
80             >
81 -             <div className="notification-indicator">
82 +             <div className={css("notification-indicator")}>
83                 {!notification.read && (
84                     <span
85 -                     className="notification-unread-dot"
86 +                     className={css("notification-unread-dot")}
87                     aria-label="Unread"
88                 />
89                 )}
90             </div>
91
92 -             <div className="notification-content">
93 -             <p className="notification-message">
94 +             <div className={css("notification-content")}>
95 +             <p className={css("notification-message")}>
96                 {notification.message}
97             </p>
98
99 -             <div className="notification-meta">
100 +             <div className={css("notification-meta")}>
101                 <span>
102                     {notification.createdAt
103                     ? new Date(notification.createdAt).toLocaleString()
104 @@ -184,7 +189,7 @@
105                 </span>
106
107                 {notification.type && (
108 -                 <span className="notification-type">
109 +                 <span className={css("notification-type")}>
110                     {notification.type}
111                 </span>
112                 )}
113 @@ -194,7 +199,7 @@
114                 {!notification.read && (
115                     <button
116                         type="button"
117 -                     className="notification-read-button"
118 +                     className={css("notification-read-button")}
119                     onClick={() => handleMarkAsRead(notification.id)}
120                     disabled={actionLoadingId === notification.id}
121                 >
122 @@ -209,7 +214,7 @@
123                 )}
124
125             {totalPages > 1 && (
126 -             <div className="notification-pagination">
127 +             <div className={css("notification-pagination")}>
128                 <button
129                     type="button"
130                     disabled={loading || page === 0}

```

```

1  import profileStyles from "../styles/profile.module.css";
2  import { bindStyles } from "../utils/bindStyles";
3  import StatusMessage from "../components/ui/StatusMessage";
4  import FormField from "../components/ui/FormField";
5  import PageContainer from "../components/ui/PageContainer";
6  import Card from "../components/ui/Card";
7  import { useEffect, useRef, useState } from "react";
8
9  import Navbar from "../components/layout/Navbar";
10
11 import UserAvatar from "../components/users/UserAvatar";
12
13 import { updateProfile, updateProfileImage } from "../api/userApi";
14
15 import { useAuth } from "../auth/AuthContext";
16
17 const css = bindStyles(profileStyles);
18
19 const Profile = () => {
20   const { user, loading: authLoading } = useAuth();
21
22   const [profile, setProfile] = useState(user);
23
24   const [name, setName] = useState(user?.name || "");
25
26   const [bio, setBio] = useState(user?.bio || "");
27
28   const [loading, setLoading] = useState(false);
29
30   const [imageLoading, setImageLoading] = useState(false);
31
32   const [error, setError] = useState("");
33
34   const [success, setSuccess] = useState("");
35
36   const [previewImage, setPreviewImage] = useState(null);
37
38   const fileInputRef = useRef(null);
39
40   // =====
41   // SYNC USER
42   // =====
43
44   useEffect(() => {
45     if (!user) {
46       return;
47     }
48
49     setProfile(user);
50     setName(user.name || "");
51     setBio(user.bio || "");
52   }, [user]);
53
54   // =====
55   // CLEANUP PREVIEW
56   // =====
57
58   useEffect(() => {
59     return () => {
60       if (previewImage) {
61         URL.revokeObjectURL(previewImage);
62       }
63     };
64   }, [previewImage]);
65
66   // =====
67   // UPDATE PROFILE
68   // =====
69
70   const handleSubmit = async (event) => {

```

```

71     event.preventDefault();
72
73     setError("");
74     setSuccess("");
75     setLoading(true);
76
77     try {
78         const updatedUser = await updateProfile(name.trim(), bio.trim());
79
80         setProfile(updatedUser);
81         setName(updatedUser.name || "");
82         setBio(updatedUser.bio || "");
83
84         setSuccess("Profile updated successfully.");
85     } catch (error) {
86         console.error("Profile update failed:", error);
87
88         setError(error.response?.data?.message || "Failed to update profile");
89     } finally {
90         setLoading(false);
91     }
92 };
93
94 // =====
95 // IMAGE SELECTION
96 // =====
97
98 const handleImageChange = (event) => {
99     const file = event.target.files?.[0];
100
101     if (!file) {
102         return;
103     }
104
105     if (!file.type.startsWith("image/")) {
106         setError("Please select an image file.");
107         return;
108     }
109
110     setError("");
111     setSuccess("");
112
113     if (previewImage) {
114         URL.revokeObjectURL(previewImage);
115     }
116
117     const previewUrl = URL.createObjectURL(file);
118
119     setPreviewImage(previewUrl);
120
121     handleImageUpload(file);
122 };
123
124 // =====
125 // IMAGE UPLOAD
126 // =====
127
128 const handleImageUpload = async (file) => {
129     setImageLoading(true);
130
131     setError("");
132     setSuccess("");
133
134     try {
135         const updatedUser = await updateProfileImage(file);
136
137         setProfile(updatedUser);
138
139         setSuccess("Profile image updated successfully.");
140

```

```

141      /*
142       * Keep the local preview visible until
143       * the profile page is refreshed.
144       */
145    } catch (error) {
146      console.error("Profile image upload failed:", error);
147
148      if (previewImage) {
149        URL.revokeObjectURL(previewImage);
150      }
151
152      setPreviewImage(null);
153
154      setError(
155        error.response?.data?.message || "Failed to upload profile image",
156      );
157    } finally {
158      setImageLoading(false);
159
160      if (fileInputRef.current) {
161        fileInputRef.current.value = "";
162      }
163    }
164  };
165
166  // =====
167  // LOADING
168  // =====
169
170  if (authLoading) {
171    return <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Loading...</div>;
172  }
173
174  if (!profile) {
175    return <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Unable to load pr
    > ofile.</div>;
176  }
177
178  return (
179    <>
180      <Navbar />
181
182      <PageContainer className={css("profile-page")}>
183        <Card className={css("profile-card")}>
184          <h1>My Profile</h1>
185
186          {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
187
188          {success && <StatusMessage tone="success" className={css("success")}>{success}</StatusMessage>}
189
190          <div className={css("profile-image-section")}>
191            <UserAvatar
192              name={profile.name}
193              image={previewImage || profile.profileImage}
194              userId={profile.id}
195              size="large"
196            />
197
198            <button
199              type="button"
200              onClick={() => fileInputRef.current?.click()}
201              disabled={imageLoading}
202            >
203              {imageLoading ? "Uploading..." : "Change Photo"}
204            </button>
205
206            <input
207              ref={fileInputRef}
208              type="file"
209              accept="image/*"

```

```

210         onChange={handleImageChange}
211         hidden
212       />
213     </div>
214
215     <form className={css("profile-form")} onSubmit={handleSubmit}>
216
217       <FormField label="Name" autoComplete="name"
218         type="text"
219         value={name}
220         maxLength={100}
221         onChange={(event) => setName(event.target.value)}
222         required
223       />
224
225       <FormField label="Email" type="email" autoComplete="email" value={profile.email} disabled />
226
227       <FormField as="textarea" label="Bio"
228         value={bio}
229         maxLength={500}
230         rows={5}
231         onChange={(event) => setBio(event.target.value)}
232       />
233
234       <div className={css("character-count")}>{bio.length}/500</div>
235
236       <button type="submit" disabled={loading}>
237         {loading ? "Saving..." : "Save Changes"}
238       </button>
239     </form>
240
241     <div className={css("profile-details")}>
242       <p>
243         <strong>Status:</strong> {profile.status || "-"}
244       </p>
245
246       <p>
247         <strong>Last seen:</strong>{" "}
248         {profile.lastSeen
249           ? new Date(profile.lastSeen).toLocaleString()
250           : "-"}
251       </p>
252     </div>
253   </Card>
254 </PageContainer>
255 </>
256 );
257 };
258
259 export default Profile;

```

src/pages/Profile.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/Profile.jsx
2  +++ after/src/pages/Profile.jsx
3  @@ -1,3 +1,7 @@
4  +import profileStyles from "../styles/profile.module.css";
5  +import { bindStyles } from "../utils/bindStyles";
6  +import StatusMessage from "../components/ui/StatusMessage";
7  +import FormField from "../components/ui/FormField";
8  import PageContainer from "../components/ui/PageContainer";
9  import Card from "../components/ui/Card";
10 import { useEffect, useRef, useState } from "react";
11 @@ -9,6 +13,8 @@
12 import { updateProfile, updateProfileImage } from "../api/userApi";
13
14 import { useAuth } from "../auth/AuthContext";
15 +
16 +const css = bindStyles(profileStyles);
17
18 const Profile = () => {
19   const { user, loading: authLoading } = useAuth();
20   @@ -162,26 +168,26 @@
21   // =====
22
23   if (authLoading) {
24 -    return <div className="loading-screen">Loading...</div>;
25 +    return <div id="main-content" tabIndex=-1 role="status" className={css("loading-screen")}>Loading...</div>
26   }
27
28   if (!profile) {
29 -    return <div className="loading-screen">Unable to load profile.</div>;
30 +    return <div id="main-content" tabIndex=-1 role="status" className={css("loading-screen")}>Unable to load p
31   }
32
33   return (
34     <>
35       <Navbar />
36
37 -    <PageContainer className="profile-page">
38 -      <Card className="profile-card">
39 +    <PageContainer className={css("profile-page")}>
40 +    <Card className={css("profile-card")}>
41       <h1>My Profile</h1>
42
43 -      {error && <p className="error">{error}</p>}
44 -
45 -      {success && <p className="success">{success}</p>}
46 -
47 -      <div className="profile-image-section">
48 +      {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
49 +
50 +      {success && <StatusMessage tone="success" className={css("success")}>{success}</StatusMessage>}
51 +
52 +      <div className={css("profile-image-section")}>
53         <UserAvatar
54           name={profile.name}
55           image={previewImage || profile.profileImage}
56 @@ -206,10 +212,9 @@
57       />
58     </div>
59
60 -    <form className="profile-form" onSubmit={handleSubmit}>
61 -      <label>Name</label>
62 -
63 -      <input
64 +    <form className={css("profile-form")} onSubmit={handleSubmit}>
65 +
66 +    <FormField label="Name" autoComplete="name"
67       type="text"
68       value={name}
```

```

69         maxLength={100}
70 @@ -217,27 +222,23 @@
71         required
72     />
73
74 -     <label>Email</label>
75 -
76 -     <input type="email" value={profile.email} disabled />
77 -
78 -     <label>Bio</label>
79 -
80 -     <textarea
81 +     <FormField label="Email" type="email" autoComplete="email" value={profile.email} disabled />
82 +
83 +     <FormField as="textarea" label="Bio"
84         value={bio}
85         maxLength={500}
86         rows={5}
87         onChange={(event) => setBio(event.target.value)}
88     />
89
90 -     <div className="character-count">{bio.length}/500</div>
91 +     <div className={css("character-count")}>{bio.length}/500</div>
92
93     <button type="submit" disabled={loading}>
94         {loading ? "Saving..." : "Save Changes"}
95     </button>
96 </form>
97
98 - <div className="profile-details">
99 + <div className={css("profile-details")}>
100     <p>
101         <strong>Status:</strong> {profile.status || "-"}
102     </p>

```

```

1  import authStyles from "../styles/auth.module.css";
2  import { bindStyles } from "../utils/bindStyles";
3  import StatusMessage from "../components/ui/StatusMessage";
4  import FormField from "../components/ui/FormField";
5  import Button from "../components/ui/Button";
6  import { useState } from "react";
7  import { Link, useNavigate, useSearchParams } from "react-router-dom";
8
9  import { resetPassword } from "../api/authApi";
10
11 const css = bindStyles(authStyles);
12
13 const ResetPassword = () => {
14   const navigate = useNavigate();
15
16   const [searchParams] = useSearchParams();
17
18   const token = searchParams.get("token") || "";
19
20   const [password, setPassword] = useState("");
21
22   const [confirmPassword, setConfirmPassword] = useState("");
23
24   const [error, setError] = useState("");
25
26   const [success, setSuccess] = useState("");
27
28   const [loading, setLoading] = useState(false);
29
30   const handleSubmit = async (event) => {
31     event.preventDefault();
32
33     setError("");
34     setSuccess("");
35
36     if (!token) {
37       setError("Invalid or missing reset link.");
38
39       return;
40     }
41
42     if (password !== confirmPassword) {
43       setError("Passwords do not match.");
44
45       return;
46     }
47
48     if (password.length < 8) {
49       setError("Password must be at least 8 characters.");
50
51       return;
52     }
53
54     setLoading(true);
55
56     try {
57       await resetPassword({
58         token,
59         newPassword: password,
60       });
61
62       setSuccess("Password reset successfully. Redirecting to login...");
63
64       window.setTimeout(() => {
65         navigate("/login");
66       }, 1200);
67     } catch (error) {
68       console.error(error);
69
70       setError(error.response?.data?.message || "Unable to reset password");

```

```

71     } finally {
72       setLoading(false);
73     }
74   };
75
76   return (
77     <div className={css("auth-page")}>
78       <div className={css("auth-card")}>
79         <h1>FrndBook</h1>
80
81         <h2>Reset Password</h2>
82
83         <form onSubmit={handleSubmit}>
84           <FormField label="New password" autoComplete="new-password"
85             type="password"
86             placeholder="New password"
87             value={password}
88             onChange={(event) => setPassword(event.target.value)}
89             minLength={8}
90             required
91           />
92
93           <FormField label="Confirm password" autoComplete="new-password"
94             type="password"
95             placeholder="Confirm password"
96             value={confirmPassword}
97             onChange={(event) => setConfirmPassword(event.target.value)}
98             minLength={8}
99             required
100          />
101
102          {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
103
104          {success && <StatusMessage tone="success" className={css("success")}>{success}</StatusMessage>}
105
106          <Button type="submit" disabled={loading}>
107            {loading ? "Resetting..." : "Reset Password"}
108          </Button>
109        </form>
110
111        <p>
112          <Link to="/login">Back to Login</Link>
113        </p>
114      </div>
115    </div>
116  );
117 };
118
119 export default ResetPassword;

```

src/pages/ResetPassword.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/ResetPassword.jsx
2  +++ after/src/pages/ResetPassword.jsx
3  @@ -1,8 +1,14 @@
4  +import authStyles from "../styles/auth.module.css";
5  +import { bindStyles } from "../utils/bindStyles";
6  +import StatusMessage from "../components/ui/StatusMessage";
7  +import FormField from "../components/ui/FormField";
8  import Button from "../components/ui/Button";
9  import { useState } from "react";
10 import { Link, useNavigate, useSearchParams } from "react-router-dom";
11
12 import { resetPassword } from "../api/authApi";
13 +
14 +const css = bindStyles(authStyles);
15
16 const ResetPassword = () => {
17   const navigate = useNavigate();
18   @@ -68,14 +74,14 @@
19   };
20
21   return (
22 -     <div className="auth-page">
23 -       <div className="auth-card">
24 +     <div className={css("auth-page")}>
25 +     <div className={css("auth-card")}>
26       <h1>FrndBook</h1>
27
28       <h2>Reset Password</h2>
29
30       <form onSubmit={handleSubmit}>
31 -       <input
32 +       <FormField label="New password" autoComplete="new-password"
33         type="password"
34         placeholder="New password"
35         value={password}
36   @@ -84,7 +90,7 @@
37         required
38       />
39
40 -       <input
41 +       <FormField label="Confirm password" autoComplete="new-password"
42         type="password"
43         placeholder="Confirm password"
44         value={confirmPassword}
45   @@ -93,9 +99,9 @@
46         required
47       />
48
49 -       {error && <p className="error">{error}</p>}
50 +       {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
51
52 -       {success && <p className="success">{success}</p>}
53 +       {success && <StatusMessage tone="success" className={css("success")}>{success}</StatusMessage>}
54
55       <Button type="submit" disabled={loading}>
56         {loading ? "Resetting..." : "Reset Password"}
```

```

1  import authStyles from "../styles/auth.module.css";
2  import { bindStyles } from "../utils/bindStyles";
3  import StatusMessage from "../components/ui/StatusMessage";
4  import FormField from "../components/ui/FormField";
5  import Button from "../components/ui/Button";
6  import { useState } from "react";
7  import { Link, useNavigate } from "react-router-dom";
8
9  import { useAuth } from "../auth/AuthContext";
10
11 const css = bindStyles(authStyles);
12
13 const Signup = () => {
14   const navigate = useNavigate();
15
16   const { signup } = useAuth();
17
18   const [name, setName] = useState("");
19   const [email, setEmail] = useState("");
20   const [password, setPassword] = useState("");
21
22   const [error, setError] = useState("");
23   const [loading, setLoading] = useState(false);
24
25   const handleSubmit = async (event) => {
26     event.preventDefault();
27
28     setError("");
29     setLoading(true);
30
31     try {
32       await signup(name, email, password);
33
34       navigate(`/verify-email?email=${encodeURIComponent(email)}`);
35     } catch (error) {
36       console.error(error);
37
38       setError(
39         error.response?.data?.message || "Unable to send verification code",
40       );
41     } finally {
42       setLoading(false);
43     }
44   };
45
46   return (
47     <div className={css("auth-page")}>
48       <div className={css("auth-card")}>
49         <h1>FrndBook</h1>
50
51         <h2>Create Account</h2>
52
53         <form onSubmit={handleSubmit}>
54           <FormField label="Name" autoComplete="name"
55             type="text"
56             placeholder="Name"
57             value={name}
58             onChange={(event) => setName(event.target.value)}
59             required
60           />
61
62           <FormField label="Email" autoComplete="email"
63             type="email"
64             placeholder="Email"
65             value={email}
66             onChange={(event) => setEmail(event.target.value)}
67             required
68           />
69
70           <FormField label="Password" autoComplete="new-password"

```

```
71         type="password"
72         placeholder="Password"
73         value={password}
74         onChange={(event) => setPassword(event.target.value)}
75         minLength={8}
76         required
77     />
78
79     {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
80
81     <Button type="submit" disabled={loading}>
82       {loading ? "Sending code..." : "Create Account"}
83     </Button>
84 </form>
85
86 <p>
87   Already have an account? <Link to="/login">Login</Link>
88 </p>
89 </div>
90 </div>
91 );
92 };
93
94 export default Signup;
```

src/pages/Signup.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/Signup.jsx
2  +++ after/src/pages/Signup.jsx
3  @@ -1,8 +1,14 @@
4  +import authStyles from "../styles/auth.module.css";
5  +import { bindStyles } from "../utils/bindStyles";
6  +import StatusMessage from "../components/ui/StatusMessage";
7  +import FormField from "../components/ui/FormField";
8  import Button from "../components/ui/Button";
9  import { useState } from "react";
10 import { Link, useNavigate } from "react-router-dom";
11
12 import { useAuth } from "../auth/AuthContext";
13 +
14 +const css = bindStyles(authStyles);
15
16 const Signup = () => {
17   const navigate = useNavigate();
18   @@ -38,14 +44,14 @@
19   };
20
21   return (
22 -     <div className="auth-page">
23 -     <div className="auth-card">
24 +     <div className={css("auth-page")}>
25 +     <div className={css("auth-card")}>
26       <h1>FrndBook</h1>
27
28       <h2>Create Account</h2>
29
30       <form onSubmit={handleSubmit}>
31 -     <input
32 +     <FormField label="Name" autoComplete="name"
33         type="text"
34         placeholder="Name"
35         value={name}
36   @@ -53,7 +59,7 @@
37         required
38       />
39
40 -     <input
41 +     <FormField label="Email" autoComplete="email"
42         type="email"
43         placeholder="Email"
44         value={email}
45   @@ -61,7 +67,7 @@
46         required
47       />
48
49 -     <input
50 +     <FormField label="Password" autoComplete="new-password"
51         type="password"
52         placeholder="Password"
53         value={password}
54   @@ -70,7 +76,7 @@
55         required
56       />
57
58 -     {error && <p className="error">{error}</p>}
59 +     {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
60
61     <Button type="submit" disabled={loading}>
62       {loading ? "Sending code..." : "Create Account"}
```

```

1  import friendsStyles from "../styles/friends.module.css";
2  import profileStyles from "../styles/profile.module.css";
3  import { bindStyles } from "../utils/bindStyles";
4  import StatusMessage from "../components/ui/StatusMessage";
5  import PageContainer from "../components/ui/PageContainer";
6  import Card from "../components/ui/Card";
7  import { useEffect, useState } from "react";
8  import { Link, useNavigate, useParams } from "react-router-dom";
9
10 import Navbar from "../components/layout/Navbar";
11
12 import UserAvatar from "../components/users/UserAvatar";
13 import FriendAction from "../components/users/FriendAction";
14
15 import { getUserById } from "../api/userApi";
16
17 import {
18   sendFriendRequest,
19   getFriends,
20   getReceivedFriendRequests,
21   getSentFriendRequests,
22   acceptFriendRequest,
23   rejectFriendRequest,
24   removeFriend,
25 } from "../api/friendApi";
26
27 import { useAuth } from "../auth/AuthContext";
28
29 import { FRIENDSHIP_STATUS, getFriendshipState } from "../utils/friendship";
30
31 const css = bindStyles(friendsStyles, profileStyles);
32
33 const UserProfile = () => {
34   const { userId } = useParams();
35
36   const navigate = useNavigate();
37
38   const { user: currentUser } = useAuth();
39
40   const [user, setUser] = useState(null);
41
42   const [friendshipStatus, setFriendshipStatus] = useState(
43     FRIENDSHIP_STATUS.NONE,
44   );
45
46   const [friendRequestId, setFriendRequestId] = useState(null);
47
48   const [loading, setLoading] = useState(true);
49
50   const [friendshipLoading, setFriendshipLoading] = useState(false);
51
52   const [friendshipLoaded, setFriendshipLoaded] = useState(false);
53
54   const [error, setError] = useState("");
55
56   const [friendshipError, setFriendshipError] = useState("");
57
58   // =====
59   // LOAD PROFILE
60   // =====
61
62   useEffect(() => {
63     const loadUser = async () => {
64       try {
65         setLoading(true);
66         setError("");
67
68         const data = await getUserById(userId);
69
70         setUser(data);

```

```

71     } catch (error) {
72       console.error("Failed to load user profile:", error);
73     }
74     setError(
75       error.response?.data?.message || "Unable to load user profile",
76     );
77   } finally {
78     setLoading(false);
79   }
80 };
81
82   loadUser();
83 }, [userId]);
84
85 // =====
86 // LOAD FRIENDSHIP STATE
87 // =====
88
89 useEffect(() => {
90   if (!user || !currentUser) {
91     return;
92   }
93
94   if (String(user.id) === String(currentUser.id)) {
95     setFriendshipLoaded(true);
96
97     return;
98   }
99
100  const loadFriendshipState = async () => {
101    try {
102      setFriendshipError("");
103      setFriendshipLoaded(false);
104
105      const [friends, receivedRequests, sentRequests] = await Promise.all([
106        getFriends(),
107        getReceivedFriendRequests(),
108        getSentFriendRequests(),
109      ]);
110
111      const state = getFriendshipState(
112        user.id,
113        friends || [],
114        receivedRequests || [],
115        sentRequests || [],
116      );
117
118      setFriendshipStatus(state.status);
119
120      setFriendRequestId(state.requestId);
121    } catch (error) {
122      console.error("Failed to load friendship state:", error);
123
124      setFriendshipError(
125        error.response?.data?.message || "Unable to load friendship status",
126      );
127    } finally {
128      setFriendshipLoaded(true);
129    }
130  };
131
132  loadFriendshipState();
133 }, [user, currentUser]);
134
135 // =====
136 // ADD FRIEND
137 // =====
138
139 const handleAddFriend = async () => {
140   if (!user) {

```

```

141     return;
142   }
143
144   try {
145     setFriendshipLoading(true);
146     setFriendshipError("");
147
148     const request = await sendFriendRequest(user.id);
149
150     setFriendshipStatus(FRIENDSHIP_STATUS.REQUEST_SENT);
151
152     setFriendRequestId(request?.id || null);
153   } catch (error) {
154     console.error("Failed to send friend request:", error);
155
156     setFriendshipError(
157       error.response?.data?.message || "Unable to send friend request",
158     );
159   } finally {
160     setFriendshipLoading(false);
161   }
162 };
163
164 // =====
165 // ACCEPT
166 // =====
167
168 const handleAcceptFriend = async () => {
169   if (!friendRequestId) {
170     return;
171   }
172
173   try {
174     setFriendshipLoading(true);
175     setFriendshipError("");
176
177     await acceptFriendRequest(friendRequestId);
178
179     setFriendshipStatus(FRIENDSHIP_STATUS.FRIENDS);
180
181     setFriendRequestId(null);
182   } catch (error) {
183     console.error("Failed to accept friend request:", error);
184
185     setFriendshipError(
186       error.response?.data?.message || "Unable to accept friend request",
187     );
188   } finally {
189     setFriendshipLoading(false);
190   }
191 };
192
193 // =====
194 // REJECT
195 // =====
196
197 const handleRejectFriend = async () => {
198   if (!friendRequestId) {
199     return;
200   }
201
202   try {
203     setFriendshipLoading(true);
204     setFriendshipError("");
205
206     await rejectFriendRequest(friendRequestId);
207
208     setFriendshipStatus(FRIENDSHIP_STATUS.NONE);
209
210     setFriendRequestId(null);

```

```

211     } catch (error) {
212       console.error("Failed to reject friend request:", error);
213     }
214     setFriendshipError(
215       error.response?.data?.message || "Unable to reject friend request",
216     );
217   } finally {
218     setFriendshipLoading(false);
219   }
220 };
221
222 // =====
223 // REMOVE FRIEND
224 // =====
225
226 const handleRemoveFriend = async () => {
227   if (!user) {
228     return;
229   }
230
231   const confirmed = window.confirm(
232     `Are you sure you want to remove ${user.name} from your friends?`,
233   );
234
235   if (!confirmed) {
236     return;
237   }
238
239   try {
240     setFriendshipLoading(true);
241     setFriendshipError("");
242
243     await removeFriend(user.id);
244
245     setFriendshipStatus(FRIENDSHIP_STATUS.NONE);
246   } catch (error) {
247     console.error("Failed to remove friend:", error);
248
249     setFriendshipError(
250       error.response?.data?.message || "Unable to remove friend",
251     );
252   } finally {
253     setFriendshipLoading(false);
254   }
255 };
256
257 // =====
258 // OPEN MESSAGE
259 // =====
260
261 const handleMessage = () => {
262   if (!user) {
263     return;
264   }
265
266   /*
267    * Reuse the existing Messages page flow.
268    *
269    * Messages.jsx already handles:
270    *
271    * /messages?userId={userId}
272    *
273    * and resolves/opens the conversation using
274    * getOrCreateConversation().
275    */
276   navigate(`/messages?userId=${user.id}`);
277 };
278
279 // =====
280 // LOADING

```

```

281 // =====
282
283 if (loading) {
284   return (
285     <>
286       <Navbar />
287
288       <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Loading profile...</div>
289     </>
290   );
291 }
292
293 // =====
294 // PROFILE ERROR
295 // =====
296
297 if (error || !user) {
298   return (
299     <>
300       <Navbar />
301
302       <PageContainer className={css("profile-page")}>
303         <Card className={css("profile-card")}>
304           <StatusMessage tone="error" className={css("error")}>{error || "User not found."}</StatusMessage>
305
306           <Link to="/" className={css("back-link")}>
307             ← Back to Home
308           </Link>
309         </Card>
310       </PageContainer>
311     </>
312   );
313 }
314
315 const isOwnProfile = String(user.id) === String(currentUser?.id);
316
317 // =====
318 // UI
319 // =====
320
321 return (
322   <>
323     <Navbar />
324
325     <PageContainer className={css("profile-page")}>
326       <Card className={css("profile-card user-profile-card")}>
327         <Link to="/" className={css("back-link")}>
328           ← Back to Home
329         </Link>
330
331         <div className={css("profile-image-section")}>
332           <UserAvatar
333             name={user.name}
334             image={user.profileImage}
335             userId={user.id}
336             size="large"
337           />
338         </div>
339
340         <div className={css("user-profile-info")}>
341           <h1>{user.name}</h1>
342
343           <p className={css("user-profile-bio")}>{user.bio || "No bio available"}</p>
344
345           <div className={css("profile-details")}>
346             <p>
347               <strong>Status:</strong> {user.status || "-"}
348             </p>
349

```

```

350         <p>
351             <strong>Last seen:</strong>{" "}
352             {user.lastSeen ? new Date(user.lastSeen).toLocaleString() : "-"}
353         </p>
354     </div>
355 </div>
356
357     {!isOwnProfile && (
358         <div className={css("friend-action-section")}>
359             {friendshipError && <StatusMessage tone="error" className={css("error")}>{friendshipError}</StatusM
360         > message</div>
361
362         {!friendshipLoaded ? (
363             <p className={css("friendship-loading")}>Checking friendship...</p>
364         ) : (
365             <FriendAction
366                 status={friendshipStatus}
367                 onAdd={handleAddFriend}
368                 onAccept={handleAcceptFriend}
369                 onReject={handleRejectFriend}
370                 onRemove={handleRemoveFriend}
371                 onMessage={handleMessage}
372                 loading={friendshipLoading}
373             </>
374         )}
375     </div>
376 </Card>
377 </PageContainer>
378 </>
379 );
380 };
381
382 export default UserProfile;

```

src/pages/UserProfile.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/UserProfile.jsx
2  +++ after/src/pages/UserProfile.jsx
3  @@ -1,3 +1,7 @@
4  +import friendsStyles from "../styles/friends.module.css";
5  +import profileStyles from "../styles/profile.module.css";
6  +import { bindStyles } from "../utils/bindStyles";
7  +import StatusMessage from "../components/ui/StatusMessage";
8  import PageContainer from "../components/ui/PageContainer";
9  import Card from "../components/ui/Card";
10 import { useEffect, useState } from "react";
11 @@ -23,6 +27,8 @@
12 import { useAuth } from "../auth/AuthContext";
13
14 import { FRIENDSHIP_STATUS, getFriendshipState } from "../utils/friendship";
15 +
16 +const css = bindStyles(friendsStyles, profileStyles);
17
18 const UserProfile = () => {
19   const { userId } = useParams();
20 @@ -279,7 +285,7 @@
21   <>
22     <Navbar />
23
24 -    <div className="loading-screen">Loading profile...</div>
25 +    <div id="main-content" tabIndex={-1} role="status" className={css("loading-screen")}>Loading profile...<
26 > /div>
27   </>
28   );
29 @@ -293,11 +299,11 @@
30   <>
31     <Navbar />
32
33 -    <PageContainer className="profile-page">
34 -      <Card className="profile-card">
35 -        <p className="error">{error || "User not found."}</p>
36 -      </Card>
37 -      <Link to="/" className="back-link">
38 +      <PageContainer className={css("profile-page")}>
39 +        <Card className={css("profile-card")}>
40 +          <StatusMessage tone="error" className={css("error")}>{error || "User not found."}</StatusMessage>
41 +        </Card>
42 +        <Link to="/" className={css("back-link")}>
43           ← Back to Home
44         </Link>
45       </Card>
46 @@ -316,13 +322,13 @@
47     <>
48       <Navbar />
49
50 -    <PageContainer className="profile-page">
51 -      <Card className="profile-card user-profile-card">
52 -        <Link to="/" className="back-link">
53 +      <PageContainer className={css("profile-page")}>
54 +        <Card className={css("profile-card user-profile-card")}>
55 +        <Link to="/" className={css("back-link")}>
56           ← Back to Home
57         </Link>
58
59 -    <div className="profile-image-section">
60 +    <div className={css("profile-image-section")}>
61       <UserAvatar
62         name={user.name}
63         image={user.profileImage}
64 @@ -331,12 +337,12 @@
65     />
66   </div>
67
68 -    <div className="user-profile-info">
69 +    <div className={css("user-profile-info")}>
```

```

70         <h1>{user.name}</h1>
71
72 -         <p className="user-profile-bio">{user.bio || "No bio available"}</p>
73 -
74 -         <div className="profile-details">
75 +         <p className={css("user-profile-bio")}>{user.bio || "No bio available"}</p>
76 +
77 +         <div className={css("profile-details")}>
78             <p>
79                 <strong>Status:</strong> {user.status || "-"}
80             </p>
81 @@ -349,11 +355,11 @@
82         </div>
83
84         {!isOwnProfile && (
85 -         <div className="friend-action-section">
86 -             {friendshipError && <p className="error">{friendshipError}</p>}
87 +         <div className={css("friend-action-section")}>
88 +             {friendshipError && <StatusMessage tone="error" className={css("error")}>{friendshipError}</Status
89 > Message>}
90
91         {!friendshipLoaded ? (
92 -         <p className="friendship-loading">Checking friendship...</p>
93 +         <p className={css("friendship-loading")}>Checking friendship...</p>
94         ) : (
95             <FriendAction
96                 status={friendshipStatus}

```

```

1  import authStyles from "../styles/auth.module.css";
2  import { bindStyles } from "../utils/bindStyles";
3  import StatusMessage from "../components/ui/StatusMessage";
4  import FormField from "../components/ui/FormField";
5  import Button from "../components/ui/Button";
6  import { useEffect, useState } from "react";
7  import { Link, useNavigate, useSearchParams } from "react-router-dom";
8
9  import { resendVerification, verifyEmail } from "../api/authApi";
10
11 const css = bindStyles(authStyles);
12
13 const RESEND_COOLDOWN_SECONDS = 60;
14
15 const VerifyEmail = () => {
16   const navigate = useNavigate();
17
18   const [searchParams] = useSearchParams();
19
20   const [email, setEmail] = useState(searchParams.get("email") || "");
21
22   const [otp, setOtp] = useState("");
23
24   const [error, setError] = useState("");
25   const [success, setSuccess] = useState("");
26
27   const [loading, setLoading] = useState(false);
28   const [resending, setResending] = useState(false);
29
30   const [resendCountdown, setResendCountdown] = useState(
31     RESEND_COOLDOWN_SECONDS,
32   );
33
34   useEffect(() => {
35     if (resendCountdown <= 0) {
36       return;
37     }
38
39     const timer = window.setInterval(() => {
40       setResendCountdown((current) => Math.max(0, current - 1));
41     }, 1000);
42
43     return () => {
44       window.clearInterval(timer);
45     };
46   }, [resendCountdown]);
47
48   const handleVerify = async (event) => {
49     event.preventDefault();
50
51     setError("");
52     setSuccess("");
53     setLoading(true);
54
55     try {
56       await verifyEmail({
57         email,
58         otp,
59       });
60
61       setSuccess("Email verified successfully. Redirecting to login...");
62
63       window.setTimeout(() => {
64         navigate("/login");
65       }, 1200);
66     } catch (error) {
67       console.error(error);
68
69       setError(error.response?.data?.message || "Unable to verify email");
70     } finally {

```

```

71     setLoading(false);
72   }
73 };
74
75 const handleResend = async () => {
76   if (resendCountdown > 0) {
77     return;
78   }
79
80   setError("");
81   setSuccess("");
82   setResending(true);
83
84   try {
85     await resendVerification({
86       email,
87     });
88
89     setSuccess("A new verification code has been sent.");
90
91     setResendCountdown(RESEND_COOLDOWN_SECONDS);
92   } catch (error) {
93     console.error(error);
94
95     setError(
96       error.response?.data?.message || "Unable to resend verification code",
97     );
98   } finally {
99     setResending(false);
100  }
101 };
102
103 return (
104   <div className={css("auth-page")}>
105     <div className={css("auth-card")}>
106       <h1>FrndBook</h1>
107
108       <h2>Verify Your Email</h2>
109
110       <p>Enter the 6-digit verification code sent to your email.</p>
111
112       <form onSubmit={handleVerify}>
113         <FormField label="Email" autoComplete="email"
114           type="email"
115           placeholder="Email"
116           value={email}
117           onChange={(event) => setEmail(event.target.value)}
118           required
119         />
120
121         <FormField label="Verification code" autoComplete="one-time-code"
122           type="text"
123           inputMode="numeric"
124           maxLength={6}
125           placeholder="6-digit code"
126           value={otp}
127           onChange={(event) =>
128             setOtp(event.target.value.replace(/\D/g, "").slice(0, 6))
129           }
130           required
131         />
132
133         {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
134
135         {success && <StatusMessage tone="success" className={css("success")}>{success}</StatusMessage>}
136
137         <Button type="submit" disabled={loading || otp.length !== 6}>
138           {loading ? "Verifying..." : "Verify Email"}
139         </Button>
140       </form>

```

```
141
142     <Button
143       type="button"
144       onClick={handleResend}
145       disabled={resending || resendCountdown > 0}
146     >
147       {resending
148         ? "Sending..."
149         : resendCountdown > 0
150           ? `Resend code in ${resendCountdown}s`
151           : "Resend code"}
152     </Button>
153
154     <p>
155       <Link to="/login">Back to Login</Link>
156     </p>
157   </div>
158 </div>
159 );
160 };
161
162 export default VerifyEmail;
```

src/pages/VerifyEmail.jsx

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/pages/VerifyEmail.jsx
2  +++ after/src/pages/VerifyEmail.jsx
3  @@ -1,8 +1,14 @@
4  +import authStyles from "../styles/auth.module.css";
5  +import { bindStyles } from "../utils/bindStyles";
6  +import StatusMessage from "../components/ui/StatusMessage";
7  +import FormField from "../components/ui/FormField";
8  import Button from "../components/ui/Button";
9  import { useEffect, useState } from "react";
10 import { Link, useNavigate, useSearchParams } from "react-router-dom";
11
12 import { resendVerification, verifyEmail } from "../api/authApi";
13 +
14 +const css = bindStyles(authStyles);
15
16 const RESEND_COOLDOWN_SECONDS = 60;
17
18 @@ -95,8 +101,8 @@
19   };
20
21   return (
22 -     <div className="auth-page">
23 -       <div className="auth-card">
24 +     <div className={css("auth-page")}>
25 +     <div className={css("auth-card")}>
26       <h1>FrndBook</h1>
27
28       <h2>Verify Your Email</h2>
29 @@ -104,7 +110,7 @@
30       <p>Enter the 6-digit verification code sent to your email.</p>
31
32       <form onSubmit={handleVerify}>
33 -       <input
34 +       <FormField label="Email" autoComplete="email"
35         type="email"
36         placeholder="Email"
37         value={email}
38 @@ -112,7 +118,7 @@
39         required
40       />
41
42 -       <input
43 +       <FormField label="Verification code" autoComplete="one-time-code"
44         type="text"
45         inputMode="numeric"
46         maxLength={6}
47 @@ -124,9 +130,9 @@
48         required
49       />
50
51 -       {error && <p className="error">{error}</p>}
52 +       {error && <StatusMessage tone="error" className={css("error")}>{error}</StatusMessage>}
53
54 -       {success && <p className="success">{success}</p>}
55 +       {success && <StatusMessage tone="success" className={css("success")}>{success}</StatusMessage>}
56
57       <Button type="submit" disabled={loading || otp.length !== 6}>
58         {loading ? "Verifying..." : "Verify Email"}
```

```
1  .auth-page {
2    min-height: 100vh;
3    min-height: 100dvh;
4    display: flex;
5    align-items: center;
6    justify-content: center;
7    padding: 20px;
8  }
9
10 .auth-card {
11   width: min(420px, 100%);
12   background: var(--color-surface);
13   padding: 30px;
14   border-radius: var(--radius-xl);
15   box-shadow: 0 4px 20px rgba(0, 0, 0, 0.08);
16 }
17
18 .auth-card h1 {
19   margin-top: 0;
20 }
21
22 .auth-card h2 {
23   margin-bottom: 25px;
24 }
25
26 .auth-card form {
27   display: flex;
28   flex-direction: column;
29   gap: 15px;
30 }
31
32 .auth-card button {
33   width: 100%;
34 }
35
36 @media (max-width: 380px) {
37   .auth-page {
38     padding: 12px;
39   }
40
41   .auth-card {
42     padding: 22px 18px;
43   }
44 }
45
46 .auth-card h2 {
47   margin-top: 8px;
48   margin-bottom: 24px;
49 }
50
51 .auth-card > button {
52   margin-top: 16px;
53 }
54
55 .auth-card > p {
56   color: var(--color-text-secondary);
57   font-size: 14px;
58 }
59
60 .auth-card a {
61   font-weight: 600;
62   text-underline-offset: 3px;
63 }
```

```
1 --- /dev/null
2 +++ after/src/styles/auth.module.css
3 @@ -0,0 +1,63 @@
4 +.auth-page {
5 +  min-height: 100vh;
6 +  min-height: 100dvh;
7 +  display: flex;
8 +  align-items: center;
9 +  justify-content: center;
10 +  padding: 20px;
11 +}
12 +
13 +.auth-card {
14 +  width: min(420px, 100%);
15 +  background: var(--color-surface);
16 +  padding: 30px;
17 +  border-radius: var(--radius-xl);
18 +  box-shadow: 0 4px 20px rgba(0, 0, 0, 0.08);
19 +}
20 +
21 +.auth-card h1 {
22 +  margin-top: 0;
23 +}
24 +
25 +.auth-card h2 {
26 +  margin-bottom: 25px;
27 +}
28 +
29 +.auth-card form {
30 +  display: flex;
31 +  flex-direction: column;
32 +  gap: 15px;
33 +}
34 +
35 +.auth-card button {
36 +  width: 100%;
37 +}
38 +
39 +@media (max-width: 380px) {
40 +  .auth-page {
41 +    padding: 12px;
42 +  }
43 +
44 +  .auth-card {
45 +    padding: 22px 18px;
46 +  }
47 +}
48 +
49 +.auth-card h2 {
50 +  margin-top: 8px;
51 +  margin-bottom: 24px;
52 +}
53 +
54 +.auth-card > button {
55 +  margin-top: 16px;
56 +}
57 +
58 +.auth-card > p {
59 +  color: var(--color-text-secondary);
60 +  font-size: 14px;
61 +}
62 +
63 +.auth-card a {
64 +  font-weight: 600;
65 +  text-underline-offset: 3px;
66 +}
```

```
1  /* =====
2    RESET
3    ===== */
4
5  *,
6  *::before,
7  *::after {
8    box-sizing: border-box;
9  }
10
11 html {
12   width: 100%;
13   min-height: 100%;
14   overflow-x: hidden;
15 }
16
17 body {
18   margin: 0;
19
20   width: 100%;
21   min-height: 100vh;
22
23   font-family: Arial, Helvetica, sans-serif;
24
25   background: var(--color-bg);
26   color: var(--color-text);
27
28   line-height: 1.45;
29
30   overflow-x: hidden;
31
32   -webkit-font-smoothing: antialiased;
33   text-rendering: optimizeLegibility;
34 }
35
36 #root {
37   width: 100%;
38   min-height: 100vh;
39   overflow-x: hidden;
40 }
41
42 button,
43 input,
44 textarea,
45 select {
46   font: inherit;
47 }
48
49 button {
50   cursor: pointer;
51 }
52
53 button:disabled {
54   cursor: not-allowed;
55 }
56
57 a {
58   color: inherit;
59 }
60
61 img {
62   max-width: 100%;
63 }
64
65 input,
66 textarea {
67   min-width: 0;
68 }
69
70 button,
```

```

71  a,
72  input,
73  textarea {
74    -webkit-tap-highlight-color: transparent;
75  }
76
77  /* =====
78    ACCESSIBILITY / FOCUS
79    ===== */
80
81  button:focus-visible,
82  a:focus-visible,
83  input:focus-visible,
84  textarea:focus-visible {
85    outline: 2px solid var(--color-focus);
86    outline-offset: 2px;
87  }
88
89
90
91
92
93
94  .loading-screen {
95    min-height: 100vh;
96    min-height: 100dvh;
97
98    display: flex;
99    align-items: center;
100   justify-content: center;
101
102   padding: 20px;
103
104   font-size: 18px;
105   color: var(--color-text-secondary);
106
107   text-align: center;
108  }
109
110  @media (prefers-reduced-motion: reduce) {
111    *,
112    *::before,
113    *::after {
114      scroll-behavior: auto !important;
115      transition-duration: 0.01ms !important;
116      animation-duration: 0.01ms !important;
117    }
118  }
119
120  /* A skip link becomes visible only for keyboard users. */
121  .skip-link { position: fixed; top: 8px; left: 12px; transform: translateY(-180%); z-index: 1100; padding: 10px 16
    > px; background: var(--color-primary); color: var(--color-on-primary); border-radius: var(--radius-md); }
122  .skip-link:focus { transform: translateY(0); }

```

```

1  --- before/src/styles/base.css
2  +++ after/src/styles/base.css
3  @@ -82,7 +82,41 @@
4  a:focus-visible,
5  input:focus-visible,
6  textarea:focus-visible {
7  -  outline: 2px solid var(--color-outline);
8  +  outline: 2px solid var(--color-focus);
9     outline-offset: 2px;
10 }
11
12 +
13 +
14 +
15 +
16 +
17 +.loading-screen {
18 +min-height: 100vh;
19 +  min-height: 100dvh;
20 +
21 +  display: flex;
22 +  align-items: center;
23 +  justify-content: center;
24 +
25 +  padding: 20px;
26 +
27 +  font-size: 18px;
28 +  color: var(--color-text-secondary);
29 +
30 +  text-align: center;
31 +}
32 +
33 +@media (prefers-reduced-motion: reduce) {
34 +*,
35 +*::before,
36 +*::after {
37 +scroll-behavior: auto !important;
38 +  transition-duration: 0.01ms !important;
39 +  animation-duration: 0.01ms !important;
40 +}
41 +}
42 +
43 +/* A skip link becomes visible only for keyboard users. */
44 +.skip-link { position: fixed; top: 8px; left: 12px; transform: translateY(-180%); z-index: 1100; padding: 10px 1
45 +  6px; background: var(--color-primary); color: var(--color-on-primary); border-radius: var(--radius-md); }
46 +.skip-link:focus { transform: translateY(0); }

```

```
1  .messages-page {
2    width: 100%;
3    max-width: 1200px;
4    height: calc(100dvh - var(--navbar-height));
5    margin: 0 auto;
6    padding: 24px 20px;
7    box-sizing: border-box;
8  }
9
10 .messages-card {
11   width: 100%;
12   height: 100%;
13   min-height: 0;
14   background: var(--color-surface);
15   border-radius: 12px;
16   box-shadow: 0 2px 10px rgba(0, 0, 0, 0.05);
17   overflow: hidden;
18   display: flex;
19   flex-direction: column;
20 }
21
22 .messages-layout {
23   flex: 1;
24   min-width: 0;
25   min-height: 0;
26   display: grid;
27   grid-template-columns: 320px minmax(0, 1fr);
28 }
29
30 .conversation-list {
31   min-width: 0;
32   min-height: 0;
33   border-right: 1px solid var(--color-item-border);
34   display: flex;
35   flex-direction: column;
36   overflow: hidden;
37 }
38
39 .conversation-list-header {
40   flex-shrink: 0;
41   padding: 18px 20px;
42   border-bottom: 1px solid var(--color-item-border);
43 }
44
45 .conversation-list-header h2 {
46   margin: 0;
47   font-size: 18px;
48 }
49
50 .conversation-items {
51   flex: 1;
52   min-width: 0;
53   min-height: 0;
54   overflow-y: auto;
55   overflow-x: hidden;
56   overscroll-behavior: contain;
57 }
58
59 .conversation-item {
60   width: 100%;
61   min-height: 72px;
62   box-sizing: border-box;
63   padding: 12px 14px;
64   border: none;
65   border-bottom: 1px solid var(--color-border-light);
66   background: var(--color-surface);
67   display: flex;
68   align-items: center;
69   gap: 12px;
70   text-align: left;
```

```
71   cursor: pointer;
72 }
73
74 .conversation-item:hover {
75   background: var(--color-hover);
76 }
77
78 .conversation-item-active {
79   background: var(--color-selected);
80 }
81
82 .conversation-item-content {
83   min-width: 0;
84   flex: 1;
85   display: flex;
86   flex-direction: column;
87   gap: 4px;
88 }
89
90 .conversation-item-content strong {
91   overflow: hidden;
92   white-space: nowrap;
93   text-overflow: ellipsis;
94 }
95
96 .conversation-item-content span {
97   color: var(--color-text-secondary);
98   font-size: 13px;
99   overflow: hidden;
100  white-space: nowrap;
101  text-overflow: ellipsis;
102 }
103
104 .conversation-item-time {
105   color: var(--color-text-muted);
106   font-size: 11px;
107   flex-shrink: 0;
108 }
109
110 .conversation-empty {
111   padding: 25px 20px;
112   color: var(--color-text-secondary);
113   text-align: center;
114 }
115
116 .chat-status {
117   flex-shrink: 0;
118   padding: 15px;
119   color: var(--color-text-subtle);
120 }
121
122 .chat-window {
123   min-width: 0;
124   min-height: 0;
125   overflow: hidden;
126   display: flex;
127   flex-direction: column;
128 }
129
130 .chat-window-empty {
131   align-items: center;
132   justify-content: center;
133   color: var(--color-text-subtle);
134 }
135
136 .chat-header {
137   flex-shrink: 0;
138   min-height: 72px;
139   padding: 12px 18px;
140   border-bottom: 1px solid var(--color-item-border);
```

```
141   display: flex;
142   align-items: center;
143   gap: 12px;
144   box-sizing: border-box;
145 }
146
147 .chat-header h2 {
148   margin: 0 0 4px;
149   font-size: 18px;
150   overflow: hidden;
151   text-overflow: ellipsis;
152   white-space: nowrap;
153 }
154
155 .chat-header-avatar-link {
156   display: flex;
157   flex-shrink: 0;
158   border-radius: 50%;
159   text-decoration: none;
160 }
161
162 .chat-header-avatar-link:focus-visible {
163   outline: 2px solid var(--color-outline);
164   outline-offset: 2px;
165 }
166
167 .chat-connection-status {
168   color: var(--color-text-muted);
169   font-size: 12px;
170 }
171
172 .chat-connection-status.connected {
173   color: var(--color-success);
174 }
175
176 .chat-header-info {
177   min-width: 0;
178   flex: 1;
179 }
180
181 .mobile-chat-back-button {
182   display: none;
183   flex-shrink: 0;
184   width: 38px;
185   height: 38px;
186   padding: 0;
187   border: 1px solid #dddddd;
188   border-radius: 50%;
189   background: var(--color-surface);
190   color: var(--color-text);
191   font-size: 20px;
192   align-items: center;
193   justify-content: center;
194   cursor: pointer;
195 }
196
197 .mobile-chat-back-button:hover {
198   background: var(--color-hover);
199 }
200
201 .chat-error {
202   flex-shrink: 0;
203   margin: 10px 15px;
204 }
205
206 .chat-page-error {
207   flex-shrink: 0;
208   margin: 12px 15px;
209 }
210
```

```
211 .message-list-container {
212   flex: 1;
213   min-width: 0;
214   min-height: 0;
215   overflow: hidden;
216   display: flex;
217   flex-direction: column;
218 }
219
220 .older-messages-bar {
221   flex-shrink: 0;
222   padding: 8px 12px;
223   border-bottom: 1px solid var(--color-item-border);
224   display: flex;
225   justify-content: center;
226   align-items: center;
227   background: var(--color-surface);
228 }
229
230 .chat-secondary-button {
231   min-height: 36px;
232   padding: 7px 12px;
233   border: 1px solid var(--color-control-border);
234   border-radius: 6px;
235   background: var(--color-surface);
236   color: var(--color-text-strong);
237   cursor: pointer;
238   white-space: nowrap;
239 }
240
241 .chat-secondary-button:hover:not(:disabled) {
242   background: var(--color-hover);
243 }
244
245 .chat-secondary-button:disabled {
246   opacity: 0.6;
247 }
248
249 .message-list {
250   flex: 1;
251   min-width: 0;
252   min-height: 0;
253   padding: 20px;
254   overflow-y: auto;
255   overflow-x: hidden;
256   display: flex;
257   flex-direction: column;
258   gap: 10px;
259   box-sizing: border-box;
260   overscroll-behavior: contain;
261   scroll-behavior: smooth;
262 }
263
264 .message-list-loading {
265   align-items: center;
266   justify-content: center;
267   color: var(--color-text-subtle);
268 }
269
270 .message-empty {
271   flex: 1;
272   min-height: 100%;
273   display: flex;
274   flex-direction: column;
275   align-items: center;
276   justify-content: center;
277   color: var(--color-text-subtle);
278   text-align: center;
279 }
280
```

```
281 .message-empty p {
282   margin: 4px;
283 }
284
285 .message-row {
286   display: flex;
287   align-items: flex-end;
288   gap: 8px;
289   max-width: 75%;
290   flex-shrink: 0;
291 }
292
293 .message-row-own {
294   align-self: flex-end;
295   justify-content: flex-end;
296 }
297
298 .message-row-other {
299   align-self: flex-start;
300 }
301
302 .message-bubble {
303   min-width: 50px;
304   max-width: 100%;
305   padding: 9px 12px;
306   border-radius: 12px;
307   box-sizing: border-box;
308 }
309
310 .message-bubble p {
311   margin: 0;
312   white-space: pre-wrap;
313   overflow-wrap: anywhere;
314   word-break: break-word;
315 }
316
317 .message-bubble span {
318   display: block;
319   margin-top: 5px;
320   font-size: 10px;
321   text-align: right;
322 }
323
324 .message-bubble-own {
325   background: var(--color-primary);
326   color: var(--color-on-primary);
327   border-bottom-right-radius: 4px;
328 }
329
330 .message-bubble-other {
331   background: var(--color-selected);
332   color: var(--color-text);
333   border-bottom-left-radius: 4px;
334 }
335
336 .message-bubble-own span {
337   color: var(--color-control-border);
338 }
339
340 .message-bubble-other span {
341   color: var(--color-text-subtle);
342 }
343
344 .message-composer {
345   flex-shrink: 0;
346   border-top: 1px solid var(--color-item-border);
347   padding: 12px;
348   padding-bottom: max(12px, env(safe-area-inset-bottom));
349   display: flex;
350   flex-direction: column;
```

```
351   gap: 8px;
352   box-sizing: border-box;
353   background: var(--color-surface);
354 }
355
356 .message-composer textarea {
357   box-sizing: border-box;
358   resize: vertical;
359   min-height: 50px;
360   max-height: 150px;
361   padding: 10px;
362   border-radius: 7px;
363 }
364
365 .message-composer textarea:focus {
366   border-color: var(--color-outline);
367 }
368
369 .message-composer-footer {
370   display: flex;
371   align-items: center;
372   justify-content: space-between;
373   gap: 10px;
374 }
375
376 .message-composer-footer span {
377   color: var(--color-text-muted);
378   font-size: 12px;
379 }
380
381 .message-composer-footer button {
382   flex-shrink: 0;
383   min-height: 40px;
384   padding: 8px 18px;
385   border: none;
386   border-radius: 6px;
387   background: var(--color-primary);
388   color: var(--color-on-primary);
389   cursor: pointer;
390   font-weight: 600;
391 }
392
393 .message-composer-footer button:disabled {
394   opacity: 0.5;
395 }
396
397 @media (max-width: 800px) {
398   .messages-page {
399     height: calc(100dvh - var(--navbar-height));
400     padding: 10px;
401   }
402
403   .messages-layout {
404     grid-template-columns: 1fr;
405   }
406
407   .messages-layout.mobile-conversations-active .chat-window {
408     display: none;
409   }
410
411   .messages-layout.mobile-chat-active .conversation-list {
412     display: none;
413   }
414
415   .conversation-list {
416     min-width: 0;
417     min-height: 0;
418   }
419
420   .chat-window {
```

```
421     min-width: 0;
422     min-height: 0;
423   }
424
425   .mobile-chat-back-button {
426     display: inline-flex;
427   }
428
429   .message-row {
430     max-width: 90%;
431   }
432 }
433
434 @media (max-width: 600px) {
435   .messages-page {
436     height: calc(100dvh - var(--navbar-height));
437     padding: 0;
438   }
439
440   .messages-card {
441     border-radius: 0;
442     box-shadow: none;
443   }
444
445   .conversation-list-header {
446     padding: 16px;
447   }
448
449   .conversation-item {
450     min-height: 68px;
451     padding: 11px 12px;
452   }
453
454   .chat-header {
455     min-height: 64px;
456     padding: 10px 12px;
457     gap: 10px;
458   }
459
460   .chat-header h2 {
461     font-size: 16px;
462   }
463
464   .mobile-chat-back-button {
465     width: 36px;
466     height: 36px;
467   }
468
469   .message-list {
470     padding: 12px;
471     gap: 8px;
472   }
473
474   .older-messages-bar {
475     padding: 7px 10px;
476   }
477
478   .message-row {
479     max-width: 92%;
480   }
481
482   .message-bubble {
483     padding: 8px 11px;
484   }
485
486   .message-composer {
487     padding: 10px;
488     padding-bottom: max(10px, env(safe-area-inset-bottom));
489   }
490
```

```
491   .message-composer textarea {
492     min-height: 48px;
493     max-height: 120px;
494   }
495
496   .message-composer-footer button {
497     min-width: 70px;
498   }
499 }
500
501 @media (max-width: 380px) {
502   .message-list {
503     padding: 10px;
504   }
505
506   .message-row {
507     max-width: 94%;
508   }
509
510   .message-composer {
511     padding-left: 8px;
512     padding-right: 8px;
513   }
514
515   .message-composer-footer {
516     gap: 6px;
517   }
518
519   .message-composer-footer span {
520     font-size: 11px;
521   }
522
523   .message-composer-footer button {
524     padding-left: 14px;
525     padding-right: 14px;
526   }
527 }
528
529 .conversation-item:focus-visible {
530   outline-offset: -3px;
531 }
532
533 .conversation-item-active {
534   box-shadow: inset 3px 0 var(--color-primary);
535 }
536
537 .message-bubble span {
538   font-size: 12px;
539 }
```

src/styles/chat.module.css

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/styles/chat.css
2  +++ after/src/styles/chat.module.css
3  @@ -1,116 +1,73 @@
4  - /* =====
5  -   MESSAGES PAGE
6  -   ===== */
7  -
8  .messages-page {
9     width: 100%;
10    max-width: 1200px;
11 -
12    height: calc(100dvh - var(--navbar-height));
13 -
14    margin: 0 auto;
15 -
16    padding: 24px 20px;
17 -
18    box-sizing: border-box;
19 }
20
21 .messages-card {
22     width: 100%;
23     height: 100%;
24 -
25     min-height: 0;
26 -
27 + min-height: 0;
28     background: var(--color-surface);
29 -
30     border-radius: 12px;
31 -
32     box-shadow: 0 2px 10px rgba(0, 0, 0, 0.05);
33 -
34     overflow: hidden;
35 -
36     display: flex;
37     flex-direction: column;
38 -}
39 -
40 - /* =====
41 -   MESSAGES LAYOUT
42 -   ===== */
43 + overflow: hidden;
44 + display: flex;
45 + flex-direction: column;
46 +}
47
48 .messages-layout {
49     flex: 1;
50 -
51     min-width: 0;
52     min-height: 0;
53 -
54 + min-width: 0;
55 + min-height: 0;
56     display: grid;
57 -
58     grid-template-columns: 320px minmax(0, 1fr);
59 }
60
61 - /* =====
62 -   CONVERSATION LIST
63 -   ===== */
64 -
65 .conversation-list {
66     min-width: 0;
67     min-height: 0;
68 -
69     border-right: 1px solid var(--color-item-border);
70 -
```

```

71 - display: flex;
72 - flex-direction: column;
73 -
74 + display: flex;
75 + flex-direction: column;
76   overflow: hidden;
77 }
78
79 .conversation-list-header {
80   flex-shrink: 0;
81 -
82   padding: 18px 20px;
83 -
84   border-bottom: 1px solid var(--color-item-border);
85 }
86
87 .conversation-list-header h2 {
88   margin: 0;
89 -
90   font-size: 18px;
91 }
92
93 .conversation-items {
94   flex: 1;
95 -
96 - min-width: 0;
97 - min-height: 0;
98 -
99 + min-width: 0;
100 + min-height: 0;
101   overflow-y: auto;
102   overflow-x: hidden;
103 -
104   overscroll-behavior: contain;
105 }
106
107 .conversation-item {
108   width: 100%;
109 -
110   min-height: 72px;
111 -
112 - box-sizing: border-box;
113 -
114 + box-sizing: border-box;
115   padding: 12px 14px;
116 -
117   border: none;
118   border-bottom: 1px solid var(--color-border-light);
119 -
120   background: var(--color-surface);
121 -
122 - display: flex;
123 - align-items: center;
124 -
125 + display: flex;
126 + align-items: center;
127   gap: 12px;
128 -
129   text-align: left;
130 -
131   cursor: pointer;
132 }
133
134 @@ -124,69 +81,48 @@
135
136 .conversation-item-content {
137   min-width: 0;
138 -
139 - flex: 1;
140 -

```

src/styles/chat.module.css

UNIFIED DIFF: + ADDED / - REMOVED

```
141 - display: flex;
142 - flex-direction: column;
143 -
144 + flex: 1;
145 + display: flex;
146 + flex-direction: column;
147   gap: 4px;
148 }
149
150 .conversation-item-content strong {
151   overflow: hidden;
152 -
153   white-space: nowrap;
154 -
155   text-overflow: ellipsis;
156 }
157
158 .conversation-item-content span {
159   color: var(--color-text-secondary);
160 -
161   font-size: 13px;
162 -
163 - overflow: hidden;
164 -
165 + overflow: hidden;
166   white-space: nowrap;
167 -
168   text-overflow: ellipsis;
169 }
170
171 .conversation-item-time {
172   color: var(--color-text-muted);
173 -
174   font-size: 11px;
175 -
176   flex-shrink: 0;
177 }
178
179 .conversation-empty {
180   padding: 25px 20px;
181 -
182   color: var(--color-text-secondary);
183 -
184   text-align: center;
185 }
186
187 .chat-status {
188   flex-shrink: 0;
189 -
190   padding: 15px;
191 -
192   color: var(--color-text-subtle);
193 }
194
195 -/* =====
196 -  CHAT WINDOW
197 -  ===== */
198 -
199 .chat-window {
200   min-width: 0;
201   min-height: 0;
202 -
203 - overflow: hidden;
204 -
205 + overflow: hidden;
206   display: flex;
207   flex-direction: column;
208 }
209 @@ -194,36 +130,23 @@
210 .chat-window-empty {
```

src/styles/chat.module.css

UNIFIED DIFF: + ADDED / - REMOVED

```
211     align-items: center;
212     justify-content: center;
213 -
214     color: var(--color-text-subtle);
215 }
216
217 -/* =====
218 -   CHAT HEADER
219 -   ===== */
220 -
221 .chat-header {
222     flex-shrink: 0;
223 -
224     min-height: 72px;
225 -
226     padding: 12px 18px;
227 -
228     border-bottom: 1px solid var(--color-item-border);
229 -
230 -     display: flex;
231 -     align-items: center;
232 -
233 +     display: flex;
234 +     align-items: center;
235     gap: 12px;
236 -
237     box-sizing: border-box;
238 }
239
240 .chat-header h2 {
241     margin: 0 0 4px;
242 -
243     font-size: 18px;
244 -
245     overflow: hidden;
246     text-overflow: ellipsis;
247     white-space: nowrap;
248 @@ -232,7 +155,6 @@
249     .chat-header-avatar-link {
250         display: flex;
251         flex-shrink: 0;
252 -
253         border-radius: 50%;
254         text-decoration: none;
255     }
256 @@ -244,7 +166,6 @@
257
258     .chat-connection-status {
259         color: var(--color-text-muted);
260 -
261         font-size: 12px;
262     }
263
264 @@ -254,35 +175,22 @@
265
266     .chat-header-info {
267         min-width: 0;
268 -
269 -     flex: 1;
270 - }
271 -
272 -/* =====
273 -   MOBILE CHAT BACK BUTTON
274 -   ===== */
275 +     flex: 1;
276 + }
277
278 .mobile-chat-back-button {
279     display: none;
280 -
```

```

281 - flex-shrink: 0;
282 -
283 + flex-shrink: 0;
284 width: 38px;
285 height: 38px;
286 -
287 padding: 0;
288 -
289 border: 1px solid #dddddd;
290 border-radius: 50%;
291 -
292 background: var(--color-surface);
293 color: var(--color-text);
294 -
295 font-size: 20px;
296 -
297 align-items: center;
298 justify-content: center;
299 -
300 cursor: pointer;
301 }
302
303 @@ -290,69 +198,43 @@
304 background: var(--color-hover);
305 }
306
307 -/* =====
308 - ERRORS
309 - ===== */
310 -
311 .chat-error {
312 flex-shrink: 0;
313 -
314 margin: 10px 15px;
315 }
316
317 .chat-page-error {
318 flex-shrink: 0;
319 -
320 margin: 12px 15px;
321 }
322
323 -/* =====
324 - MESSAGE LIST CONTAINER
325 - ===== */
326 -
327 .message-list-container {
328 flex: 1;
329 -
330 - min-width: 0;
331 - min-height: 0;
332 -
333 - overflow: hidden;
334 -
335 - display: flex;
336 - flex-direction: column;
337 -}
338 -
339 -/* =====
340 - OLDER MESSAGES
341 - ===== */
342 + min-width: 0;
343 + min-height: 0;
344 + overflow: hidden;
345 + display: flex;
346 + flex-direction: column;
347 +}
348
349 .older-messages-bar {
350 flex-shrink: 0;

```

```

351 -
352   padding: 8px 12px;
353 -
354   border-bottom: 1px solid var(--color-item-border);
355 -
356   display: flex;
357   justify-content: center;
358   align-items: center;
359 -
360   background: var(--color-surface);
361 }
362
363 .chat-secondary-button {
364   min-height: 36px;
365 -
366   padding: 7px 12px;
367 -
368   border: 1px solid var(--color-control-border);
369   border-radius: 6px;
370 -
371   background: var(--color-surface);
372   color: var(--color-text-strong);
373 -
374   cursor: pointer;
375 -
376   white-space: nowrap;
377 }
378
379 @@ -364,53 +246,35 @@
380   opacity: 0.6;
381 }
382
383 -/* =====
384 -  MESSAGE SCROLLER
385 - ===== */
386 -
387 .message-list {
388   flex: 1;
389 -
390 - min-width: 0;
391 - min-height: 0;
392 -
393 + min-width: 0;
394 + min-height: 0;
395   padding: 20px;
396 -
397   overflow-y: auto;
398   overflow-x: hidden;
399 -
400 - display: flex;
401 - flex-direction: column;
402 -
403 + display: flex;
404 + flex-direction: column;
405   gap: 10px;
406 -
407 - box-sizing: border-box;
408 -
409 + box-sizing: border-box;
410   overscroll-behavior: contain;
411 -
412   scroll-behavior: smooth;
413 }
414
415 .message-list-loading {
416   align-items: center;
417   justify-content: center;
418 -
419   color: var(--color-text-subtle);
420 }

```

```

421
422 .message-empty {
423     flex: 1;
424 -
425     min-height: 100%;
426 -
427 -     display: flex;
428 -     flex-direction: column;
429 -
430 +     display: flex;
431 +     flex-direction: column;
432     align-items: center;
433     justify-content: center;
434 -
435     color: var(--color-text-subtle);
436 -
437     text-align: center;
438 }
439
440 @@ -418,25 +282,16 @@
441     margin: 4px;
442 }
443
444 -/* =====
445 - MESSAGE ROW
446 - ===== */
447 -
448 .message-row {
449     display: flex;
450 -
451     align-items: flex-end;
452 -
453     gap: 8px;
454 -
455     max-width: 75%;
456 -
457     flex-shrink: 0;
458 }
459
460 .message-row-own {
461     align-self: flex-end;
462 -
463     justify-content: flex-end;
464 }
465
466 @@ -444,53 +299,37 @@
467     align-self: flex-start;
468 }
469
470 -/* =====
471 - MESSAGE BUBBLE
472 - ===== */
473 -
474 .message-bubble {
475     min-width: 50px;
476 -
477     max-width: 100%;
478 -
479     padding: 9px 12px;
480 -
481     border-radius: 12px;
482 -
483     box-sizing: border-box;
484 }
485
486 .message-bubble p {
487     margin: 0;
488 -
489     white-space: pre-wrap;
490 -

```

src/styles/chat.module.css

UNIFIED DIFF: + ADDED / - REMOVED

```
491     overflow-wrap: anywhere;
492 -
493     word-break: break-word;
494 }
495
496 .message-bubble span {
497     display: block;
498 -
499     margin-top: 5px;
500 -
501     font-size: 10px;
502 -
503     text-align: right;
504 }
505
506 .message-bubble-own {
507     background: var(--color-primary);
508     color: var(--color-on-primary);
509 -
510     border-bottom-right-radius: 4px;
511 }
512
513 .message-bubble-other {
514     background: var(--color-selected);
515     color: var(--color-text);
516 -
517     border-bottom-left-radius: 4px;
518 }
519
520 @@ -502,41 +341,25 @@
521     color: var(--color-text-subtle);
522 }
523
524 -/* =====
525 -  COMPOSER
526 -  ===== */
527 -
528 .message-composer {
529     flex-shrink: 0;
530 -
531     border-top: 1px solid var(--color-item-border);
532 -
533     padding: 12px;
534 -
535     padding-bottom: max(12px, env(safe-area-inset-bottom));
536 -
537     display: flex;
538     flex-direction: column;
539 -
540 +     display: flex;
541 +     flex-direction: column;
542     gap: 8px;
543 -
544     box-sizing: border-box;
545 -
546 +     box-sizing: border-box;
547     background: var(--color-surface);
548 }
549
550 .message-composer textarea {
551     box-sizing: border-box;
552 -
553     resize: vertical;
554 -
555     min-height: 50px;
556     max-height: 150px;
557 -
558     padding: 10px;
559 -
560     border-radius: 7px;
```

```
561 -
562   }
563
564   .message-composer textarea:focus {
565 @@ -545,49 +368,35 @@
566
567   .message-composer-footer {
568     display: flex;
569 -
570     align-items: center;
571     justify-content: space-between;
572 -
573     gap: 10px;
574   }
575
576   .message-composer-footer span {
577     color: var(--color-text-muted);
578 -
579     font-size: 12px;
580   }
581
582   .message-composer-footer button {
583     flex-shrink: 0;
584 -
585     min-height: 40px;
586 -
587     padding: 8px 18px;
588 -
589     border: none;
590     border-radius: 6px;
591 -
592     background: var(--color-primary);
593     color: var(--color-on-primary);
594 -
595     cursor: pointer;
596 -
597     font-weight: 600;
598   }
599
600   .message-composer-footer button:disabled {
601     opacity: 0.5;
602   }
603 -
604 - /* =====
605 -   TABLET
606 -   ===== */
607
608   @media (max-width: 800px) {
609     .messages-page {
610       height: calc(100dvh - var(--navbar-height));
611 -
612       padding: 10px;
613     }
614
615 @@ -622,20 +431,14 @@
616   }
617 }
618
619 - /* =====
620 -   PHONE
621 -   ===== */
622 -
623   @media (max-width: 600px) {
624     .messages-page {
625       height: calc(100dvh - var(--navbar-height));
626 -
627       padding: 0;
628     }
629
630     .messages-card {
```

```

631     border-radius: 0;
632 -
633     box-shadow: none;
634   }
635
636 @@ -645,15 +448,12 @@
637
638   .conversation-item {
639     min-height: 68px;
640 -
641     padding: 11px 12px;
642   }
643
644   .chat-header {
645     min-height: 64px;
646 -
647     padding: 10px 12px;
648 -
649     gap: 10px;
650   }
651
652 @@ -668,7 +468,6 @@
653
654   .message-list {
655     padding: 12px;
656 -
657     gap: 8px;
658   }
659
660 @@ -699,10 +498,6 @@
661   }
662 }
663
664 -/* =====
665 -  VERY SMALL PHONES
666 -  ===== */
667 -
668 @media (max-width: 380px) {
669   .message-list {
670     padding: 10px;
671 @@ -730,3 +525,15 @@
672     padding-right: 14px;
673   }
674 }
675 +
676 +.conversation-item:focus-visible {
677 +  outline-offset: -3px;
678 +}
679 +
680 +.conversation-item-active {
681 +  box-shadow: inset 3px 0 var(--color-primary);
682 +}
683 +
684 +.message-bubble span {
685 +  font-size: 12px;
686 +}

```

FULL CURRENT CONTENT

```
1  .friend-action-section {
2    margin-top: 25px;
3    padding-top: 20px;
4    border-top: 1px solid var(--color-border-light);
5    display: flex;
6    justify-content: center;
7  }
8
9  .friend-action-group {
10   display: flex;
11   align-items: center;
12   justify-content: center;
13   gap: 10px;
14   flex-wrap: wrap;
15 }
16
17 .friend-action-button {
18   min-height: 40px;
19   padding: 9px 16px;
20   border: 1px solid var(--color-control-border);
21   border-radius: 7px;
22   background: var(--color-surface);
23   font-weight: 600;
24 }
25
26 .friend-action-button.primary {
27   background: var(--color-primary);
28   color: var(--color-on-primary);
29   border-color: var(--color-primary);
30 }
31
32 .friend-action-button.secondary {
33   background: var(--color-surface);
34   color: var(--color-text-strong);
35 }
36
37 .friend-action-button.danger {
38   color: var(--color-danger);
39   border-color: #d8a7a3;
40   background: var(--color-surface);
41 }
42
43 .friend-action-button.disabled {
44   opacity: 0.6;
45 }
46
47 .friend-status-label {
48   font-weight: 600;
49   color: var(--color-success);
50 }
51
52 .friendship-loading {
53   margin: 0;
54   color: var(--color-text-secondary);
55 }
56
57 .friends-page, .friend-requests-page {
58   max-width: 900px;
59 }
60
61 .friends-list, .friend-request-list {
62   display: flex;
63   flex-direction: column;
64   gap: 12px;
65 }
66
67 .friend-card, .friend-request-card {
68   min-width: 0;
69   display: flex;
70   align-items: center;
```

```
71   justify-content: space-between;
72   gap: 15px;
73   padding: 14px;
74   border: 1px solid var(--color-item-border);
75   border-radius: 10px;
76   background: var(--color-surface);
77 }
78
79 .friend-card-main, .friend-request-main {
80   min-width: 0;
81   flex: 1;
82   display: flex;
83   align-items: center;
84   gap: 14px;
85   text-decoration: none;
86   color: inherit;
87 }
88
89 .friend-card-info, .friend-request-info {
90   min-width: 0;
91 }
92
93 .friend-card-info h3, .friend-request-info h3 {
94   margin: 0 0 5px;
95   font-size: 16px;
96   overflow: hidden;
97   text-overflow: ellipsis;
98   white-space: nowrap;
99 }
100
101 .friend-card-info p, .friend-request-info p {
102   margin: 0 0 5px;
103   color: var(--color-text-secondary);
104   white-space: nowrap;
105   overflow: hidden;
106   text-overflow: ellipsis;
107 }
108
109 .friend-card-status {
110   font-size: 13px;
111   color: var(--color-text-subtle);
112 }
113
114 .friend-remove-button {
115   flex-shrink: 0;
116   min-height: 40px;
117   padding: 8px 13px;
118   border: 1px solid var(--color-control-border);
119   border-radius: 6px;
120   background: var(--color-surface);
121   color: var(--color-danger);
122   font-weight: 600;
123 }
124
125 .friend-remove-button:disabled {
126   opacity: 0.6;
127 }
128
129 .friends-empty {
130   padding: 40px 20px;
131 }
132
133 .request-section {
134   margin-top: 30px;
135 }
136
137 .request-section:first-of-type {
138   margin-top: 10px;
139 }
140
```

```
141 .request-section-header {
142   display: flex;
143   align-items: center;
144   gap: 10px;
145   margin-bottom: 12px;
146 }
147
148 .request-section-header h2 {
149   margin: 0;
150 }
151
152 .request-section-header span {
153   min-width: 24px;
154   height: 24px;
155   padding: 0 7px;
156   display: inline-flex;
157   align-items: center;
158   justify-content: center;
159   border-radius: 12px;
160   background: var(--color-border-light);
161   font-size: 13px;
162   font-weight: 600;
163 }
164
165 .friend-request-info span {
166   color: var(--color-text-muted);
167   font-size: 12px;
168 }
169
170 .friend-request-actions {
171   flex-shrink: 0;
172   display: flex;
173   gap: 8px;
174 }
175
176 .friend-request-sent-label {
177   flex-shrink: 0;
178   color: var(--color-text-secondary);
179   font-size: 14px;
180   font-weight: 600;
181 }
182
183 .request-empty {
184   margin: 0;
185   padding: 18px;
186   border: 1px dashed var(--color-control-border);
187   border-radius: 8px;
188   color: var(--color-text-secondary);
189 }
190
191 @media (max-width: 700px) {
192   .friends-page, .friend-requests-page {
193     padding: 20px 12px;
194   }
195
196   .friends-card, .friend-requests-card {
197     padding: 18px;
198   }
199
200   .friends-header {
201     align-items: flex-start;
202     flex-direction: column;
203     margin-bottom: 20px;
204   }
205
206   .friends-header h1 {
207     font-size: 24px;
208   }
209
210   .friend-card, .friend-request-card {
```

```
211     align-items: flex-start;
212     flex-direction: column;
213   }
214
215   .friend-card-main, .friend-request-main {
216     width: 100%;
217   }
218
219   .friend-remove-button {
220     width: 100%;
221   }
222
223   .friend-request-actions {
224     width: 100%;
225   }
226
227   .friend-request-actions .friend-action-button {
228     flex: 1;
229   }
230
231   .friend-action-group {
232     width: 100%;
233   }
234
235   .friend-action-group .friend-action-button {
236     flex: 1;
237   }
238 }
239
240 @media (max-width: 380px) {
241   .friends-card, .friend-requests-card {
242     padding: 15px;
243   }
244
245   .friend-action-group {
246     flex-direction: column;
247   }
248
249   .friend-action-group .friend-action-button {
250     width: 100%;
251   }
252 }
253
254 .friend-card-actions {
255   flex-shrink: 0;
256   display: flex;
257   align-items: center;
258   gap: 8px;
259 }
260
261 .friend-message-button {
262   min-height: 40px;
263   padding: 8px 13px;
264   border: 1px solid var(--color-primary);
265   border-radius: 6px;
266   background: var(--color-primary);
267   color: var(--color-on-primary);
268 }
269
270 .friend-card-actions {
271   flex-wrap: wrap;
272 }
273
274 @media (max-width: 700px) {
275   .friend-card-actions {
276     width: 100%;
277   }
278
279   .friend-card-actions > button {
280     flex: 1;
```

src/styles/friends.module.css

FULL CURRENT CONTENT

```
281   }  
282 }
```

src/styles/friends.module.css

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/styles/friends.css
2  +++ after/src/styles/friends.module.css
3  @@ -1,13 +1,7 @@
4  - /* =====
5  -   FRIEND ACTIONS
6  -   ===== */
7  -
8  .friend-action-section {
9     margin-top: 25px;
10    padding-top: 20px;
11  -
12    border-top: 1px solid var(--color-border-light);
13  -
14    display: flex;
15    justify-content: center;
16  }
17  @@ -16,22 +10,16 @@
18    display: flex;
19    align-items: center;
20    justify-content: center;
21  -
22    gap: 10px;
23  -
24    flex-wrap: wrap;
25  }
26
27 .friend-action-button {
28    min-height: 40px;
29  -
30    padding: 9px 16px;
31  -
32    border: 1px solid var(--color-control-border);
33    border-radius: 7px;
34  -
35    background: var(--color-surface);
36  -
37  + background: var(--color-surface);
38    font-weight: 600;
39  }
40
41  @@ -66,78 +54,53 @@
42    color: var(--color-text-secondary);
43  }
44
45  - /* =====
46  -   FRIENDS PAGE
47  -   ===== */
48  -
49  -.friends-page,
50  -.friend-requests-page {
51  +.friends-page, .friend-requests-page {
52    max-width: 900px;
53  -
54  -}
55  -
56  -.friends-list,
57  -.friend-request-list {
58  +}
59  +
60  +.friends-list, .friend-request-list {
61    display: flex;
62    flex-direction: column;
63  -
64    gap: 12px;
65  }
66
67  -.friend-card,
68  -.friend-request-card {
69  +.friend-card, .friend-request-card {
70    min-width: 0;
```

```

71 -
72   display: flex;
73   align-items: center;
74   justify-content: space-between;
75 -
76   gap: 15px;
77 -
78   padding: 14px;
79 -
80   border: 1px solid var(--color-item-border);
81   border-radius: 10px;
82 -
83 -   background: var(--color-surface);
84 -}
85 -
86 -.friend-card-main,
87 -.friend-request-main {
88 +   background: var(--color-surface);
89 +}
90 +
91 +.friend-card-main, .friend-request-main {
92   min-width: 0;
93   flex: 1;
94 -
95 -   display: flex;
96 -   align-items: center;
97 -
98 +   display: flex;
99 +   align-items: center;
100   gap: 14px;
101 -
102   text-decoration: none;
103   color: inherit;
104 }
105
106 -.friend-card-info,
107 -.friend-request-info {
108 +.friend-card-info, .friend-request-info {
109   min-width: 0;
110 }
111
112 -.friend-card-info h3,
113 -.friend-request-info h3 {
114 +.friend-card-info h3, .friend-request-info h3 {
115   margin: 0 0 5px;
116 -
117   font-size: 16px;
118 -
119   overflow: hidden;
120   text-overflow: ellipsis;
121   white-space: nowrap;
122 }
123
124 -.friend-card-info p,
125 -.friend-request-info p {
126 +.friend-card-info p, .friend-request-info p {
127   margin: 0 0 5px;
128 -
129 -   color: var(--color-text-secondary);
130 -
131 +   color: var(--color-text-secondary);
132   white-space: nowrap;
133   overflow: hidden;
134   text-overflow: ellipsis;
135 @@ -150,17 +113,12 @@
136
137 .friend-remove-button {
138   flex-shrink: 0;
139 -
140   min-height: 40px;

```

```
141 -
142   padding: 8px 13px;
143 -
144   border: 1px solid var(--color-control-border);
145   border-radius: 6px;
146 -
147   background: var(--color-surface);
148   color: var(--color-danger);
149 -
150   font-weight: 600;
151 }
152
153 @@ -170,12 +128,7 @@
154
155   .friends-empty {
156     padding: 40px 20px;
157 -
158 -}
159 -
160 -/* =====
161 -   FRIEND REQUESTS
162 -   ===== */
163 +}
164
165   .request-section {
166     margin-top: 30px;
167     @@ -188,9 +141,7 @@
168     .request-section-header {
169       display: flex;
170       align-items: center;
171 -
172       gap: 10px;
173 -
174       margin-bottom: 12px;
175     }
176
177     @@ -201,17 +152,12 @@
178     .request-section-header span {
179       min-width: 24px;
180       height: 24px;
181 -
182       padding: 0 7px;
183 -
184       display: inline-flex;
185       align-items: center;
186       justify-content: center;
187 -
188       border-radius: 12px;
189 -
190       background: var(--color-border-light);
191 -
192       font-size: 13px;
193       font-weight: 600;
194     }
195     @@ -223,51 +169,37 @@
196
197     .friend-request-actions {
198       flex-shrink: 0;
199 -
200 -   display: flex;
201 -
202 +   display: flex;
203     gap: 8px;
204   }
205
206   .friend-request-sent-label {
207     flex-shrink: 0;
208 -
209     color: var(--color-text-secondary);
210 -
```

src/styles/friends.module.css

UNIFIED DIFF: + ADDED / - REMOVED

```
211 + color: var(--color-text-secondary);
212     font-size: 14px;
213     font-weight: 600;
214 }
215
216 .request-empty {
217     margin: 0;
218 -
219     padding: 18px;
220 -
221     border: 1px dashed var(--color-control-border);
222     border-radius: 8px;
223 -
224 - color: var(--color-text-secondary);
225 -}
226 -
227 -/* =====
228 - MOBILE
229 - ===== */
230 + color: var(--color-text-secondary);
231 +}
232
233 @media (max-width: 700px) {
234 - .friends-page,
235 - .friend-requests-page {
236 + .friends-page, .friend-requests-page {
237     padding: 20px 12px;
238 }
239
240 - .friends-card,
241 - .friend-requests-card {
242 + .friends-card, .friend-requests-card {
243     padding: 18px;
244 }
245
246 .friends-header {
247     align-items: flex-start;
248     flex-direction: column;
249 -
250     margin-bottom: 20px;
251 }
252
253 @@ -275,14 +207,12 @@
254     font-size: 24px;
255 }
256
257 - .friend-card,
258 - .friend-request-card {
259 + .friend-card, .friend-request-card {
260     align-items: flex-start;
261     flex-direction: column;
262 }
263
264 - .friend-card-main,
265 - .friend-request-main {
266 + .friend-card-main, .friend-request-main {
267     width: 100%;
268 }
269
270 @@ -308,8 +238,7 @@
271 }
272
273 @media (max-width: 380px) {
274 - .friends-card,
275 - .friend-requests-card {
276 + .friends-card, .friend-requests-card {
277     padding: 15px;
278 }
279
280 @@ -322,27 +251,32 @@
```

```
281   }
282 }
283
284 -/* =====
285 -   FRIEND CARD MESSAGE BUTTON
286 -   ===== */
287 -
288 .friend-card-actions {
289   flex-shrink: 0;
290 -
291 -   display: flex;
292 -   align-items: center;
293 -
294 +   display: flex;
295 +   align-items: center;
296   gap: 8px;
297 }
298
299 .friend-message-button {
300   min-height: 40px;
301 -
302   padding: 8px 13px;
303 -
304   border: 1px solid var(--color-primary);
305   border-radius: 6px;
306 -
307   background: var(--color-primary);
308   color: var(--color-on-primary);
309 }
310 +
311 +.friend-card-actions {
312 +   flex-wrap: wrap;
313 +}
314 +
315 +@media (max-width: 700px) {
316 +   .friend-card-actions {
317 +     width: 100%;
318 +   }
319 +
320 +   .friend-card-actions > button {
321 +     flex: 1;
322 +   }
323 +}
```

```
1  .home-page {
2    max-width: 1000px;
3  }
4
5  .welcome-section {
6    padding: 25px;
7    margin-bottom: 25px;
8  }
9
10 .welcome-section h1 {
11   margin-top: 0;
12   margin-bottom: 12px;
13   line-height: 1.2;
14 }
15
16 .welcome-section p {
17   margin: 6px 0;
18   color: var(--color-text-secondary);
19 }
20
21 @media (max-width: 700px) {
22   .home-page {
23     padding: 20px 12px;
24   }
25
26   .welcome-section {
27     padding: 20px;
28     border-radius: var(--radius-lg);
29   }
30
31   .welcome-section h1 {
32     font-size: 24px;
33   }
34 }
35
36 @media (max-width: 380px) {
37   .welcome-section {
38     padding: 16px;
39   }
40
41   .welcome-section h1 {
42     font-size: 22px;
43   }
44 }
```

```
1 --- /dev/null
2 +++ after/src/styles/home.module.css
3 @@ -0,0 +1,44 @@
4 +.home-page {
5 +  max-width: 1000px;
6 +}
7 +
8 +.welcome-section {
9 +  padding: 25px;
10 +  margin-bottom: 25px;
11 +}
12 +
13 +.welcome-section h1 {
14 +  margin-top: 0;
15 +  margin-bottom: 12px;
16 +  line-height: 1.2;
17 +}
18 +
19 +.welcome-section p {
20 +  margin: 6px 0;
21 +  color: var(--color-text-secondary);
22 +}
23 +
24 +@media (max-width: 700px) {
25 +  .home-page {
26 +    padding: 20px 12px;
27 +  }
28 +
29 +  .welcome-section {
30 +    padding: 20px;
31 +    border-radius: var(--radius-lg);
32 +  }
33 +
34 +  .welcome-section h1 {
35 +    font-size: 24px;
36 +  }
37 +}
38 +
39 +@media (max-width: 380px) {
40 +  .welcome-section {
41 +    padding: 16px;
42 +  }
43 +
44 +  .welcome-section h1 {
45 +    font-size: 22px;
46 +  }
47 +}
```

FULL CURRENT CONTENT

```
1  .navbar {
2    position: sticky;
3    top: 0;
4    z-index: 1000;
5    width: 100%;
6    min-height: var(--navbar-height);
7    padding: 0 30px;
8    background: var(--color-surface);
9    border-bottom: 1px solid var(--color-border);
10   display: flex;
11   align-items: center;
12   justify-content: space-between;
13 }
14
15 @media (max-width: 900px) {
16   .navbar {
17     min-height: var(--navbar-height);
18     padding: 0 12px;
19   }
20 }
21
22 .navbar-left {
23   min-width: 0;
24   display: flex;
25   align-items: center;
26 }
27
28 .navbar-brand {
29   color: var(--color-text);
30   text-decoration: none;
31   font-size: 22px;
32   font-weight: 700;
33   white-space: nowrap;
34 }
35
36 .navbar-right {
37   display: flex;
38   align-items: center;
39   gap: 20px;
40 }
41
42 .navbar-link {
43   position: relative;
44   min-height: 40px;
45   display: inline-flex;
46   align-items: center;
47   color: var(--color-text-strong);
48   text-decoration: none;
49   white-space: nowrap;
50   font-size: 14px;
51 }
52
53 .navbar-link:hover {
54   text-decoration: underline;
55 }
56
57 .navbar-user {
58   max-width: 160px;
59   font-weight: 600;
60   white-space: nowrap;
61   overflow: hidden;
62   text-overflow: ellipsis;
63 }
64
65 .navbar-logout {
66   min-height: 40px;
67   padding: 8px 14px;
68   border: none;
69   border-radius: var(--radius-sm);
70   background: var(--color-primary);
```

```
71   color: var(--color-on-primary);
72   font-weight: 600;
73   transition: background var(--transition-fast);
74 }
75
76 .navbar-logout:hover {
77   background: var(--color-primary-hover);
78 }
79
80 .navbar-menu-toggle {
81   display: none;
82   width: 42px;
83   height: 42px;
84   padding: 9px;
85   border: 1px solid var(--color-border);
86   border-radius: var(--radius-md);
87   background: var(--color-surface);
88   flex-direction: column;
89   align-items: center;
90   justify-content: center;
91   gap: 4px;
92 }
93
94 .navbar-menu-toggle span {
95   width: 20px;
96   height: 2px;
97   border-radius: 2px;
98   background: var(--color-text);
99 }
100
101 .navbar-mobile-menu {
102   display: none;
103 }
104
105 @media (max-width: 900px) {
106   .navbar-brand {
107     font-size: 20px;
108   }
109
110   .navbar-right {
111     display: none;
112   }
113
114   .navbar-menu-toggle {
115     display: flex;
116   }
117
118   .navbar-mobile-menu {
119     position: absolute;
120     top: 100%;
121     left: 0;
122     right: 0;
123     display: flex;
124     flex-direction: column;
125     max-height: calc(100dvh - var(--navbar-height));
126     overflow-y: auto;
127     padding: 8px 12px 16px;
128     background: var(--color-surface);
129     border-bottom: 1px solid var(--color-border);
130     box-shadow: var(--shadow-menu);
131     visibility: hidden;
132     opacity: 0;
133     transform: translateY(-8px);
134     pointer-events: none;
135     transition: opacity 0.15s ease, transform 0.15s ease, visibility 0.15s ease;
136   }
137
138   .navbar-mobile-menu.open {
139     visibility: visible;
140     opacity: 1;
```

```
141     transform: translateY(0);
142     pointer-events: auto;
143   }
144
145   .navbar-mobile-user {
146     display: flex;
147     flex-direction: column;
148     padding: 14px 12px;
149     margin-bottom: 4px;
150     border-bottom: 1px solid var(--color-border-light);
151   }
152
153   .navbar-mobile-user-name {
154     font-weight: 700;
155   }
156
157   .navbar-mobile-user-email {
158     margin-top: 3px;
159     color: var(--color-text-secondary);
160     font-size: 13px;
161     overflow: hidden;
162     text-overflow: ellipsis;
163     white-space: nowrap;
164   }
165
166   .navbar-mobile-link {
167     min-height: 46px;
168     display: flex;
169     align-items: center;
170     justify-content: space-between;
171     padding: 0 12px;
172     border-radius: var(--radius-md);
173     color: var(--color-text);
174     text-decoration: none;
175     font-size: 15px;
176     font-weight: 500;
177   }
178
179   .navbar-mobile-link:active {
180     background: var(--color-hover);
181   }
182
183   .navbar-mobile-logout {
184     width: 100%;
185     min-height: 46px;
186     margin-top: 8px;
187     border: none;
188     border-radius: var(--radius-md);
189     background: var(--color-primary);
190     color: var(--color-on-primary);
191     font-weight: 600;
192   }
193 }
194
195 .notification-badge {
196   display: inline-flex;
197   align-items: center;
198   justify-content: center;
199   min-width: 19px;
200   height: 19px;
201   margin-left: 6px;
202   padding: 0 5px;
203   border-radius: 10px;
204   background: var(--color-primary);
205   color: var(--color-on-primary);
206   font-size: 11px;
207   font-weight: 700;
208   vertical-align: middle;
209 }
210
```

```
211 .navbar-link {
212   padding: 0 6px;
213   border-radius: var(--radius-sm);
214 }
215
216 .navbar-link.active, .navbar-mobile-link.active {
217   background: var(--color-selected);
218   font-weight: 700;
219 }
220
221 .navbar-menu-toggle {
222   width: 44px;
223   height: 44px;
224 }
225
226 .navbar-right {
227   gap: 12px;
228 }
```

src/styles/navbar.module.css

UNIFIED DIFF: + ADDED / - REMOVED

```
1 --- /dev/null
2 +++ after/src/styles/navbar.module.css
3 @@ -0,0 +1,228 @@
4 +.navbar {
5 +  position: sticky;
6 +  top: 0;
7 +  z-index: 1000;
8 +  width: 100%;
9 +  min-height: var(--navbar-height);
10 +  padding: 0 30px;
11 +  background: var(--color-surface);
12 +  border-bottom: 1px solid var(--color-border);
13 +  display: flex;
14 +  align-items: center;
15 +  justify-content: space-between;
16 +}
17 +
18 +@media (max-width: 900px) {
19 +  .navbar {
20 +    min-height: var(--navbar-height);
21 +    padding: 0 12px;
22 +  }
23 +}
24 +
25 +.navbar-left {
26 +  min-width: 0;
27 +  display: flex;
28 +  align-items: center;
29 +}
30 +
31 +.navbar-brand {
32 +  color: var(--color-text);
33 +  text-decoration: none;
34 +  font-size: 22px;
35 +  font-weight: 700;
36 +  white-space: nowrap;
37 +}
38 +
39 +.navbar-right {
40 +  display: flex;
41 +  align-items: center;
42 +  gap: 20px;
43 +}
44 +
45 +.navbar-link {
46 +  position: relative;
47 +  min-height: 40px;
48 +  display: inline-flex;
49 +  align-items: center;
50 +  color: var(--color-text-strong);
51 +  text-decoration: none;
52 +  white-space: nowrap;
53 +  font-size: 14px;
54 +}
55 +
56 +.navbar-link:hover {
57 +  text-decoration: underline;
58 +}
59 +
60 +.navbar-user {
61 +  max-width: 160px;
62 +  font-weight: 600;
63 +  white-space: nowrap;
64 +  overflow: hidden;
65 +  text-overflow: ellipsis;
66 +}
67 +
68 +.navbar-logout {
69 +  min-height: 40px;
70 +  padding: 8px 14px;
```

```
71 + border: none;
72 + border-radius: var(--radius-sm);
73 + background: var(--color-primary);
74 + color: var(--color-on-primary);
75 + font-weight: 600;
76 + transition: background var(--transition-fast);
77 +}
78 +
79 +.navbar-logout:hover {
80 +   background: var(--color-primary-hover);
81 +}
82 +
83 +.navbar-menu-toggle {
84 +   display: none;
85 +   width: 42px;
86 +   height: 42px;
87 +   padding: 9px;
88 +   border: 1px solid var(--color-border);
89 +   border-radius: var(--radius-md);
90 +   background: var(--color-surface);
91 +   flex-direction: column;
92 +   align-items: center;
93 +   justify-content: center;
94 +   gap: 4px;
95 +}
96 +
97 +.navbar-menu-toggle span {
98 +   width: 20px;
99 +   height: 2px;
100 +   border-radius: 2px;
101 +   background: var(--color-text);
102 +}
103 +
104 +.navbar-mobile-menu {
105 +   display: none;
106 +}
107 +
108 +@media (max-width: 900px) {
109 +   .navbar-brand {
110 +       font-size: 20px;
111 +   }
112 +
113 +   .navbar-right {
114 +       display: none;
115 +   }
116 +
117 +   .navbar-menu-toggle {
118 +       display: flex;
119 +   }
120 +
121 +   .navbar-mobile-menu {
122 +       position: absolute;
123 +       top: 100%;
124 +       left: 0;
125 +       right: 0;
126 +       display: flex;
127 +       flex-direction: column;
128 +       max-height: calc(100dvh - var(--navbar-height));
129 +       overflow-y: auto;
130 +       padding: 8px 12px 16px;
131 +       background: var(--color-surface);
132 +       border-bottom: 1px solid var(--color-border);
133 +       box-shadow: var(--shadow-menu);
134 +       visibility: hidden;
135 +       opacity: 0;
136 +       transform: translateY(-8px);
137 +       pointer-events: none;
138 +       transition: opacity 0.15s ease, transform 0.15s ease, visibility 0.15s ease;
139 +   }
140 +
```

```
141 + .navbar-mobile-menu.open {
142 +   visibility: visible;
143 +   opacity: 1;
144 +   transform: translateY(0);
145 +   pointer-events: auto;
146 + }
147 +
148 + .navbar-mobile-user {
149 +   display: flex;
150 +   flex-direction: column;
151 +   padding: 14px 12px;
152 +   margin-bottom: 4px;
153 +   border-bottom: 1px solid var(--color-border-light);
154 + }
155 +
156 + .navbar-mobile-user-name {
157 +   font-weight: 700;
158 + }
159 +
160 + .navbar-mobile-user-email {
161 +   margin-top: 3px;
162 +   color: var(--color-text-secondary);
163 +   font-size: 13px;
164 +   overflow: hidden;
165 +   text-overflow: ellipsis;
166 +   white-space: nowrap;
167 + }
168 +
169 + .navbar-mobile-link {
170 +   min-height: 46px;
171 +   display: flex;
172 +   align-items: center;
173 +   justify-content: space-between;
174 +   padding: 0 12px;
175 +   border-radius: var(--radius-md);
176 +   color: var(--color-text);
177 +   text-decoration: none;
178 +   font-size: 15px;
179 +   font-weight: 500;
180 + }
181 +
182 + .navbar-mobile-link:active {
183 +   background: var(--color-hover);
184 + }
185 +
186 + .navbar-mobile-logout {
187 +   width: 100%;
188 +   min-height: 46px;
189 +   margin-top: 8px;
190 +   border: none;
191 +   border-radius: var(--radius-md);
192 +   background: var(--color-primary);
193 +   color: var(--color-on-primary);
194 +   font-weight: 600;
195 + }
196 +}
197 +
198 +.notification-badge {
199 +   display: inline-flex;
200 +   align-items: center;
201 +   justify-content: center;
202 +   min-width: 19px;
203 +   height: 19px;
204 +   margin-left: 6px;
205 +   padding: 0 5px;
206 +   border-radius: 10px;
207 +   background: var(--color-primary);
208 +   color: var(--color-on-primary);
209 +   font-size: 11px;
210 +   font-weight: 700;
```

```
211 + vertical-align: middle;
212 +}
213 +
214 +.navbar-link {
215 + padding: 0 6px;
216 + border-radius: var(--radius-sm);
217 +}
218 +
219 +.navbar-link.active, .navbar-mobile-link.active {
220 + background: var(--color-selected);
221 + font-weight: 700;
222 +}
223 +
224 +.navbar-menu-toggle {
225 + width: 44px;
226 + height: 44px;
227 +}
228 +
229 +.navbar-right {
230 + gap: 12px;
231 +}
```

FULL CURRENT CONTENT

```
1  .notifications-page {
2    max-width: 900px;
3  }
4
5  .notifications-mark-all {
6    flex-shrink: 0;
7    min-height: 40px;
8    padding: 9px 14px;
9    border: 1px solid var(--color-control-border);
10   border-radius: 7px;
11   background: var(--color-surface);
12   color: var(--color-text-strong);
13   font-weight: 600;
14 }
15
16 .notifications-mark-all:disabled {
17   opacity: 0.6;
18 }
19
20 .notification-list {
21   display: flex;
22   flex-direction: column;
23   gap: 10px;
24 }
25
26 .notification-item {
27   min-width: 0;
28   display: flex;
29   align-items: flex-start;
30   gap: 12px;
31   padding: 16px;
32   border: 1px solid var(--color-item-border);
33   border-radius: 10px;
34   transition: background 0.15s ease;
35 }
36
37 .notification-unread {
38   background: #fafafa;
39 }
40
41 .notification-read {
42   background: var(--color-surface);
43 }
44
45 .notification-indicator {
46   width: 10px;
47   flex-shrink: 0;
48   padding-top: 6px;
49 }
50
51 .notification-unread-dot {
52   display: block;
53   width: 8px;
54   height: 8px;
55   border-radius: 50%;
56   background: var(--color-primary);
57 }
58
59 .notification-content {
60   min-width: 0;
61   flex: 1;
62 }
63
64 .notification-message {
65   margin: 0 0 8px;
66   line-height: 1.45;
67   overflow-wrap: anywhere;
68 }
69
70 .notification-meta {
```

FULL CURRENT CONTENT

```
71   display: flex;
72   align-items: center;
73   gap: 10px;
74   flex-wrap: wrap;
75   color: var(--color-text-subtle);
76   font-size: 13px;
77 }
78
79 .notification-type {
80   padding: 2px 7px;
81   border-radius: 10px;
82   background: var(--color-border-light);
83   color: var(--color-outline);
84   font-size: 11px;
85   font-weight: 600;
86 }
87
88 .notification-read-button {
89   flex-shrink: 0;
90   min-height: 38px;
91   padding: 7px 10px;
92   border: 1px solid var(--color-control-border);
93   border-radius: 6px;
94   background: var(--color-surface);
95   color: var(--color-text-strong);
96   font-size: 13px;
97 }
98
99 .notification-read-button:disabled {
100   opacity: 0.6;
101 }
102
103 .notifications-empty {
104   padding: 45px 20px;
105 }
106
107 .notification-pagination {
108   margin-top: 25px;
109 }
110
111 @media (max-width: 700px) {
112   .notifications-page {
113     padding: 20px 12px;
114   }
115
116   .notifications-card {
117     padding: 18px;
118   }
119
120   .notifications-header {
121     align-items: flex-start;
122     flex-direction: column;
123   }
124
125   .notifications-header h1 {
126     font-size: 24px;
127   }
128
129   .notifications-mark-all {
130     width: 100%;
131   }
132
133   .notification-item {
134     display: grid;
135     grid-template-columns: 10px minmax(0, 1fr);
136   }
137
138   .notification-read-button {
139     grid-column: 2;
140     width: 100%;
```

FULL CURRENT CONTENT

```
141   }
142
143   .notification-pagination {
144     gap: 12px;
145   }
146
147   .notification-pagination button {
148     min-width: 90px;
149   }
150 }
151
152 @media (max-width: 380px) {
153   .notifications-card {
154     padding: 15px;
155   }
156 }
```

src/styles/notifications.module.css

UNIFIED DIFF: + ADDED / - REMOVED

```
1  --- before/src/styles/notifications.css
2  +++ after/src/styles/notifications.module.css
3  @@ -1,25 +1,15 @@
4  - /* =====
5  -   NOTIFICATIONS PAGE
6  -   ===== */
7  -
8  .notifications-page {
9    max-width: 900px;
10 -
11 }
12
13 .notifications-mark-all {
14   flex-shrink: 0;
15 -
16   min-height: 40px;
17 -
18   padding: 9px 14px;
19 -
20   border: 1px solid var(--color-control-border);
21   border-radius: 7px;
22 -
23   background: var(--color-surface);
24   color: var(--color-text-strong);
25 -
26   font-weight: 600;
27 }
28
29 @@ -27,30 +17,20 @@
30   opacity: 0.6;
31 }
32
33 - /* =====
34 -   LIST
35 -   ===== */
36 -
37 .notification-list {
38   display: flex;
39   flex-direction: column;
40 -
41   gap: 10px;
42 }
43
44 .notification-item {
45   min-width: 0;
46 -
47   display: flex;
48   align-items: flex-start;
49 -
50   gap: 12px;
51 -
52   padding: 16px;
53 -
54   border: 1px solid var(--color-item-border);
55   border-radius: 10px;
56 -
57   transition: background 0.15s ease;
58 }
59
60 @@ -64,20 +44,15 @@
61
62 .notification-indicator {
63   width: 10px;
64 -
65   flex-shrink: 0;
66 -
67   padding-top: 6px;
68 }
69
70 .notification-unread-dot {
```

src/styles/notifications.module.css

UNIFIED DIFF: + ADDED / - REMOVED

```
71     display: block;
72 -
73     width: 8px;
74     height: 8px;
75 -
76     border-radius: 50%;
77 -
78     background: var(--color-primary);
79   }
80
81   @@ -88,50 +63,36 @@
82
83   .notification-message {
84     margin: 0 0 8px;
85 -
86     line-height: 1.45;
87 -
88     overflow-wrap: anywhere;
89   }
90
91   .notification-meta {
92     display: flex;
93     align-items: center;
94 -
95     gap: 10px;
96 -
97     flex-wrap: wrap;
98 -
99     color: var(--color-text-subtle);
100 -
101     font-size: 13px;
102   }
103
104   .notification-type {
105     padding: 2px 7px;
106 -
107     border-radius: 10px;
108 -
109     background: var(--color-border-light);
110     color: var(--color-outline);
111 -
112     font-size: 11px;
113     font-weight: 600;
114   }
115
116   .notification-read-button {
117     flex-shrink: 0;
118 -
119     min-height: 38px;
120 -
121     padding: 7px 10px;
122 -
123     border: 1px solid var(--color-control-border);
124     border-radius: 6px;
125 -
126     background: var(--color-surface);
127     color: var(--color-text-strong);
128 -
129     font-size: 13px;
130   }
131
132   @@ -139,53 +100,13 @@
133     opacity: 0.6;
134   }
135
136 - /* =====
137 -   EMPTY STATE
138 -   ===== */
139 -
140   .notifications-empty {
```

```

141     padding: 45px 20px;
142 -
143   }
144 -
145 - /* =====
146 -   PAGINATION
147 -   ===== */
148
149   .notification-pagination {
150     margin-top: 25px;
151   }
152 -
153 - /* =====
154 -   NAVBAR BADGE
155 -   ===== */
156 -
157 - .notification-badge {
158 -   display: inline-flex;
159 -
160 -   align-items: center;
161 -   justify-content: center;
162 -
163 -   min-width: 19px;
164 -   height: 19px;
165 -
166 -   margin-left: 6px;
167 -   padding: 0 5px;
168 -
169 -   border-radius: 10px;
170 -
171 -   background: var(--color-primary);
172 -   color: var(--color-on-primary);
173 -
174 -   font-size: 11px;
175 -   font-weight: 700;
176 -
177 -   vertical-align: middle;
178 - }
179 -
180 - /* =====
181 -   MOBILE
182 -   ===== */
183
184   @media (max-width: 700px) {
185     .notifications-page {
186 @@ -211,13 +132,11 @@
187
188     .notification-item {
189       display: grid;
190 -
191       grid-template-columns: 10px minmax(0, 1fr);
192     }
193
194     .notification-read-button {
195       grid-column: 2;
196 -
197       width: 100%;
198     }
199

```

```
1  .profile-page {
2    max-width: 700px;
3  }
4
5  .profile-card h1 {
6    margin-top: 0;
7    margin-bottom: 20px;
8  }
9
10 .profile-image-section {
11   display: flex;
12   flex-direction: column;
13   align-items: center;
14   gap: 15px;
15   margin: 25px 0;
16 }
17
18 .profile-image {
19   width: 120px;
20   height: 120px;
21   object-fit: cover;
22   border-radius: 50%;
23 }
24
25 .profile-image-section button {
26   min-height: 40px;
27   padding: 8px 14px;
28   border: 1px solid var(--color-control-border);
29   border-radius: var(--radius-sm);
30   background: var(--color-surface);
31   font-weight: 600;
32 }
33
34 .profile-form {
35   display: flex;
36   flex-direction: column;
37   gap: 10px;
38 }
39
40 .profile-form button {
41   width: 100%;
42   min-height: 44px;
43   margin-top: 10px;
44   padding: 11px;
45   border: none;
46   border-radius: 7px;
47   background: var(--color-primary);
48   color: var(--color-on-primary);
49   font-weight: 600;
50 }
51
52 .profile-form button:disabled {
53   opacity: 0.6;
54 }
55
56 .character-count {
57   text-align: right;
58   font-size: 12px;
59   color: var(--color-text-subtle);
60 }
61
62 .profile-details {
63   margin-top: 25px;
64   padding-top: 20px;
65   border-top: 1px solid var(--color-border-light);
66   color: var(--color-outline);
67 }
68
69 .profile-details p {
70   margin: 8px 0;
```

```
71 }
72
73 .back-link {
74   display: inline-block;
75   margin-bottom: 20px;
76   color: var(--color-text-strong);
77   text-decoration: none;
78   font-weight: 600;
79 }
80
81 .back-link:hover {
82   text-decoration: underline;
83 }
84
85 .user-profile-card {
86   max-width: 700px;
87   margin: 0 auto;
88 }
89
90 .user-profile-info {
91   text-align: center;
92 }
93
94 .user-profile-info h1 {
95   margin: 0 0 10px;
96 }
97
98 .user-profile-bio {
99   color: var(--color-outline);
100   margin: 0;
101   line-height: 1.5;
102 }
103
104 @media (max-width: 700px) {
105   .profile-page {
106     padding: 20px 12px;
107   }
108
109   .profile-card {
110     padding: 20px;
111     border-radius: var(--radius-lg);
112   }
113
114   .profile-page {
115     padding-top: 20px;
116   }
117
118   .profile-card {
119     width: 100%;
120   }
121 }
122
123 @media (max-width: 380px) {
124   .profile-card {
125     padding: 16px;
126   }
127 }
128
129 .profile-form {
130   gap: 16px;
131 }
132
133 .profile-form textarea {
134   resize: vertical;
135   min-height: 120px;
136 }
```

```
1 --- /dev/null
2 +++ after/src/styles/profile.module.css
3 @@ -0,0 +1,136 @@
4 +.profile-page {
5 +  max-width: 700px;
6 +}
7 +
8 +.profile-card h1 {
9 +  margin-top: 0;
10 +  margin-bottom: 20px;
11 +}
12 +
13 +.profile-image-section {
14 +  display: flex;
15 +  flex-direction: column;
16 +  align-items: center;
17 +  gap: 15px;
18 +  margin: 25px 0;
19 +}
20 +
21 +.profile-image {
22 +  width: 120px;
23 +  height: 120px;
24 +  object-fit: cover;
25 +  border-radius: 50%;
26 +}
27 +
28 +.profile-image-section button {
29 +  min-height: 40px;
30 +  padding: 8px 14px;
31 +  border: 1px solid var(--color-control-border);
32 +  border-radius: var(--radius-sm);
33 +  background: var(--color-surface);
34 +  font-weight: 600;
35 +}
36 +
37 +.profile-form {
38 +  display: flex;
39 +  flex-direction: column;
40 +  gap: 10px;
41 +}
42 +
43 +.profile-form button {
44 +  width: 100%;
45 +  min-height: 44px;
46 +  margin-top: 10px;
47 +  padding: 11px;
48 +  border: none;
49 +  border-radius: 7px;
50 +  background: var(--color-primary);
51 +  color: var(--color-on-primary);
52 +  font-weight: 600;
53 +}
54 +
55 +.profile-form button:disabled {
56 +  opacity: 0.6;
57 +}
58 +
59 +.character-count {
60 +  text-align: right;
61 +  font-size: 12px;
62 +  color: var(--color-text-subtle);
63 +}
64 +
65 +.profile-details {
66 +  margin-top: 25px;
67 +  padding-top: 20px;
68 +  border-top: 1px solid var(--color-border-light);
69 +  color: var(--color-outline);
70 +}
```

```
71 +
72 +.profile-details p {
73 +   margin: 8px 0;
74 +}
75 +
76 +.back-link {
77 +   display: inline-block;
78 +   margin-bottom: 20px;
79 +   color: var(--color-text-strong);
80 +   text-decoration: none;
81 +   font-weight: 600;
82 +}
83 +
84 +.back-link:hover {
85 +   text-decoration: underline;
86 +}
87 +
88 +.user-profile-card {
89 +   max-width: 700px;
90 +   margin: 0 auto;
91 +}
92 +
93 +.user-profile-info {
94 +   text-align: center;
95 +}
96 +
97 +.user-profile-info h1 {
98 +   margin: 0 0 10px;
99 +}
100 +
101 +.user-profile-bio {
102 +   color: var(--color-outline);
103 +   margin: 0;
104 +   line-height: 1.5;
105 +}
106 +
107 +@media (max-width: 700px) {
108 +   .profile-page {
109 +       padding: 20px 12px;
110 +   }
111 +
112 +   .profile-card {
113 +       padding: 20px;
114 +       border-radius: var(--radius-lg);
115 +   }
116 +
117 +   .profile-page {
118 +       padding-top: 20px;
119 +   }
120 +
121 +   .profile-card {
122 +       width: 100%;
123 +   }
124 +}
125 +
126 +@media (max-width: 380px) {
127 +   .profile-card {
128 +       padding: 16px;
129 +   }
130 +}
131 +
132 +.profile-form {
133 +   gap: 16px;
134 +}
135 +
136 +.profile-form textarea {
137 +   resize: vertical;
138 +   min-height: 120px;
139 +}
```

```
1  /* Compatibility selectors allow incremental adoption without rewriting forms. */
2  .search-input,
3  .message-composer textarea {
4    width: 100%;
5    border: 1px solid var(--color-control-border);
6  }
7
8
9  .friends-header,
10 .notifications-header {
11    display: flex;
12    align-items: center;
13    justify-content: space-between;
14    gap: 20px;
15    margin-bottom: 25px;
16 }
17
18 .friends-header h1,
19 .notifications-header h1 {
20   margin: 0 0 6px;
21 }
22
23 .friends-header p,
24 .notifications-header p {
25   margin: 0;
26   color: var(--color-text-secondary);
27 }
28
29 .pagination,
30 .notification-pagination {
31   display: flex;
32   align-items: center;
33   justify-content: center;
34   gap: 20px;
35 }
36
37 .pagination button,
38 .notification-pagination button {
39   min-height: 40px;
40   padding: 8px 14px;
41   border: 1px solid var(--color-control-border);
42   border-radius: var(--radius-sm);
43   background: var(--color-surface);
44 }
45
46 .pagination button:disabled,
47 .notification-pagination button:disabled {
48   opacity: 0.5;
49 }
50
51 .friends-empty,
52 .notifications-empty {
53   text-align: center;
54   border: 1px dashed var(--color-control-border);
55   border-radius: var(--radius-lg);
56 }
57
58 .friends-empty h2,
59 .notifications-empty h2 {
60   margin: 0 0 8px;
61 }
62
63 .friends-empty p,
64 .notifications-empty p {
65   margin: 0;
66   color: var(--color-text-secondary);
67 }
```

src/styles/shared.css

UNIFIED DIFF: + ADDED / - REMOVED

```
1 --- before/src/styles/shared.css
2 +++ after/src/styles/shared.css
3 @@ -1,12 +1,9 @@
4  /* Compatibility selectors allow incremental adoption without rewriting forms. */
5  -.auth-card input,
6  .search-input,
7  -.profile-form input,
8  -.profile-form textarea,
9  .message-composer textarea {
10     width: 100%;
11     border: 1px solid var(--color-control-border);
12 -   outline: none;
13 +
14 }
15
16 .friends-header,
```

```

1  /* =====
2    DESIGN SYSTEM / GLOBAL
3    ===== */
4
5  :root {
6    --color-bg: #f5f6f8;
7    --color-surface: #ffffff;
8
9    --color-text: #222222;
10   --color-text-secondary: #666666;
11   --color-text-muted: #666666;
12
13   --color-border: #e2e5e9;
14   --color-border-light: #eeeeee;
15
16   --color-primary: #222222;
17   --color-primary-hover: #111111;
18
19   --color-danger: #b3261e;
20   --color-success: #2e7d32;
21
22   --color-hover: #f7f7f7;
23   --color-selected: #f0f1f3;
24   --color-disabled: #f2f2f2;
25
26   --radius-sm: 6px;
27   --radius-md: 8px;
28   --radius-lg: 10px;
29   --radius-xl: 12px;
30
31   --shadow-card: 0 2px 10px rgba(0, 0, 0, 0.05);
32   --shadow-menu: 0 8px 24px rgba(0, 0, 0, 0.1);
33
34   --navbar-height: 64px;
35
36   --page-padding-x: 20px;
37   --page-padding-y: 35px;
38
39   --transition-fast: 0.15s ease;
40   /* Shared control colours; retain existing values during migration. */
41   --color-control-border: #cccccc;
42   --color-outline: #555555;
43   --color-text-strong: #333333;
44   --color-text-subtle: #777777;
45   --color-item-border: #e5e5e5;
46   --color-on-primary: #ffffff;
47   --control-height: 44px;
48   --color-focus: #2459a6;
49   --color-danger-surface: #fff2f1;
50   --color-success-surface: #edf7ee;
51 }
52
53
54 @media (max-width: 700px) {
55   :root {
56     --navbar-height: 56px;
57   }
58 }

```

src/styles/tokens.css

UNIFIED DIFF: + ADDED / - REMOVED

```
1 --- before/src/styles/tokens.css
2 +++ after/src/styles/tokens.css
3 @@ -8,7 +8,7 @@
4
5     --color-text: #222222;
6     --color-text-secondary: #666666;
7 -    --color-text-muted: #888888;
8 +    --color-text-muted: #666666;
9
10    --color-border: #e2e5e9;
11    --color-border-light: #eeeeee;
12 @@ -45,5 +45,14 @@
13    --color-item-border: #e5e5e5;
14    --color-on-primary: #ffffff;
15    --control-height: 44px;
16 +    --color-focus: #2459a6;
17 +    --color-danger-surface: #fff2f1;
18 +    --color-success-surface: #edf7ee;
19 }
20
21 +
22 +@media (max-width: 700px) {
23 +:root {
24 +    --navbar-height: 56px;
25 +}
26 +}
```

```
1
2
3 .user-search {
4   background: var(--color-surface);
5   padding: 25px;
6   border-radius: var(--radius-xl);
7   box-shadow: var(--shadow-card);
8 }
9
10 .section-header {
11   display: flex;
12   align-items: center;
13   justify-content: space-between;
14   gap: 15px;
15   margin-bottom: 15px;
16 }
17
18 .section-header h2, .section-header h3 {
19   margin: 0;
20 }
21
22 .search-input {
23   min-height: 44px;
24   padding: 11px 14px;
25   border-radius: var(--radius-md);
26   background: var(--color-surface);
27 }
28
29 .search-input:focus {
30   border-color: var(--color-outline);
31 }
32
33 .search-status {
34   color: var(--color-text-secondary);
35 }
36
37 .user-results {
38   display: flex;
39   flex-direction: column;
40   gap: 10px;
41   margin-top: 15px;
42 }
43
44 .user-card {
45   min-width: 0;
46   display: flex;
47   align-items: center;
48   gap: 14px;
49   padding: 12px;
50   border: 1px solid var(--color-border);
51   border-radius: var(--radius-lg);
52   background: var(--color-surface);
53   cursor: pointer;
54   text-decoration: none;
55   color: inherit;
56   transition: background var(--transition-fast), transform var(--transition-fast);
57 }
58
59 .user-card-info {
60   min-width: 0;
61 }
62
63 .user-card-info h3 {
64   margin: 0 0 5px;
65   font-size: 16px;
66 }
67
68 .user-card-info p {
69   margin: 0;
70   color: var(--color-text-secondary);
```

```
71   white-space: nowrap;
72   overflow: hidden;
73   text-overflow: ellipsis;
74 }
75
76 .user-avatar {
77   flex-shrink: 0;
78   object-fit: cover;
79   border-radius: 50%;
80 }
81
82 .user-avatar-placeholder {
83   display: flex;
84   align-items: center;
85   justify-content: center;
86   background: #dddddd;
87   color: var(--color-text-strong);
88   font-weight: 700;
89 }
90
91 .user-avatar.small {
92   width: 36px;
93   height: 36px;
94   font-size: 14px;
95 }
96
97 .user-avatar.medium {
98   width: 48px;
99   height: 48px;
100  font-size: 18px;
101 }
102
103 .user-avatar.large {
104   width: 120px;
105   height: 120px;
106   font-size: 42px;
107 }
108
109 .recent-searches {
110   margin-top: 30px;
111 }
112
113 .text-button {
114   border: none;
115   background: transparent;
116   color: #444444;
117   text-decoration: underline;
118   padding: 6px 8px;
119 }
120
121 .pagination {
122   margin-top: 20px;
123 }
124
125 @media (max-width: 700px) {
126
127   .user-search {
128     padding: 20px;
129     border-radius: var(--radius-lg);
130   }
131
132   .section-header {
133     align-items: flex-start;
134     flex-direction: column;
135   }
136
137   .pagination {
138     gap: 12px;
139   }
140 }
```

```
141
142   .pagination button {
143     min-width: 90px;
144   }
145 }
146
147 @media (max-width: 380px) {
148   .user-search {
149     padding: 16px;
150   }
151 }
152
153 @media (hover: hover) and (pointer: fine) {
154   .user-card:hover {
155     background: #f8f8f8;
156     transform: translateY(-1px);
157   }
158 }
159
160 .user-card:focus-visible {
161   outline-offset: 3px;
162 }
```

```
1 --- /dev/null
2 +++ after/src/styles/users.module.css
3 @@ -0,0 +1,162 @@
4 +
5 +
6 +.user-search {
7 +  background: var(--color-surface);
8 +  padding: 25px;
9 +  border-radius: var(--radius-xl);
10 +  box-shadow: var(--shadow-card);
11 +}
12 +
13 +.section-header {
14 +  display: flex;
15 +  align-items: center;
16 +  justify-content: space-between;
17 +  gap: 15px;
18 +  margin-bottom: 15px;
19 +}
20 +
21 +.section-header h2, .section-header h3 {
22 +  margin: 0;
23 +}
24 +
25 +.search-input {
26 +  min-height: 44px;
27 +  padding: 11px 14px;
28 +  border-radius: var(--radius-md);
29 +  background: var(--color-surface);
30 +}
31 +
32 +.search-input:focus {
33 +  border-color: var(--color-outline);
34 +}
35 +
36 +.search-status {
37 +  color: var(--color-text-secondary);
38 +}
39 +
40 +.user-results {
41 +  display: flex;
42 +  flex-direction: column;
43 +  gap: 10px;
44 +  margin-top: 15px;
45 +}
46 +
47 +.user-card {
48 +  min-width: 0;
49 +  display: flex;
50 +  align-items: center;
51 +  gap: 14px;
52 +  padding: 12px;
53 +  border: 1px solid var(--color-border);
54 +  border-radius: var(--radius-lg);
55 +  background: var(--color-surface);
56 +  cursor: pointer;
57 +  text-decoration: none;
58 +  color: inherit;
59 +  transition: background var(--transition-fast), transform var(--transition-fast);
60 +}
61 +
62 +.user-card-info {
63 +  min-width: 0;
64 +}
65 +
66 +.user-card-info h3 {
67 +  margin: 0 0 5px;
68 +  font-size: 16px;
69 +}
70 +
```

```
71 +.user-card-info p {
72 +  margin: 0;
73 +  color: var(--color-text-secondary);
74 +  white-space: nowrap;
75 +  overflow: hidden;
76 +  text-overflow: ellipsis;
77 +}
78 +
79 +.user-avatar {
80 +  flex-shrink: 0;
81 +  object-fit: cover;
82 +  border-radius: 50%;
83 +}
84 +
85 +.user-avatar-placeholder {
86 +  display: flex;
87 +  align-items: center;
88 +  justify-content: center;
89 +  background: #dddddd;
90 +  color: var(--color-text-strong);
91 +  font-weight: 700;
92 +}
93 +
94 +.user-avatar.small {
95 +  width: 36px;
96 +  height: 36px;
97 +  font-size: 14px;
98 +}
99 +
100 +.user-avatar.medium {
101 +  width: 48px;
102 +  height: 48px;
103 +  font-size: 18px;
104 +}
105 +
106 +.user-avatar.large {
107 +  width: 120px;
108 +  height: 120px;
109 +  font-size: 42px;
110 +}
111 +
112 +.recent-searches {
113 +  margin-top: 30px;
114 +}
115 +
116 +.text-button {
117 +  border: none;
118 +  background: transparent;
119 +  color: #444444;
120 +  text-decoration: underline;
121 +  padding: 6px 8px;
122 +}
123 +
124 +.pagination {
125 +  margin-top: 20px;
126 +}
127 +
128 +@media (max-width: 700px) {
129 +
130 +
131 +  .user-search {
132 +    padding: 20px;
133 +    border-radius: var(--radius-lg);
134 +  }
135 +
136 +  .section-header {
137 +    align-items: flex-start;
138 +    flex-direction: column;
139 +  }
140 +}
```

```
141 + .pagination {
142 +   gap: 12px;
143 + }
144 +
145 + .pagination button {
146 +   min-width: 90px;
147 + }
148 +}
149 +
150 +@media (max-width: 380px) {
151 +   .user-search {
152 +     padding: 16px;
153 +   }
154 +}
155 +
156 +@media (hover: hover) and (pointer: fine) {
157 +   .user-card:hover {
158 +     background: #f8f8f8;
159 +     transform: translateY(-1px);
160 +   }
161 +}
162 +
163 +.user-card:focus-visible {
164 +   outline-offset: 3px;
165 +}
```

src/utils/bindStyles.js

FULL CURRENT CONTENT

```
1  /** Keep stable DOM hooks while feature declarations use collision-free module classes.
2   * Unknown tokens belong to the shared foundation (for example pagination).
3   */
4  export function bindStyles(...sheets) {
5    return (value = "") => {
6      const tokens = value.trim().split(/\s+/).filter(Boolean);
7      const scoped = tokens.flatMap((token) => sheets.map((sheet) => sheet[token]).filter(Boolean));
8      return [...new Set([...tokens, ...scoped])].join(" ");
9    };
10 }
```

src/utils/bindStyles.js

UNIFIED DIFF: + ADDED / - REMOVED

```
1 --- /dev/null
2 +++ after/src/utils/bindStyles.js
3 @@ -0,0 +1,10 @@
4 +/** Keep stable DOM hooks while feature declarations use collision-free module classes.
5 + * Unknown tokens belong to the shared foundation (for example pagination).
6 + */
7 +export function bindStyles(...sheets) {
8 +  return (value = "") => {
9 +    const tokens = value.trim().split(/\s+/).filter(Boolean);
10 +    const scoped = tokens.flatMap((token) => sheets.map((sheet) => sheet[token]).filter(Boolean));
11 +    return [...new Set([...tokens, ...scoped])].join(" ");
12 +  };
13 +}
```

```

1 // Isolated UI regression checks. HTTP and WebSocket traffic never reaches cloud services.
2 import { createServer } from "../node_modules/vite/dist/node/index.js";
3 import { fileURLToPath } from "node:url";
4 import { mkdir } from "node:fs/promises";
5 import assert from "node:assert/strict";
6 const { chromium } = await import(process.env.PLAYWRIGHT_MODULE || "playwright");
7
8 const origin = "http://127.0.0.1:41814";
9 process.env.VITE_API_BASE_URL = origin;
10 process.env.VITE_WS_URL = origin.replace("http", "ws") + "/ws";
11 const server = await createServer({
12   root: fileURLToPath(new URL("../", import.meta.url)),
13   server: { host: "127.0.0.1", port: 41814, strictPort: true },
14 });
15 const account = { id: 1, name: "Review User", email: "review@example.invalid", bio: "Profile fixture", profileImage: null };
16 const friend = { ...account, id: 2, name: "Sample Friend With A Longer Name", bio: "A longer biography to check wrapping on smaller screens." };
17 const errors = [];
18 const blocked = [];
19 const requests = [];
20 let browser;
21 const screenshots = process.env.UI_SCREENSHOT_DIR;
22 const token = "test." + Buffer.from(JSON.stringify({ sub: account.email, exp: Math.floor(Date.now() / 1000) + 3600 })).toString("base64") + ".test";
23
24 async function pageFor(width, authenticated = false) {
25   const page = await browser.newPage({ viewport: { width, height: 900 } });
26   page.on("pageerror", error => errors.push(error.message));
27   if (authenticated) await page.addInitScript(({ account, token }) => {
28     localStorage.setItem("frndbook_access_token", token);
29     localStorage.setItem("frndbook_refresh_token", "fixture");
30     localStorage.setItem("frndbook_user", JSON.stringify(account));
31   }, { account, token });
32   await page.route("**/*", route => {
33     const request = route.request();
34     const url = new URL(request.url());
35     if (url.origin !== origin) { blocked.push(url.origin); return route.abort(); }
36     if (!url.pathname.startsWith("/api/")) return route.continue();
37     if (request.method() !== "GET") requests.push({ path: url.pathname, body: request.postDataJSON() });
38     let body = [];
39     if (url.pathname === "/api/auth/login") {
40       return route.fulfill({ status: 401, json: { message: "Fixture login rejected" } });
41     }
42     if (url.pathname === "/api/users/me") body = account;
43     else if (url.pathname === "/api/users/2") body = friend;
44     else if (url.pathname === "/api/friends") body = [friend];
45     else if (url.pathname.endsWith("/requests/received")) body = [{ id: 5, sender: friend }];
46     else if (url.pathname.endsWith("/requests/sent")) body = [{ id: 6, receiver: friend }];
47     else if (url.pathname.endsWith("/unread-count")) body = 1;
48     else if (url.pathname === "/api/notifications") body = {
49       content: [{ id: 1, message: "Sample notification", type: "CHAT_MESSAGE", read: false }], totalPages: 2, number: 0,
50     };
51     else if (url.pathname === "/api/conversations") body = [{ id: 12, otherUser: friend, lastMessage: null }];
52     else if (url.pathname.includes("/messages")) body = { content: [], last: true, totalElements: 0 };
53     return route.fulfill({ json: body });
54   });
55   await page.routeWebSocket("**/*", socket => {
56     if (!socket.url().startsWith(origin.replace("http", "ws"))) { socket.close(); return; }
57     socket.onMessage(data => {
58       if (/^(CONNECT|STOMP)/.test(String(data))) socket.send("CONNECTED\nversion:1.2\nheart-beat:0,0\n\n0");
59     });
60   });
61   return page;
62 }
63
64 try {
65   await server.listen();
66   browser = await chromium.launch({ channel: "msedge", headless: true });

```

```

67   if (screenshots) await mkdir(screenshots, { recursive: true });
68   const publicPaths = ["/login", "/signup", "/forgot-password", "/reset-password?token=fixture", "/verify-email?e
> mail=review%40example.invalid"];
69   const privatePaths = ["/", "/profile", "/users/2", "/friends", "/friend-requests", "/notifications", "/messages
> "];
70   let screens = 0;
71   for (const width of process.env.UI_INTERACTIONS_ONLY ? [] : [1280, 800, 390, 320]) {
72     for (const path of [...publicPaths, ...privatePaths]) {
73       const page = await pageFor(width, privatePaths.includes(path));
74       await page.goto(origin + path);
75       if (privatePaths.includes(path)) {
76         await page.locator("nav").waitFor();
77         assert.equal(await page.locator("nav").evaluate(el => getComputedStyle(el).display), "flex");
78         assert.equal(await page.locator("nav").evaluate(el => getComputedStyle(el).position), "sticky");
79       }
80       if (path === "/messages") {
81         await page.locator(".chat-header h2").waitFor({ state: "attached" });
82         if (width <= 800) await page.locator(".conversation-item").first().click();
83         await page.locator(".chat-header h2").waitFor();
84       }
85       if (path === "/friends") await page.locator(".friend-card").waitFor();
86       await page.waitForTimeout(150);
87       const badControls = await page.locator("input:not([hidden]), textarea").evaluateAll(elements => elements.fi
> lter(el =>
88         !el.labels?.length && !el.getAttribute("aria-label") && !el.getAttribute("aria-labelledby"),
89         ).map(el => el.outerHTML));
90       assert.deepEqual(badControls, [], `Unlabelled controls at ${width} ${path}`);
91       const overflow = await page.locator("body").evaluate(body => [...body.querySelectorAll("main, .auth-card, n
> av, button, input, textarea")].filter(el => {
92         const rect = el.getBoundingClientRect();
93         const style = getComputedStyle(el);
94         if (!rect.width || style.visibility === "hidden") return false;
95         return rect.right > innerWidth + 1 || rect.left < -1;
96       }).map(el => el.className));
97       assert.deepEqual(overflow, [], `Horizontal overflow at ${width} ${path}`);
98       if (screenshots && ["/login", "/profile", "/friends", "/messages", "/notifications"].includes(path)) {
99         await page.screenshot({ path: `${screenshots}/${width}-${path.slice(1)}.png`, fullPage: true });
100       }
101       screens++;
102       await page.close();
103     }
104   }
105
106   // Labelled form controls still submit the original payload and expose server feedback.
107   let page = await pageFor(390);
108   await page.goto(origin + "/login");
109   await page.getByLabel("Email", { exact: true }).fill("person@example.invalid");
110   await page.getByLabel("Password", { exact: true }).fill("password123");
111   await page.getByRole("button", { name: "Login", exact: true }).click();
112   await page.getByRole("alert").filter({ hasText: "Fixture login rejected" }).waitFor();
113   assert.deepEqual(requests.find(r => r.path === "/api/auth/login").body, { email: "person@example.invalid", pass
> word: "password123" });
114   if (screenshots) await page.screenshot({ path: `${screenshots}/login-error.png`, fullPage: true });
115   await page.close();
116
117   page = await pageFor(390);
118   await page.goto(origin + "/verify-email?email=review%40example.invalid");
119   assert.ok(await page.getByRole("button", { name: "Verify Email", exact: true }).isDisabled());
120   const otp = page.getByLabel("Verification code", { exact: true });
121   await otp.fill("12a");
122   assert.equal(await otp.inputValue(), "12");
123   await otp.fill("123456");
124   assert.equal(await otp.inputValue(), "123456");
125   assert.ok(await page.getByRole("button", { name: /Resend code in/ }).isDisabled());
126   await page.getByRole("button", { name: "Verify Email", exact: true }).click();
127   await page.getByRole("status").filter({ hasText: "Email verified successfully" }).waitFor();
128   assert.deepEqual(requests.find(r => r.path === "/api/auth/verify-email").body, { email: "review@example.invalid
> ", otp: "123456" });
129   await page.close();
130

```

```

131 // Disclosure navigation supports Escape, outside clicks, focus exit and active pages.
132 page = await pageFor(390, true);
133 await page.goto(origin + "/friends");
134 const toggle = page.locator(".navbar-menu-toggle");
135 await toggle.click();
136 assert.equal(await toggle.getAttribute("aria-expanded"), "true");
137 const menuId = await toggle.getAttribute("aria-controls");
138 assert.ok(menuId);
139 await page.locator(".navbar-mobile-menu a").first().focus();
140 await page.keyboard.press("Escape");
141 assert.equal(await toggle.getAttribute("aria-expanded"), "false");
142 assert.ok(await toggle.evaluate(el => el === document.activeElement));
143 await toggle.click();
144 await page.mouse.click(380, 850);
145 assert.equal(await toggle.getAttribute("aria-expanded"), "false");
146 await toggle.click();
147 await page.locator(".friend-message-button").focus();
148 assert.equal(await toggle.getAttribute("aria-expanded"), "false");
149 await toggle.click();
150 const active = page.locator('.navbar-mobile-menu a[aria-current="page"]');
151 await page.waitForFunction(() =>
152   getComputedStyle(document.querySelector(".navbar-mobile-menu")).opacity === "1",
153 );
154 assert.equal(await active.innerText(), "Friends");
155 if (screenshots) await page.screenshot({ path: `${screenshots}/mobile-menu.png`, fullPage: true });
156 await page.setViewportSize({ width: 1280, height: 900 });
157 await page.waitForTimeout(100);
158 assert.equal(await toggle.getAttribute("aria-expanded"), "false");
159 const skip = page.getByRole("link", { name: "Skip to content" });
160 await skip.focus();
161 await page.keyboard.press("Enter");
162 assert.equal(await page.evaluate(() => document.activeElement.id), "main-content");
163 await page.close();
164
165 assert.deepEqual(errors, [], "Unexpected browser JavaScript errors");
166 assert.deepEqual(blocked, [], "Unexpected external network attempts");
167 console.log(`PASS: ${screens ? `${screens} responsive screens, control labels and overflow checks; ` : "interaction-only run; "}login/OTP payloads; feedback roles; keyboard/mobile navigation; no external traffic.`);
168 } finally {
169   await browser?.close();
170   await server.close();
171 }

```

```

1  --- /dev/null
2  +++ after/tests/ui.browser.mjs
3  @@ -0,0 +1,171 @@
4  +// Isolated UI regression checks. HTTP and WebSocket traffic never reaches cloud services.
5  +import { createServer } from "../node_modules/vite/dist/node/index.js";
6  +import { fileURLToPath } from "node:url";
7  +import { mkdir } from "node:fs/promises";
8  +import assert from "node:assert/strict";
9  +const { chromium } = await import(process.env.PLAYWRIGHT_MODULE || "playwright");
10 +
11 +const origin = "http://127.0.0.1:41814";
12 +process.env.VITE_API_BASE_URL = origin;
13 +process.env.VITE_WS_URL = origin.replace("http", "ws") + "/ws";
14 +const server = await createServer({
15 +  root: fileURLToPath(new URL("../", import.meta.url)),
16 +  server: { host: "127.0.0.1", port: 41814, strictPort: true },
17 +});
18 +const account = { id: 1, name: "Review User", email: "review@example.invalid", bio: "Profile fixture", profileIm
19 +  > age: null };
20 +const friend = { ...account, id: 2, name: "Sample Friend With A Longer Name", bio: "A longer biography to check
21 +  > wrapping on smaller screens." };
22 +const errors = [];
23 +const blocked = [];
24 +const requests = [];
25 +let browser;
26 +const screenshots = process.env.UI_SCREENSHOT_DIR;
27 +const token = "test." + Buffer.from(JSON.stringify({ sub: account.email, exp: Math.floor(Date.now() / 1000) + 36
28 +  > 00 })).toString("base64") + ".test";
29 +
30 +async function pageFor(width, authenticated = false) {
31 +  const page = await browser.newPage({ viewport: { width, height: 900 } });
32 +  page.on("pageerror", error => errors.push(error.message));
33 +  if (authenticated) await page.addInitScript(({ account, token }) => {
34 +    localStorage.setItem("frndbook_access_token", token);
35 +    localStorage.setItem("frndbook_refresh_token", "fixture");
36 +    localStorage.setItem("frndbook_user", JSON.stringify(account));
37 +  }, { account, token });
38 +  await page.route("**/*", route => {
39 +    const request = route.request();
40 +    const url = new URL(request.url());
41 +    if (url.origin !== origin) { blocked.push(url.origin); return route.abort(); }
42 +    if (!url.pathname.startsWith("/api/")) return route.continue();
43 +    if (request.method() !== "GET") requests.push({ path: url.pathname, body: request.postDataJSON() });
44 +    let body = [];
45 +    if (url.pathname === "/api/auth/login") {
46 +      return route.fulfill({ status: 401, json: { message: "Fixture login rejected" } });
47 +    }
48 +    if (url.pathname === "/api/users/me") body = account;
49 +    else if (url.pathname === "/api/users/2") body = friend;
50 +    else if (url.pathname === "/api/friends") body = [friend];
51 +    else if (url.pathname.endsWith("/requests/received")) body = [{ id: 5, sender: friend }];
52 +    else if (url.pathname.endsWith("/requests/sent")) body = [{ id: 6, receiver: friend }];
53 +    else if (url.pathname.endsWith("unread-count")) body = 1;
54 +    else if (url.pathname === "/api/notifications") body = {
55 +      content: [{ id: 1, message: "Sample notification", type: "CHAT_MESSAGE", read: false }], totalPages: 2, nu
56 +      > mber: 0,
57 +    };
58 +    else if (url.pathname === "/api/conversations") body = [{ id: 12, otherUser: friend, lastMessage: null }];
59 +    else if (url.pathname.includes("/messages")) body = { content: [], last: true, totalElements: 0 };
60 +    return route.fulfill({ json: body });
61 +  });
62 +  await page.routeWebSocket("**/*", socket => {
63 +    if (!socket.url().startsWith(origin.replace("http", "ws"))) { socket.close(); return; }
64 +    socket.onMessage(data => {
65 +      if (/^(CONNECT|STOMP)/.test(String(data))) socket.send("CONNECTED\nversion:1.2\nheart-beat:0,0\n\n0");
66 +    });
67 +  });
68 +  return page;
69 +}

```

```

67 +try {
68 +  await server.listen();
69 +  browser = await chromium.launch({ channel: "msedge", headless: true });
70 +  if (screenshots) await mkdir(screenshots, { recursive: true });
71 +  const publicPaths = ["/login", "/signup", "/forgot-password", "/reset-password?token=fixture", "/verify-email?
  > email=review%40example.invalid"];
72 +  const privatePaths = ["/", "/profile", "/users/2", "/friends", "/friend-requests", "/notifications", "/message
  > s"];
73 +  let screens = 0;
74 +  for (const width of process.env.UI_INTERACTIONS_ONLY ? [] : [1280, 800, 390, 320]) {
75 +    for (const path of [...publicPaths, ...privatePaths]) {
76 +      const page = await pageFor(width, privatePaths.includes(path));
77 +      await page.goto(origin + path);
78 +      if (privatePaths.includes(path)) {
79 +        await page.locator("nav").waitFor();
80 +        assert.equal(await page.locator("nav").evaluate(el => getComputedStyle(el).display), "flex");
81 +        assert.equal(await page.locator("nav").evaluate(el => getComputedStyle(el).position), "sticky");
82 +      }
83 +      if (path === "/messages") {
84 +        await page.locator(".chat-header h2").waitFor({ state: "attached" });
85 +        if (width <= 800) await page.locator(".conversation-item").first().click();
86 +        await page.locator(".chat-header h2").waitFor();
87 +      }
88 +      if (path === "/friends") await page.locator(".friend-card").waitFor();
89 +      await page.waitForTimeout(150);
90 +      const badControls = await page.locator("input:not([hidden]), textarea").evaluateAll(elements => elements.f
  > ilter(el =>
91 +        !el.labels?.length && !el.getAttribute("aria-label") && !el.getAttribute("aria-labelledby"),
92 +        ).map(el => el.outerHTML));
93 +      assert.deepEqual(badControls, [], `Unlabelled controls at ${width} ${path}`);
94 +      const overflow = await page.locator("body").evaluate(body => [...body.querySelectorAll("main, .auth-card,
  > nav, button, input, textarea")].filter(el => {
95 +        const rect = el.getBoundingClientRect();
96 +        const style = getComputedStyle(el);
97 +        if (!rect.width || style.visibility === "hidden") return false;
98 +        return rect.right > innerWidth + 1 || rect.left < -1;
99 +      }).map(el => el.className));
100 +      assert.deepEqual(overflow, [], `Horizontal overflow at ${width} ${path}`);
101 +      if (screenshots && ["/login", "/profile", "/friends", "/messages", "/notifications"].includes(path)) {
102 +        await page.screenshot({ path: `${screenshots}/${width}-${path.slice(1)}.png`, fullPage: true });
103 +      }
104 +      screens++;
105 +      await page.close();
106 +    }
107 +  }
108 +
109 +  // Labelled form controls still submit the original payload and expose server feedback.
110 +  let page = await pageFor(390);
111 +  await page.goto(origin + "/login");
112 +  await page.getByLabel("Email", { exact: true }).fill("person@example.invalid");
113 +  await page.getByLabel("Password", { exact: true }).fill("password123");
114 +  await page.getByRole("button", { name: "Login", exact: true }).click();
115 +  await page.getByRole("alert").filter({ hasText: "Fixture login rejected" }).waitFor();
116 +  assert.deepEqual(requests.find(r => r.path === "/api/auth/login").body, { email: "person@example.invalid", pas
  > sword: "password123" });
117 +  if (screenshots) await page.screenshot({ path: `${screenshots}/login-error.png`, fullPage: true });
118 +  await page.close();
119 +
120 +  page = await pageFor(390);
121 +  await page.goto(origin + "/verify-email?email=review%40example.invalid");
122 +  assert.ok(await page.getByRole("button", { name: "Verify Email", exact: true }).isDisabled());
123 +  const otp = page.getByLabel("Verification code", { exact: true });
124 +  await otp.fill("12a");
125 +  assert.equal(await otp.inputValue(), "12");
126 +  await otp.fill("123456");
127 +  assert.equal(await otp.inputValue(), "123456");
128 +  assert.ok(await page.getByRole("button", { name: /Resend code in/ }).isDisabled());
129 +  await page.getByRole("button", { name: "Verify Email", exact: true }).click();
130 +  await page.getByRole("status").filter({ hasText: "Email verified successfully" }).waitFor();
131 +  assert.deepEqual(requests.find(r => r.path === "/api/auth/verify-email").body, { email: "review@example.invali

```

```

> d", otp: "123456" });
132 + await page.close();
133 +
134 + // Disclosure navigation supports Escape, outside clicks, focus exit and active pages.
135 + page = await pageFor(390, true);
136 + await page.goto(origin + "/friends");
137 + const toggle = page.locator(".navbar-menu-toggle");
138 + await toggle.click();
139 + assert.equal(await toggle.getAttribute("aria-expanded"), "true");
140 + const menuId = await toggle.getAttribute("aria-controls");
141 + assert.ok(menuId);
142 + await page.locator(".navbar-mobile-menu a").first().focus();
143 + await page.keyboard.press("Escape");
144 + assert.equal(await toggle.getAttribute("aria-expanded"), "false");
145 + assert.ok(await toggle.evaluate(el => el === document.activeElement));
146 + await toggle.click();
147 + await page.mouse.click(380, 850);
148 + assert.equal(await toggle.getAttribute("aria-expanded"), "false");
149 + await toggle.click();
150 + await page.locator(".friend-message-button").focus();
151 + assert.equal(await toggle.getAttribute("aria-expanded"), "false");
152 + await toggle.click();
153 + const active = page.locator('.navbar-mobile-menu a[aria-current="page"]');
154 + await page.waitForFunction(() =>
155 +   getComputedStyle(document.querySelector(".navbar-mobile-menu")).opacity === "1",
156 + );
157 + assert.equal(await active.innerText(), "Friends");
158 + if (screenshots) await page.screenshot({ path: `${screenshots}/mobile-menu.png`, fullPage: true });
159 + await page.setViewportSize({ width: 1280, height: 900 });
160 + await page.waitForTimeout(100);
161 + assert.equal(await toggle.getAttribute("aria-expanded"), "false");
162 + const skip = page.getByRole("link", { name: "Skip to content" });
163 + await skip.focus();
164 + await page.keyboard.press("Enter");
165 + assert.equal(await page.evaluate(() => document.activeElement.id), "main-content");
166 + await page.close();
167 +
168 + assert.deepEqual(errors, [], "Unexpected browser JavaScript errors");
169 + assert.deepEqual(blocked, [], "Unexpected external network attempts");
170 + console.log(`PASS: ${screens ? `${screens} responsive screens, control labels and overflow checks; ` : "interaction-only run; "}login/OTP payloads; feedback roles; keyboard/mobile navigation; no external traffic.`);
171 +} finally {
172 +  await browser?.close();
173 +  await server.close();
174 +}

```

vite.config.js

FULL CURRENT CONTENT

```
1 import { defineConfig } from 'vite'
2 import react from '@vitejs/plugin-react'
3
4 // https://vite.dev/config/
5 export default defineConfig({
6   plugins: [react()],
7   css: {
8     modules: {
9       // Short scoped names keep feature isolation without shipping long selectors.
10      generateScopedName: 'fb_[hash:base64:8]',
11    },
12  },
13 })
```

vite.config.js

UNIFIED DIFF: + ADDED / - REMOVED

```
1 --- before/vite.config.js
2 +++ after/vite.config.js
3 @@ -4,4 +4,10 @@
4   // https://vite.dev/config/
5   export default defineConfig({
6     plugins: [react()],
7 +   css: {
8 +     modules: {
9 +       // Short scoped names keep feature isolation without shipping long selectors.
10 +       generateScopedName: 'fb_[hash:base64:8]',
11 +     },
12 +   },
13 })
```