
TS app-routing.module.ts

```
import { NgModule } from '@angular/core';
import { Routes,RouterModule } from '@angular/router';
import { RecipeComponent } from './recipe/recipe.component';
import { ShoppingListComponent } from './shopping-list/shopping-list.component';
import { RecipeStartComponent } from './recipe/recipe-start/recipe-start.component';
import { RecipeDetailComponent } from './recipe/recipe-detail/recipe-detail.component';
import { RecipeEditComponent } from './recipe/recipe-edit/recipe-edit.component';
const appRoutes:Routes=[
     { path:'',redirectTo:'recipe',pathMatch:'full'},
{ path:'recipes',component:RecipeComponent,children:[
            { path: '', component: RecipeStartComponent},
            { path: 'new', component: RecipeEditComponent}, { path: ':id', component: RecipeDetailComponent},
            { path: ':id/edit', component: RecipeEditComponent},
     ]},
     { path: 'shopping-list', component: ShoppingListComponent},
];
@NgModule(
           imports : [RouterModule.forRoot(appRoutes)],
           exports : [RouterModule]
```

```
import { NgModule } from '@angular/core';
import { FormsModule} from '@angular/forms';
import { HttpModule } from '@angular/http';
import { AppRoutingModule } from './app-routing.module';
```

```
imports: [
    BrowserModule,
    FormsModule,
    HttpModule,
    AppRoutingModule
],
```



* + * * * *


1: bash


Ln 13, Col 55 Spaces: 4 UTF-8 LF TypeScript 3.1.4 😁 🛕


recipe
 shared
 shopping-list


*


is app-routing-module.ts
is app-component.css
is app.component.html
is app.component.spec.ts
is app.component.ts
is app.module.ts
is app.module.ts











▼ + Ⅲ 前 ^ ×

Ln 1, Col 1 Spaces: 2 UTF-8 LF HTML 🕴 🔔

1: ng serve

TS recipe.component.ts
TS recipe.model.ts
TS recipe.service.spec.ts

OUTLINE

