



1.



The screenshot shows the Delphi 7 IDE interface. The menu bar includes File, Edit, Search, View, Project, Run, Component, Database, Tools, CnPack, GExperts, Window, Help. The title bar says "Delphi 7 - Project1". The main window displays the code for the `TForm1.btn2Click` event:

```
procedure TForm1.btn2Click(Sender: TObject);
begin
  if edt1.Text = '' then
  begin
    ShowMessage('NO TIDAK BOLEH KOSONG');
  end else
  if edt2.Text = '' then
  begin
    ShowMessage('NIS TIDAK BOLEH KOSONG');
  end else
  if edt3.Text = '' then
  begin
    ShowMessage('NISN TIDAK BOLEH KOSONG');
  end else
  if edt4.Text = '' then
  begin
    ShowMessage('NAMA SISWA TIDAK BOLEH KOSONG');
  end else
  if edt5.Text = '' then
  begin
    ShowMessage('NIK LAHIR TIDAK BOLEH KOSONG');
  end else
  if edt6.Text = '' then
  begin
```

The code editor has syntax highlighting for Pascal. Below the code editor is a status bar showing "80: 1 Insert \Code\Diagram /". To the left is the Object Inspector showing properties for `btn1`, such as `Caption: BARU` and `Enabled: True`. The Object TreeView shows the form structure: `Form1` containing `btn1`, `btn2`, `btn3`, `btn4`, `btn6`, `btn7`, and `con2`.

The screenshot shows the Delphi 7 IDE interface. The main window displays the code for the `TForm1.btn1Click` event. The code consists of several conditional statements using `ShowMessage` to display error messages if certain fields are empty. The code is as follows:

```
begin
  ShowMessage('TEMPAT LAHIR KELAMIN TIDAK BOLEH KOSONG');
end else
if edt7.Text = '' then
begin
  ShowMessage('JENIS KELAMIN TIDAK BOLEH KOSONG');
end else
if edt8.Text = '' then
begin
  ShowMessage('TINGKAT KELAS TIDAK BOLEH KOSONG');
end else
if edt9.Text = '' then
begin
  ShowMessage('JURUSAN TIDAK BOLEH KOSONG');
end else
if edt10.Text = '' then
begin
  ShowMessage('WALI KELAS TIDAK BOLEH KOSONG');
end else
if edt11.Text = '' then
begin
  ShowMessage('ALAMAT TIDAK BOLEH KOSONG');
end else
if edt12.Text = '' then
begin
```

The left side of the interface shows the Object TreeView with nodes like `Form1`, `btn1`, `btn2`, etc., and the Properties and Events tabs for the selected `btn1` component.

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help <None> (search component)

Object TreeView

Unit1.pas

Unit1

TForm1(TForm)

Variables/Constants

Uses

```
140 begin
141 ShowMessage('WALI KELAS TIDAK BOLEH KOSONG');
142 end else
143 if edt1.Text =''then
144 begin
145 ShowMessage('ALAMAT TIDAK BOLEH KOSONG');
146 end else
147 if edt2.Text =''then
148 begin
149 ShowMessage('TELPON TIDAK BOLEH KOSONG');
150 end else
151 if edt3.Text =''then
152 begin
153 ShowMessage('HP TIDAK BOLEH KOSONG');
154 end else
155 if edt4.Text =''then
156 begin
157 ShowMessage('STATUS TIDAK BOLEH KOSONG');
158 end else
159 begin
160 //simpan
161 end;
162
163 zqry1.SQL.Clear;
164 zqry1.SQL.Add('insert into data_ortu values(null,"'+edt1.text+'","'+edt2.text+'","'+edt3.text+'","'+edt4.text+'","'+edt5.text+'")');
165 zqry1.SQL.ExecSQL;
```

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help <None> (search component)

Object TreeView

Unit1.pas

Unit1

TForm1(TForm)

Variables/Constants

Uses

```
162 zqry1.SQL.Clear;
163 zqry1.SQL.Add('insert into data_ortu values(null,"'+edt1.text+'","'+edt2.text+'","'+edt3.text+'","'+edt4.text+'","'+edt5.text+')');
164 zqry1.SQL.ExecSQL;
```

zqry1.SQL.Clear;
zqry1.SQL.Add('select * from data_ortu');
zqry1.Open;
ShowMessage('Data Berhasil Disimpan');
//posisiawal;
end;
//procedure TForm1.btn4Click(Sender: TObject);
//begin
//if MessageDlg('Apakah Anda Yakin Menghapus Data Ini?',mbWarning,[mbYes,mbNo],0)= mrYes then
//begin
// zqry1.SQL.Clear;
// zqry1.SQL.Add('delete from data_ortu where id ='+'+id+'');
// zqry1.ExecSQL;
// zqry1.SQL.Clear;
// zqry1.SQL.Add('select * from data_ortu');
// zqry1.Open;
// ShowMessage('Data Berhasil Dihapus');
// posisiawal;
// end else
// begin

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help <None> (search component)

Object TreeView

Unit1.pas

```
180 // zqry1.SQL.Clear;
181 // zqry1.SQL.Add('select * from data_ortu');
182 // zqry1.Open;
183 // ShowMessage('Data Berhasil Dihapus');
184 // posisiawal;
185 // end else
186 // begin
187 // ShowMessage('Data Batal Dihapus');
188 // posisiawal;
189 //
190 //end;
191
192 procedure TForm1.btn1Click(Sender: TObject);
193 begin
194   frxrprt1.ShowReport();
195 end;
196
197 procedure TForm1.btn6Click(Sender: TObject);
198 begin
199   //bersih;
200 end;
201
202 procedure TForm1.dbgrd1CellClick(Column: TColumn);
203 var
```

Properties | Events

btn1 TButton

Action [akLeft,akTop] BDIMode bdLeftRight Cancel [] False

Caption BARU

Constraints (0,0),(0,0)

Cursor crDefault Default [] False

DragCursor crDrag DragKind dkDrag DragMode dmManual Enabled [] True

BFont Tahoma,8,0,0 Height 33 HelpContext 0 HelpKeyword

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help <None> (search component)

Object TreeView

Unit1.pas

```
202
203 procedure TForm1.dbgrd1CellClick(Column: TColumn);
204 var
205   id : string;
206 begin
207   id:=zqry1.Fields[0].AsString;
208   edt1.Text := zqry1.FieldList[1].AsString;
209   edt2.Text := zqry1.FieldList[2].AsString;
210   edt3.Text := zqry1.FieldList[3].AsString;
211   edt4.Text := zqry1.FieldList[4].AsString;
212   edt5.Text := zqry1.FieldList[5].AsString;
213   edt6.Text := zqry1.FieldList[6].AsString;
214   edt7.Text := zqry1.FieldList[7].AsString;
215   edt8.Text := zqry1.FieldList[1].AsString;
216   edt9.Text := zqry1.FieldList[2].AsString;
217   edt10.Text := zqry1.FieldList[3].AsString;
218   edt11.Text := zqry1.FieldList[4].AsString;
219   edt12.Text := zqry1.FieldList[5].AsString;
220   edt13.Text := zqry1.FieldList[6].AsString;
221   edt14.Text := zqry1.FieldList[7].AsString;
222
223
224   btn1.Enabled := False;
225   btn2.Enabled := False;
226   btn3.Enabled := True;
```

Properties | Events

btn1 TButton

Action [akLeft,akTop] BDIMode bdLeftRight Cancel [] False


Caption BARU

Constraints (0,0),(0,0)


Cursor crDefault Default [] False

DragCursor crDrag DragKind dkDrag DragMode dmManual Enabled [] True

BFont Tahoma,8,0,0 Height 33 HelpContext 0 HelpKeyword



2.



Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help <None> (search component)

Object TreeView

Unit1 Unit15

TForm15(TForm)

Variables/Constants

Uses

```
procedure TForm15.btn1Click(Sender: TObject);
begin
  btn1.Enabled := False;
  btn2.Enabled := True;
  btn3.Enabled := False;
  btn4.Enabled := False;
  btn5.Enabled := True;
  btn7.Enabled := True;
  edt1.Enabled := True;
  edt2.Enabled := True;
  edt3.Enabled := True;
  edt4.Enabled := True;
  edt5.Enabled := True;
  edt6.Enabled := True;
end;

procedure TForm15.btn2Click(Sender: TObject);
begin
  if edt1.Text = '' then
  begin
    ShowMessage('NO TIDAK BOLEH KOSONG');
  end else
  if edt2.Text = '' then
  begin
    ShowMessage('NAMA ORTU TIDAK BOLEH KOSONG');
  end else
  if edt3.Text = '' then
  begin
    ShowMessage('NIK TIDAK BOLEH KOSONG');
  end else
  if edt4.Text = '' then
  begin
    ShowMessage('PEKERJAAN TIDAK BOLEH KOSONG');
  end else
  if edt5.Text = '' then
  begin
    ShowMessage('TELPON TIDAK BOLEH KOSONG');
  end else
  if edt6.Text = '' then
  begin
    ShowMessage('ALAMAT TIDAK BOLEH KOSONG');
  end else
  //simpan
end;
end;
```

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help <None> (search component)

Object TreeView

Unit1 Unit15

TForm15(TForm)

Variables/Constants

Uses

```
procedure TForm15.btn1Click(Sender: TObject);
begin
  if edt1.Text = '' then
  begin
    ShowMessage('NAMA ORTU TIDAK BOLEH KOSONG');
  end else
  if edt3.Text = '' then
  begin
    ShowMessage('NIK TIDAK BOLEH KOSONG');
  end else
  if edt4.Text = '' then
  begin
    ShowMessage('PEKERJAAN TIDAK BOLEH KOSONG');
  end else
  if edt5.Text = '' then
  begin
    ShowMessage('TELPON TIDAK BOLEH KOSONG');
  end else
  if edt6.Text = '' then
  begin
    ShowMessage('ALAMAT TIDAK BOLEH KOSONG');
  end else
  //simpan
end;
end;

procedure TForm15.btn3Click(Sender: TObject);
var
```

The screenshot shows the Delphi 7 IDE interface. The menu bar includes File, Edit, Search, View, Project, Run, Component, Database, Tools, CnPack, GExperts, Window, Help. The toolbar has icons for New, Open, Save, Print, Find, Replace, and others. The main window displays a form named TForm15 with several buttons (btn1 to btn7) and a connection component (con2). The code editor shows Pascal code for button click events, including validation logic and database update statements using ADO components like TSQL and TZQRYL.

```
Unit15.pas
Unit1 Unit15 |
```

```
104 end;
105
106 procedure TForm15.btn3Click(Sender: TObject);
107 var
108   id : string;
109 begin
110   if (edt1.Text= '')or(edt2.Text= '')or(edt3.Text= '')or(edt4.Text= '')or(edt5.Text= '')
111   begin
112     ShowMessage('Inputan Wajib Di Isi');
113   end else
114   begin
115     ShowMessage('Data Berhasil Di Update');
116     zqry1.SQL.Clear;
117     zqry1.SQL.Add('Update data_siswa set no="'+edt1.Text+'",nama_ortu="'+edt2.Text+'",ni
118     zqry1.ExecSQL;
119
120     zqry1.SQL.Clear;
121     zqry1.SQL.Add('select*from data_ortu');
122     zqry1.Open;
123 // posisiawal;
124   end;
125 end;
126
127
128 procedure TForm15.btn6Click(Sender: TObject);
129
```

Properties panel for btn1:

Action	akLeft,akTop
BIDMode	bdsLeftToRight
Cancel	<input type="checkbox"/> False
Caption	BARU
Constraints	(0,0),(0,0)
Cursor	crDefault
Default	<input type="checkbox"/> False
DragCursor	crDrag
DragKind	dkDrag
DragMode	dmManual
Enabled	<input checked="" type="checkbox"/> True
Font	Tahoma,8,0,0
Height	33
HelpContext	0
HelpKeyword	

The screenshot shows the Delphi 7 IDE interface. The main window displays the code for the `TForm15` form, specifically the `btn6Click` event handler:

```
procedure TForm15.btn6Click(Sender: TObject);
begin
  frxrprt1.ShowReport();
end;

procedure TForm15.btn7Click(Sender: TObject);
begin
  //bersih;
end;

procedure TForm15.btn4Click(Sender: TObject);
var
  id : string;
begin
  if MessageDlg('Apakah Anda Yakin Menghapus Data Ini?', mtWarning, [mbYes, mbNo], 0) = mrYes then
  begin
    zqry1.SQL.Clear;
    zqry1.SQL.Add('delete from data_siswa where id =' + id + '');
    zqry1.ExecSQL;
    zqry1.SQL.Clear;
    zqry1.SQL.Add('select * from data_ortu');
    zqry1.Open;
    ShowMessage('Data Berhasil Dihapus');
    // posisiawal;
  end;
end;
```

The code includes logic to show a confirmation dialog before performing a delete operation on the `data_siswa` table. If confirmed, it executes the SQL command to delete the record and then opens the `data_ortu` table.

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help <None> (search component)

Object TreeView

Unit1 Unit15

TForm15(TForm)

Variables/Constants

Uses

```
begin
  if MessageDlg('Apakah Anda Yakin Menghapus Data Ini?', mtWarning, [mbYes, mbNo], 0) = mrYes
  begin
    zqry1.SQL.Clear;
    zqry1.SQL.Add('delete from data_siswa where id =' + id + "'");
    zqry1.ExecSQL;
    zqry1.SQL.Clear;
    zqry1.SQL.Add('select * from data_ortu');
    zqry1.Open;
    ShowMessage('Data Berhasil Dihapus');
  end;
end;
```

procedure TForm15.dbgrd1CellClick(Column: TColumn);

var

id : string;

begin

id:=zqry1.Fields[0].AsString;

edt1.Text := zqry1.FieldList[1].AsString;

edt2.Text := zqry1.FieldList[2].AsString;

edt3.Text := zqry1.FieldList[3].AsString;

edt4.Text := zqry1.FieldList[4].AsString;

edt5.Text := zqry1.FieldList[5].AsString;

edt6.Text := zqry1.FieldList[6].AsString;

btn1.Enabled := False;
 btn2.Enabled := False;
 btn3.Enabled := True;
 btn4.Enabled := True;
 btn5.Enabled := True;
 btn6.Enabled := True;
 btn7.Enabled := True;
 edt1.Enabled := True;
 edt2.Enabled := True;
 edt3.Enabled := True;
 edt4.Enabled := True;

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help <None> (search component)

Object TreeView

Unit1 Unit15

TForm15(TForm)

Variables/Constants

Uses

```
procedure TForm15.dbgrd1CellClick(Column: TColumn);
var
  id : string;
begin
  id:=zqry1.Fields[0].AsString;
  edt1.Text := zqry1.FieldList[1].AsString;
  edt2.Text := zqry1.FieldList[2].AsString;
  edt3.Text := zqry1.FieldList[3].AsString;
  edt4.Text := zqry1.FieldList[4].AsString;
  edt5.Text := zqry1.FieldList[5].AsString;
  edt6.Text := zqry1.FieldList[6].AsString;
```

btn1.Enabled := False;
 btn2.Enabled := False;
 btn3.Enabled := True;
 btn4.Enabled := True;
 btn5.Enabled := True;
 btn6.Enabled := True;
 btn7.Enabled := True;
 edt1.Enabled := True;
 edt2.Enabled := True;
 edt3.Enabled := True;
 edt4.Enabled := True;

3.

4.

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) |

Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Prestasi

Object TreeView

Form13

Properties Events

Action ActiveControl Menu

ObjectMenu OnActivate OnCanResize OnClick OnClose OnCloseQuery OnConstrained OnContextPop OnCreate OnDblClick OnDeactivate OnDestroy OnDockDrop

frxdbdst1 frxprt1

zqry1

con2 con1

ds1

qry1

NO : Nama Siswa : Nama ORTU : Jenis Prestasi : Keterangan : Bulan : Tahun Pelajaran :

NIS : NISN : Jenis Kelamin : Jurusan : Nama Wali Kelas :

BARU | SIMPAN | EDIT | HAPUS | BATAL | LAPORAN

no : nama_siswa : nis :

1 Ma 19825583

21:59 03/07/2023

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) |

Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Unit13.pas

Object TreeView

Form13

Properties Events

Action ActiveControl Menu

ObjectMenu OnActivate OnCanResize OnClick OnClose OnCloseQuery OnConstrained OnContextPop OnCreate OnDblClick OnDeactivate OnDestroy OnDockDrop

btn1

Variables/Constants

Uses

TForm13(TForm)

Unit1 Unit15 Unity* Unit13*

procedure TForm13.btn1Click(Sender: TObject);

```

begin
  btn1.Enabled := False;
  btn2.Enabled := False;
  btn3.Enabled := True;
  btn4.Enabled := True;
  btn6.Enabled := True;
  btn7.Enabled := True;
  edt1.Enabled := True;
  edt2.Enabled := True;
  edt3.Enabled := True;
  edt4.Enabled := True;
  edt5.Enabled := True;
  edt6.Enabled := True;
  edt7.Enabled := True;
  edt8.Enabled := True;
  edt9.Enabled := True;
  edt10.Enabled := True;
  edt11.Enabled := True;
  edt12.Enabled := True;
  edt13.Enabled := True;
end;

```

69: 1 Modified Insert \Code\Diagram\

21:59 03/07/2023

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnao | Decision Cube | Dialk |

Object TreeView

Unit13.pas

Unit1 Unit5 Unit7 Unit13*

Form13(TForm)

Variables/Constants

Uses

Object Inspector

Properties Events

btn2 TButton

Action btn2Click

OnContextPop

OnDragDrop

OnDragOver

OnEndDock

OnEndDrag

OnEnter

OnExt

OnKeyDown

OnKeyPress

OnKeyUp

OnMouseDown

OnMouseMove

OnMouseUp

OnStartDock

All shown

Unit13.pas

Unit1 Unit5 Unit7 Unit13*

Form13(TForm)

Variables/Constants

Uses

Object Inspector

Properties Events

btn2 TButton

Action btn2Click

OnContextPop

OnDragDrop

OnDragOver

OnEndDock

OnEndDrag

OnEnter

OnExt

OnKeyDown

OnKeyPress

OnKeyUp

OnMouseDown

OnMouseMove

OnMouseUp

OnStartDock

All shown

```
procedure TForm13.btn2Click(Sender: TObject);
begin
  if edt1.Text = '' then
  begin
    ShowMessage('NO TIDAK BOLEH KOSONG');
  end
  else
  if edt2.Text = '' then
  begin
    ShowMessage('nama siswa TIDAK BOLEH KOSONG');
  end
  else
  if edt3.Text = '' then
  begin
    ShowMessage('nis TIDAK BOLEH KOSONG');
  end
  else
  if edt4.Text = '' then
  begin
    ShowMessage('nisn TIDAK BOLEH KOSONG');
  end
  else
  if edt5.Text = '' then
  begin
    ShowMessage('jenis kelamin TIDAK BOLEH KOSONG');
  end
  else
  if edt6.Text = '' then
  begin
    ShowMessage('jurusan TIDAK BOLEH KOSONG');
  end
  else
  if edt7.Text = '' then
  begin
    ShowMessage('nama wali kelas TIDAK BOLEH KOSONG');
  end
  else
  if edt8.Text = '' then
  begin
    ShowMessage('nama ortu TIDAK BOLEH KOSONG');
  end
  else
  if edt9.Text = '' then
  begin
    ShowMessage('telp/HP TIDAK BOLEH KOSONG');
  end
  else
  if edt10.Text = '' then
  begin
    ShowMessage('jenis prestasi TIDAK BOLEH KOSONG');
  end
  else
  if edt11.Text = '' then
  begin
    ShowMessage('keterangan TIDAK BOLEH KOSONG');
  end
  else
  if edt12.Text = '' then
  begin
```

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnao | Decision Cube | Dialk |

Object TreeView

Unit13.pas

Unit1 Unit5 Unit7 Unit13*

Form13(TForm)

Variables/Constants

Uses

Object Inspector

Properties Events

btn2 TButton

Action btn2Click

OnContextPop

OnDragDrop

OnDragOver

OnEndDock

OnEndDrag

OnEnter

OnExt

OnKeyDown

OnKeyPress

OnKeyUp

OnMouseDown

OnMouseMove

OnMouseUp

OnStartDock

All shown

Unit13.pas

Unit1 Unit5 Unit7 Unit13*

Form13(TForm)

Variables/Constants

Uses

Object Inspector

Properties Events

btn2 TButton

Action btn2Click

OnContextPop

OnDragDrop

OnDragOver

OnEndDock

OnEndDrag

OnEnter

OnExt

OnKeyDown

OnKeyPress

OnKeyUp

OnMouseDown

OnMouseMove

OnMouseUp

OnStartDock

All shown

```
begin
  ShowMessage('jurusan TIDAK BOLEH KOSONG');
end
else
if edt7.Text = '' then
begin
  ShowMessage('nama wali kelas TIDAK BOLEH KOSONG');
end
else
if edt8.Text = '' then
begin
  ShowMessage('nama ortu TIDAK BOLEH KOSONG');
end
else
if edt9.Text = '' then
begin
  ShowMessage('telp/HP TIDAK BOLEH KOSONG');
end
else
if edt10.Text = '' then
begin
  ShowMessage('jenis prestasi TIDAK BOLEH KOSONG');
end
else
if edt11.Text = '' then
begin
  ShowMessage('keterangan TIDAK BOLEH KOSONG');
end
else
if edt12.Text = '' then
begin
```

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Diagram |

Object TreeView

Unit13.pas

Unit1 Unit5 Unit9* Unit13*

Form13

btn1
btn2
btn3
btn4
btn5
btn6
btn7
con2

Variables/Constants

Uses

Object Inspector

Properties Events

btn2 TButton

Action btn2Click

OnContextPop
OnDragDrop
OnDragOver
OnEndDock
OnEndDrag
OnEnter
OnExt
OnKeyDown
OnKeyPress
OnKeyUp
OnMouseDown
OnMouseMove
OnMouseUp
OnStartDock

All shown

122 begin
123 ShowMessage('nama ortu TIDAK BOLEH KOSONG');
124 end else
125 if edt9.Text = '' then
126 begin
127 ShowMessage('telp/HP TIDAK BOLEH KOSONG');
128 end else
129 if edt10.Text = '' then
130 begin
131 ShowMessage('jenis prestasi TIDAK BOLEH KOSONG');
132 end else
133 if edt11.Text = '' then
134 begin
135 ShowMessage('keterangan TIDAK BOLEH KOSONG');
136 end else
137 if edt12.Text = '' then
138 begin
139 ShowMessage('bulan TIDAK BOLEH KOSONG');
140 end else
141 if edt13.Text = '' then
142 begin
143 ShowMessage('tahun pelajaran TIDAK BOLEH KOSONG');
144 end else
145 end;
146

147

148

149 143: 31 Modified Insert \Code\Diagram\

22:04 03/07/2023

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Diagram |

Object TreeView

Unit13.pas

Unit1 Unit5 Unit9* Unit13*

Form13

btn1
btn2
btn3
btn4
btn5
btn6
btn7
con2

Variables/Constants

Uses

Object Inspector

Properties Events

btn3 TButton

Action btn3Click

OnContextPop
OnDragDrop
OnDragOver
OnEndDock
OnEndDrag
OnEnter
OnExt
OnKeyDown
OnKeyPress
OnKeyUp
OnMouseDown
OnMouseMove
OnMouseUp
OnStartDock

All shown

148 procedure TForm13.btn3Click(Sender: TObject);
149 var
150 _id : string;
151 begin
152 if (edt1.Text= '')or(edt2.Text= '')or(edt3.Text= '')or(edt4.Text= '')or(edt5.Text= '')
153 begin
154 ShowMessage('Inputan Wajib Di Isi');
155 end else
156 begin
157 ShowMessage('Data Berhasil Di Update');
158 qrly.SQL.Clear;
159 qrly.SQL.Add('Update data_prestasi set no="'+edt1.Text+'",nama_siswa="'+edt2.Text+'"
160 '+edt3.Text+',
161 '+edt4.Text+',
162 '+edt5.Text+'');
163 qrly.SQL.Clear;
164 qrly.SQL.Add('select*from data_prestasi');
165 qrly.Open;
166 // posisi awal;
167 end;
168 end;
169
170 end.
171

172

160: 285 Modified Insert \Code\Diagram\

22:13 03/07/2023

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSno | Decision Cube | Dialk |

Object TreeView

Unit1 Unit15 Unit9* Unit13*

Form13 TForm13(TForm)

Properties Events

btn4 TButton

Action OnClick btn4Click

OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

Object Inspector

```
procedure TForm13.btn4Click(Sender: TObject);
var
  id:string;
begin
  if MessageDlg('Apakah Anda Yakin Menghapus Data Ini?',mtWarning,[mbYes,mbNo],0)= mrYes
  begin
    qrly.SQL.Clear;
    qrly.SQL.Add('delete from data_prestasi where id ='+id+'');
    qrly.ExecSQL;
    qrly.SQL.Clear;
    qrly.SQL.Add('select * from data_prestasi');
    qrly.Open;
    ShowMessage('Data Berhasil Dihapus');
    // posisiaval;
  end
  else
  begin
    ShowMessage('Data Batal Dihapus');
    // posisiaval;
  end;
end;
```

APORAN

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSno | Decision Cube | Dialk |

Object TreeView

Unit1 Unit15 Unit9* Unit13*

Form13 TForm13(TForm)

Properties Events

btn7 TButton

Action OnClick btn7Click


OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

Object Inspector


```
procedure TForm13.btn7Click(Sender: TObject);
begin
  //bersih
end;

procedure TForm13.btn6Click(Sender: TObject);
begin
  frxrprt1.ShowReport();
end;
```

APORAN



5.



Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Object TreeView

Unit13.pas

Unit1 Unit15 Unit1* Unit13*

TForm13(TForm)

Variables/Constants

Uses

Object Inspector

Properties Events

btn1 TButton

Action OnClick btn1Click

OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

All shown

```
procedure TForm13.btn1Click(Sender: TObject);
begin
  btn1.Enabled := False;
  btn2.Enabled := False;
  btn3.Enabled := True;
  btn4.Enabled := True;
  btn6.Enabled := True;
  btn7.Enabled := True;
  edt1.Enabled := True;
  edt2.Enabled := True;
  edt3.Enabled := True;
  edt4.Enabled := True;
  edt5.Enabled := True;
  edt6.Enabled := True;
  edt7.Enabled := True;
  edt8.Enabled := True;
  edt9.Enabled := True;
  edt10.Enabled := True;
  edt11.Enabled := True;
  edt12.Enabled := True;
  edt13.Enabled := True;
end;
end.
```

69: 1 Modified Insert \Code\Diagram\

21:59 03/07/2023

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Object TreeView

Unit13.pas

Unit1 Unit15 Unit1* Unit13*

TForm13(TForm)

Variables/Constants

Uses

Object Inspector

Properties Events

btn7 TButton

Action OnClick btn7Click

OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

All shown

```
procedure TForm13.btn7Click(Sender: TObject);
begin
  //bersih
end;

procedure TForm13.btn6Click(Sender: TObject);
begin
  frxrprt1.ShowReport();
end;

end.
```

196: 1 Modified Insert \Code\Diagram\

22:15 03/07/2023

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSno | Decision Cube | Dialk |

Object TreeView

Unit1 Unit15 Unit9* Unit13* Unit14*

Form14

Object Inspector

Properties Events

btn4 TButton

Action OnClick btn4Click

OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

Unit14.pas

```
procedure TForm14.btn4Click(Sender: TObject);
begin
  if MessageDlg('Apakah Anda Yakin Menghapus Data Ini?', mtWarning, [mbYes, mbNo], 0) = mrYes
  begin
    qrly.SQL.Clear;
    qrly.SQL.Add('delete from data_pelanggrang where id = "' + id + '"');
    qrly.ExecSQL;
    qrly.SQL.Clear;
    qrly.SQL.Add('select * from data_pelanggrang');
    qrly.Open;
    ShowMessage('Data Berhasil Dihapus');
    // posisiaval;
  end
  else
  begin
    ShowMessage('Data Batal Dihapus');
    // posisiaval;
  end; //bersih
end;
```

APORAN

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSno | Decision Cube | Dialk |

Object TreeView

Unit1 Unit15 Unit9* Unit13* Unit14*

Form14

Object Inspector

Properties Events

btn3 TButton

Action OnClick btn3Click

OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

Unit14.pas

```
procedure TForm14.btn3Click(Sender: TObject);
var
  id : string;
begin
  if (edt1.Text= '')or(edt2.Text= '')or(edt3.Text= '')or(edt4.Text= '')or(edt5.Text= '')
  begin
    ShowMessage('Inputan Wajib Di Isi');
  end
  else
  begin
    ShowMessage('Data Berhasil Di Update');
    qrly.SQL.Clear;
    qrly.SQL.Add('Update data_prestasi set no="' + edt1.Text + '",nama_siswa="' + edt2.Text +
    '"');
    qrly.ExecSQL;

    qrly.SQL.Clear;
    qrly.SQL.Add('select*from data_prestasi');
    qrly.Open;
    // posisiaval;
  end;
end.
```

APORAN

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Object TreeView

Unit1 Unit15 Unit9* Unit13* Unit14*

Unit14.pas

Form14

btn1
btn2
btn3
btn4
btn5
btn6
btn7
con2

Variables/Constants

Uses

Object Inspector

Properties Events

btn2 TButton

Action
OnClick
OnContextPop
OnDragDrop
OnDragOver
OnEndDock
OnEndDrag
OnEnter
OnExt
OnKeyDown
OnKeyPress
OnKeyUp
OnMouseDown
OnMouseMove
OnMouseUp
OnStartDock

Code Diagram

```
procedure TForm14.btn2Click(Sender: TObject);
begin
if edt1.Text = ''then
begin
ShowMessage('NO TIDAK BOLEH KOSONG');
end else
if edt2.Text = ''then
begin
ShowMessage('nama siswa TIDAK BOLEH KOSONG');
end else
if edt3.Text = ''then
begin
ShowMessage('nis TIDAK BOLEH KOSONG');
end else
if edt4.Text = ''then
begin
ShowMessage('nisn TIDAK BOLEH KOSONG');
end else
if edt5.Text = ''then
begin
ShowMessage('jenis kelamin TIDAK BOLEH KOSONG');
end else
if edt6.Text = ''then
begin
```

22:21 03/07/2023

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) | Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Object TreeView

Unit1 Unit15 Unit9* Unit13* Unit14*

Unit14.pas

Form14

btn1
btn2
btn3
btn4
btn5
btn6
btn7
con2

Variables/Constants

Uses

Object Inspector

Properties Events

btn2 TButton

Action
OnClick
OnContextPop
OnDragDrop
OnDragOver
OnEndDock
OnEndDrag
OnEnter
OnExt
OnKeyDown
OnKeyPress
OnKeyUp
OnMouseDown
OnMouseMove
OnMouseUp
OnStartDock

Code Diagram

```
if edt6.Text = ''then
begin
ShowMessage('jurusan TIDAK BOLEH KOSONG');
end else
if edt7.Text = ''then
begin
ShowMessage('nama wali kelas TIDAK BOLEH KOSONG');
end else
if edt8.Text = ''then
begin
ShowMessage('nama ortu TIDAK BOLEH KOSONG');
end else
if edt9.Text = ''then
begin
ShowMessage('telp/HP TIDAK BOLEH KOSONG');
end else
if edt10.Text = ''then
begin
ShowMessage('jenis pelanggrap TIDAK BOLEH KOSONG');
end else
if edt11.Text = ''then
begin
ShowMessage('keterangan TIDAK BOLEH KOSONG');
end else
if edt12.Text = ''then
```

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) |

Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnao | Decision Cube | Dia |

Object TreeView

Unit14.pas

Unit1 Unit15 Unit9* Unit13* Unit14*

TForm14

APORAN

Object Inspector

Properties Events

btn2 TButton

Action OnClick btn2Click

OnContextPop

OnDragDrop

OnDragOver

OnEndDock

OnEndDrag

OnEnter

OnExt

OnKeyDown

OnKeyPress

OnKeyUp

OnMouseDown

OnMouseMove

OnMouseUp

OnStartDock

All shown

```
191 ShowMessage('nama ortu TIDAK BOLEH KOSONG');
192 end else
193 if edt9.Text = ''then
194 begin
195 ShowMessage('telp/HP TIDAK BOLEH KOSONG');
196 end else
197 if edt10.Text = ''then
198 begin
199 ShowMessage('jenis pelanggrana TIDAK BOLEH KOSONG');
200 end else
201 if edt11.Text = ''then
202 begin
203 ShowMessage('keterangan TIDAK BOLEH KOSONG');
204 end else
205 if edt12.Text = ''then
206 begin
207 ShowMessage('bulan TIDAK BOLEH KOSONG');
208 end else
209 if edt13.Text = ''then
210 begin
211 ShowMessage('tahun pelajaran TIDAK BOLEH KOSONG');
212 end else
213 begin
214 ShowMessage('APORAN');
215 end;
216 end.
```

199: 32 Modified Insert \Code /Diagram /

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) |

Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnao | Decision Cube | Dia |

Object TreeView

Unit14.pas

Unit1 Unit15 Unit9* Unit13* Unit14*

TForm14

APORAN

Object Inspector

Properties Events

btn1 TButton

Action OnClick btn1Click

OnContextPop

OnDragDrop

OnDragOver

OnEndDock

OnEndDrag

OnEnter

OnExt

OnKeyDown

OnKeyPress

OnKeyUp

OnMouseDown

OnMouseMove


OnMouseUp

OnStartDock

All shown

```
216 procedure TForm14.btn1Click(Sender: TObject);
217 begin
218 btn1.Enabled := False;
219 btn2.Enabled := False;
220 btn3.Enabled := True;
221 btn4.Enabled := True;
222 btn6.Enabled := True;
223 btn7.Enabled := True;
224 edt1.Enabled := True;
225 edt2.Enabled := True;
226 edt3.Enabled := True;
227 edt4.Enabled := True;
228 edt5.Enabled := True;
229 edt6.Enabled := True;
230 edt7.Enabled := True;
231 edt8.Enabled := True;
232 edt9.Enabled := True;
233 edt10.Enabled := True;
234 edt11.Enabled := True;
235 edt12.Enabled := True;
236 edt13.Enabled := True;
237 end;
238 end.
```

236: 25 Modified Insert \Code /Diagram /



Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) |

Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnao | Decision Cube | Dialk |

Object TreeView

Unit10.pas

Unit1 | Unit15 | Unit9* | Unit13* | Unit14* | Unit10*

TForm10

TForm10.btn1Click

```
procedure TForm10.btn1Click(Sender: TObject);
begin
  btn1.Enabled := False;
  btn2.Enabled := False;
  btn3.Enabled := True;
  btn4.Enabled := True;
  btn6.Enabled := True;
  btn7.Enabled := True;
  edt1.Enabled := True;
  edt2.Enabled := True;
  edt3.Enabled := True;
end;
```

Properties Events

btn1 TButton

Action OnClick btn1Click

OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

All shown

APORAN

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) |

Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnao | Decision Cube | Dialk |

Object TreeView

Tabel Pelanggr

Unit10.pas

Unit1 | Unit15 | Unit9* | Unit13* | Unit14* | Unit10*

TForm10

TForm10.btn2Click

```
procedure TForm10.btn2Click(Sender: TObject);
begin
  if edt1.Text = '' then
    begin
      ShowMessage('NO TIDAK BOLEH KOSONG');
    end
  else
    if edt2.Text = '' then
      begin
        ShowMessage('jenis pelanggran TIDAK BOLEH KOSONG');
      end
    else
      if edt3.Text = '' then
        begin
          ShowMessage('point TIDAK BOLEH KOSONG');
        end
      else
        begin
        end;
    end;
end.
```

Properties Events

btn2 TButton

Action OnClick btn2Click

OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

All shown

PORAN

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) |

Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Object TreeView

Tabel Pelanggran

Unit10.pas

```
procedure TForm10.btn3Click(Sender: TObject);
begin
  if (edt1.Text= '')or(edt2.Text= '')or(edt3.Text= '') then
  begin
    ShowMessage('Inputan Wajib Di Isi');
  end else
  begin
    ShowMessage('Data Berhasil Di Update');
    zqry1.SQL.Clear;
    zqry1.SQL.Add('Update data_tabel_Pelanggran set no="'+edt1.Text+'",jenis_pelanggaran='
      +edt2.Text+',penyelesaian=' +edt3.Text+'');
    zqry1.ExecSQL;

    zqry1.SQL.Clear;
    zqry1.SQL.Add('select *from data_tabel_pelanggran');
    zqry1.Open;
    // posisiawal;
  end;
end.
```

Properties Events

btn3 TButton

Action OnClick: btn3Click

OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

All shown

Object Inspector

PORAN

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) |

Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Object TreeView

Tabel Pelanggran

Unit10.pas

```
procedure TForm10.btn4Click(Sender: TObject);
var
  _id:string;
begin
  if MessageDlg('Apakah Anda Yakin Menghapus Data Ini?',mtWarning,[mbYes,mbNo],0)= mrYes then
  begin
    zqry1.SQL.Clear;
    zqry1.SQL.Add('delete from data_tabel_pelanggran where id =' +_id+'');
    zqry1.ExecSQL;
    zqry1.SQL.Clear;
    zqry1.SQL.Add('select * from data_tabel_pelanggran');
    zqry1.Open;
    ShowMessage('Data Berhasil Dihapus');
    // posisiawal;
  end else
  begin
    ShowMessage('Data Batal Dihapus');
    // posisiawal;
  end;
end.
```

Properties Events

btn4 TButton

Action OnClick: btn4Click

OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

All shown

Object Inspector

PORAN

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) |

Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Object TreeView

Tabel Pelanggan

Unit10.pas

```
120 procedure TForm10.btn7Click(Sender: TObject);
121 begin
122 //bersih
123 end;
124
125 end.
```

Object Inspector

Properties Events

btn7 TButton

Action OnClick btn7Click

OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

All shown

123: 7 Modified Insert \Code /Diagram /

22:27 03/07/2023 PORAN

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help | <None> | (search component) |

Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Object TreeView

Tabel Pelanggan

Unit10.pas

```
126 procedure TForm10.btn6Click(Sender: TObject);
127 begin
128 frxrpt1.ShowReport();
129 end;
130
131 end.
```

Object Inspector

Properties Events

btn6 TButton



Action OnClick btn6Click


OnContextPop OnDragDrop OnDragOver OnEndDock OnEndDrag OnEnter OnExt OnKeyDown OnKeyPress OnKeyUp OnMouseDown OnMouseMove OnMouseUp OnStartDock

All shown

128: 23 Modified Insert \Code /Diagram /

22:27 03/07/2023 PORAN





Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help <None> Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Caption: Prestasi Pelanggaran

Object TreeView

Properties Events

Action ActiveControl Menu

ObjectMenu OnActivate OnCanResize OnClick OnClose OnCloseQuery OnConstrained OnContextPop OnCreate OnDblClick OnDeactivate OnDestroy OnDockDrop

Form12 TForm12

Form12 (Implied ADO Connection)

con2 frxdbdst1 zqry1 frxrpt1 con1 ds1 qry1

NO	Jenis Prestasi
1	hafidz qur'an
2	atlet badminton

Jumlah Point Prestasi: 10

Jenis Pelanggaran: 11

Jumlah Point Pelanggaran: 12

Telp: 13

Bulan: 14

Semester: 15

Tahun Pelajaran: 16

BARU SIMPAN EDIT HAPUS BATAL LAPORAN

7

Delphi 7 - Project1

File Edit Search View Project Run Component Database Tools CnPack GExperts Window Help <None> Standard | Additional | Win32 | System | Data Access | Data Controls | dbExpress | DataSnap | BDE | ADO | InterBase | WebServices | InternetExpress | Internet | WebSnap | Decision Cube | Dialk |

Caption: Tabel Prestasi

Object TreeView

Properties Events

Action ActiveControl Align AlphaBlend AlphaBlendValue Anchors AutoScroll AutoSize BIDIMode BBOrderIcons BorderStyle BorderWidth Caption ClientHeight ClientWidth Color

Form11 TForm11

Form11 (Implied ADO Connection)

con2 frxdbdst1 zqry1 frxrpt1 con1 ds1 qry1

NO	Jenis Prestasi	Point
1	hafidz qur'an	10
2	atlet badminton	10

BARU SIMPAN EDIT HAPUS BATAL LAPORAN

1 2 3 4 5 6 7 8 9 10 11 12 13