ScienceX

Battery Storage Market Notes, September 2026 issue

Science X Inc. Published November 5, 2026

A grid-scale battery is a large battery connected to the transmission grid that stores electricity and releases it. It earns money by selling the "capacity" to fix surpluses and shortages of electricity, and by using price differences between times of day. These notes use published figures and our own records to show this month's trends in figures and tables. This issue is a back issue, prepared retroactively in November 2026. The grid connection study figures are as of the time of preparation (October 19, 2026).

1. Three revenue streams for a battery storage plant (how to read these notes)

A battery storage plant (grid-scale battery) earns revenue from three markets. ① In the balancing market (EPRX), it sells grid operators the "capacity" to fix surpluses and shortages of electricity. ② In wholesale electricity (JEPX), it buys and stores electricity at cheap times and sells it at expensive times. ③ In the capacity market (OCCTO), the country buys future electricity supply capacity in advance. These notes list the figures for these three markets in that order. The ①, ② or ③ at the start of each section title shows which market it covers.




Figure 1 Three revenue streams for a battery storage plant

Source: Rules of the Japan Electric Power Exchange (JEPX), the Electric Power Reserve Exchange (EPRX) and the Organization for Cross-regional Coordination of Transmission Operators (OCCTO).

2. Three trends this month

We picked three of this month's trends from the figures of the three markets.

- In the balancing market (EPRX), the bid-to-requirement ratio for Primary reserve (online) passed 100% in June 2026 at 106.8%. This month it was 123.1%, and the average winning price was 3.43 yen/kW per 30 min.
- In the balancing market (EPRX), the top 10% of 30-minute slots by revenue for Tertiary reserve 2 made up 56.9% of the month's revenue.
- In wholesale electricity (JEPX), the monthly average spread between the 4 most expensive hours and the 4 cheapest hours of the day was 13.42 yen/kWh in Tokyo and 15.17 yen/kWh in Kyushu.

3. ① Balancing market (EPRX) | 7 products, and prices by area

The balancing market is where grid operators buy, every 30 minutes, the "capacity" to fix surpluses and shortages of electricity. Products are split by how fast they change output (Primary reserve responds to changes in frequency; Secondary and Tertiary reserves respond to instructions from grid operators). Primary reserve is the fastest, and Tertiary reserve 2 is the slowest. Primary reserve senses frequency changes on its own and responds. It has two categories. In "online", the grid operator monitors operation over a dedicated line. In "offline", no dedicated line is installed, and a record of the operation is submitted afterwards. The two are procured and traded separately, so we show them separately. A Composite product is a bid that combines several products. Prices are set in yen per 1 kW of available capacity per 30 minutes. kW is the unit for how much power can be delivered. It is different from kWh, which measures an amount of electricity. Each 30-minute trading round is called a "30-minute slot". The figure shows the range of winning prices by area (by the area where the power source is located). The thin line runs from the cheapest to the most expensive bid in the month. The thick band is the price range covering 8 out of every 10 slots with awards. The dot is the average winning price. Nationwide figures are in the tables in the "Market figures" section.

Among balancing market average winning prices by area, Primary reserve (offline) in Tohoku was the highest at 9.51 yen/kW per 30 min, and Tertiary reserve 2 in Shikoku was the lowest at 0.38 yen/kW per 30 min.




Figure 2 Range and average of winning prices by area in the balancing market (September 2026 (days 1–29), by area where the power source is located)

Source: Trading results (preliminary) published by the Electric Power Reserve Exchange (EPRX). Compiled by ScienceX.

Product	Response time	Duration
Primary reserve (online)	Within 10 seconds	5 minutes or more
Primary reserve (offline)	Within 30 seconds	No set duration
Secondary reserve 1	Within 5 minutes	30 minutes
Secondary reserve 2	Within 5 minutes	30 minutes
Tertiary reserve 1	Within 15 minutes	30 minutes
Tertiary reserve 2	Within 60 minutes	30 minutes
Composite product	Requirements of the combined products	Requirements of the combined products

© Science X Inc. · https://www.scix.co.jp

4. ① Balancing market (EPRX) | Grid areas and times where bids win more easily

The award rate is the share of the bid volume that was awarded. The higher it is, the more easily a bid wins. The figure plots, for each grid area (the area where the power source is located), the award rate of each product by time of day (every 30 minutes). Where a line breaks, there were no bids at that time.




Figure 3 Award rates in the balancing market (grid area (where the power source is located) × time of day, September 2026 (days 1–29))

Source: Trading results (preliminary) published by the Electric Power Reserve Exchange (EPRX). Compiled by ScienceX.

5. ① Balancing market (EPRX) | Primary reserve (online) became a scramble for places

Primary reserve is the fastest product. It responds to frequency changes and changes output within 10 seconds (online) or within 30 seconds (offline). Batteries are often used for it. The left panel is the online category, and the right panel is the offline category. The bars are the bid-to-requirement ratio (bid volume ÷ volume requested by grid operators). Above 100% means more bids came in than were requested. Even below 100%, some bids are not awarded (see the award rate in the "Market figures" tables). The bars rise when bids increase, and also when the requested volume falls. The line is the average winning price. The figures are monthly, from April 2025, the earliest we have.

In the balancing market, the bid-to-requirement ratio for Primary reserve (online) passed 100% in June 2026 at 106.8%, and this month it was 123.1%. The average winning price was 3.43 yen/kW per 30 min. The requested volume was 3,066.1 MW in April 2025 and 1,388.7 MW this month. For Primary reserve (offline), this month's bid-to-requirement ratio was 84.0% and the average winning price was 5.79 yen/kW per 30 min. The requested volume was 1,122.5 MW in April 2025 and 497.8 MW this month.




Figure 4 Bid-to-requirement ratio (bars) and average winning price (line) for Primary reserve (monthly; online on the left, offline on the right; gold bars are months when bids exceeded the requested volume)

Source: Trading results (preliminary) published by the Electric Power Reserve Exchange (EPRX). Compiled by ScienceX.

6. ① Balancing market (EPRX) | How prices have moved, by product

These are average winning prices by product from April 2025 (monthly averages weighted by awarded volume). From March 14, 2026, Primary reserve through Tertiary reserve 1 and the Composite product moved from trading every 3 hours to trading every 30 minutes (Tertiary reserve 2 was already traded every 30 minutes).

In the balancing market, average winning prices from April 2025 to this month went from 2.89 yen to 3.43 yen for Primary reserve (online) (peak 4.90 yen in February 2026), and from 1.12 yen to 2.22 yen for Tertiary reserve 2 (peak 4.18 yen in May 2026).




Figure 5 Average winning price by product in the balancing market (yen/kW per 30 min, monthly)

Source: Trading results (preliminary) published by the Electric Power Reserve Exchange (EPRX). Compiled by ScienceX.

7. ① Balancing market (EPRX) | Which hours of the day are expensive

These are hourly average winning prices by product for September 2026 (days 1–29).

The hours with the highest and lowest average winning prices in the balancing market were the 19:00 hour (5.02 yen) and the 0:00 hour (0.47 yen) for Tertiary reserve 2, and the 18:00 hour (4.09 yen) and the 0:00 hour (2.75 yen) for Primary reserve (online).




Figure 6 Average winning price by time of day in the balancing market (September 2026 (days 1–29), yen/kW per 30 min)

Source: Trading results (preliminary) published by the Electric Power Reserve Exchange (EPRX). Compiled by ScienceX.

8. ① Balancing market (EPRX) | Which products use batteries

The figure shows batteries' share of the awarded volume. The table compares the average winning price of batteries' awards with the average winning price of the product as a whole.

In Primary reserve (online) in the balancing market, batteries had a 27.9% share. The average winning price of batteries' awards was 5.17 yen/kW per 30 min, against 3.43 yen/kW per 30 min overall.




Figure 7 Battery share in the balancing market (%)

Source: Trading results (preliminary) by power source type published by the Electric Power Reserve Exchange (EPRX). Compiled by ScienceX.

Product	Batteries' awards (yen/kW per 30 min)	Whole product (yen/kW per 30 min)
Primary reserve (online)	5.17	3.43
Primary reserve (offline)	5.79	5.79
Secondary reserve 1	2.18	2.49
Secondary reserve 2	1.85	2.51
Tertiary reserve 1	1.86	2.28
Tertiary reserve 2	59.26	2.22
Composite product	5.13	2.64

Both are averages weighted by awarded volume (September 2026, preliminary, nationwide). Batteries account for only 0.8% of the awarded volume of Tertiary reserve 2. The nationwide average winning price of the 30-minute slots where batteries won, weighted by batteries' awarded volume, is 5.82 yen. The batteries' average is high not because their awards are concentrated in high-price slots, but because the batteries' bids themselves are priced high (each winning bid is paid its own bid price).

9. ① Balancing market (EPRX) | Revenue is concentrated in a small number of slots

We ranked the month's 30-minute slots with awards by revenue (average winning price × awarded volume, nationwide). For each product, we plotted what % of the month's revenue the top slots make up. The more the curve bulges above the dotted line, the more revenue is concentrated in fewer slots. Tertiary reserve 2 is the product that covers errors in forecasting weather-dependent renewable generation. Its price is low in most slots and high in a very small number of slots.

In the balancing market, the top 10% of slots by revenue made up 56.9% of the month's revenue for Tertiary reserve 2 and 15.8% for Primary reserve (online). For the top 5%, the shares were 36.9% and 8.6%.




Figure 8 Share of balancing market revenue concentrated in the top slots (September 2026 (days 1–29), nationwide)
Source: Trading results (preliminary) published by the Electric Power Reserve Exchange (EPRX). Compiled by ScienceX.

In September 2026, of the 1,194 slots with awards, the top 1% by revenue (average winning price × awarded volume) made up 10.1% of the month's revenue. There were 25 slots with a nationwide average winning price of 10 yen/kW per 30 min or more, and 198 slots with no awards.

Slots with the highest top winning prices (by area where the power source is located). The highest winning price is the price of the single most expensive awarded bid. The average winning price for the same slot and area is shown to the right:

Date	Time	Area	Highest winning price (yen/kW per 30 min)	Average winning price, same slot and area (yen/kW per 30 min)
September 8	9:30	Tokyo	96.50	6.01
September 8	10:30	Tokyo	96.50	6.28
September 8	11:00	Tokyo	96.50	6.56
September 27	11:00	Tokyo	96.00	5.82
September 27	11:30	Tokyo	96.00	5.18

Source: Tertiary reserve 2 trading results (preliminary) published by the Electric Power Reserve Exchange (EPRX). Compiled by ScienceX.

10. ② Wholesale electricity (JEPX) | Average prices

Wholesale electricity is electricity bought and sold by power companies and retailers. Its price is set on the "spot market" of the Japan Electric Power Exchange (JEPX), where electricity for the next day is traded the day before. "System (nationwide)" is the price when all of Japan is treated as one market (the system price). When the transmission lines between regions are congested, prices split by area, from Hokkaido to Kyushu (area prices).

The monthly average on wholesale electricity (JEPX) for System (nationwide) was 19.12 yen/kWh this month, against 11.62 yen/kWh in the same month last year. In Tokyo it was 23.78 yen/kWh this month, against 12.92 yen/kWh in the same month last year.



Figure 9 Average wholesale electricity price (yen/kWh). Navy is September 2026, grey is the same month last year

Source: Spot market trading results published by the Japan Electric Power Exchange (JEPX). Simple average of 30-minute prices. Compiled by ScienceX.

11. ② Wholesale electricity (JEPX) | How prices move during the day

Wholesale electricity prices change every 30 minutes. The figure shows the shape of a day, averaging the prices at the same time of day across the month. If a battery stores electricity at cheap times and releases it at expensive times, the difference becomes its revenue.

The daily average low and high for wholesale electricity were 19.23 yen around 1:00 and 30.77 yen around 16:30 in Tokyo, and 9.61 yen around 12:00 and 23.75 yen around 17:30 in Kyushu.




Figure 10 Daily peaks and troughs of wholesale electricity prices (September 2026 average, yen/kWh)

Source: JEPX spot market. Compiled by ScienceX.

12. ② Wholesale electricity (JEPX) | How large is the spread per kWh

We took the average price of the day's 4 most expensive hours, subtracted the average price of the 4 cheapest hours, and listed the monthly average by area. This equals the difference per kWh from buying 1 kWh in the 4 cheapest hours and selling it in the 4 most expensive hours. It is a simple difference: electricity lost in charging and discharging and fees are not subtracted, and the order of the cheap and expensive hours is not considered.

The monthly average spread between the 4 most expensive and 4 cheapest hours on wholesale electricity was largest in Tohoku at 19.11 yen/kWh and smallest in Tokyo at 13.42 yen/kWh.




Figure 11 Wholesale electricity spread: average of the 4 most expensive hours − average of the 4 cheapest hours (September 2026, yen/kWh, monthly average)

Source: JEPX spot market. Compiled by ScienceX.

Area	2-hour spread (yen/kWh)	4-hour spread (yen/kWh)	Days with a 4-hour spread of 10 yen or more
System (nationwide)	17.16	15.49	28
Hokkaido	18.36	16.53	25
Tohoku	21.00	19.11	27
Tokyo	15.23	13.42	24
Chubu	15.99	14.18	25
Hokuriku	16.35	14.70	19
Kansai	16.22	14.42	19
Chugoku	16.31	14.39	20
Shikoku	16.87	14.59	22
Kyushu	16.87	15.17	19

The spread is the monthly average of the daily spreads. September 2026 covers 30 days.

13. ② Wholesale electricity (JEPX) | There is a spread every day

We listed the same 4-hour spread day by day. The larger the spread on a given day, the more room a battery has to earn from it.

Out of 30 days, the 4-hour spread on wholesale electricity was 10 yen or more on 28 days for System (nationwide), 27 days in Tohoku, and 19 days each in Hokuriku, Kansai and Kyushu.




Figure 12 Daily wholesale electricity spread (average of the day's 4 most expensive hours − average of the 4 cheapest hours, yen/kWh)

Source: JEPX spot market. Compiled by ScienceX.

14. ③ Capacity market (OCCTO) | A market that buys future supply capacity

The capacity market buys electricity supply capacity 4 years ahead through an auction held once a year. Prices are set in yen per kW per year. The left figure shows the clearing prices of past main auctions. The right figure shows the battery and pumped hydro capacity awarded in the Long-Term Decarbonization Power Source Auction (a separate auction that, in principle, promises 20 years of capacity revenue for new decarbonized power sources and similar projects). These figures are published once a year, so they do not change each month. The latest is delivery FY2029 (published January 2026).

The capacity market clearing price for Tokyo was 14,137 yen/kW for delivery FY2024, 3,495 yen/kW for FY2025 and 15,111 yen/kW for FY2029. In the FY2025 Long-Term Decarbonization Power Source Auction, battery and pumped hydro awards were 819 MW for lithium-ion batteries and pumped hydro (excluding new builds), and 886 MW for non-lithium-ion batteries, pumped hydro (new builds) and LDES. Both are the latest published annual values and do not change each month.




Figure 13 Capacity market clearing prices (left, yen/kW) and battery and pumped hydro capacity awarded in the Long-Term Decarbonization Power Source Auction (right, in units of 10,000 kW)

Source: Clearing results and capacity assurance contract documents published by the Organization for Cross-regional Coordination of Transmission Operators (OCCTO) (sources listed in the last section (Assumptions and terms)). As published.

15. Our records | Where battery storage projects are increasing

We counted the projects newly listed this month on our DealRoom (our data room for buyers, a site where we list battery storage projects), by grid area of the grid operator. These figures cover the projects we handled, not the whole market. Transfer of rights is a sale that hands over the land and power rights. Completed-build handover is a sale that hands over the facility once it is built.

New listings on our DealRoom in September 2026 were 33 projects, 482.4 MW. By grid area: Chubu 8 projects, 111.6 MW; Kansai 6 projects, 109.3 MW; Tohoku 3 projects, 103.9 MW.




Figure 14 Output (MW) of projects we listed on our DealRoom (our data room for buyers) in September 2026

Source: Our DealRoom records (project locations are given only down to grid area; prices and parties are not listed).

16. Our records | How many months and how much it takes to connect to the grid

A grid connection study is the procedure of asking the grid operator to check "can we connect at this site, and how much will the work cost?" The grid connection cost contribution is the part of the connection work cost paid by the applicant. Of the response documents we received, we compiled only the high-voltage ones (connecting to a 6,600 V distribution line), by grid area. Extra-high voltage is not included. Grid areas with fewer than 5 cases are not shown.

Median values in grid connection study responses (high voltage only, as of October 19, 2026) ranged from 8.0 months in Tokyo to 17.0 months in Tohoku for construction time, and from ¥3.02 million in Tokyo to ¥32.35 million in Tohoku for the grid connection cost contribution.




Figure 15 Median grid connection study responses (high voltage) by grid area (left: months of construction work, right: grid connection cost contribution, excluding tax)

Source: Compilation of the high-voltage grid connection study responses we received from grid operators (as of October 19, 2026).

ScienceX

17. Market figures (tables ready to use in documents)

We put the figures behind the charts into tables you can use in documents: ① nationwide figures by product for the balancing market (bid-to-requirement ratio, award rate, price, battery share), ② figures by area and trading volume for wholesale electricity (JEPX), and ③ capacity market clearing prices.

Balancing market (September 2026, preliminary, nationwide)

Product	Requested volume (MW)	Bid volume (MW)	Awarded volume (MW)	Bid-to-requirement ratio (bids ÷ requested)	Award rate (awarded ÷ bids)	Average winning price (yen/kW per 30 min)	Battery share
Primary reserve (online)	1,388.7	1,710.0	1,337.3	123.1%	78.2%	3.43	27.9%
Primary reserve (offline)	497.8	418.4	265.7	84.0%	63.5%	5.79	100.0%
Secondary reserve 1	962.6	1,996.2	1,102.3	207.4%	55.2%	2.49	1.8%
Secondary reserve 2	983.1	3,709.3	2,163.2	377.3%	58.3%	2.51	1.0%
Tertiary reserve 1	2,498.5	5,895.9	3,021.0	236.0%	51.2%	2.28	0.7%
Tertiary reserve 2	376.3	1,371.7	368.9	364.5%	26.9%	2.22	0.8%
Composite product	3,383.8	6,641.4	3,623.5	196.3%	54.6%	2.64	10.4%

Volumes are averages per 30-minute slot. Products with a bid-to-requirement ratio below 100% received fewer bids than requested. The award rate is the share of the bid volume that was awarded.

Source: Trading results (preliminary) and trading results by power source type published by the Electric Power Reserve Exchange (EPRX). Compiled by ScienceX.

Wholesale electricity, JEPX spot market (September 2026, by area, yen/kWh)

Area	Monthly average	Same month last year	Daytime (8:00–16:00)	Evening (16:00–20:00)	4-hour spread	Highest	30-minute slots at 30 yen or more	30-minute slots at 0.01 yen
System (nationwide)	19.12	11.62	17.53	26.58	15.49	49.00	106	0
Hokkaido	14.01	12.14	9.59	21.15	16.53	50.01	30	56
Tohoku	17.35	11.33	11.48	26.21	19.11	50.01	90	16
Tokyo	23.78	12.92	24.38	29.40	13.42	50.01	265	0
Chubu	23.77	11.96	24.03	30.03	14.18	53.20	316	0
Hokuriku	16.88	11.26	18.30	22.55	14.70	53.20	164	0
Kansai	16.45	11.26	17.14	22.34	14.42	53.20	130	5
Chugoku	14.96	10.57	13.10	21.71	14.39	53.20	87	22
Shikoku	12.92	9.62	11.15	18.32	14.59	53.20	78	61
Kyushu	14.06	10.54	11.63	21.71	15.17	53.20	79	45

Trading volume (September 2026, total for 30 days): total contracted volume 32,413 million kWh (same month last year 24,757 million kWh), sell bids 51,279 million kWh, buy bids 40,562 million kWh.

Source: Spot market trading results published by the Japan Electric Power Exchange (JEPX). Prices are simple averages of 30-minute slots. Compiled by ScienceX.

Capacity market main auction area prices (yen/kW per year)

Delivery fiscal year	Hokkaido	Tohoku	Tokyo	Chubu	Hokuriku	Kansai	Chugoku	Shikoku	Kyushu
FY2024	14,137	14,137	14,137	14,137	14,137	14,137	14,137	14,137	14,137
FY2025	5,242	3,495	3,495	3,495	3,495	3,495	3,495	3,495	5,242
FY2026	8,749	5,833	5,834	5,832	5,832	5,832	5,832	5,832	8,748
FY2027	13,287	9,044	9,555	7,823	7,638	7,638	7,638	7,638	11,457
FY2028	14,812	14,812	14,812	10,280	8,785	8,785	8,785	8,785	13,177
FY2029	14,972	15,111	15,111	12,388	12,388	12,388	12,388	12,388	15,112

Battery and pumped hydro capacity awarded in the Long-Term Decarbonization Power Source Auction (10,000 kW)

Auction year	Category	Awarded capacity (10,000 kW)
FY2023 auction	Batteries and pumped hydro	166.9
FY2024 auction	Operating duration of 3 hours or more and less than 6 hours	96.1

Auction year	Category	Awarded capacity (10,000 kW)
FY2024 auction	Operating duration of 6 hours or more	76.9
FY2025 auction	Lithium-ion batteries and pumped hydro (excluding new builds)	81.9
FY2025 auction	Non-lithium-ion batteries, pumped hydro (new builds) and LDES	88.6

Source: Clearing results and capacity assurance contract documents published by the Organization for Cross-regional Coordination of Transmission Operators (OCCTO) (sources listed in the last section (Assumptions and terms)). As published.

18. Assumptions and terms

- Figures are compiled by ScienceX from the values published by the sources. We have not added up several months or converted figures to annual values. We do not show revenue amounts for any single battery storage plant.
- Months covered: the balancing market (EPRX) uses preliminary data for September 2026 (delivery dates up to the 29th; up to the 30th for Primary reserve (offline)), and wholesale electricity (JEPX) covers September 2026 (30 days). For the balancing market, the month may differ until the published values for September 2026 are included in our compilation.
- Balancing market: nationwide figures (the total column) of EPRX preliminary data. Requested volume is by grid operator (TSO); bid volume, awarded volume and average winning price are by area where the power source is located. Volumes are averages per 30-minute slot. The average winning price is weighted by awarded volume. Bid-to-requirement ratio = bid volume ÷ requested volume; award rate = awarded volume ÷ bid volume. The 3-hour blocks up to March 13, 2026 were counted as 6 30-minute slots per block.
- Range of winning prices: the thin line runs from the cheapest bid (lowest winning price) to the most expensive bid (highest winning price) among the month's slots with awards (published values by area where the power source is located). The published values for Primary reserve (online), Secondary reserve 1 and 2 and Tertiary reserve 1 also include Composite product bids (one price for several combined products). So bids above 10 yen that can be explained by a Composite product bid in the same slot and area were removed from the thin line. For Primary reserve (offline), bids above the price cap (10 yen this month) were removed from the thin line (the balancing market system also awards bids above the cap, and cuts them down to the cap at settlement). The thick band is the range from 10% to 90% when the average winning prices of the slots with awards are ranked from cheapest. The dot is the average weighted by awarded volume.
- Award rate by grid area × time: total awarded volume ÷ total bid volume for slots at the same time of day across the month (by area where the power source is located).
- Response time and duration for balancing market products follow the FY2026 specifications (Electric Power Reserve Exchange, "Product Requirements", 6th edition). Primary reserve senses frequency changes on its own and responds. Online is the category where the grid operator monitors operation over a dedicated line; offline is the category where no dedicated line is installed and a record of the operation is submitted afterwards. The offline response time is within 30 seconds, with no set duration.
- High-price slots for Tertiary reserve 2: slots with a nationwide average winning price of 10 yen/kW per 30 min or more. The top 1% is the top 1% of slots ranked by revenue (average winning price × awarded volume) (1% of the number of slots, rounded). The highest winning price is the published value by area where the power source is located, and is the price of the single most expensive awarded bid. In the balancing market, each winning bid is paid its own bid price (pay-as-bid (multi-price)), so the average winning price for the same slot and area is lower than this.
- Average prices are simple averages of 30-minute slots (not weighted by trading volume). Daytime is the slots from 8:00 to 16:00, and evening is the slots from 16:00 to 20:00.
- Spread: the day's 30-minute slots are ranked by price, and the average of the 8 cheapest slots is subtracted from the average of the 8 most expensive slots (4 hours) (4 slots for 2 hours). The order of the cheap and expensive hours, electricity lost in charging and discharging, and fees, taxes and transmission charges are not considered. This does not show actual revenue.

Sources (OCCTO, capacity market clearing results): delivery FY2024
https://www.occto.or.jp/iinkai/youryou/kentoukai/2020/files/youryou_kentoukai_27_05.pdf / delivery FY2025
https://www.occto.or.jp/iinkai/youryou/kentoukai/2021/files/youryou_kentoukai_35_03_1.pdf / delivery FY2026
https://www.occto.or.jp/iinkai/youryou/kentoukai/2022/files/youryou_kentoukai_43_03.pdf / delivery FY2027
https://www.occto.or.jp/market-board/market/oshirase/2023/files/240124_mainauction_youryouyakujokekka_kouhyou_jitsujukyu2027.pdf / delivery FY2028
https://www.occto.or.jp/market-board/market/oshirase/2024/files/250129_mainauction_youryouyakujokekka_kouhyou_jitsujukyu2028

© Science X Inc. · https://www.scix.co.jp

.pdf / delivery FY2029
https://www.occto.or.jp/assets/news/capacity-market/260120_mainauction_youryouyakujokekka_kouhyou_jitsujukyu2029.pdf

Sources (OCCTO, Long-Term Decarbonization Power Source Auction): FY2023 auction https://www.occto.or.jp/assets/260605_auction_keiyakujyoukyou_kouhyou.pdf / FY2024 auction https://www.occto.or.jp/market-board/market/jitsujukyukanren/files/longauction_keiyakukekka_2024.pdf / FY2025 auction https://www.occto.or.jp/assets/various/capacity-market/jitsujukyukanren/yoryokakuhokeiyaku/longauction_keiyakukekka_2025.pdf

- Capacity market clearing results for each delivery fiscal year are published in different years (FY2024 in 2020, FY2029 in January 2026). The number of battery projects in the Long-Term Decarbonization Power Source Auction is not shown because it is not in the published summary tables.

Sources: Japan Electric Power Exchange (JEPX) spot market trading results / Electric Power Reserve Exchange (EPRX) trading results (preliminary) and trading results by power source type / Organization for Cross-regional Coordination of Transmission Operators (OCCTO) capacity market main auction clearing results and Long-Term Decarbonization Power Source Auction capacity assurance contract documents / compilation of the grid connection study responses we received / our DealRoom records.

Terms: System price (System, nationwide) = the wholesale electricity price when all of Japan is treated as one market. Area price = the price split by area depending on how congested the transmission lines are. The grid = the power companies' transmission network. Grid connection = connecting to the transmission network. MW = size of power (1 MW = 1,000 kW). MWh = amount of electricity that can be stored. yen/kWh = price per 1 kWh of electricity.

Science X Inc. https://www.scix.co.jp Contact s@scix.co.jp

Newsletter "Japan grid-scale BESS: primary data":
https://www.linkedin.com/newsletters/7521830530569445376/

You may use the figures, tables and numbers if you cite the source (citation guide https://www.scix.co.jp/press).