9.1.1 VOWELS IN A STRING

ALGORITHM

1. **Start**
2. **Input string s**
3. **Initialize count = 0**
4. **For each character in string**
5. **Check if character is vowel**
6. **If yes, increment count**
7. **Print count**
8. **End**

FLOWCHART



PROGRAM


CODETANTRA
Home
nakul.jibhakate.batch2025@sitnagpur.siu.edu.in
Support
Logout
9.1.1. Count Vowels in a String - 1
Write a program that takes a string as input and prints the total count of vowels in that string. Consider both uppercase and lowercase.
Input Format:
• A single line contains a string that may contain letters, numbers, and punctuation.
Output Format:
• An integer representing the total number of vowels in the input string.
Sample Test Cases
vowel_co...
Submit
Explorer
Debugger
inp = input()
count = 0
for ch in inp:
if ch in('A','E','I','O','U','a','e','i','o','u'):
count += 1
print(count)
Average time
0.003 s
2.67 ms
Maximum time
0.005 s
5.00 ms
2 out of 2 shown test case(s) passed
4 out of 4 hidden test case(s) passed
Test case 1
Debug
Expected output
Actual output
Hello World!
3
Hello World!
3
Test case 2
Terminal
Test cases
Prev
Reset
Submit
Next

9.1.2 PALINDROME OR NOT

ALGORITHM

1. **Start**
2. **Input string s**
3. **Reverse the string → rev = s[::-1]**
4. **Compare s with rev**
5. **If equal → Print "Palindrome"**
6. **Else → Print "Not a Palindrome"**
7. **End**

FLOWCHART



PROGRAM


CODETANTRA
Home
nakul.jibhakate.batch2025@sitnagpur.siu.edu.in
Support
Logout
9.1.2. Palindrome or Not
Write a Python program to take a string as input and check whether the given string is a palindrome or not. A palindrome is a string that reads the same forwards and backward.
Input Format:
• A single line of input contains a string
Output Format:
• If the input string is a palindrome, print "Palindrome", otherwise print "Not a Palindrome"
Sample Test Cases
palindro...
Submit
s = input()
if s == s[::-1]:
print("Palindrome")
else:
print("Not a Palindrome")
Average time
0.004 s
3.60 ms
Maximum time
0.005 s
5.00 ms
2 out of 2 shown test case(s) passed
3 out of 3 hidden test case(s) passed
Test case 1
Debug
Expected output
racecar
Palindrome
Actual output
racecar
Palindrome
Test case 2
Terminal
Test cases
Prev
Reset
Submit
Next