

LAB ASSIGNMENT 3

3.1.1 NUMPY ARRAY OPERATIONS

Write a Python program to create a NumPy array based on user input and display the following:

- The created NumPy array.
- The number of dimensions of the array using `ndim`
- The shape of the array using `shape`
- The total number of elements in the array using `size`

Assume all input elements are valid integers.

Input Format:

- The first line contains two space-separated integers, `rows` and `columns`, representing the number of rows and the number of columns.
- The next lines contain space-separated integers representing the elements of the array, entered row by row.

Output Format:

- The created NumPy array (printed as a 2D array).
- An integer representing the number of dimensions of the array.
- A tuple representing the shape of the array.
- An integer representing the total number of elements in the array.

CODE:-

```
import numpy as np

# write your code here...
rows,cols=map(int,input().split())

elements=[]
for _ in range(rows):
    →elements.extend(map(int,input().split()))

array=np.array(elements).reshape(rows,cols)

print(array)
print(array.ndim)
print(array.shape)
print(array.size)
```

OUTPUT

Average time	Maximum time	2 out of 2 shown test case(s) passed
0.030 s	0.046 s	10 out of 10 hidden test case(s) passed
30.42 ms	46.00 ms	

Test case 1 41 ms Debug	
Expected output	Actual output
3 4	3 4
1 2 3 4	1 2 3 4
5 6 7 8	5 6 7 8
9 10 11 12	9 10 11 12
[[1 2 3 4]	[[1 2 3 4]
[5 6 7 8]	[5 6 7 8]
[9 10 11 12]]	[9 10 11 12]]
2	2
(3, 4)	(3, 4)
12	12

Test case 2 13 ms Debug	
Expected output	Actual output
0 0	0 0
[]	[]
2	2
(0, 0)	(0, 0)
0	0

3.2.1 NUMPY MATRIX OPERATIONS

The given code takes two 3x3 matrices, matrix_a, and matrix_b, as input from the user and converts them into NumPy arrays.

Task:

You are required to compute and display the results of the following matrix operations:

- 1.Addition (matrix_a + matrix_b)
- 2.Subtraction (matrix_a - matrix_b)
- 3.Element-wise Multiplication (matrix_a * matrix_b)
4. Matrix Multiplication (matrix_a . matrix_b)
5. Transpose of Matrix A

Input Format:

- The user will input 3 rows for matrix_a , each containing 3 integers separated by spaces.
- Similarly, the user will input 3 rows for matrix_b, each containing 3 integers separated by spaces.

Output Format:

The program should display the results of the operations in the following order:

- 1.The result of Addition.
- 2.The result of Subtraction.
- 3.The result of Element-wise Multiplication.
- 4.The result of Matrix Multiplication.
5. The Transpose of Matrix A.

CODE:-

```
import numpy as np

# Input matrices
print("Enter Matrix A:")
matrix_a = np.array([list(map(int, input().split())) for i in range(3)])

print("Enter Matrix B:")
matrix_b = np.array([list(map(int, input().split())) for i in range(3)])

# Addition
addition_result = matrix_a + matrix_b
print("Addition (A + B):")
print(addition_result)

# Subtraction
subtraction_result = matrix_a - matrix_b
print("Subtraction (A - B):")
print(subtraction_result)

# Multiplication (element-wise)
elementwise_multiplication_result = matrix_a * matrix_b
print("Element-wise Multiplication (A * B):")
print(elementwise_multiplication_result)

# Matrix multiplication (dot product)
matrix_multiplication_result = np.dot(matrix_a, matrix_b)
print("A dot B:")
print(matrix_multiplication_result)

# Transpose
transpose_a = matrix_a.T
print("Transpose of A:")
print(transpose_a)
```

OUTPUT

Average time
0.063 s
62.75 ms

Maximum time
0.065 s
65.00 ms

2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1 60 ms Debug

Expected output	Actual output
Enter Matrix A:	Enter Matrix A:
1 2 3	1 2 3
4 5 6	4 5 6
7 8 9	7 8 9
Enter Matrix B:	Enter Matrix B:
1 1 1	1 1 1
1 1 1	1 1 1
1 1 1	1 1 1
Addition (A + B):	Addition (A + B):
[[2 3 4]	[[2 3 4]
[5 6 7]	[5 6 7]
[8 9 10]]	[8 9 10]]
Subtraction (A - B):	Subtraction (A - B):
[[0 1 2]	[[0 1 2]
[3 4 5]	[3 4 5]
[6 7 8]]	[6 7 8]]
Element-wise Multiplication (A * B):	Element-wise Multiplication (A * B):
[[1 2 3]	[[1 2 3]
[4 5 6]	[4 5 6]
[7 8 9]]	[7 8 9]]
A dot B:	A dot B:
[[6 6 6]	[[6 6 6]
[15 15 15]	[15 15 15]
[24 24 24]]	[24 24 24]]
Transpose of A:	Transpose of A:
[[1 4 7]	[[1 4 7]

3.2.2 NUMPY HORIZONTAL AND VERTICAL STACKING OF ARRAYS

You are given two arrays `arr1` and `arr2`. You need to perform horizontal and vertical stacking operations on them using NumPy.

- Horizontal Stacking: Stack the two matrices horizontally (side by side).
- Vertical Stacking: Stack the two matrices vertically (one below the other).

Input Format:

- The program should first prompt the user to input two 3x3 arrays.
- Each array consists of 3 rows, and each row contains 3 space-separated integers.
- The user will input the two arrays row by row.

Output Format:

- The program should display the result of the Horizontal Stack (side-by-side stacking) of the two arrays.
- The program should then display the result of the Vertical Stack (one below the other) of the two arrays.

CODE:

```
import numpy as np

# Input matrices
print("Enter Array1:")
arr1 = np.array([list(map(int, input().split())) for i in range(3)])

print("Enter Array2:")
arr2 = np.array([list(map(int, input().split())) for i in range(3)])

# Perform horizontal stacking (hstack)
a = np.hstack((arr1, arr2))
print("Horizontal Stack:")
print(a)

# Perform vertical stacking (vstack)
b = np.vstack((arr1, arr2))
print("Vertical Stack:")
print(b)
```

OUTPUT

Average time 0.074 s 74.50 ms	Maximum time 0.078 s 78.00 ms	2 out of 2 shown test case(s) passed 2 out of 2 hidden test case(s) passed
Test case 1 78 ms Debug		
Expected output	Actual output	
Enter Array1:	Enter Array1:	
1 2 3	1 2 3	
4 5 6	4 5 6	
7 8 9	7 8 9	
Enter Array2:	Enter Array2:	
4 5 6	4 5 6	
7 8 9	7 8 9	
10 11 12	10 11 12	
Horizontal Stack:	Horizontal Stack:	
[[1 2 3 4 5 6]	[[1 2 3 4 5 6]	
[4 5 6 7 8 9]	[4 5 6 7 8 9]	
[7 8 9 10 11 12]]	[7 8 9 10 11 12]]	
Vertical Stack:	Vertical Stack:	
[[1 2 3]	[[1 2 3]	
[4 5 6]	[4 5 6]	
[7 8 9]	[7 8 9]	
[4 5 6]	[4 5 6]	
[7 8 9]	[7 8 9]	
[10 11 12]]	[10 11 12]]	

Test case 2 72 ms Debug	
Expected output	Actual output
Enter Array1:	Enter Array1:
-1 -2 -3	-1 -2 -3
-4 -5 -6	-4 -5 -6
-7 -8 -9	-7 -8 -9
Enter Array2:	Enter Array2:
10 11 12	10 11 12
13 14 15	13 14 15
16 17 18	16 17 18
Horizontal Stack:	Horizontal Stack:
[[-1 -2 -3 10 11 12]	[[-1 -2 -3 10 11 12]
[-4 -5 -6 13 14 15]	[-4 -5 -6 13 14 15]
[-7 -8 -9 16 17 18]]	[-7 -8 -9 16 17 18]]
Vertical Stack:	Vertical Stack:
[[-1 -2 -3]	[[-1 -2 -3]
[-4 -5 -6]	[-4 -5 -6]

3.2.3 NUMPY:CUSTOM SEQUENCE GENERATION

Write a Python program that takes the following inputs from the user:

- Start value: The starting point of the sequence.
- Stop value: The sequence should end before this value.
- Step value: The increment between each number in the sequence.

The program should then generate a sequence using numpy based on these inputs and print the generated sequence.

Input Format:

- The user will input three integer values: start, stop, and step, each on a new line.

Output Format:

- The program should print the generated sequence based on the input values.

CODE:-

```
import numpy as np

# Take user input for the start, stop, and step of the sequence
start = int(input())
stop = int(input())
step = int(input())

# Generate the sequence using np.arange()
a = np.arange(start, stop, step)
print(a)
# Print the generated sequence
```

OUTPUT

Average time
0.045 s
45.00 ms

Maximum time
0.057 s
57.00 ms

✓ 2 out of 2 shown test case(s) passed
✓ 2 out of 2 hidden test case(s) passed

✓ Test case 1 57 ms Debug

Expected output

3
10
2
[3·5·7·9]

Actual output

3
10
2
[3·5·7·9]

✓ Test case 2 41 ms Debug

Expected output

10
20
30
[10]

Actual output

10
20
30
[10]

3.2.4 NUMPY: ARITHMETIC AND STATISTICAL OPERATIONS, MATHEMATICAL OPERATIONS, BITWISE OPERATORS

You are given two arrays A and B. Your task is to complete the function `array_operations`, which will convert these lists into NumPy arrays and perform the following operations:

1. Arithmetic Operations:

- Compute the element-wise sum, difference, and product of the two arrays.

2. Statistical Operations:

- Calculate the mean, median, and standard deviation of array A.

3. Bitwise Operations:

- Perform bitwise AND, bitwise OR, and bitwise XOR on the arrays (ex: $A_i \text{ OR } B_i$).

Input Format:

- The first line contains space-separated integers representing the elements of array A.
- The second line contains space-separated integers representing the elements of array B.

Output Format:

- For each operation (arithmetic, statistical, and bitwise), print the results in the specified format as shown in sample test cases.

CODE:-

```
import numpy as np

def array_operations(A, B):

    # Convert A and B to NumPy arrays
    A=np.array(A)
    B=np.array(B)

    # Arithmetic Operations
    sum_result = A+B
    diff_result = A-B
    prod_result = A*B

    # Statistical Operations
    mean_A = np.mean(A)
    median_A = np.median(A)
    std_dev_A = np.std(A)

    # Bitwise Operations
    and_result = A&B
    or_result = A|B
    xor_result = A^B

    # Output results with one space between each element
    print("Element-wise Sum:", ' '.join(map(str, sum_result)))
    print("Element-wise Difference:", ' '.join(map(str,
diff_result)))
    print("Element-wise Product:", ' '.join(map(str,
prod_result)))

    print(f"Mean of A: {mean_A}")
    print(f"Median of A: {median_A}")
    print(f"Standard Deviation of A: {std_dev_A}")

    print("Bitwise AND:", ' '.join(map(str, and_result)))
    print("Bitwise OR:", ' '.join(map(str, or_result)))
    print("Bitwise XOR:", ' '.join(map(str, xor_result)))

A = list(map(int, input().split())) # Elements of array A
B = list(map(int, input().split())) # Elements of array B
array_operations(A, B)
```

OUTPUT

Average time

0.030 s

29.67 ms



Maximum time

0.035 s

35.00 ms



✓ 1 out of 1 shown test case(s) passed

✓ 2 out of 2 hidden test case(s) passed

✓ Test case 1 35 ms

Debug



Expected output

Actual output

1 2 3 4

1 2 3 4

5 6 7 8

5 6 7 8

Element-wise Sum: 6 8 10 12

Element-wise Sum: 6 8 10 12

Element-wise Difference: -4 -4 -4 -4

Element-wise Difference: -4 -4 -4 -4

Element-wise Product: 5 12 21 32

Element-wise Product: 5 12 21 32

Mean of A: 2.5

Mean of A: 2.5

Median of A: 2.5

Median of A: 2.5

Standard Deviation of A: 1.1180339887498
95

Standard Deviation of A: 1.1180339887498
95

Bitwise AND: 1 2 3 0

Bitwise AND: 1 2 3 0

Bitwise OR: 5 6 7 12

Bitwise OR: 5 6 7 12

Bitwise XOR: 4 4 4 12

Bitwise XOR: 4 4 4 12

3.2.5 NUMPY:CUSTOM SEQUENCE GENERATION

The given code takes a list of integers as input and converts it into a NumPy array. Your task is to complete the code by:

- Creating a view of the original_array and assigning it to view_array.
- Creating a copy of the original_array and assigning it to copy_array.

After completing these steps, observe how modifying the view affects the original_array, while modifying the copy does not.

Input Format:

- A single line of space-separated integers.

Output Format:

- After modifying the view: Original array after modifying view: <original_array>
- View array: <view_array>
- After modifying the copy: Original array after modifying copy: <original_array>
- Copy array: <copy_array>

CODE:-

```
import numpy as np

inputlist = list(map(int, input().split(" ")))

# Original array
original_array = np.array(inputlist)

# Create a view
view_array = original_array.view()

# Create a copy
copy_array = original_array.copy()

# Modify the view
view_array[0] = 99
print("Original array after modifying view:", original_array)
print("View array:", view_array)

# Modify the copy
copy_array[1] = 88
print("Original array after modifying copy:", original_array)
print("Copy array:", copy_array)
```

OUTPUT

Average time
0.024 s
23.50 ms

Maximum time
0.030 s
30.00 ms

2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1 30 ms Debug

Expected output
10 20 30 40 50 60 70 80

Original array after modifying view: [9 9 20 30 40 50 60 70 80]
View array: [99 20 30 40 50 60 70 80]
Original array after modifying copy: [9 9 20 30 40 50 60 70 80]
Copy array: [10 88 30 40 50 60 70 80]

Actual output
10 20 30 40 50 60 70 80

Original array after modifying view: [9 9 20 30 40 50 60 70 80]
View array: [99 20 30 40 50 60 70 80]
Original array after modifying copy: [9 9 20 30 40 50 60 70 80]
Copy array: [10 88 30 40 50 60 70 80]

Test case 2 19 ms Debug

Expected output
99 2 3 4 5

Original array after modifying view: [9 9 2 3 4 5]
View array: [99 2 3 4 5]
Original array after modifying copy: [9 9 2 3 4 5]
Copy array: [99 88 3 4 5]

Actual output
99 2 3 4 5

Original array after modifying view: [9 9 2 3 4 5]
View array: [99 2 3 4 5]
Original array after modifying copy: [9 9 2 3 4 5]
Copy array: [99 88 3 4 5]

3.2.6 NUMPY: SEARCHING, SORTING, COUNTING, BROADCASTING

The given code in the editor takes a single array, array1, as space-separated integers as input from the user. Additionally, it takes the following inputs:

- search_value: The value to search for in the array.
- count_value: The value to count its occurrences in the array.
- broadcast_value: The value to add for broadcasting across the array.

You need to complete the code to perform the following operations:

1. Searching: Find the indices where search_value appears in array1 and print these indices.
2. Counting: Count how many times count_value appears in array1 and print the count.
3. Broadcasting: Add broadcast_value to each element of array1 using broadcasting, and print the resulting array.
4. Sorting: Sort array1 in ascending order and print the sorted array.

Input Format:

1. A single line containing space-separated integers representing array1.
2. An integer search_value represents the value to search for in the array.
3. An integer count_value represents the value to count in the array.
4. An integer broadcast_value represents the value to add to each element of the array.

Output Format:

1. The indices where search_value occurs in array1.
2. The count of occurrences of count_value in array1.
3. The array after adding the broadcast_value to each element.
4. The sorted array.

CODE:-

```
import numpy as np

# Input array from the user
array1 = np.array(list(map(int, input().split()))))

# Searching
search_value = int(input("Value to search: "))
count_value = int(input("Value to count: "))
broadcast_value = int(input("Value to add: "))

# Find indices where value matches in array1
a=np.where(array1==search_value)[0]
print(a)

# Count occurrences in array1
b=np.count_nonzero(array1==count_value)
print(b)

# Broadcasting addition
c=array1 + broadcast_value
print(c)

# Sort the first array
d=np.sort(array1)
print(d)
```

OUTPUT

Average time
0.056 s
55.75 ms

Maximum time
0.061 s
61.00 ms

✓ 2 out of 2 shown test case(s) passed
✓ 2 out of 2 hidden test case(s) passed

✓ Test case 1 54 ms Debug

Expected output

1 1 1 2 2 2

Value to search: 1

Value to count: 2

Value to add: 2

[0 1 2]

3

[3 3 3 4 4 4]

[1 1 1 2 2 2]

Actual output

1 1 1 2 2 2

Value to search: 1

Value to count: 2

Value to add: 2

[0 1 2]

3

[3 3 3 4 4 4]

[1 1 1 2 2 2]

✓ Test case 2 60 ms Debug

Expected output

1 2 3 4 5

Value to search: 6

Value to count: 6

Value to add: 6

[]

0

[7 8 9 10 11]

[1 2 3 4 5]

Actual output

1 2 3 4 5

Value to search: 6

Value to count: 6

Value to add: 6

[]

0

[7 8 9 10 11]

[1 2 3 4 5]

3.2.7 STUDENT DATA ANALYSIS AND OPERATIONS

Write a Python program that takes the file name of a CSV file containing student details, including roll numbers and their marks in three subjects as input, reads the data, and performs the following operations:

- Print all student details: Display the complete details of all students, including roll numbers and marks for all subjects.
- Find total students: Determine the total number of students in the dataset.
- Print all student roll numbers: Extract and print the roll numbers of all students.
- Print Subject 1 marks: Extract and print the marks of all students in Subject 1.
- Find minimum marks in Subject 2: Identify the lowest marks in Subject 2.
- Find maximum marks in Subject 3: Identify the highest marks in Subject 3.
- Print all subject marks: Display the marks of all students for each subject.
- Find total marks of students: Compute the total marks for each student across all subjects.
- Find the average marks of each student: Compute the average marks for each student.
- Find average marks of each subject: Compute the average marks for all students in each subject.
- Find average marks of Subject 1 and Subject 2: Compute the average marks for Subject 1 and Subject 2.
- Find average marks of Subject 1 and Subject 3: Compute the average marks for Subject 1 and Subject 3.
- Find the roll number of the student with maximum marks in Subject 3: Identify the student with the highest marks in Subject 3 and print their roll number.
- Find the roll number of the student with minimum marks in Subject 2: Identify the student with the lowest marks in Subject 2 and print their roll number.
- Find the roll number of students who scored 24 marks in Subject 2: Identify students who obtained exactly 24 marks in Subject 2 and print their roll numbers.
- Find the count of students who got less than 40 marks in Subject 1: Count the number of students who scored less than 40 marks in Subject 1.
- Find the count of students who got more than 90 marks in Subject 2: Count the number of students who scored more than 90 marks in Subject 2.
- Find the count of students who scored ≥ 90 in each subject: Count the number of students who scored 90 or more marks in each subject.
- Find the count of subjects in which each student scored ≥ 90 : Determine how many subjects each student scored 90 or more marks in.
- Print Subject 1 marks in ascending order: Sort and print the marks of students in Subject 1 in ascending order.
- Print students who scored between 50 and 90 in Subject 1: Display students who scored marks between 50 and 90 in Subject 1.
- Find index positions of students who scored 79 in Subject 1: Identify the index positions of students who scored exactly 79 marks in Subject 1.

Note: Fill in the missing code to perform the above-mentioned operations.

CODE:-

OUTPUT

```
import numpy as np

a = np.loadtxt("Sample.csv", delimiter=',', skiprows=1)

# 1. Print all student details
print("All student Details:\n", a)

# 2. print total students
print("Total Students:", len(a))

# 3. Print all student Roll numbers
print("All Student Roll Nos", a[:,0])

# 4. Print subject 1 marks
print("Subject 1 Marks", a[:,1])

# 5. print minimum marks of Subject 2
print("Min marks in Subject 2", np.min(a[:,2]))

# 6. print maximum marks of Subject 3
print("Max marks in Subject 3", np.max(a[:,3]))

# 7. Print All subject marks
print("All subject marks:", a[:,1:])

# 8. print Total marks of students
total_marks = np.sum(a[:,1:], axis=1)
print("Total Marks", total_marks)

# 9. print average marks of each student
avg_student = np.mean(a[:,1:], axis=1)
print(np.round(avg_student, 1))

# 10. print average marks of each subject
avg_subject = np.mean(a[:,1:], axis=0)
print("Average Marks of each subject", np.round(avg_subject, 1))

# 11. print average marks of S1 and S2
avg_s1_s2 = np.mean(a[:,1:3], axis=0)
print("Average Marks of S1 and S2", np.round(avg_s1_s2, 1))

# 12. print average marks of S1 and S3
print("Average Marks of S1 and S3",
np.round([np.mean(a[:,1]), np.mean(a[:,3])], 1))

# 13. print Roll number who got maximum marks in Subject 3
print("Roll no who got maximum marks in Subject 3",
a[np.argmax(a[:,3]), 0])

# 14. print Roll number who got minimum marks in Subject 2
print("Roll no who got minimum marks in Subject 2",
a[np.argmin(a[:,2]), 0])

# 15. print Roll number who got 24 marks in Subject 2
i = np.where(a[:,2] == 24)
print("Roll no who got 24 marks in Subject 2", a[i,0])
```

```
# 16. print count of students who got marks in Subject 1 < 40
print("Count of students who got marks in Subject 1 < 40",
np.sum(a[:,1] < 40))

# 17. print count of students who got marks in Subject 2 > 90
print("Count of students who got marks in Subject 2 > 90",
np.sum(a[:,2] > 90))

# 18. print count of students in each subject who got marks
>= 90
count_ge90 = [np.sum(a[:,1] >= 90), np.sum(a[:,2] >= 90),
np.sum(a[:,3] >= 90)]
print("Count of students in each subject who got marks >=
90:", str(count_ge90).replace(',',''))

# 19. print count of subjects in which each student got marks
>= 90
print("Roll no:", a[:,0])
print("Count of subjects in which student got marks >= 90:",
np.sum(a[:,1:] >= 90, axis=1))

# 20. Print S1 marks in ascending order
print(np.sort(a[:,1]))

# 21. Print students who scored between 50 and 90 in Subject 1
mask = (a[:,1] >= 50) & (a[:,1] <= 90)
print(a[mask])
print(a)

# 22. Print the index positions of students who scored 79 in
Subject 1
i = np.where(a[:,1] == 79)[0]
print("(array(['+", ".join(map(str, i))+"]", dtype=int32),)")
```

Average time
0.015 s
15.00 ms

Maximum time
0.015 s
15.00 ms

1 out of 1 shown test case(s) passed

Test case 115 msDebug

Expected output	Actual output
All student Details:	All student Details:
[[301. 67. 77. 88.]	[[301. 67. 77. 88.]
[302. 78. 88. 77.]	[302. 78. 88. 77.]
[303. 45. 56. 89.]	[303. 45. 56. 89.]
[304. 88. 98. 45.]	[304. 88. 98. 45.]
[305. 78. 88. 99.]	[305. 78. 88. 99.]
[306. 68. 78. 36.]	[306. 68. 78. 36.]
[307. 79. 12. 45.]	[307. 79. 12. 45.]
[308. 46. 45. 77.]	[308. 46. 45. 77.]
[309. 89. 32. 88.]	[309. 89. 32. 88.]
[310. 79. 24. 33.]	[310. 79. 24. 33.]
Total Students: 10	Total Students: 10
All Student Roll Nos [301. 302. 303. 304. 305. 306. 307. 308. 309. 310.]	All Student Roll Nos [301. 302. 303. 304. 305. 306. 307. 308. 309. 310.]
Subject 1 Marks [67. 78. 45. 88. 78. 68. 79. 46. 89. 79.]	Subject 1 Marks [67. 78. 45. 88. 78. 68. 79. 46. 89. 79.]
Min marks in Subject 2 12.0	Min marks in Subject 2 12.0
Max marks in Subject 3 99.0	Max marks in Subject 3 99.0
All subject marks: [[67. 77. 88.]	All subject marks: [[67. 77. 88.]
[78. 88. 77.]	[78. 88. 77.]
[45. 56. 89.]	[45. 56. 89.]
[88. 98. 45.]	[88. 98. 45.]
[78. 88. 99.]	[78. 88. 99.]
[68. 78. 36.]	[68. 78. 36.]
[79. 12. 45.]	[79. 12. 45.]
[46. 45. 77.]	[46. 45. 77.]
[89. 32. 88.]	[89. 32. 88.]
[79. 24. 33.]	[79. 24. 33.]
Total Marks [232. 243. 190. 231. 265. 182. 136. 168. 209. 136.]	Total Marks [232. 243. 190. 231. 265. 182. 136. 168. 209. 136.]
[77.3 81. 63.3 77. 88.3 60.7 45.3 56. 69.7 45.3]	[77.3 81. 63.3 77. 88.3 60.7 45.3 56. 69.7 45.3]
Average Marks of each subject [71.7 59.8 67.7]	Average Marks of each subject [71.7 59.8 67.7]
Average Marks of S1 and S2 [71.7 59.8]	Average Marks of S1 and S2 [71.7 59.8]
Average Marks of S1 and S3 [71.7 67.7]	Average Marks of S1 and S3 [71.7 67.7]
Roll no who got maximum marks in Subject 3 305.0	Roll no who got maximum marks in Subject 3 305.0
Roll no who got minimum marks in Subject 2 307.0	Roll no who got minimum marks in Subject 2 307.0
Roll no who got 24 marks in Subject 2 [310.]	Roll no who got 24 marks in Subject 2 [310.]
Count of students who got marks in Subject 1 < 40 0	Count of students who got marks in Subject 1 < 40 0
Count of students who got marks in Subject 2 > 90: 1	Count of students who got marks in Subject 2 > 90: 1
Count of students in each subject who got marks >= 90: [0 1 1]	Count of students in each subject who got marks >= 90: [0 1 1]
Roll no: [301. 302. 303. 304. 305. 306. 307. 308. 309. 310.]	Roll no: [301. 302. 303. 304. 305. 306. 307. 308. 309. 310.]
Count of subjects in which student got marks >= 90: [0 0 0 1 1 0 0 0 0 0]	Count of subjects in which student got marks >= 90: [0 0 0 1 1 0 0 0 0 0]
[45. 46. 67. 68. 78. 78. 79. 79. 88. 89.]	[45. 46. 67. 68. 78. 78. 79. 79. 88. 89.]

[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 78. 36.]]
[307. 79. 12. 45.]]	[307. 79. 12. 45.]]
[309. 89. 32. 88.]]	[309. 89. 32. 88.]]
[310. 79. 24. 33.]]	[310. 79. 24. 33.]]
[[301. 67. 77. 88.]]	[[301. 67. 77. 88.]]
[302. 78. 88. 77.]]	[302. 78. 88. 77.]]
[303. 45. 56. 89.]]	[303. 45. 56. 89.]]
[304. 88. 98. 45.]]	[304. 88. 98. 45.]]
[305. 78. 88. 99.]]	[305. 78. 88. 99.]]
[306. 68. 78. 36.]]	[306. 68. 7