

Mfg : R.C.C Folding Compound Wall



Tirupati Prestress

High Performance Insulated Wall & Roof Performance System

An ISO 9001 : 2008 Co



tirupatiprestress143@gmail.com



www.tirupatiprestress.com



+91 80818 28374 | +91 9955115533





Sy. 12/4, Handenahalli Village, Sarjapura Hobli,
Anekal Taluk, Bangalore - 562 125



Tirupati Prestress

CEMENT SHEET //

- Length 7 Feet (2100mm)
- Height 1 Foot (300mm)
- Width 2 Inch (50mm)
- We use 4 Pieces of 3mm HTC Steel per Set, with Stressing System





COLUMNS //

- Columns are 6x6 inches. (150x150mm)
- We use 7 piece of 3mm HTC Steel, with stressing system.
- Length is depend on Cutomers requirement

COLUMNS //

- Columns are 8x8 inches. (203x203mm)
- We use 11 piece of 4mm HTC Steel, with stressing system.
- Length is depend on Cutomers requirement





Available in 5 feet to 10 feet

GENERAL CHARACTERISTICS //

Less Space is Utilized
 Spedy installation
 Durable
 Re-Installable
 Better outlook
 Fully RCC with Steel
 Various Designs
 Aesthetic

PRODUCT APPLICATION //

- Compound Wall
- Garden Curbing
- Footpath Curbing
- Security Cabin
- Labour Quarters
- Curbing Stone



- Site Name Board •

SPACIFICATIONS //

Vertical concrete post as well as horizontal planks is using prestress technology with designed concrete mis to achieve maximum durability and strength.



OUR VALUABLE CUSTOMERS



Tirupati Prestress

Sy. 12/4, Handenahalli Village, Sarjapura Hobli,
Anekal Taluk, Bangalore - 562 125