
Pobieranie plików z naszego repozytorium

```
O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen
  git clone https://github.com/nalaksen/cw_praca_z_kodem
 loning into 'cw_praca_z_kodem'...
 emote: Enumerating objects: 81, done.
remote: Counting objects: 100% (81/81), done.
remote: Compressing objects: 100% (69/69), done.
remote: Total 81 (delta 13), reused 13 (delta 1), pack-reused 0
Receiving objects: 100% (81/81), 402.95 KiB | 908.00 KiB/s, done.
Resolving deltas: 100% (13/13), done.
  .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen
  cd cw_praca_z_kodem
  .O@DESKTOP-JRB2UBJ MINGW64 ~
  mkdir github_nalaksen
  .O@DESKTOP-JRB2UBJ MINGW64 ~
  cd github_nalaksen
  .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen
git clone https://github.com/nalaksen/cw_praca_z_kodem
Cloning into 'cw_praca_z_kodem'...
remote: Enumerating objects: 28, done.
remote: Enumerating objects: 28, done:
remote: Counting objects: 100% (28/28), done.
remote: Compressing objects: 100% (21/21), done.
remote: Total 28 (delta 4), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (28/28), 9.18 KiB | 4.59 MiB/s, done.
Resolving deltas: 100% (4/4), done.
  .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen
$ git status
fatal: not a git repository (or any of the parent directories): .git
  .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen
  git status
```

2. Stworzenie folderu oraz dodanie do niego plików

```
@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen/cw_praca_z_kodem (main)
 git add Templates
 .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen/cw_praca_z_kodem (main)
 git add Zadanie 2.pdf
atal: pathspec 'Zadanie' did not match any files
 .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen/cw_praca_z_kodem (main)
 git add Zadanie_2.pdf
atal: pathspec 'Zadanie_2.pdf' did not match any files
 .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen/cw_praca_z_kodem (main)
 git add Zadanie.pdf
 .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen/cw_praca_z_kodem (main)
 git add requirements.txt
 .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen/cw_praca_z_kodem (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Changes to be committed:
 (use "git restore --staged <file>..." to unstage)
       new file: Makefile
                    README.md
       new file: Templates/hello.html
        new file:
                    Zadanie.pdf
                    requirements.txt
Untracked files:
 (use "git add <file>..." to include in what will be committed)
 .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen/cw_praca_z_kodem (main)
 git add app.py
 .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen/cw_praca_z_kodem (main)
$ git commit -m "Milej kontroli"
[main 069190b] Milej kontroli
 7 files changed, 38 insertions(+)
create mode 100644 Makefile
create mode 100644 README.md
create mode 100644 Templates/hello.html
create mode 100644 Templates/index.html
create mode 100644 Zadanie.pdf
create mode 100644 app.py
create mode 100644 requirements.txt
 .O@DESKTOP-JRB2UBJ MINGW64 ~/github_nalaksen/cw_praca_z_kodem (main)
Enumerating objects: 11, done.
Counting objects: 100\% (11/11), done.
```

3. Wysłanie plików do naszego repozytorium



5. Tworzenie wysłanie oraz przetestowanie pliku Makefile

Uruchomienie serwera

```
student-wroclaw@MX1-Prog-002 MINGW64 ~/Desktop/github_nalaksen/cw_praca_z_kodem (main)
5 make run
5 make run
5 make run
6 python -m flask run
7 bebug mode: off
6 wARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
7 * Running on http://127.0.0.1:5000
8 ress CTRL+C to quit
```



Welcome to FlaskBlog

Wykonanie polecenia Curl

```
PS C:\Users\vdi-student> curl http://127.0.0.1:5000/
StatusCode : 200
StatusDescription : OK
Content : <![
                            : <!DOCTYPE html>
<html lang="en">
                                <head>
                                     <meta charset="UTF-8">
                                     <title>FlaskBlog</title>
                                </head>
                               <body>
  <h1>Welcome to FlaskBlog</h1>
                            <hl>welcome to
</body>
</html>
: HTTP/1.1 200 OK
Connection: close
RawContent
                               Connection: close
Content-Length: 159
Content-Type: text/html; charset=utf-8
Date: Tue, 26 Mar 2024 13:26:56 GMT
Server: Werkzeug/3.0.1 Python/3.11.2
                               <!DOCTYPE html>
<html lang...
                                {} {[Connection, close], [Content-Length, 159], [Content-Type, text/html; charset=utf-8], [Date, Tue, 26 Mar 2024 13:26:56 GMT]...}
Forms
Headers
Images
InputFields
Links
                            : mshtml.HTMLDocumentClass
: 159
ParsedHtml
RawContentLength
PS C:\Users\vdi-student>|
```

Wynik pylint