Task 1: Guided Activity, Restaurant bill calculator

```
import Foundation


let itemPrice: Double = 450.0
let quantity: Int = 3
let subtotal = itemPrice * Double(quantity)
print("Subtotal: ₹¥(subtotal)")
let hasCoupon = true
let discount = (hasCoupon && subtotal > 1000) ? subtotal * 0.10 : 0.0
print("Discount: ₹¥(discount)")
let discountedAmount = subtotal - discount
let gst = discountedAmount * 0.18
let total = discountedAmount + gst

print("GST: ₹¥(gst)")
print("Total Amount: ₹¥(total)")
let people = 4
let share = total / Double(people)

print("Each Person's Share: ₹¥(share)")
let amount = 1234
let hundreds = amount / 100
let remainder = amount % 100

print("Amount: ₹¥(amount)")
print("Hundreds: ¥(hundreds)")
print("Remainder: ₹¥(remainder)")
```

OUTPUT:



Task 2: Practice Task, Leap year and range checks

```
import Foundation

let year1 = 1900
let year2 = 2000
let year3 = 2024
let year4 = 2026
let leap1 = (year1 % 4 == 0) && ((year1 % 100 != 0) || (year1 % 400 == 0))
let leap2 = (year2 % 4 == 0) && ((year2 % 100 != 0) || (year2 % 400 == 0))
let leap3 = (year3 % 4 == 0) && ((year3 % 100 != 0) || (year3 % 400 == 0))
let leap4 = (year4 % 4 == 0) && ((year4 % 100 != 0) || (year4 % 400 == 0))
print("1900 is a leap year: ¥(leap1)")
print("2000 is a leap year: ¥(leap2)")
print("2024 is a leap year: ¥(leap3)")
print("2026 is a leap year: ¥(leap4)")


let number = 75
let isInRange = (1...100).contains(number)

print("Number is between 1 and 100: ¥(isInRange)")

let num = 24
let isEvenAndNotMultipleOf10 = (num % 2 == 0) && (num % 10 != 0)
print("Even and not a multiple of 10: ¥(isEvenAndNotMultipleOf10)")

let nickname: String? = nil
let displayName = nickname ?? "Guest"
print("Nickname: ¥(displayName)")
```

OUTPUT:



Task 3: Predict Task, What does it print?

```
print(7 / 2)

print(7 % 2)

print(-7 % 3)

print(7.0 / 2)

print(10 - 2 * 3 + 4 / 2)

print(5 > 3 && 2 > 4 || true)

print(1 << 3)

print(6 & 3, 6 | 3, 6 ^ 3)

let x: UInt8 = 255

print(x &+ 1)
```

OUTPUT:

```
3
1
-1
3.5
6
true
8
2 7 5
0
```