

# Walmart

## SPECIAL PROJECT

PROTO CYCLE: 03/29/24  
DATE: 05/30/24  
PROTO: 109


CROCKETT, TX  
STORE NO.: 0236.1003

### DRAWING INDEX

GENERAL	
C1	COVER SHEET
ARCHITECTURAL	
A8	DOOR AND ROOM FINISH SCHEDULE
BR1	BREAK ROOM PLAN AND DETAILS
ELECTRICAL	
E1	ELECTRICAL POWER PLAN
E2	ELECTRICAL SPECIFICATIONS

#### BUILDING CODE SUMMARY

CODES	NAME OF PROJECT STREET ADDRESS PROPOSED USE	CROCKETT, TX 1229 E LOOP 304 RETAIL
	BUILDING CODE	2018 INTERNATIONAL BUILDING CODE
	ELECTRICAL CODE	2018 NATIONAL ELECTRICAL CODE
	PLUMBING CODE	2015 INTERNATIONAL PLUMBING CODE
	MECHANICAL CODE	2015 INTERNATIONAL MECHANICAL CODE
	FIRE CODE	2015 INTERNATIONAL FIRE CODE
	ACCESSIBILITY CODE	2010 ACCESSIBILITY CODE
OCCUPANCY	M - MERCHANT, WHOLESALE OR RETAIL STORE (MAIN OCCUPANCY) S1 - STORAGE AREA, MOTOR VEHICLE STATION AND RECEIVING AND STOCKROOMS (MIXED OCCUPANCY) A2 - ASSEMBLY USE, RECREATION AND FOOD TENANT (ACCESSORY TO MAIN OCCUPANCY) B - BUSINESS, NON-FOOD TENANT (ACCESSORY TO MAIN OCCUPANCY)	
TYPE OF CONSTRUCTION	I-2 UNPROTECTED (SPRINKLER)	
ALLOWABLE AREA	UNLIMITED	
FIRE PROTECTION	BUILDING IS EQUIPPED THROUGHOUT WITH AN AUTOMATIC SPRINKLER SYSTEM AND IS SURROUNDED ON ALL SIDES BY 66 FEET MINIMUM OF PERMANENT OPEN SPACE. UNLIMITED AREA CRITERIA IS APPLICABLE.	



1 KEY PLAN  
1" = 40'-0"

#### SITE VERIFICATION REQUIREMENTS:

1. IT REMAINS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY ALL EXISTING CONDITIONS PRIOR TO THE SUBMISSION OF A BID AND TO THE COMMENCEMENT OF ANY WORK. NO ADDITIONAL COMPENSATION WILL BE PAID DUE TO THE CONTRACTOR'S FAILURE TO VERIFY EXISTING SITE CONDITIONS WHICH INCLUDE, BUT ARE NOT LIMITED TO, GRADES, EXTENT OF PAVING, OR UTILITIES.
2. ANY DISCREPANCY WITH THE EXISTING SITE CONDITIONS AND/OR THE DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT FOR CLARIFICATION AND INSTRUCTION. THESE CONSTRUCTION DOCUMENTS HAVE BEEN DESIGNED AND DRAWN ASSUMING EXISTING BUILDING CONDITIONS MATCH THE ORIGINAL DRAWINGS. THE GENERAL CONTRACTOR, IMMEDIATELY UPON ARRIVAL AT THE SITE, SHALL VERIFY ALL EXISTING STRUCTURAL, COLUMN DIMENSIONS, STRUCTURAL BEARING HEIGHTS, EXISTING DIMENSIONS, TOP OF MASONRY ELEVATIONS, ROOFING CONDITIONS (INCLUDING MEMBRANE, SCUPERS, ROOF DRAIN, AND JOIST BEARING ELEVATIONS) PRIOR TO THE FABRICATION OF ANY STRUCTURAL ITEMS. IF DISCREPANCIES ARE FOUND BETWEEN WHAT IS SHOWN ON THE DRAWINGS AND EXISTING FIELD CONDITIONS, CONTACT THE WALMART CONSTRUCTION MANAGER AND THE ARCHITECT IMMEDIATELY TO DETERMINE WHAT ACTION SHOULD BE TAKEN TO MATCH EXISTING CONDITIONS. THE BEGINNING OF STRUCTURAL STEEL FABRICATION BY THE GENERAL CONTRACTOR, STEEL FABRICATOR, OR JOIST MANUFACTURER MEANS ACCEPTANCE OF THE EXISTING CONDITIONS.
3. ALL UTILITY LOCATIONS SHOWN ARE APPROXIMATE. THE CONTRACTOR SHALL FIELD VERIFY THE EXACT LOCATION OF ALL EXISTING UTILITIES (WHETHER SHOWN OR NOT) PRIOR TO THE SUBMISSION OF A BID OR THE COMMENCEMENT OF CONSTRUCTION. THE CONTRACTOR SHALL NOTIFY THE WALMART CONSTRUCTION MANAGER OF THE DISCOVERY OF EXISTING UTILITIES NOT SHOWN OR NOTED ON DRAWINGS.
4. THE CONTRACTOR SHALL VERIFY AND MAINTAIN REPAIR IF DAMAGED EXISTING IRRIGATION SYSTEMS AFFECTED BY THE CONSTRUCTION OF THE PROJECT.
5. THE CONTRACTOR SHALL VERIFY EXISTING LOCATIONS AND DEPTHS OF UNDERGROUND UTILITY SERVICES PRIOR TO ANY EXCAVATION.
6. THE CONTRACTOR SHALL VERIFY ALL GRADES AND PROPOSED FINAL GRADES, IF RAMP, STOPS, STAIRS, SIDEWALKS, ELEVATION OR PAVING ARE INSTALLED, VERIFY FINAL GRADES SURROUNDING THE CONSTRUCTION AND ADJUST RISES, RAMP LENGTHS, AND LIMITS OF PAVING, TO ACCOMMODATE THE REQUIRED RAMP SLOPE, RISE HEIGHTS OR PAVING AREAS. ALL RAMP AND STAIRS SHALL MEET ADA/AGAS OR ADOPTED WADCAP ACCESSIBILITY REQUIREMENTS. IF THERE IS A CONFLICT FIELD CONDITIONS, NOTIFY WALMART CONSTRUCTION MANAGER AND THE ARCHITECT PRIOR TO THE CONSTRUCTION OR ORDERING OF MATERIALS.
7. REPORT ANY DISCREPANCIES FOUND IN THE FIELD IMMEDIATELY TO WALMART AND THE ARCHITECT PRIOR TO MAKING ANY STRUCTURAL MODIFICATIONS OR ORDERING OF ANY MATERIALS.

#### GENERAL CONSTRUCTION REQUIREMENTS:

1. ALL WORK SHALL BE DONE IN A SAFE AND WORKMANLIKE MANNER AND IN STRICT ACCORDANCE WITH THE LOCAL AND/OR STATE (IF APPLICABLE) BUILDING CODES, NATIONAL ELECTRICAL CODE, ADA/AGAS AND OTHER APPLICABLE ACCESSIBILITY STANDARDS, OSHA, AND ALL APPLICABLE CODES, REGULATIONS, ORDINANCES AND AUTHORITIES HAVING JURISDICTION (HARD).
2. PROVIDING REGARDING THE USE OF GAS AND DIESEL EQUIPMENT WITHIN AN ENCLOSED BUILDING, FORMERLY INCLUDED IN THIS PARAGRAPH, ARE NOW INCLUDED IN SECTION 01-11 - REGULATORY COMPLIANCE.
3. EACH SUBCONTRACTOR IS RESPONSIBLE FOR HAVING A THOROUGH KNOWLEDGE OF ALL DRAWINGS AND SPECIFICATIONS IN THEIR RELATED FIELD. THE FAILURE TO REVIEW THESE DOCUMENTS DOES NOT RELIEVE THE SUBCONTRACTOR OF ANY RESPONSIBILITY FOR PERFORMING WORK PROPERLY. NO ADDITIONAL COMPENSATION SHALL BE ALLOWED BECAUSE OF CONDITIONS THAT OCCUR DUE TO FAILURE TO FAMILIARIZE WORKERS WITH THE KNOWLEDGE.
4. THE EXISTING BUILDING SHALL BE PROTECTED FROM MOISTURE, DUST AND DEBRIS. INSTALL DUST PARTITIONS OR DRAPES AS REQUIRED AND/OR AS DIRECTED BY WALMART CONSTRUCTION MANAGER TO KEEP DUST AND DEBRIS FROM THE OPERATING AREA OF THE STORE.
5. ANY DAMAGE TO WALMART'S PROPERTY, WHICH OCCURS DURING THE PROCESS OF CONSTRUCTION, SHALL BE REPAIR/REPLACE AT NO ADDITIONAL COST TO WALMART, THIS INCLUDES ALL MERCHANDISE. CONTRACTOR SHALL PAY THE COST FOR ALL DAMAGES/MERCHANDISE.
6. THE CONTRACTOR SHALL MAINTAIN THE INTEGRITY OF THE EXISTING BUILDING SECURITY AT ALL TIMES. THIS INCLUDES KEEPING THE BUILDING SECURE FROM PERSONS, ENVIRONMENTAL ELEMENTS OR HAZARDS. THE CONTRACTOR SHALL BE RESPONSIBLE TO MAINTAIN THE INTEGRITY OF ALL EXISTING SECURITY SYSTEMS. THE CONTRACTOR SHALL OBTAIN PERMISSION FROM THE STORE MANAGER PRIOR TO THE MODIFICATION OF ANY EXISTING SECURITY SYSTEM FOR THE REMOVAL OF ANY EXTERIOR WALL.
7. THE CONTRACTOR SHALL KEEP THE WORK AREA CLEAN AND FREE OF DEBRIS AND REMOVE ALL TRASH AND DEBRIS FROM THE CONSTRUCTION AREA DAILY. NON-FLAMMABLE MATERIALS MAY BE STORED IN THE EXISTING BUILDING OR OUTSIDE.
8. REMOVE ANY EXISTING EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, SIGNAGE, FINISHES OR SURFACES AS REQUIRED SHOWN OR NOT SHOWN, FOR THE FULL SCOPE OF CONSTRUCTION. PROVIDE FURNING FOR CONDUCITS AND PIPING, SHOWN OR NOT, AND INSURE IT TO MATCH ADJACENT EXISTING FINISHES.
9. REPAIR, RE-SCUPE, AND EXTEND ALL SERVICES, PIPING, CONDUIT OF EXISTING ITEMS AND EQUIPMENT AS REQUIRED DURING THE CONSTRUCTION PROCESS TO MAINTAIN NORMAL STORE OPERATIONS AND AS REQUIRED FOR THE INSTALLATION OF CONSTRUCTION. THIS INCLUDES ALL ITEMS SHOWN OR NOT SHOWN ON THE DRAWINGS. REPAIR EXISTING EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
10. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
11. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
12. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
13. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
14. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
15. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
16. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
17. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
18. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
19. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
20. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
21. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
22. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
23. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
24. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
25. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
26. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
27. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
28. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
29. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
30. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
31. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
32. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
33. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
34. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
35. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
36. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
37. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
38. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
39. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
40. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
41. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
42. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
43. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
44. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
45. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
46. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
47. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
48. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
49. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
50. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
51. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
52. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
53. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
54. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
55. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
56. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
57. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
58. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
59. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
60. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
61. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
62. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
63. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
64. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
65. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
66. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
67. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
68. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
69. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
70. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
71. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
72. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
73. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
74. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
75. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
76. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
77. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
78. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
79. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
80. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
81. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
82. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
83. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
84. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
85. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
86. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
87. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
88. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
89. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
90. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
91. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
92. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
93. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
94. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.
95. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE TIMELY ORDERING OF MATERIALS TO PREVENT DELAYS OF THE CONSTRUCTION SCHEDULE OF THIS PROJECT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE DELIVERY OF MATERIALS IN A TIMELY MANNER.
96. IF IT IS DETERMINED THAT THE ROOF FRAMING, DECKING AND ROOFING SYSTEM BE COMPLETED IMMEDIATELY UPON THE DEMOLITION OF THE EXTERIOR WALL, TO ELIMINATE POTENTIAL WATER DAMAGE OR MOISTURE INFILTRATION, THE CONTRACTOR SHALL KEEP THE BUILDING WATER-TIGHT AT ALL TIMES.
97. THE GENERAL CONTRACTOR SHALL RESPOND TO ALL REQUIREMENTS OF THE STRUCTURAL ENGINEER/ARCHITECT FOR VERIFICATION, RESPONSE, AND SUBMISSIONS.
98. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
99. WHEN EQUIPMENT, FUTURES, FURNISHINGS, ACCESSORIES, SERVICES, FINISHES OR SURFACES ARE TEMPORARILY REMOVED OR REDUCED IN ORDER TO PERFORM WORK, THE CONTRACTOR IS RESPONSIBLE FOR RETURNING THEM TO THEIR ORIGINAL POSITION, RECONSTRUCTION OF SERVICES AND APPROPRIATE MEANS OF ATTACHMENT UNLESS SPECIFICALLY DIRECTED TO DO OTHERWISE.
100. WHERE EXISTING FINISHES ARE TO REMAIN, CLEAN, REPAIR, PATCH AND REPAINT AS NECESSARY TO BLEND IN WITH ADJACENT WORK. COORDINATE WITH WALMART CONSTRUCTION MANAGER.

#### DEMOLITION REQUIREMENTS:

1. ALL DEMOLITION SHALL BE CARRIED OUT IN A SAFE MANNER AND IN STRICT ACCORDANCE WITH OSHA REGULATIONS.
2. THE CONTRACTOR SHALL FIELD VERIFY THE EXISTENT OF DEMOLITION. THE WORK INCLUDES, BUT IS NOT LIMITED TO, THE DEMOLITION AND REMOVAL OF WALLS, DOORS, FUTURES, PLUMBING, PAVING, MECHANICAL AND ELECTRICAL ITEMS INCLUDING CONDUCITS AND OUTWORK AS SHOWN ON DRAWING OR AS REQUIRED FOR THE INSTALLATION OF THE WORK FOR A COMPLETE JOB.
3. WHEN UTILITIES ARE REMOVED, CAP AND SEAL A MINIMUM OF 6" BELOW FINISH FLOOR OR A MINIMUM OF 6" ABOVE FINISH FLOOR.
4. WHEN REMOVING EXISTING STRUCTURAL ITEMS, IT IS THE CONTRACTOR'S RESPONSIBILITY TO PROVIDE ADEQUATE SHORING BRACING AND SUPPORT SYSTEMS TO KEEP THE EXISTING STRUCTURE STABLE AND IN A SAFE CONDITION. REFER TO SECTION 0520 AND 0525 FOR THE ROOFING SYSTEM OVER THE ADDITION BEING WADDED. COORDINATE WITH THE WALMART CONSTRUCTION MANAGER FOR THE INSTALLATION OF THE AUTOMATIC SPRINKLER SYSTEM WORK TO BE DONE UNDER SEPARATE PERMIT.
5. ITEMS INDICATING DEMOLITION WORK ARE NOT CONFINED SOLELY TO THE DEMOLITION PLANS. THE GENERAL CONTRACTOR SHALL REVIEW ALL CONSTRUCTION DOCUMENTS, INCLUDING OF SCHEDULES AND SPECIFICATIONS, TO DETERMINE FULL EXTENT OF DEMOLITION WORK.

#### GENERAL NOTES

1. BUILDING IS FULLY SPRINKLERED AS REQUIRED BY CONTRACT DOCUMENTS.
  - BURST FIRE SPRINKLER SYSTEM DRAWINGS AND CALCULATIONS TO AUTHORITY HAVING JURISDICTION OF FIRE DEPARTMENT AND THE MARSHAL.
  - OBTAIN ALL APPROVALS PRIOR TO FABRICATION OR INSTALLATION.
  - OWNER WILL PROVIDE, OR HAS ALREADY PROVIDED, FIRE EXTINGUISHERS IN ACCORDANCE WITH NFPA 10.
  - AUTHORITY HAVING JURISDICTION SHALL APPROVE.
2. FINAL FIRE EXTINGUISHER LOCATION.
3. WALMART'S ADJACENT CENTRAL ENGINEERING TEAM HAS CONTACTED THE AUTHORITY HAVING JURISDICTION FOR PRE-PLAN DATA ABOUT STATE AND LOCAL REQUIREMENTS THAT DIFFER FROM THE NATIONALLY PUBLISHED CODES AND STANDARDS.
  - A COMPLETE SITE SPECIFIC SUBMITTAL IS BEING MADE DIRECTLY TO THE AUTHORITY HAVING JURISDICTION.
  - QUESTIONS SHALL BE DIRECTED TO 1-800-935-8804, OPTION 2.
4. THE MAXIMUM STORAGE HEIGHT IS TWELVE FEET EXCEPT IN THE GENERAL MERCHANDISE RECEIVING AREA.
  - THE RECEIVING AREA TO THE STOCK ROOM.
  - THE STOCK ROOM WILL HAVE A STACKING HEIGHT OF 15 FEET OF CLEAR UNCOMBUSTIBLE PAVED, SINGLE AND DOUBLE ROW RACKS.
  - THE STACKING HEIGHT OF THE ROLLING RACK AREA WILL NOT EXCEED 12 FEET.
5. RENEWAL ALL FIRE EXTINGUISHERS IMMEDIATELY FOLLOWING COMPLETION OF FINAL FINISH TO MOUNTING SURFACE.
6. REFER TO GENERAL CONTRACTOR PERMIT, RECONSTRUCTION, NOTIFICATION INSPECTION AND INSTALLER LOCATION FOR CONSTRUCTION PERMIT LOCATED IN GC PERMIT INFORMATION FOLDER ON OWNERS DOCUMENT DELIVERY WEBSITE.

#### VICINITY MAP



#### GENERAL SCOPE OF WORK

1. INSTALL NEW INTERIOR DOOR IN BREAKROOM.

ARCHITECTURAL	STRUCTURAL	ELECTRICAL	BUILDING OFFICIAL
GALLOWAY & CAMPBELL CHRISTOPHER CAMPBELL, AIA 2500 GREENWOOD PLAZA, STE 200 GREENWOOD VILLAGE, CO 80111	WALLACE DESIGN COLLECTIVE CARLLE J. JORDON, PE 2215 N. MILAN BLVD TULSA, OK 74103	MPW ENGINEERING KARON MORRIS, PE 1401 S. BOLLINGER AVENUE, STE 400 TULSA, OK 74119	CITY OF CROCKETT BUILDING AND DEVELOPMENT 200 N STREET CROCKETT, TX 75829

DOOR AND FRAME SCHEDULE														
MARK	ROOM NAME	DOOR					FRAME					FIRE RATING (MIN)	NOTES	FURNISHED BY
		NEW ETR	TYPE	MATERIAL	QTY	NOMINAL SIZE	GLASS	NEW ETR	TYPE	MATERIAL	HEAD			
151E	BREAKROOM	ET	FI	HOPE	1	3'-0"	7'-0"	ET	FI	HOPE	3	4	—	—

DOOR SCHEDULE NOTES									
1.	ALARM OR EXIT DEVICE								
2.	THRESHOLD								
3.	INITIAL CONT. GUARD HINGE								
4.	DOOR SHALL BE OWNER PROVIDED, OC INSTALLED, REF SPEC								
5.	INTERIOR DOORS: DOOR TO BE FACTORY FINISH DO NOT PAINT								
6.	EXTERIOR DOORS: PAINT TO MATCH ADJACENT WALL								
7.	NOMINAL SIZE FOR HEIGHTS AND WIDTHS ARE DETERMINED BY THE PACKAGE HEIGHT AND WIDTH FROM DOOR VERTICAL								

DOOR MATERIAL KEY									
MARK	DESCRIPTION								
HOPE	RECYCLED HOPE (PLASTIC)								
HOPE-SL	HOLLOW METAL - STEEL								

DOOR HARDWARE									
DOOR 151E - BREAKROOM: HOPE, SINGLE, INTERIOR									
1 EA	H-7	CONTIN. GEARED HINGE							
1 EA	P-1	PUSH							
1 EA	P-2	PULL							
1 EA	C-8	CLOSER							
1 EA	S-1	WALL STOP							
3 EA	M-8	BULFERS							

GENERAL DOOR NOTES									
1.	ALL DOORS SCHEDULED AS ARE TO RECEIVE COMPLETE HARDWARE SETS AS LISTED IN SPEC								
2.	SCHEDULED WITH AN HESIT HESITATE TROUGH OPENING SIZE AT ALL DOOR LOCATIONS								
3.	INSTALL DRIP CAP AT ALL EXTERIOR DOORS								

GENERAL FINISH NOTES									
1.	PAINT ALL METAL DOOR FRAMES VISIBLE TO CUSTOMER WITH SPOXY PAINT, EXCEPT DOORS IN CMU WALLS								
2.	PAINT ALL HM DOORS #162 UNO								
3.	AT ROOMS SCHEDULED TO RECEIVE PAINT, OMT PAINT AT WALLS CONCEALED BY HALF-GONDOLAS, WALL STANDARDS, GONDOLAS AND WAREHOUSE RACKING WITHOUT REASSEMBLY BACKING, PAINT WALL TO BASE								
4.	AT EXPOSED PAINTED STRUCTURE OR DECK, PAINT/CONDUIT, DUCTWORK AND FIRE SPRINKLER, PRIME TO MATCH ADJACENT STRUCTURE OR DECK								
5.	FIRE SPRINKLER HEADS TO REMAIN UNPAINTED FOR PROTECTIVE WALL SURFACING WARESCOT								
6.	PAINT ALL OUTSIDE CORNER TRIM REFERENCE SPEC FINISHES TO BASE AND WALL SUBSTRATE PRIOR TO INSTALLATION OF NON WARESCOT								
7.	INSTALLATION OF PROTECTIVE SURFACING OVER EXISTING IS NOT ACCEPTABLE, NO EXCEPTIONS								

FINISH KEY									
MARK	FINISH	REF SPEC FOR EXACT COLORS REQUIRED							
001	DOOR BASE	BLACK	CAULON						
010	PAINT	WALMART BLUE #076							
011	PAINT	WHITE FLUOR #710							
012	PAINT	LIGHT GRAY							
013	PAINT	MEDIUM GRAY							
014	PAINT	PEPPER CORN #764							
015	PAINT	BLACK GRAY							
016	PAINT	TURBOUR #659							
017	PAINT	ESSENTIAL GRAY #660							
018	PAINT	FEETSTOCK AQUA #019							
019	PROTECTIVE SURFACE	GRAY PATTERN							

FINISH KEY									
MARK	FINISH	REF SPEC FOR EXACT COLORS REQUIRED							
001	DOOR BASE	BLACK	CAULON						
010	PAINT	WALMART BLUE #076							
011	PAINT	WHITE FLUOR #710							
012	PAINT	LIGHT GRAY							
013	PAINT	MEDIUM GRAY							
014	PAINT	PEPPER CORN #764							
015	PAINT	BLACK GRAY							
016	PAINT	TURBOUR #659							
017	PAINT	ESSENTIAL GRAY #660							
018	PAINT	FEETSTOCK AQUA #019							
019	PROTECTIVE SURFACE	GRAY PATTERN							

FINISH KEY									
MARK	FINISH	REF SPEC FOR EXACT COLORS REQUIRED							
001	DOOR BASE	BLACK	CAULON						
010	PAINT	WALMART BLUE #076							
011	PAINT	WHITE FLUOR #710							
012	PAINT	LIGHT GRAY							
013	PAINT	MEDIUM GRAY							
014	PAINT	PEPPER CORN #764							
015	PAINT	BLACK GRAY							
016	PAINT	TURBOUR #659							
017	PAINT	ESSENTIAL GRAY #660							
018	PAINT	FEETSTOCK AQUA #019							
019	PROTECTIVE SURFACE	GRAY PATTERN							

FINISH KEY									
MARK	FINISH	REF SPEC FOR EXACT COLORS REQUIRED							
001	DOOR BASE	BLACK	CAULON						
010	PAINT	WALMART BLUE #076							
011	PAINT	WHITE FLUOR #710							
012	PAINT	LIGHT GRAY							
013	PAINT	MEDIUM GRAY							
014	PAINT	PEPPER CORN #764							
015	PAINT	BLACK GRAY							
016	PAINT	TURBOUR #659							
017	PAINT	ESSENTIAL GRAY #660							
018	PAINT	FEETSTOCK AQUA #019							
019	PROTECTIVE SURFACE	GRAY PATTERN							

FINISH KEY									
MARK	FINISH	REF SPEC FOR EXACT COLORS REQUIRED							
001	DOOR BASE	BLACK	CAULON						
010	PAINT	WALMART BLUE #076							
011	PAINT	WHITE FLUOR #710							
012	PAINT	LIGHT GRAY							
013	PAINT	MEDIUM GRAY							
014	PAINT	PEPPER CORN #764							
015	PAINT	BLACK GRAY							
016	PAINT	TURBOUR #659							
017	PAINT	ESSENTIAL GRAY #660							
018	PAINT	FEETSTOCK AQUA #019							
019	PROTECTIVE SURFACE	GRAY PATTERN							

FINISH KEY									
MARK	FINISH	REF SPEC FOR EXACT COLORS REQUIRED							
001	DOOR BASE	BLACK	CAULON						
010	PAINT	WALMART BLUE #076							
011	PAINT	WHITE FLUOR #710							
012	PAINT	LIGHT GRAY							
013	PAINT	MEDIUM GRAY							
014	PAINT	PEPPER CORN #764							
015	PAINT	BLACK GRAY							
016	PAINT	TURBOUR #659							
017	PAINT	ESSENTIAL GRAY #660							
018	PAINT	FEETSTOCK AQUA #019							
019	PROTECTIVE SURFACE	GRAY PATTERN							

FINISH KEY									
MARK	FINISH	REF SPEC FOR EXACT COLORS REQUIRED							
001	DOOR BASE	BLACK	CAULON						
010	PAINT	WALMART BLUE #076							
011	PAINT	WHITE FLUOR #710							
012	PAINT	LIGHT GRAY							
013	PAINT	MEDIUM GRAY							
014	PAINT	PEPPER CORN #764							
015	PAINT	BLACK GRAY							
016	PAINT	TURBOUR #659							
017	PAINT	ESSENTIAL GRAY #660							
018	PAINT	FEETSTOCK AQUA #019							
019	PROTECTIVE SURFACE	GRAY PATTERN							

FINISH KEY									
MARK	FINISH	REF SPEC FOR EXACT COLORS REQUIRED							
001	DOOR BASE	BLACK	CAULON						
010	PAINT	WALMART BLUE #076							
011	PAINT	WHITE FLUOR #710							
012	PAINT	LIGHT GRAY							
013	PAINT	MEDIUM GRAY							
014	PAINT	PEPPER CORN #764							
015	PAINT	BLACK GRAY							
016	PAINT	TURBOUR #659							
017	PAINT	ESSENTIAL GRAY #660							
018	PAINT	FEETSTOCK AQUA #019							
019	PROTECTIVE SURFACE	GRAY PATTERN							


FINISH KEY									
MARK	FINISH	REF SPEC FOR EXACT COLORS REQUIRED							
001	DOOR BASE	BLACK	CAULON						
010	PAINT	WALMART BLUE #076							
011	PAINT	WHITE FLUOR #710							
012	PAINT	LIGHT GRAY							
013	PAINT	MEDIUM GRAY							
014	PAINT	PEPPER CORN #764							
015	PAINT	BLACK GRAY							
016	PAINT	TURBOUR #659							
017	PAINT	ESSENTIAL GRAY #660							
018	PAINT	FEETSTOCK AQUA #019							
019	PROTECTIVE SURFACE	GRAY PATTERN							

FINISH KEY									
MARK	FINISH	REF SPEC FOR EXACT COLORS REQUIRED							
001	DOOR BASE	BLACK	CAULON						
010	PAINT	WALMART BLUE #076							
011	PAINT	WHITE FLUOR #710							
012	PAINT	LIGHT GRAY							
013	PAINT	MEDIUM GRAY							
014	PAINT	PEPPER CORN #764							
015	PAINT	BLACK GRAY							
016	PAINT	TURBOUR #659							
017	PAINT	ESSENTIAL GRAY #660							
018	PAINT	FEETSTOCK AQUA #019							
019	PROTECTIVE SURFACE	GRAY PATTERN							


FINISH KEY									
MARK	FINISH	REF SPEC FOR EXACT COLORS REQUIRED							
001	DOOR BASE	BLACK	CAULON						
010	PAINT	WALMART BLUE #076							
011	PAINT	WHITE FLUOR #710							
012	PAINT	LIGHT GRAY							
013	PAINT	MEDIUM GRAY							
014	PAINT	PEPPER CORN #764							
015	PAINT	BLACK GRAY							
016	PAINT	TURBOUR #659							
017	PAINT	ESSENTIAL GRAY #660							



LIGHT FIXTURE SCHEDULE										
(OWN) FIXTURES AND LAMPS ARE FURNISHED BY THE OWNER FOR INSTALLATION BY THE CONTRACTOR. (CONTRACTOR) FIXTURES AND LAMPS ARE FURNISHED AND INSTALLED BY THE CONTRACTOR										
TYPE	SUPPLIED BY	DESCRIPTION	VENDOR / MANUFACTURER	MODEL	VOLTAGE	INPUT VA	COLOR TEMP	LIGHT SOURCE	LAMP QTY	MOUNTING
16	OWN	EXIT SIGN (SINGLE FACE)	ACUITY BRANDS LIGHTING INC	RED LQM 5 W 1 R 120277 EL N520M MB	120/277	4 VA	-	INTEGRAL LED	-	WALL
LIGHT FIXTURE NOTES APPLIES TO ALL LIGHT FIXTURES:										
A. SUPPORT ALL HUNG OR PLANT LIGHT FIXTURES DIRECTLY FROM THE FIXTURE HOOKING TO THE STRUCTURE ABOVE. WITH A MINIMUM OF TWO 12-GAUGE STEEL WIRES LOCATED AT DIAGONALLY OPPOSITE CORNERS. FUTURE SUPPORT WIRES MAY BE BUSHY LOOSE TO ALLOW THE FIXTURE TO SHUT IN THE GRID GRID SYSTEM. ATTACH LIGHT FIXTURES TO THE SUSPENDED GRID SYSTEM TO RESIST 100 PERCENT OF THE FIXTURE WEIGHT ACTING IN ANY DIRECTION. COMPLETE IN ACCORDANCE WITH APPLICABLE BUILDING CODE REQUIREMENTS.										



2 ENLARGED FLOOR PLAN  
1/4" = 1'-0"



1 OVERALL ELECTRICAL PLAN  
1" = 30'-0"

## KEYNOTES

16.129 CONNECT TO EXISTING CIRCUIT SERVING AREA LIGHTING. MAINTAIN EXISTING CIRCUIT UNLESS NOTED OTHERWISE. PROVIDE CONSTANT HOT FOR EMERGENCY EXIT AND LOCALLY CONTROLLED LIGHT FIXTURES.

## GENERAL NOTES

- FURNISH AND INSTALL ALL MATERIALS, EQUIPMENT, AND LABOR FOR A COMPLETE INSTALLATION IN ALL RESPECTS. READY FOR INTENDED USE AND IN STRICT ACCORDANCE WITH NEC, STATE, AND LOCAL CODES, AND MANUFACTURER'S RECOMMENDATIONS. PAY ALL NECESSARY FEES AND PERMITS.
- NO CIRCUITRY SHALL BE ALLOWED TO BE ROUTED ACROSS THE ROOF OR THE EXTERIOR SIDE OF THE EXTERIOR WALLS.
- ALL EQUIPMENT SHALL BE UL LISTED WHERE APPLICABLE.
- ARRANGE ALL WORK TO MINIMIZE DISRUPTIONS TO STORE OPERATIONS. COORDINATE ALL DISRUPTIONS WITH BUILDING CONSTRUCTION MANAGER AND STORE MANAGER.
- CONTRACTOR SHALL VERIFY ALL WALL FINISH THICKNESS. PROVIDE RETAILER, FANES, FURNISH AND INSTALL EXTENDED BOXES OR BOX EXTENDERS WHERE REQUIRED.
- CONTRACTOR SHALL VERIFY THAT ALL AFFECTED PANELBOARDS HAVE CIRCUIT BREAKER KNOCKOUTS PROPERLY COVERED AND THAT ALL TRIM IS IN GOOD CONDITION, ALLOWING NO ACCESS TO LIVE PARTS.
- PROVIDE SEAL AT RACKING PENETRATIONS AS FOLLOWS:
  - FIRE RATED WALLS: SEAL PENETRATIONS FOR FIRE STOPPING.
  - NEUTRALIZATION AREA: SEAL PER MECHANICAL DETAIL.
  - FREESTAND COOLER BOXES: SEAL WITH EXPANDING FOAM SEALANT.
  - EXTERIOR: REFER TO ARCHITECTURAL DOCUMENTS FOR SEALING REQUIREMENTS AT ALL EXTERIOR MOUNTED DEVICES, FIXTURES, ENCLOSURES, AND RACKING PENETRATIONS.
- PROVIDE A SEPARATE EQUIPMENT GROUNDING CONDUCTOR (SIZE PER NEC) IN PVC TYPE CONDUIT. POWER AND LIGHTING CIRCUITS RELATED GROUND CONDUCTORS, OR AS SHOWN ON PLANS. CONDUIT SHALL BE SIZED PER NEC BASED ON THINWALL PVC. COPPER SINGLE CONDUCTORS, PLUS THE EQUIPMENT GROUNDING CONDUCTOR.
- WIRING SHALL INCLUDE FINAL CONNECTION TO ALL EQUIPMENT IN CONFORMANCE WITH EQUIPMENT SUPPLIER WIRING DIAGRAMS.
- CONTRACTOR IS RESPONSIBLE FOR PROVIDING AN UPDATED AND COMPLETE PRE-WORK CIRCUIT IDENTIFICATION SCHEDULE FOR EVERY PANELBOARD AFFECTED BY THIS PROJECT.
- NEW OVERCURRENT PROTECTIVE DEVICES INSTALLED IN EXISTING PANELBOARDS OR DISTRIBUTION BOXES SHALL MATCH THE TYPE AND AC RATING OF EXISTING OVERCURRENT PROTECTIVE DEVICES.
- BRANCH CIRCUIT CONDUCTORS SHALL BE MINIMUM #12 AWG UNLESS NOTED OTHERWISE IN SCHEDULES. WHERE 20A BRANCH CIRCUITS HAVE 10A AND LARGER WIRE SPECIFIED, #12 AWG WIRE SHALL BE USED FOR THE FINAL CONNECTION (15 FT MAXIMUM).
- WHERE BRANCH CIRCUITS ARE GROUPED, SIZE CONDUIT AND SEPARATE CURRENT CARRYING BRANCH CIRCUITS PER NEC REQUIREMENTS.
- PROVIDE UL LISTED HANDLE TIES ON ALL MULTIWIRE BRANCH CIRCUITS PER NEC REQUIREMENTS.
- SUPPORTS FROM STRUCTURE: NO ATTACHMENT OF ANY TYPE SHALL BE MADE TO BRIDGING OR JOIST WEB MEMBERS. STUCCO ONLY ON THE TOP AND BOTTOM CHORDS FOR SUPPORTING THE ELECTRICAL SYSTEM INSTALLATIONS.
- SEISMIC ZONE REQUIREMENTS: PROVIDE EXPANSION COURSE AND BRACING FOR ELECTRICAL EQUIPMENT AS REQUIRED BY LOCAL CODES.
- EXISTING ELECTRICAL AND ALARM:
  - WHERE DEMOLITION OR NEW CONSTRUCTION INTERRUPTS EXISTING ELECTRICAL CIRCUITS, FEEDING EXISTING EQUIPMENT, DEVICES, OR LIGHTING TO REMAIN, BUT NOT SHOWN ON DRAWINGS, PROVIDE NEW WIRING NEARBY TO REWORK CIRCUITRY, AS REQUIRED, TO MAINTAIN EXISTING OPERATION.
  - IF DEMOLITION OR NEW CONSTRUCTION WILL DISRUPT EXISTING UNDERGROUND SERVICES (ELECTRICAL, TELEPHONE, FIBER, ETC.) PROVIDE ALL MATERIALS AND LABOR AS REQUIRED TO REPAIR, REUSE, OR OTHERWISE REWORK THESE SERVICES TO MAINTAIN EXISTING OPERATION.
  - BE EXTREMELY CAUTIOUS AROUND ALARM AND SECURITY CABLES DURING DEMOLITION AND CONSTRUCTION. PROTECT ALARM AND SECURITY CABLES FROM ACCIDENTAL DAMAGE SO THAT SYSTEM REMAIN OPERATIONAL AT ALL TIMES.
  - DISPOSE OF ALL REMOVED MATERIALS, UNLESS OTHERWISE NOTED.

## ELECTRICAL SYMBOLS LEGEND

(SYMBOLS APPLY ONLY WHEN USED ON DRAWINGS)

SYMBOL DESCRIPTION

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

EXIT FIXTURE (WALL MOUNTED/CEILING MOUNTED)

## ABBREVIATIONS

- A S C LOWER CASE LETTERS INDICATE SWITCHING CONFIGURATION
- APF ABOVE FINISHED FLOOR
- APG ABOVE FINISHED GRADE
- C CONDUIT
- CCT CIRCUIT
- CF CEILING FAN
- CFW CASE WRAP
- EC ELECTRICAL CONTRACTOR
- EF EXHAUST FAN
- ETR EXISTING TO REMAIN
- ENC ELECTRIC - IN-TRAILER COOLER
- GC GENERAL CONTRACTOR
- GRP GROUND FAULT EQUIPMENT PROTECTION
- GFI GROUND FAULT CIRCUIT INTERRUPTER
- HO HAND OPER
- ICU LIGHTING CONTROL UNIT
- IG ISOLATED GROUND
- J BOX JOINT BOX
- LS LIGHTING
- LS NOT TO SCALE
- NS NIGHT LIGHT
- NTS NOT TO SCALE
- REF REFRIGERATION ELECTRICAL CONTRACTOR
- RC REFRIGERATION CONTRACTOR
- RAH REFRIGERATION AIR HAND
- SC SECURITY CAMERA
- TAMP TAMPER RESISTANT
- TYP TYPICAL
- UNO UNLESS NOTED OTHERWISE
- WH WATER HEATER
- WR WEATHER PROOF
- WR WEATHER RESISTANT

EXISTING CONDITIONS WERE TAKEN FROM ORIGINAL DRAWINGS AND MAY NOT REFLECT EXACT "AS-BUILT" CONDITIONS. CONTRACTOR SHALL VERIFY ALL EXISTING CONDITIONS PRIOR TO SUBMITTING FINAL BIDS. CONTRACTOR SHALL CAREFULLY COORDINATE NEW WORK AND DEMOLITION WITH ALL OTHER DISCIPLINES THAT OCCUR DURING THE PROJECT.

EACH SUBCONTRACTOR IS RESPONSIBLE FOR HAVING A THOROUGH KNOWLEDGE OF ALL DRAWINGS AND SPECIFICATIONS IN THEIR RELATED FIELD. THE FAILURE TO ACQUAINT THEMSELVES WITH THIS KNOWLEDGE DOES NOT RELIEVE THE RESPONSIBILITY OF PERFORMING THE WORK PROPERLY. NO ADDITIONAL COMPENSATION SHALL BE ALLOWED BECAUSE OF CONDITIONS THAT OCCUR DUE TO FAILURE TO FAMILIARIZE WORKERS WITH THIS KNOWLEDGE.

Walmart  
CROCKETT, TX

MPW  
Walmart  
CROCKETT, TX

Walmart  
CROCKETT, TX

Walmart  
CROCKETT, TX

Walmart  
CROCKETT, TX

Walmart  
CROCKETT, TX

Walmart  
CROCKETT, TX

ELECTRICAL  
POWER PLAN

SHEET  
E1

## SECTION 16100 - WIRING METHODS

## Galloway

[illegible]

**MPW**

MPW ENGINEERING, LLC  
1107 N. KENNESAW AVE. • SUITE 200 • KENNESAW, GA 30144  
(404) 433-0000 • FAX (404) 433-0000 • WWW.MPWENGINEERING.COM

Walmart*	CROCKETT, TX	1225 E Loop 304	STORE NO: 0236	XXXXXXX	PHOTO	589
----------	--------------	-----------------	----------------	---------	-------	-----

SPECIAL PROJECT	900
-----------------	-----

[illegible]

CHECKED BY:	ABM
DRAWN BY:	CLC
ROTO CYCLE:	03/29/24
DOCUMENT DATE:	05/30/24

**IMPORTANT NOTICE:**  
THIS DRAWING  
SHALL **NOT** BE USED  
FOR CONSTRUCTION  
UNLESS SEALED,  
SIGNED AND DATED  
BY THE LICENSEE IN  
RESPONSIBLE  
CHARGE (AOR/EOR).

ELECTRICAL  
SPECIFICATIONS

E2

EXISTING CONDITIONS WERE TAKEN FROM ORIGINAL DRAWINGS AND MAY NOT REFLECT EXACT "AS-BUILT" CONDITIONS. CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS PRIOR TO SUBMITTING FINAL BIDS. CONTRACTOR SHALL CAREFULLY COORDINATE NEW WORK AND DEMOLITION WITH ALL OTHER DISCIPLINES AND EXISTING CONDITIONS.

EACH SUBCONTRACTOR IS RESPONSIBLE FOR HAVING A THOROUGH KNOWLEDGE OF ALL DRAWINGS AND SPECIFICATIONS IN THEIR RELATED FIELD. THE FAILURE TO ACQUAINT THEMSELVES WITH THIS KNOWLEDGE DOES NOT RELIEVE THE RESPONSIBILITY OF PERFORMING THE WORK PROPERLY. NO ADDITIONAL COMPENSATION SHALL BE ALLOWED BECAUSE OF CONDITIONS THAT OCCUR DUE TO FAILURE TO