

Customer Journey Map: Import Data Using Transform Maps (Spreadsheet)

Overview & Context

This document outlines the end-to-end user experience for technical stakeholders performing bulk data operations within an enterprise environment.

- **Scenario:** Importing legacy spreadsheet data (e.g., CSV/XLSX user/asset records) into ServiceNow / Enterprise System using Data Sources, Import Sets, and Transform Maps.
- **Research Basis:** Best practices for ServiceNow data integration, system administration workflows, and user feedback from data analysts and system admins.

1. Journey Stages Framework

Journey Stage	Objective	User Actions & Steps	Touchpoints & Tools	Positive Experiences	Pain Points / Negative Aspects	Area of Responsibility
1. Entice (Preparation & Setup)	Identify data import requirements and prepare raw spreadsheet files.	* Define target tables and fields. * Clean spreadsheet data (headers, formats, nulls). * Download data template.	* MS Excel / Google Sheets * Data Dictionary * System Admin Console	Clear data structure guidelines and available templates.	Inconsistent data formatting, missing required columns, messy legacy data.	Data Analyst / Business Lead
2. Enter (Staging & Data Source Configuration)	Load raw spreadsheet into the staging table (Import Set).	* Navigate to System Import Sets. * Create new Data Source. * Upload spreadsheet file and test connection.	* ServiceNow Data Sources module * Import Set Table * File Uploader	Fast upload speed and automatic staging table schema creation.	Upload limits, incorrect encoding, file format mismatch errors.	System Administrator / Integration Developer

Journey Stage	Objective	User Actions & Steps	Touchpoints & Tools	Positive Experiences	Pain Points / Negative Aspects	Area of Responsibility
3. Engage (Transform Map Creation & Field Mapping)	Create Transform Map and map staging columns to target fields.	* Create new Transform Map. * Define Target Table. * Run 'Auto Map Matching Fields' or manually map fields. * Set Coalesce fields (unique identifiers).	* Transform Map Editor * Field Maps List * Coalesce Settings	Auto-mapping handles exact header matches seamlessly.	Mapping complex fields (Reference, Choice list conversions), missing script logic.	Integration Developer
4. Exit (Transform Execution & Validation)	Run transformation and import data into target table.	* Execute Transform. * Monitor Import Log and Progress bar. * Validate inserted/updated records in target table.	* Transform Execution Page * Import Set Run Logs * Target Table List View	High-speed processing, clear completion status and record counts.	Transformation errors, duplicate creation if coalesce isn't configured properly.	System Administrator
5. Extend (Post-Import Maintenance & Automation)	Review logs, handle errors, and schedule recurring imports.	* Check error logs for failed rows. * Correct data and re-run transform for failed items. * Schedule automated recurring import jobs.	* Import Log Viewer * Scheduled Data Sources * Email Notifications	Easy re-running of failed rows, automation capabilities for future imports.	Hard-to-decode error messages, manual data cleanup needed for rejected records.	System Administrator / Operations

2. Key Takeaways & Recommendations

To ensure a seamless data migration and minimize system overhead, the following best practices should be implemented by the **& Person**:

- Always set Coalesce fields:** Prevents duplicate records by matching unique identifiers (e.g., Email, Sys ID, Serial Number) during import.
- Pre-clean Spreadsheet Data:** Cleaning date formats, choice fields, and mandatory values before upload prevents script errors during transformation.

- **Use Transform Scripts for Complex Logic:** Implement OnBefore or OnAfter scripts for field transformations that require dynamic lookups or custom business logic.
- **Review Transformation Logs:** Always verify the "Error" and "Ignored" counts in the Import Set Row table before confirming the project as complete on [📅 Date](#) .

For further technical documentation, please refer to the internal architectural guidelines: [📁 File](#) .