




NAFLON
5/30/2025

TRACKMAN REPORT


DISPERSION



LEGENDS

3Wood	4
4Iron	2
6Iron	4
PitchingWedge	9

TRAJECTORY



3W 3Wood											
Yds/Ft, Mph		Carry	Total	Club Speed	Ball Speed	Smash Fac.	Spin Rate	Attack Ang.	Club Path	Face To Path	Low Point
		Yds	Yds	Mph	Mph		Rpm	Deg	Deg	Deg	In
1.	  	215.1	233.6	91.5	135.2	1.48	3175	-3.3	3.5	3.0	4.4A
2.	  	182.8	194.8	92.1	121.4	1.32	4056	-4.3	4.1	3.9	5.0A
3.	  	193.6	212.6	92.5	131.8	1.42	4510	-5.0	-1.8	5.1	5.2A
4.	  	208.5	243.8	93.8	132.5	1.41	2298	-3.7	3.3	-0.5	4.4A
Average	  	200.0	221.2	92.5	130.2	1.41	3510	-4.1	2.3	2.9	4.8A
Consistency		12.6	18.9	0.9	5.3	0.06	849	0.6	2.4	2.1	0.3A

4i4Iron											
Yds/Ft, Mph		Carry	Total	Club Speed	Ball Speed	Smash Fac.	Spin Rate	Attack Ang.	Club Path	Face To Path	Low Point
		Yds	Yds	Mph	Mph		Rpm	Deg	Deg	Deg	In
1.		169.3	199.5	84.2	116.7	1.39	3541	-3.4	-0.2	1.1	3.2A
2.		174.3	201.2	82.6	120.1	1.46	3963	-4.6	-1.6	1.4	4.4A
Average		171.8	200.3	83.4	118.4	1.42	3752	-4.0	-0.9	1.2	3.8A
Consistency		2.5	0.9	0.8	1.7	0.03	211	0.6	0.7	0.1	0.6A

6i 6Iron											
Yds/Ft, Mph		Carry	Total	Club Speed	Ball Speed	Smash Fac.	Spin Rate	Attack Ang.	Club Path	Face To Path	Low Point
		Yds	Yds	Mph	Mph		Rpm	Deg	Deg	Deg	In
1.	 	149.3	170.5	80.2	109.0	1.36	5204	-5.6	-3.6	4.7	4.8A
2.	 	149.4	170.4	79.9	109.4	1.37	5392	-5.6	-2.6	2.8	4.8A
3.	 	162.5	184.1	81.4	115.0	1.41	4755	-5.0	-2.4	-1.7	4.9A
4.	 	159.6	174.5	81.4	114.4	1.41	5581	-6.6	-1.4	2.8	6.3A
Average	 	155.2	174.9	80.8	111.9	1.39	5233	-5.7	-2.5	2.1	5.2A
Consistency		6.0	5.6	0.7	2.8	0.02	307	0.6	0.8	2.3	0.6A

PW PitchingWedge											
Yds/Ft, Mph		Carry	Total	Club Speed	Ball Speed	Smash Fac.	Spin Rate	Attack Ang.	Club Path	Face To Path	Low Point
		Yds	Yds	Mph	Mph		Rpm	Deg	Deg	Deg	In
1.		84.4	89.4	65.4	72.9	1.11	7350	-	-	-	-
2.		91.3	104.2	69.1	77.0	1.11	6770	0.4	2.4	-10.3	0.3B
3.		105.6	109.7	73.5	86.6	1.18	8540	-3.4	2.4	0.7	2.8A
4.		114.6	120.5	73.6	91.2	1.24	7880	-5.0	1.4	-5.9	3.8A
5.		109.2	125.2	73.0	87.2	1.19	6400	-6.2	2.4	-3.9	5.5A
6.		114.4	119.9	76.0	91.3	1.20	8120	-3.8	0.0	-3.4	3.2A
7.		110.9	120.6	74.0	89.0	1.20	7920	-7.0	-1.0	-2.7	5.4A
8.		115.8	123.1	74.4	91.7	1.23	7770	-6.0	-0.2	-4.0	4.8A
9.		119.9	125.8	75.0	94.2	1.26	7800	-7.0	0.2	-0.5	5.8A
Average		107.3	115.4	72.7	86.8	1.19	7617	-4.8	0.9	-3.7	3.9A
Consistency		11.2	11.4	3.1	6.8	0.05	632	2.3	1.3	3.2	1.9A

