




NAFLON
1/6/2026

TRACKMAN REPORT


DISPERSION



LEGENDS

8Iron	40
5Iron	8

TRAJECTORY



8i 8Iron										
Yds/Ft, Mph	Carry Yds	Total Yds	Club Speed Mph	Ball Speed Mph	Smash Fac.	Spin Rate Rpm	Attack Ang. Deg	Club Path Deg	Face To Path Deg	Low Point In
1. 	134.1 	145.2	75.2	99.9	1.33	5915	-3.7	2.5	-4.9	3.5A
2. 	128.5 	145.0	74.8	96.6	1.29	5299	-0.5	4.7	-7.4	0.6A
3. 	136.3 	151.5	74.2	100.9	1.36	5332	-1.7	3.7	-9.1	1.7A
4. 	115.1 	120.8	71.5	91.3	1.28	7607	-4.1	-0.9	6.5	4.0A
5. 	121.2 	140.5	74.5	94.4	1.27	6115	-2.1	-2.1	-1.1	2.2A
6. 	130.2 	138.6	73.9	98.2	1.33	6314	-1.1	5.1	-3.2	1.2A
7. 	127.3 	139.8	74.4	96.9	1.30	6322	-2.1	-1.5	-2.9	2.1A
8. 	120.4 	144.0	72.7	91.9	1.26	4326	-1.5	5.7	-10.0	1.6A
9. 	122.9 	146.6	74.7	95.2	1.27	5493	-1.5	5.3	-2.9	1.4A
10. 	126.1 	133.4	72.7	95.9	1.32	6394	-3.5	-0.9	1.7	3.4A
11. 	142.3 	153.5	73.2	103.5	1.41	5364	-1.5	7.5	-7.3	1.5A
12. 	90.3 	104.9	71.1	76.6	1.08	6819	-3.3	-2.3	8.4	3.2A
13. 	120.2 	138.6	72.6	91.8	1.26	5097	-2.3	1.3	-5.8	2.3A
14. 	127.2 	131.0	74.3	97.8	1.32	6931	-3.1	6.1	2.5	3.0A
15. 	135.0 	141.3	74.7	100.4	1.34	5979	-2.3	5.9	-2.5	2.2A
16. 	109.7 	120.9	72.1	87.8	1.22	7244	-4.9	2.7	3.0	4.7A
17. 	122.5 	138.8	74.2	95.1	1.28	6471	-5.5	3.3	-1.4	5.4A
18. 	116.5 	123.2	70.8	91.7	1.29	7287	-4.5	0.7	6.1	4.5A
19. 	116.0 	120.8	71.0	92.0	1.30	7643	-3.1	1.9	6.9	3.1A
20. 	128.6 	139.4	73.0	97.0	1.33	6091	-3.1	-0.5	-1.9	3.0A

21.			142.4	155.2	74.5	104.2	1.40	5431	-1.5	8.9	-9.4	1.5A	
22.			123.4	138.3	75.5	93.8	1.24	5529	-2.3	6.9	-6.7	2.2A	
23.			136.5	147.6	74.6	100.7	1.35	5583	-2.1	8.5	-6.8	2.1A	
24.			118.3	124.6	72.1	92.5	1.28	7145	-4.3	-1.3	3.7	4.1A	
25.			143.6	156.7	75.4	105.2	1.40	5583	-1.7	5.3	-8.4	1.7A	
26.			136.9	146.3	75.7	102.0	1.35	6205	-2.9	8.1	-5.5	3.0A	
27.			77.6	126.1	73.0	92.3	1.27	3565	0.1	-0.1	14.4	0.0B	
28.			126.1	138.3	72.2	95.3	1.32	5859	-3.5	4.9	-3.8	3.5A	
29.			130.8	138.3	72.5	98.9	1.36	6569	-1.9	3.5	-1.3	2.0A	
30.			132.8	144.7	74.3	99.0	1.33	5747	-2.7	2.5	-7.4	2.7A	
31.			113.2	146.6	74.8	93.9	1.25	4337	-	-	-	-	
32.			137.2	142.3	76.1	103.1	1.35	6728	-2.5	4.5	-1.0	2.6A	
33.			133.9	137.9	75.9	101.6	1.34	6949	-2.3	5.1	1.0	2.4A	
34.			114.6	123.7	71.8	89.3	1.24	6349	-1.9	1.5	2.1	1.8A	
35.			121.4	133.5	69.4	92.6	1.34	5857	-3.3	3.3	0.3	3.2A	
36.			129.2	143.1	68.9	96.8	1.40	5571	-4.1	5.1	-3.0	4.0A	
37.			124.9	137.3	76.1	94.6	1.24	5809	-2.3	7.9	-4.7	2.4A	
38.			128.5	156.5	76.5	99.3	1.30	5235	-0.9	5.3	-5.4	0.9A	
39.			140.5	154.6	72.6	103.0	1.42	5306	-2.1	6.1	-9.4	2.1A	
40.			132.1	144.6	73.3	98.4	1.34	5625	-3.1	4.9	-5.5	3.1A	
Average				125.4	138.9	73.5	96.3	1.31	5976	-2.6	3.6	-2.1	2.6A
Consistency				12.8	11.3	1.8	5.3	0.06	869	1.2	3.1	5.5	1.1A

5i5Iron											
Yds/Ft, Mph	Carry	Total	Club Speed	Ball Speed	Smash Fac.	Spin Rate	Attack Ang.	Club Path	Face To Path	Low Point	
	Yds	Yds	Mph	Mph		Rpm	Deg	Deg	Deg	In	
1. 	159.6 	171.9	80.0	110.8	1.39	4625	-2.3	4.9	0.6	2.7A	
2. 	162.5 	177.8	79.6	111.0	1.39	4053	-0.9	6.1	-1.7	1.2A	
3. 	177.4 	193.4	83.7	119.9	1.43	4181	-1.3	4.9	-4.4	1.4A	
4. 	171.2 	185.8	80.3	115.7	1.44	4121	-0.3	4.1	-2.3	0.5A	
5. 	166.4 	185.9	80.4	115.9	1.44	4528	-1.5	0.7	-3.7	1.7A	
6. 	137.9 	181.3	80.4	107.9	1.34	3336	-2.5	7.1	-12.3	2.6A	
7. 	175.0 	193.4	82.5	118.6	1.44	4031	-1.3	6.5	-5.2	1.4A	
8. 	178.2 	210.0	81.3	117.1	1.44	2542	-2.3	4.7	-3.5	2.6A	
Average 	166.0	187.4	81.0	114.6	1.41	3927	-1.6	4.9	-4.1	1.7A	
Consistency	12.4	10.9	1.3	4.0	0.03	637	0.7	1.8	3.5	0.7A	

