[sakanainu] /t/f/src

```
1: [sakanainu] /t/f/src \times +
namachan in 🌐 sakanainu in /tmp/foo/src via 🦀 v1.69.0-nightly
vim client.rs
namachan in 🌐 sakanainu in /tmp/foo/src via 🦀 v1.69.0-nightly took 2s
® client.rs ® lib.rs ® main.rs ® mux.rs ® server.rs ® type_conv.rs
namachan in 🌐 sakanainu in /tmp/foo/src via 🦀 v1.69.0-nightly
) cat ^C
namachan in 🌐 sakanainu in /tmp/foo/src via 🦀 v1.69.0-nightly
namachan in (fig. sakanainu in /tmp/foo/src via 🖀 v1.69.0-nightly
fn foo() -> &str {"foo"}
namachan in 🌐 sakanainu in /tmp/foo/src via 🦀 v1.69.0-nightly
® client.rs ® foo.rs ® lib.rs ® main.rs ® mux.rs ® server.rs ® type_conv.rs
namachan in 🌐 sakanainu in /tmp/foo/src via 🦀 v1.69.0-nightly
namachan in 🌐 sakanainu in /tmp/foo is 📦 v0.1.0 via 🦀 v1.69.0-nightly

■ build.rs ■ Cargo.lock ■ Cargo.toml  distfs.saty  Earthfile  protos  rust-toolchain  src  target

namachan in 🌐 sakanainu in /tmp/foo is 📦 v0.1.0 via 🦀 v1.69.0-nightly
> vim fo^C
namachan in 🌐 sakanainu in /tmp/foo is 📦 v0.1.0 via 🦀 v1.69.0-nightly
) cd src/
namachan in 🌐 sakanainu in /tmp/foo/src via 🦀 v1.69.0-nightly
® client.rs ® foo.rs ® lib.rs ® main.rs ® mux.rs ® server.rs ® type_conv.rs
namachan in 🌐 sakanainu in /tmp/foo/src via 🦀 v1.69.0-nightly
nvim foo.rs
namachan in 🌐 sakanainu in /tmp/foo/src via 🦀 v1.69.0-nightly took 10s
 cat <u>foo.rs</u>
fn bar() -> &str {
   "bar"
namachan in 🌐 sakanainu in /tmp/foo/src via 🦀 v1.69.0-nightly
```

```
Usage: distfs server <TARGET> <ADDR>
For more information try '--help'
     Running `target/release/distfs server . '0.0.0.0:4000'
 1: cargo run -- 127.0.0 \sim/P/g/n/d/raft2 \times +
```











































