	I	n ō	JOIL	1, +	hes	e w	ere	a	top	10	100	di	99	Cac	ise	ot	dea	th			
	for each ethnicity																				
								30.						$\boxtimes$	to	PI	o cai	use			
									100				1		to	P 3	cal	ase	(by	death re	4
												L									
8							5		161												
Asian					X	X	X			X	X	X			1>	1					
Black			X	X		X	X		X	X	X		1	N	1						
Hispanic					X	X	X	X	X	X	X	1	1	X		The second					
White					X	X	X	X		X	X		X	X		X					
	He	Ca	Flu	NSS	D	5+	Ch	Me	TH	Ac	HY	Chi	Su	Al	No	Se					
	0.04	200		41 1 1554	Diabet	Stroke	Chronic	Mental/Behaviouse Disorders	VD	Accidents	Hypertension/	Chronic	Suicide	Alzheimers	Nephons	Septicemia		24			
	Disease		Pheumonia		(0		LOWEY	Beh	Disease	SHU	0,940	Liver	0	MEXS	2	mic					
	60		Ta	Hamicide)				DO LAND	9		A/R	64									ministra
				ć	1		Respiratory	A D			Renai	CIV							9		
							dtos	pood				CHANOSI				1					
							_	C T	-	-		-		1							_
	-																				_
																					-
	-															-			3 7		
		-										-		- 7							_
				-																	_
																		780.5			

	Leading	• top10 * top3							
		(by death rate							
	2007	3008	2009	2010	3011	2012	2013	2014	
Acc iden's	0	0			•	•	0		
Alcheimers			•		0			•	
Shoke				- 0		*	0	0	
Perinatal									
Liver			•			•		6	
Lower Resp.		•			•	0			
Congenited		0							
Diabets		-	•	0	0	0		0	
Heart	*	P	*	×	×	×	×	*	
Hence Renol	•	- 0			0	•	•	•	
Flu/fnevm	*	×	*	*	*		*	*	
sulcide		0		•	0	0	0	(0)	
Cancer	*	*	+	*	*	*	4	*	
Nephrinis	0	-0				•		•	
sephcemia									
Herally							0		
			40. 42						
				100					
		1							

