

Lec25

Creating Server

```
Const http = require('http');  
http.createServer((req,res)=>{  
    res.write("<h1>....</h1>")  
    res.end("hello")  
}).listen(port)
```

Make Simple API

```
const userData = [
    { name: "anil" },
    { name: "naman" }
];

if (req.url === '/api') {
    res.writeHead(200, { "content-type":
"application/json" });
    res.write(JSON.stringify(userData));
    res.end();
}
```

Understand Request Params

```
http.createServer((req,res)=>{
  console.log(req.method);
  if(req.url=='/'){
    res.write("<h1> homepage </h1>")
  }
  else if(req.url=='/login'){
    res.write("<h1> login page</h1>");
  }
  else{
    res.write("<h1> other page</h1>");
  }
}).listen(4000);
```

Get Input from command line or Terminal

```
Const arg=process.argv;  
console.log(arg);
```

Submit form with Node.js

```
if (req.url === '/submit' && req.method === 'POST') {  
  
    let dataBody = [];  
  
    req.on('data', (chunk) => {  
        dataBody.push(chunk);  
    });  
};
```

```
req.on('end', () => {  
    let rawData = Buffer.concat(dataBody).toString();  
    let readableData = querystring.parse(rawData);  
  
    console.log(readableData);  
  
    res.writeHead(200, { "content-type": "text/html" });  
  
    res.write(`  
        <h1>Form Submitted</h1>  
        Name: ${readableData.name} <br>  
        Email: ${readableData.email}  
    `);  
});
```

Importing a file

```
http.createServer((req,res)=>{  
    fs.readFile('./basic.html','utf-8',(error,data)=>{  
        if(error){  
  
res.writeHead(500,{"content-type":'text/plain'});  
        res.end("internal server error");  
        return;  
        }  
    })  
})
```



```
    else{
        res.writeHead(200, {"content-type": 'text/html'});
        if(req.url=='/'){
            res.write(data);
        }
        else if(req.url=='/submit'){
            req.write('<h1>submitted</h1>');
        }
        res.end();
    }
})
}).listen(4500)
```

CRUD File System

```
// Create File
```

```
fs.writeFileSync("demo.txt", "Hello World");
```

```
// Read File
```

```
const data = fs.readFileSync("demo.txt", "utf-8");
```

```
console.log(data);
```

```
// Append File
```

```
fs.appendFileSync("demo.txt", "\nNew Content Added");
```

```
// Delete File
```

```
// fs.unlinkSync("demo.txt");
```

Full Example

example.js in vscode