

RESEARCH REPORT ON SOCIAL ENGINEERING ATTACKS

Submitted By: Naman

GitHub Repository: OIBSIP-CyberSecurity

Organization: Oasis Infobyte

Internship Domain: Cyber Security Internship

Task Number: Task 5

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to Oasis Infobyte for providing me with the opportunity to complete this Cyber Security Internship. This report has helped me understand various social engineering attacks, their impact on organizations, and effective preventive measures. I also thank all the online learning resources and cybersecurity documentation that supported my research during the completion of this task.

TABLE OF CONTENTS

- Introduction
- What is Social Engineering?
- Importance of Social Engineering Awareness
- Attack Lifecycle
- Types of Social Engineering Attacks
- Psychological Principles Used by Attackers
- Real-World Case Studies
- Impact on Individuals and Organizations
- Prevention Techniques
- Best Practices
- Future Trends
- Conclusion
- References

1. INTRODUCTION

The rapid growth of digital technology has transformed the way people communicate, conduct business, and access information. Organizations increasingly rely on online systems, cloud computing, mobile devices, and digital communication platforms to perform everyday operations. While these technologies provide convenience and efficiency, they also introduce new cybersecurity risks.

One of the most dangerous cyber threats is Social Engineering. Unlike traditional cyberattacks that exploit technical vulnerabilities, social engineering attacks target human psychology. Cybercriminals manipulate people into revealing confidential information, downloading malicious software, or granting unauthorized access to systems.

Since humans are often considered the weakest link in cybersecurity, attackers use emotions such as fear, curiosity, urgency, trust, greed, and sympathy to deceive victims. Social engineering attacks can affect individuals, businesses, financial institutions, healthcare organizations, and even governments.

This report explains the concept of social engineering, different attack techniques, psychological manipulation methods, real-world incidents, preventive measures, and best practices that organizations should adopt to reduce cyber risks.

2. WHAT IS SOCIAL ENGINEERING?

Social Engineering is a manipulation technique used by cybercriminals to trick people into performing actions that compromise security. Instead of hacking computers directly, attackers exploit human behaviour and emotions to obtain confidential information such as usernames, passwords, OTPs, banking details, business documents, or system access.

The primary objective of social engineering is to bypass technical security controls by convincing victims to voluntarily provide sensitive information.

These attacks may occur through:

- Email
- Phone calls
- SMS messages
- Fake websites
- Social media platforms
- Physical interaction
- USB devices
- Messaging applications

Because social engineering attacks exploit human trust rather than software vulnerabilities, they are often more successful than purely technical attacks.

3. IMPORTANCE OF SOCIAL ENGINEERING AWARENESS

Every organization should educate employees about social engineering because human mistakes are responsible for a significant number of cybersecurity incidents.

Importance includes:

- Protecting confidential information.
- Preventing financial fraud.
- Reducing phishing attacks.
- Preventing ransomware infections.
- Improving cybersecurity awareness.
- Protecting customer data.
- Maintaining business reputation.
- Meeting regulatory compliance requirements.

Organizations that regularly conduct cybersecurity awareness training experience significantly fewer successful phishing attacks than organizations without employee training.

4. ATTACK LIFECYCLE OF SOCIAL ENGINEERING

A social engineering attack generally follows several stages.

Stage 1 – Information Gathering

Attackers collect information from:

- LinkedIn
- Facebook
- Instagram
- Company websites
- Public records
- Employee profiles

The collected information helps attackers create believable fake identities.

Stage 2 – Building Trust

The attacker pretends to be:

- HR Executive
- Bank Employee
- Technical Support
- Government Officer

- Company Manager
- Delivery Executive

The goal is to convince the victim that the communication is genuine.

Stage 3 – Exploitation

Once trust is established, attackers request:

- Passwords
- OTPs
- Banking information
- Company documents
- VPN credentials
- Remote desktop access
- Victims unknowingly share sensitive information.


Stage 4 – Execution

The attacker uses the obtained information to:

- Access accounts
- Transfer money
- Install malware
- Encrypt files
- Steal confidential information

Stage 5 – Covering Tracks

Finally, attackers delete logs, remove evidence, or use anonymous networks to hide their identity.



5. TYPES OF SOCIAL ENGINEERING ATTACKS

Social engineering attacks come in many forms. Each attack targets human psychology instead of technical vulnerabilities. The most common attack types are explained below.

5.1 Phishing Attack :

Definition

Phishing is one of the most common and dangerous social engineering attacks. In this attack, cybercriminals send fake emails, websites, or messages pretending to be legitimate organizations such as banks, online shopping websites, government departments, or social media platforms.

The objective is to trick victims into revealing sensitive information including usernames, passwords, credit card numbers, banking credentials, and One-Time Passwords (OTPs).

How Phishing Works :

- The attacker creates a fake email or website.
- The victim receives a message asking them to verify their account or claim a reward.
- The victim clicks the malicious link.
- The fake website requests login credentials.
- The attacker steals the information.

Example

An email claims to be from State Bank of India (SBI) asking the customer to update KYC details. The provided link opens a fake SBI login page where the victim enters login credentials and OTP. The attacker immediately gains access to the bank account.

Impact :

- Identity theft
- Financial fraud
- Data breach
- Unauthorized account access
- Reputation damage

Prevention :

- Verify sender email addresses.
- Never click suspicious links.
- Enable Multi-Factor Authentication (MFA).
- Check website URLs carefully.
- Report phishing emails immediately.

5.2 Spear Phishing

Definition

Spear phishing is a highly targeted phishing attack directed at a specific individual, employee, or organization. Unlike normal phishing, attackers personalize the message using information collected from social media, company websites, or previous data breaches.

Because these emails appear genuine, victims are more likely to trust them.

Example

An attacker studies an employee's LinkedIn profile and sends an email appearing to come from the HR department requesting salary verification. Since the email contains accurate personal details, the employee trusts it and submits confidential information.

Impact :

- Theft of business information
- Credential compromise
- Financial losses
- Corporate espionage

Prevention :

- Employee awareness training.
- Email authentication technologies (SPF, DKIM, DMARC).
- Verify unusual requests through phone calls.
- Report suspicious emails.

5.3 Whaling Attack

Definition

Whaling is a specialized phishing attack targeting senior executives such as CEOs, CFOs, Directors, and Business Owners. Since executives have access to highly confidential information and financial resources, they become attractive targets.

Example

An attacker impersonates the company chairman and sends an urgent email requesting the finance department to transfer funds to a vendor's account.

Without proper verification, the transfer is completed.

Impact :

- Large financial losses
- Confidential business information leakage
- Reputation damage
- Legal consequences

Prevention :

- Verify all financial requests.
- Implement approval workflows.
- Use Multi-Factor Authentication.
- Conduct executive cybersecurity awareness training.

5.4 Smishing**Definition**

Smishing (SMS Phishing) is a social engineering attack performed through text messages. Attackers send fake SMS messages pretending to be banks, courier companies, telecom providers, or government agencies.

The message usually contains a malicious link asking users to verify their account or claim a reward.

Example

A victim receives an SMS:

"Your parcel delivery has failed. Click here to reschedule delivery."

The provided link installs malware or steals login credentials.

Impact :

- Mobile malware infection
- Financial fraud
- Credential theft
- Identity theft

Prevention :

- Never click unknown SMS links.
- Verify messages directly from official websites.
- Keep mobile security software updated.
- Report suspicious messages.

5.5 Vishing**Definition**

Vishing (Voice Phishing) is a telephone-based social engineering attack where attackers pretend to be bank officials, police officers, technical support engineers, or government representatives.

Victims are manipulated into sharing confidential information over the phone.

Example

An attacker calls pretending to be from the bank and says the victim's debit card has been blocked. The victim is asked to provide OTP and card details for verification.


The attacker immediately uses the information to perform unauthorized transactions.

Impact :

- Banking fraud
- Identity theft
- Financial losses
- Unauthorized account access

Prevention :

- Never share OTPs.
- Verify the caller's identity.
- Contact the organization directly using official numbers.
- Be cautious of urgent requests.
- Comparison Table
- Attack Type
- Medium
- Primary Objective
- Common Target
- Phishing
- Email
- Credential Theft
- General Users
- Spear Phishing
- Personalized Email
- Sensitive Information
- Employees
- Whaling
- Executive Email
- Financial Fraud
- CEOs & CFOs
- Smishing
- SMS
- Banking Details
- Mobile Users
- Vishing
- Phone Calls
- OTP & Financial Data
- Bank Customers



5.6 Pretexting

Definition

Pretexting is a social engineering attack in which the attacker creates a false identity or believable story (pretext) to convince the victim to reveal confidential information. Instead of directly asking for sensitive data, the attacker first gains the victim's trust by pretending to be someone legitimate, such as a bank official, HR representative, police officer, or IT support executive.

How Pretexting Works :

- The attacker gathers information about the victim.
- A fake identity or believable story is created.
- The attacker contacts the victim.
- The victim believes the story and shares confidential information.
- The attacker misuses the information.

Example

An attacker calls an employee pretending to be from the company's IT department and says that the email server is being upgraded. The employee is asked to verify their username and password. Believing the request is genuine, the employee shares the credentials.

Impact :

- Credential theft
- Financial fraud
- Unauthorized system access
- Identity theft

Prevention :

- Verify the identity of the requester.
- Never share passwords or OTPs.
- Follow company verification procedures.
- Report suspicious requests immediately.

5.7 Baiting**Definition**

Baiting is a social engineering attack that exploits human curiosity or greed. Attackers offer something attractive, such as free software, gift cards, movies, games, or USB drives, to persuade victims to perform actions that compromise security.

Example

An attacker leaves an infected USB drive labeled "Employee Salary Data" in a company's parking area. An employee finds it, connects it to a company computer, and malware is automatically installed.

Impact :

- Malware infection
- Data theft
- System compromise
- Ransomware attacks

Prevention :

- Never connect unknown USB devices.
- Download software only from trusted websites.
- Scan removable devices before use.
- Conduct employee awareness training.

5.8 Tailgating (Piggybacking)**Definition**

Tailgating is a physical social engineering attack where an unauthorized person gains access to a restricted area by following an authorized employee without proper authentication.

Example

An attacker waits near the office entrance carrying heavy boxes. An employee politely opens the security door, allowing the attacker to enter without an access card.

Impact :

- Unauthorized physical access
- Theft of confidential documents
- Installation of malicious devices
- Data breaches

Prevention :

- Use access cards for every employee.
- Do not allow unknown individuals to enter.
- Install CCTV cameras.
- Train employees about physical security.

5.9 Quid Pro Quo Attack

Definition

Quid Pro Quo means "something for something." In this attack, cybercriminals offer a benefit or service in exchange for confidential information.

Example

An attacker pretends to be technical support and offers to fix a computer issue. During the process, the victim is asked to share login credentials.

Impact :

- Credential theft
- Financial fraud
- Malware installation
- Unauthorized access

Prevention :

- Verify support personnel.
- Never disclose passwords.
- Contact official support channels.
- Follow organizational security policies.

5.10 Scareware

Definition

Scareware is a deceptive attack where victims receive fake security warnings claiming that their computer is infected with viruses. The warning encourages users to download fake antivirus software or pay money.

Example

A popup appears saying:

"Warning! Your computer is infected with 37 viruses. Click here immediately to clean your system."

The downloaded software is actually malware.

Impact :

- Financial loss
- Malware infection
- Identity theft
- System compromise

Prevention :

- Ignore suspicious popup messages.
- Download software only from official websites.
- Keep antivirus software updated.
- Block malicious advertisements.

6. Real-World Case Studies

Case Study 1 – Twitter Bitcoin Scam (2020)

In July 2020, attackers successfully used social engineering techniques to manipulate Twitter employees. They gained access to internal administrative tools and compromised several high-profile Twitter accounts, including those of Elon Musk, Bill Gates, Barack Obama, Jeff Bezos, and Apple.

The attackers posted fraudulent Bitcoin donation messages promising to double any cryptocurrency sent by users. Thousands of people were deceived before Twitter removed the tweets.

Lessons Learned :

- Employee awareness is critical.
- Strong authentication should be mandatory.
- Privileged access must be restricted.
- Regular cybersecurity training reduces risks.

Case Study 2 – Google & Facebook Fraud

Between 2013 and 2015, a cybercriminal impersonated a legitimate supplier and sent fake invoices to Google and Facebook. Due to successful social engineering, both companies transferred over 100 million US dollars before discovering the fraud.

Lessons Learned :


- Verify payment requests carefully.
- Use multiple approval processes.
- Confirm vendor details before making payments.

Case Study 3 – Ubiquiti Networks Attack

Ubiquiti Networks suffered a Business Email Compromise (BEC) attack in which attackers impersonated company executives and convinced employees to transfer millions of dollars to fraudulent bank accounts.

Lessons Learned :

- Verify executive requests.
- Implement multi-level approval systems.
- Conduct phishing awareness training.



7. Impact of Social Engineering Attacks

Social engineering attacks can have serious consequences for both individuals and organizations. Since these attacks target human behaviour rather than technical weaknesses, even organizations with strong security systems may become victims.

Impact on Individuals

1. Financial Loss :

- Victims may lose money through fraudulent bank transactions, fake investment schemes, or unauthorized online purchases.

2. Identity Theft :

- Attackers may misuse stolen personal information such as Aadhaar numbers, PAN details, email credentials, and passwords to commit fraud.

3. Privacy Violation :

- Personal emails, photographs, confidential documents, and private conversations may be exposed without permission.

4. Emotional Stress :

- Victims often experience anxiety, embarrassment, and loss of confidence after becoming targets of cyber fraud.

Impact on Organizations :

1. Data Breaches

Confidential customer information, employee records, and business data may be stolen.

2. Financial Damage

Organizations may suffer direct financial losses due to fraudulent transactions, legal penalties, and recovery costs.

3. Reputation Damage

Loss of customer trust can significantly affect a company's brand image and long-term business growth.

4. Operational Disruption

Business operations may stop due to ransomware attacks or compromised systems.

5. Legal and Regulatory Issues

Organizations may face penalties for failing to protect customer information and comply with data protection regulations.

8. Prevention Techniques

Organizations should implement multiple layers of security to reduce the risk of social engineering attacks.

Employee Awareness Training

Regular cybersecurity awareness programs help employees recognize phishing emails, fake phone calls, and suspicious requests.

Multi-Factor Authentication (MFA)

MFA adds an extra layer of protection by requiring a second verification method in addition to passwords.

Strong Password Policy

Employees should use unique, complex passwords and avoid password reuse across multiple accounts.

Email Security Solutions

Deploy spam filters, email authentication technologies (SPF, DKIM, and DMARC), and malware scanning tools.

Verification Procedures

Employees should independently verify requests involving money transfers, confidential information, or password changes.

Software Updates

Regularly update operating systems, antivirus software, browsers, and applications to eliminate known vulnerabilities.

Access Control

Grant employees only the minimum level of access required to perform their duties (Principle of Least Privilege).

9. Best Practices

The following cybersecurity best practices significantly reduce the risk of social engineering attacks:

- Conduct regular phishing simulation exercises.
- Verify unexpected requests before responding.
- Never share passwords or OTPs.
- Use encrypted communication channels.
- Secure physical access using identity cards and biometric systems.
- Report suspicious emails immediately.
- Monitor user activity and network logs.
- Maintain regular data backups.
- Develop an Incident Response Plan.
- Perform periodic security audits and penetration testing.

10. Future Trends in Social Engineering

As technology continues to evolve, social engineering attacks are becoming more sophisticated.

AI-Based Phishing

Attackers use Artificial Intelligence to create highly personalized phishing emails.

Deepfake Technology

Cybercriminals generate fake audio and video recordings to impersonate executives and trusted individuals.

Social Media Intelligence

Attackers collect personal information from platforms such as LinkedIn, Facebook, Instagram, and X (Twitter) to make attacks more convincing.

Cloud-Based Attacks

Cloud storage platforms and collaboration tools are increasingly targeted through fake login pages.

Mobile Device Attacks

The growth of smartphones has increased Smishing and malicious mobile application attacks.

Organizations must continuously improve employee awareness and adopt modern cybersecurity technologies to address these evolving threats.

11. Conclusion

Social engineering remains one of the most effective cyberattack techniques because it exploits human psychology rather than software vulnerabilities. Attackers manipulate trust, curiosity, fear, urgency, and authority to convince victims into revealing confidential information or performing actions that compromise security.

Organizations should combine advanced security technologies with continuous employee awareness training, strong authentication methods, regular security audits, and well-defined security policies. Human awareness, combined with technical controls, forms the strongest defense against social engineering attacks.

As cyber threats continue to evolve, organizations and individuals must remain alert, verify all suspicious requests, and follow cybersecurity best practices to protect sensitive information and maintain a secure digital environment.

12. References

- National Institute of Standards and Technology (NIST) – Cybersecurity Framework
- OWASP Foundation – Social Engineering Prevention
- Cybersecurity and Infrastructure Security Agency (CISA)
- Microsoft Security Documentation
- IBM Security Learning Center
- Cisco Networking Academy – Cybersecurity Essentials

- Kaspersky Cybersecurity Resource Center
- Cloudflare Learning Center
- EC-Council Learning Resources
- Google Safety Center