

C++ Continue Statement

The C++ continue statement is used to continue loop. It continues the current flow of the program and skips the remaining code at specified condition. In case of inner loop, it continues only inner loop.

```
jump-statement;  
continue;
```

C++ Continue Statement Example

```
#include <iostream>  
using namespace std;  
int main()  
{  
    for(int i=1;i<=10;i++){  
        if(i==5){  
            continue;  
        }  
        cout<<i<<"\n";  
    }  
}
```

Output:

```
1  
2  
3  
4  
6  
7  
8  
9  
10
```

C++ Continue Statement with Inner Loop

C++ Continue Statement continues inner loop only if you use continue statement inside the inner loop.

```
#include <iostream>
using namespace std;
int main()
{
    for(int i=1;i<=3;i++){
        for(int j=1;j<=3;j++){
            if(i==2&&j==2){
                continue;
            }
            cout<<i<<" "<<j<<"\n";
        }
    }
}
```

Output:

```
1 1
1 2
1 3
2 1
2 3
3 1
3 2
3 3
```

← prev

next →

Please Share



Join Javatpoint Test Series

Placement	AMCAT	Bank	GATE
Papers	eLitmas	PO/Clerk	NEET
TCS	Java	UPSSSC	CAT
HCL	Python	Government	Railway
Infosys	C	Exams	CTET
IBM	Programming	SSC	IIT JEE

Accenture

Networking

Civil Services

SBI

Learn Latest Tutorials



VBA



SSIS



NGINX



SSRS



Blockchain



ETL



Bugzilla



Jenkins



Pytorch



Agile



JIRA



Tableau

Preparation



Aptitude



Reasoning



Verbal A.



Interview



Company

Trending Technologies



AI



AWS



Selenium



IoT



Cloud



Hadoop



ReactJS



React Native



Node.js



D. Science



Angular 7

B.Tech / MCA



DBMS



DS



DAA



OS



C. Network




Compiler D.



COA



D. Math.



E. Hacking



C. Graphics



Software E.



Web Tech.



Cyber Sec.



Automata



C



C++



Java



.Net



Python



Programs



Control S.