



SALES AND SERVICE
855 882 2886



0 ITEMS
\$0.00

FIND US ON: (HTTPS://TWITTER.COM/AJVSVACUUM) GET STARTED WITH YOUR REPAIR: GENERATE SERVICE RMA (HTTPS://WWW.AJVS.COM/NEW/RMA_CREATE.PHP) REQUEST A REPAIR ESTIMATE (HTTPS://WWW.AJVS.COM/NEW/RMA_ESTIMATE_REQUEST.F

Welcome on our site: Home (https://www.ajvs.com/sklep.new/index.php) → Vacuum Hardware (https://www.ajvs.com/new/index.php?cPath=38) → CF Components

(https://www.facebook.com/AJVS.Vacuum) → Nipples (https://www.ajvs.com/new/index.php?cPath=38_173_418) → Nipple-One Flange Rotatable (https://www.ajvs.com/new/index.php?cPath=38_173_418_422)

(HTTP://WWW.YOUTUBE.COM/AJVACUUM)

MAIN CATEGORIES

TURBO PUMPS & SYSTEMS ➤

ROTARY VANE PUMPS ➤

DIAPHRAGM DRY PUMPS ➤

SCROLL DRY PUMPS ➤

DRY VACUUM PUMPS ➤

VACUUM MEASUREMENT ➤

VACUUM HARDWARE ▼

ADAPTERS & COUPLINGS ➤

KF (NW) COMPONENTS ➤

CF COMPONENTS ▼

CF GASKETS ➤

BLANK-OFF FLANGES ➤

BORED FLANGES ➤

BORED NECK
FLANGES ➤

ELBOWS, TEES &
CROSSES ➤

NIPPLES ▼

- Half Nipple-

NonRotatable

(HTTPS://WWW.AJVS.COM/NEW/INDEX.FHP
CPATH=38_173_418_419)

- Half Nipple-

NonRotatable

(HTTPS://WWW.AJVS.COM/NEW/INDEX.FHP?
CPATH=38_173_418_423)

- Half Nipple-Rotatable

(HTTPS://WWW.AJVS.COM/NEW/INDEX.FHP?
CPATH=38_173_418_420)

- Nipple-Fixed

(HTTPS://WWW.AJVS.COM/NEW/INDEX.FHP?

CATEGORY OF PRODUCTS: NIPPLES

Found 6 products



Nipple - One Flange Rotatable, CF 100 (600), Stainless Steel (https://www.ajvs.com/new/product_info.php?)

Item#: PN14899 Mfr Part#: DY-CF100NR Manufacturer: AJVS

PRICE: \$327.36

WEB SAVINGS: \$29.76

YOU PAY: **\$297.60**

1

ADD TO YOUR CART

(/redirect/5/AJVS_CF_Nipples_Fixed_Rot_100CF_7f12152059cc4f8d3e61c889bfa56092) When the CF Flange is correctly assembled, the knife edge is compressed onto the flat copper gasket forcing the seal material outwards to the flange.



The gasket is entirely enclosed and will not edge out even under the highest bakeout temperatures.

(/redirect/5/AJVS_CF_Nipples_Fixed_Rot_100CF_e1ae06c35d72f8d2b31d74e2e4d3c81a) The CF Flange is offered in both rotatable and nonrotatable versions, with through holes, or tapped bolt holes.

Condition: **NEW**



Nipple - One Flange Rotatable, CF 150 (800), Stainless Steel (https://www.ajvs.com/new/product_info.php?)

Item#: PN14900 Mfr Part#: DY-CF150NR Manufacturer: AJVS

PRICE: \$438.24

WEB SAVINGS: \$39.84

YOU PAY: **\$398.40**

1

ADD TO YOUR CART

Overview:

(/redirect/5/AJVS_CF_Nipples_Fixed_Rot_150CF_wm501e3d1b2a93a24193a813fa7a015a11) The Nipples - One Flange Rotatable are available in the following sizes: CF 16, CF 35, CF 63, CF 100, CF 150 CF 200.



The Nipples - One Flange Rotatable are made out of Stainless Steel.

(/redirect/5/AJVS_CF_Nipples_Fixed_Rot_150CF_wm5ba054f933fba1ac452e8939b1938327) The Nipples - One Flange Rotatable are made out of Stainless Steel.

Condition: **NEW**

Nipple - One Flange Rotatable, CF 16 (133), Stainless Steel (https://www.ajvs.com/new/product_info.php?)

Item#: PN14896 Mfr Part#: DY-CF16NR Manufacturer: AJVS

PRICE: \$47.52

CPATH=38_173_418_421)

- Nipple-One Flange

Rotatable

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_418_422)

HOSE COUPLINGS >

REDUCERS & ADAPTORS >

- Standard Flanges (304L SS)

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_176)

- Standard Flanges (Al)

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_177)

- Standard Flanges (316LN SS)

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_178)

- Zero- Length Reducer Flanges

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_179)

- Double-Faced Flanges (304L SS)

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_180)

- Reducers

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_181)

- Bellows

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_185)

- Hardware

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_187)

- Plate Nuts

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_402)

- Protective Covers

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_416)

- Vibration Dampers

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_173_490)

ISO COMPONENTS >

TUBING >

VACUUM VALVES >

ASA COMPONENTS >

- Thread Sealants

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_631)

- Mounting Kits

(HTTPS://WWW.AJVS.COM/NEW/INDEX.PHP?CPATH=38_556)



(/redirect/5/AJVS_CF_Nipples_Fixed_Rot_16CF_wm,f9106b30ba4e2c5d82ca8268227981fa)



(/redirect/5/AJVS_CF_Nipples_Fixed_Rot_16CF_wm,0c70f9cfe8f73ff14dec0adbab1be508)



Condition: **NEW**

In Stock

Overview:

The Nipples - One Flange Rotatable are available in the following sizes: CF 16, CF 35, CF 63, CF 100, CF 150 CF 200.

The Nipples - One Flange Rotatable are made out of Stainless Steel.

The high sealing and the low leak rate performance of the CF Flange connection is due to the socket

Condition: **NEW**

In Stock

Item#: **PN14901** Mfr Part#: **DY-CF200NR** Manufacturer: **AJVS**

PRICE: \$696.96

WEB SAVINGS: \$63.36

YOU PAY: **\$633.60**

1

ADD TO YOUR CART



Condition: **NEW**

In Stock

Overview:

The Nipples - One Flange Rotatable are available in the following sizes: CF 16, CF 35, CF 63, CF 100, CF 150 CF 200.

The Nipples - One Flange Rotatable are made out of Stainless Steel.

The high sealing and the low leak rate performance of the CF Flange connection is due to the socket

Condition: **NEW**

In Stock

Item#: **PN14897** Mfr Part#: **DY-CF35NR** Manufacturer: **AJVS**

PRICE: \$55.44

WEB SAVINGS: \$5.04

YOU PAY: **\$50.40**

1

ADD TO YOUR CART



Condition: **NEW**

In Stock

Overview:

The Nipples - One Flange Rotatable are available in the following sizes: CF 16, CF 35, CF 63, CF 100, CF 150 CF 200.

The Nipples - One Flange Rotatable are made out of Stainless Steel.

The high sealing and the low leak rate performance of the CF Flange connection is due to the socket

Condition: **NEW**

In Stock

Item#: **PN14898** Mfr Part#: **DY-CF63NR** Manufacturer: **AJVS**

PRICE: \$168.96

WEB SAVINGS: \$15.36

YOU PAY: **\$153.60**

1

ADD TO YOUR CART

https://www.ajvs.com/new/index.php?cPath=38_173_418_422

Page 2 of 4

LEAK DETECTORS

SPARE PARTS

VACUUM FLUIDS / GREASES

TRAPS MIST FILTERS

LABORATORY EQUIPMENT

VACUUM BOOSTERS

CALIBRATION SYSTEMS

DIFFUSION PUMPS



Overview:

The Nipples - One Flange Rotatable are available in the following sizes: CF 16, CF 35, CF 63, CF 100, CF 150

The Nipples - One Flange Rotatable are made out of Stainless Steel.

The high seal and the low leak rate performance of the CF Flange connection is due to the socket

Condition: **NEW**

In Stock

CONTACT



A&J VACUUM SERVICES
16 SOMERSET PLACE, CLIFTON, NJ 07012



CUSTOMER SERVICE
PHONE: 973-249-0854, FAX: 973-249-0855



SERVICE HOURS
8:00AM TO 5:00PM, MONDAY THRU FRIDAY EST

HELP & FAQ

CUSTOMER SELF SERVICE



(HTTPS://WWW.AJVS.COM/HELP_CENTER/VIEW?PATH=38_173_418_422)

GROUP=9)

SERVICING EQUIPMENT



(HTTPS://WWW.AJVS.COM/HELP_CENTER/VIEW?PATH=38_173_418_422)

GROUP=5)

SHIPPING & DELIVERING



(HTTPS://WWW.AJVS.COM/HELP_CENTER/VIEW?PATH=38_173_418_422)

GROUP=6)

PAYMENTS



(HTTPS://WWW.AJVS.COM/HELP_CENTER/VIEW?PATH=38_173_418_422)

GROUP=8)

POLICIES



(HTTPS://WWW.AJVS.COM/HELP_CENTER/VIEW?PATH=38_173_418_422)

GROUP=7)

SKIP TO FAQ CENTER



(HTTPS://WWW.AJVS.COM/HELP_CENTER/VIEW?PATH=38_173_418_422)

AJVS Help & Information

→ Hours of Operation
(https://www.ajvs.com/help_center.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

→ Return Policy
(https://www.ajvs.com/help_center.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

→ Privacy and Security
(https://www.ajvs.com/help_center.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

→ Shipping Options
(https://www.ajvs.com/help_center.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

High Vacuum Technical Library

→ Turbo Pumps & Systems
(https://www.ajvs.com/technical_library.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

→ Rotary Vane Pumps
(https://www.ajvs.com/technical_library.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

→ Diaphragm Dry Pumps
(https://www.ajvs.com/technical_library.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

→ Scroll Dry Pumps
(https://www.ajvs.com/technical_library.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

→ Leak Detectors
(https://www.ajvs.com/technical_library.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

→ Spare Parts
(https://www.ajvs.com/technical_library.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

→ Traps Mist Filters
(https://www.ajvs.com/technical_library.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

→ Laboratory Equipment
(https://www.ajvs.com/technical_library.php?https://www.ajvs.com/technical_library.php?Path=38_173_418_422&osCsid=f81eq7k4jjq7gma3s36g9sglp0)

Newsletter

Sign up for AJVS news and special offers

youremail@com.com

☐ Weekly AJVS Newsletter

☐ Promotion Alerts

https://www.ajvs.com/new/index.php?cPath=38_173_418_422

Page 3 of 4

- ➔ Dry Vacuum Pumps ➔ Vacuum Boosters
([https://www.ajvs.com/technical_library.php?](https://www.ajvs.com/technical_library.php?titcPath=0_166&osCsid=f81eq7k4jjq7gma3s36g9sglp0)
[titcPath=0_166&osCsid=f81eq7k4jjq7gma3s36g9sglp0](https://www.ajvs.com/technical_library.php?titcPath=0_166&osCsid=f81eq7k4jjq7gma3s36g9sglp0))
- ➔ Vacuum Measurement ➔ Calibration Systems
([https://www.ajvs.com/technical_library.php?](https://www.ajvs.com/technical_library.php?titcPath=0_36&osCsid=f81eq7k4jjq7gma3s36g9sglp0)
[titcPath=0_36&osCsid=f81eq7k4jjq7gma3s36g9sglp0](https://www.ajvs.com/technical_library.php?titcPath=0_36&osCsid=f81eq7k4jjq7gma3s36g9sglp0))
- ➔ Vacuum Hardware ➔ Diffusion Pumps
([https://www.ajvs.com/technical_library.php?](https://www.ajvs.com/technical_library.php?titcPath=0_38&osCsid=f81eq7k4jjq7gma3s36g9sglp0)
[titcPath=0_38&osCsid=f81eq7k4jjq7gma3s36g9sglp0](https://www.ajvs.com/technical_library.php?titcPath=0_38&osCsid=f81eq7k4jjq7gma3s36g9sglp0))
- ➔ Leak Detectors
([https://www.ajvs.com/technical_library.php?](https://www.ajvs.com/technical_library.php?titcPath=0_129&osCsid=f81eq7k4jjq7gma3s36g9sglp0)
[titcPath=0_129&osCsid=f81eq7k4jjq7gma3s36g9sglp0](https://www.ajvs.com/technical_library.php?titcPath=0_129&osCsid=f81eq7k4jjq7gma3s36g9sglp0))

Home (<https://www.ajvs.com/new/index.php?osCsid=f81eq7k4jjq7gma3s36g9sglp0>) About us
(https://www.ajvs.com/about_us.php?osCsid=f81eq7k4jjq7gma3s36g9sglp0) Repair & Service
(<https://www.ajvs.com/new/service.php?osCsid=f81eq7k4jjq7gma3s36g9sglp0>) Technical Library
(https://www.ajvs.com/technical_library.php?osCsid=f81eq7k4jjq7gma3s36g9sglp0) Clients
(<https://www.ajvs.com/new/clients.php?osCsid=f81eq7k4jjq7gma3s36g9sglp0>) Contact
(https://www.ajvs.com/contact_us.php?osCsid=f81eq7k4jjq7gma3s36g9sglp0)



@ A&J Vacuum Services, Inc. 2000-2021. All Rights Reserved.

All trademarks, trade names or logons mentioned or used are the property of their respective owners.