

REPORT 11:

```
$sql_select="select unique class_id from Student s, registration r where s.s_rolnumber =  
r.s_rolnumber order by class_id" ;  
$q="select class_Name,Section from class c, registration r where c.class_id = ". $row[0] ."" ;  
$q1="select count(r.class_id) from Registration r where r.class_id = ". $row[0] ."" ;  
$sql_select="select s.s_rolnumber, s.s_name, s.s_gender from Student s, registration r where  
s.s_rolnumber = r.s_rolnumber and class_id = ".$row[0]."" ;
```

```
$q2="select DOB,sysdate, round((sysdate-DOB)/365,1),s_name from Student where  
s_rolnumber = '". $row1[0] ."";
```

```
$sql_select="select r.class_id from registration r where r.s_rolnumber = '".  
$_POST["Search_ID"]."" ;
```

```
$q="select class_Name,Section from class c, registration r where c.class_id = ". $row[0] ."" ;
```

```
$q1="select count(r.class_id) from Registration r where r.class_id = ". $row[0] ."" ;  
$sql_select="select s.s_rolnumber, s.s_name, s.s_gender from Student s, registration r where  
s.s_rolnumber = r.s_rolnumber and s.s_rolnumber = '". $_POST["Search_ID"]."' and class_id =  
".$row[0]."" ;  
$q2="select DOB,sysdate, round((sysdate-DOB)/365,1),s_name from Student where  
s_rolnumber = '". $row1[0] ."";
```

```
$sql_select="select r.class_id from registration r where r.class_id = '". $_POST["Search_ID"]."" ;  
$q="select class_Name,Section from class c, registration r where c.class_id = ". $row[0] ."" ;
```

```
$q1="select count(r.class_id) from Registration r where r.class_id = ". $row[0] ."" ;  
$sql_select="select s.s_rolnumber, s.s_name, s.s_gender from Student s, registration r where  
s.s_rolnumber = r.s_rolnumber and class_id = ".$row[0]."" ;
```

```
$q2="select DOB,sysdate, round((sysdate-DOB)/365,1),s_name from Student where  
s_rolnumber = '". $row1[0] ."" ;  
$sql_select="select r.class_id from student s,registration r where s.s_name = '".  
$_POST["Search_ID"]."' and s.s_rolnumber = r.s_rolnumber " ;
```

```
$s11="select r.class_id from student s,registration r where s.s_name = '".  
$_POST["Search_ID"]."' and s.s_rolnumber = r.s_rolnumber " ;  
$q="select class_Name,Section from class c, registration r where c.class_id = ". $row[0] ."" ;
```

```
$q1="select count(r.class_id) from Registration r where r.class_id = ". $row[0] ."" ;  
$sql_select="select s.s_rolnumber, s.s_name, s.s_gender from Student s, registration r where  
s.s_rolnumber = r.s_rolnumber and s.s_name = '". $_POST["Search_ID"]."' and class_id = ".  
$row[0]."" ;  
$q2="select DOB,sysdate, round((sysdate-DOB)/365,1),s_name from Student where  
s_rolnumber = '". $row1[0] ."";
```

Report 12

```
$sql_select='select unique class_id from Student s, registration r where s.s_rolnumber =  
r.s_rolnumber and r.class_id= '.$_POST["Search_ID"]. 'order by class_id' ;
```

```

$q_m="select class_id, count(*) Count_Male from Registration r, student s where
r.s_rollnumber= s.s_rollnumber and s.s_gender = 'M' and r.class_id = ". $row[0] ." group by
class_id " ;
$q_f="select class_id, count(*) Count_Female from Registration r, student s where
r.s_rollnumber= s.s_rollnumber and s.s_gender = 'F' and r.class_id = ". $row[0] ." group by
class_id" ;
$q="select class_Name,Section from class c, registration r where c.class_id = ". $row[0] ." " ;
$q1="select count(r.class_id) from Registration r where r.class_id = ". $row[0] ." " ;
$sql_select="select s.s_rollnumber, s.s_name, s.s_gender from Student s, registration r
where s.s_rollnumber = r.s_rollnumber and class_id = ".$row[0]."" ;
$q2="select DOB,sysdate, round((sysdate-DOB)/365,1),s_name from Student where
s_rollnumber = '". $row1[0] ." " ;
$sql_select="select unique class_id from Student s, registration r where s.s_rollnumber =
r.s_rollnumber order by class_id" ;
$q_m="select class_id, count(*) Count_Male from Registration r, student s where
r.s_rollnumber= s.s_rollnumber and s.s_gender = 'M' and r.class_id = ". $row[0] ." group by
class_id " ;
$q_f="select class_id, count(*) Count_Female from Registration r, student s where
r.s_rollnumber= s.s_rollnumber and s.s_gender = 'F' and r.class_id = ". $row[0] ." group by
class_id" ;
$q="select class_Name,Section from class c, registration r where c.class_id = ". $row[0] ." " ;
$q1="select count(r.class_id) from Registration r where r.class_id = ". $row[0] ." " ;
$sql_select="select s.s_rollnumber, s.s_name, s.s_gender from Student s, registration r
where s.s_rollnumber = r.s_rollnumber and class_id = ".$row[0]."" ;
$q2="select DOB,sysdate, round((sysdate-DOB)/365,1),s_name from Student where
s_rollnumber = '". $row1[0] ." " ;

```

Report 13

```

$q_dormant="select rh.s_rollnumber from Registration_History rh where
MONTHS_BETWEEN(sysdate,rh.R_Date)> '". $POST["Dormant_Time"]." ' minus select
r.s_rollnumber from Registration r";
$q="select unique rh.s_rollnumber FROM registration_history rh, Registration r where
MONTHS_BETWEEN(sysdate,rh.R_Date)>= 6 and MONTHS_BETWEEN(sysdate,rh.R_Date)
<12 and rh.s_rollnumber != r.s_rollnumber";
$q_student="select s_name, s_bayformno from Student s rh where s.s_rollnumber = ".
$row_dormant[0] ." " ;
$q_dormant="select unique rh.s_rollnumber FROM registration_history rh, Registration r where
MONTHS_BETWEEN(sysdate,rh.R_Date)>=12 and MONTHS_BETWEEN(sysdate,rh.R_Date)
<24 and rh.s_rollnumber != r.s_rollnumber";
$q="select unique rh.s_rollnumber FROM registration_history rh, Registration r where
MONTHS_BETWEEN(sysdate,rh.R_Date)>=12 and MONTHS_BETWEEN(sysdate,rh.R_Date)
<24 and rh.s_rollnumber != r.s_rollnumber";
$q_student="select s_name, s_bayformno from Student s where s.s_rollnumber = '".
$row_dormant[0] ." " ;
$q_dormant="select unique rh.s_rollnumber FROM registration_history rh, Registration r where
MONTHS_BETWEEN(sysdate,rh.R_Date)>=24 and MONTHS_BETWEEN(sysdate,rh.R_Date) <
60 and rh.s_rollnumber != r.s_rollnumber";
$q="select unique rh.s_rollnumber FROM registration_history rh, Registration r where
MONTHS_BETWEEN(sysdate,rh.R_Date)>=24 and MONTHS_BETWEEN(sysdate,rh.R_Date) <
60 and rh.s_rollnumber != r.s_rollnumber";
$q_student="select s_name, s_bayformno from Student s where s.s_rollnumber = '".
$row_dormant[0] ." " ;

```

```

$q_dormant="select unique rh.s_rollnumber FROM registration_history rh, Registration r where
MONTHS_BETWEEN(sysdate,rh.R_Date)>=60 and MONTHS_BETWEEN(sysdate,rh.R_Date)
<72 and rh.s_rollnumber != r.s_rollnumber";
$q_student="select s_name, s_bayformno from Student s where s.s_rollnumber = '".
$row_dormant[0] . "'";
$q_dormant="select unique rh.s_rollnumber FROM registration_history rh, Registration r where
MONTHS_BETWEEN(sysdate,rh.R_Date)>= 72 and rh.s_rollnumber != r.s_rollnumber";
$q="select unique rh.s_rollnumber FROM registration_history rh, Registration r where
MONTHS_BETWEEN(sysdate,rh.R_Date)>= 72 and rh.s_rollnumber != r.s_rollnumber";
$q_student="select s_name, s_bayformno from Student s where s.s_rollnumber = '".
$row_dormant[0] . "'";

```

REPORT 14:

```

$q1a="select s_rollnumber,s_name,DOB,s_gender,sysdate, round((sysdate-DOB)/
365,1),s_bayformno,s_yearenrolled,s_pid from student where s_rollnumber= '".
$_POST["Search_ID"]."' or s_name = '". $_POST["Search_ID"]."'";

```

```

$q1="select s_rollnumber,s_name,DOB,s_gender,sysdate, round((sysdate-DOB)/
365,1),s_bayformno,s_yearenrolled,s_pid from student where s_rollnumber= '".
$_POST["Search_ID"]."' or s_name = '". $_POST["Search_ID"]."'";

```

```

$q1aa="select r.class_Id from Registration r, Student s where r.s_rollnumber= '".
$_POST["Search_ID"]."' or s.s_name = '". $_POST["Search_ID"]."' and s.s_rollnumber =
r.s_rollnumber" ;

```

```

$q2a="select f.f_ID,f_name,f_cnic,f_num,f_address,f_mail,f_income,f_isalive,f_emp_ID from
Father f, Student s where (s_rollnumber= '". $row1[0]. "') and f.f_ID = s.f_ID" ;

```

```

$q3a="select
m.m_ID,m_name,m_cnic,m_num,m_address,m_mail,m_income,m_isalive,m_emp_ID from
Mother m, Student s where (s_rollnumber= '". $row1[0]. "') and m.m_ID = s.m_ID" ;

```

```

$q4a="select g.g_ID,g_name,g_cnic,g_gender,g_num,g_address,g_mail,g_income,g_emp_ID
from Guardian g, Student s where (s_rollnumber= '". $row1[0]. "') and g.g_ID = s.g_ID" ;

```

```

$q5a="select s.s_rollnumber, s.s_name,s.DOB,s.s_gender,sysdate, round((sysdate-DOB)/
365,1),s.s_bayformno,s.s_yearenrolled from siblings sb, Student s where sb.f_id = '". $ff_id."'
and sb.m_ID = '". $mm_id."' and sb.s_rollnumber != '". $row1[0]."' and sb.s_rollnumber =
s.s_rollnumber order by s_rollnumber ASC";

```

```

$q6a="select s.s_name, rh.s_rollnumber, rh.cl_id from Registration_History rh, Student s where
rh.s_rollnumber = s.s_rollnumber union select s.s_name, r.s_rollnumber, r.class_id from
Registration r, Registration_History rh ,Student s where r.s_rollnumber = rh.s_rollnumber and
r.class_Id != rh.cl_id and r.s_rollnumber = s.s_rollnumber";

```

Report 15

```

$q2="select f.f_ID,f_name,f_cnic,f_num,f_address,f_mail,f_income,f_isalive,f_emp_ID from
Father f where f.f_name = '". $_POST["Search_ID"]."'";

```

```

$q2="select
m.m_ID,m_name,m_cnic,m_num,m_address,m_mail,m_income,m_isalive,m_emp_ID from
mother m where m.m_name = '". $_POST["Search_ID"]."'";

```

```

$q2a="select f.f_ID,f_name,f_cnic,f_num,f_address,f_mail,f_income,f_isalive,f_emp_ID from
Father f where (f.f_ID= ''.$_POST["Search_ID"].'') or f.f_name = ''.$_POST["Search_ID"].'''' ;
$q2="select f.f_ID,f_name,f_cnic,f_num,f_address,f_mail,f_income,f_isalive,f_emp_ID from
Father f where (f.f_ID= ''.$_POST["Search_ID"].'') or f.f_name = ''.$_POST["Search_ID"].'''' ;
$qS1A="select distinct m_ID, g_ID from student where f_ID = ''.$ff_id.''' '' ;
$q3a="select
m.m_ID,m_name,m_cnic,m_num,m_address,m_mail,m_income,m_isalive,m_emp_ID from
Mother m, Student s where m.m_ID = ''.$row1s[0].'''' ;
$q3="select unique
m.m_ID,m_name,m_cnic,m_num,m_address,m_mail,m_income,m_isalive,m_emp_ID from
Mother m where (m.m_ID = ''.$row1s[0].'')" ;
$q1a="select s_rollnumber,s_name,DOB,s_gender,sysdate, round((sysdate-DOB)/
365,1),s_bayformno,s_yearenrolled,s_pid from student where f_id= ''.$ff_id.''' and m_id = ''.$
row1s[0].'''' ;
$q1="select s_rollnumber,s_name,DOB,s_gender,sysdate, round((sysdate-DOB)/
365,1),s_bayformno,s_yearenrolled,s_pid from student where f_id= ''.$ff_id.''' and m_id = ''.$
row1s[0].'''' ;
$q1aa="select r.class_Id from Registration r, Student s where r.s_rollnumber= ''.$row1[0].'' and
s.s_rollnumber = r.s_rollnumber" ;
$q4a="select g.g_ID,g_name,g_cnic,g_gender,g_num,g_address,g_mail,g_income,g_emp_ID
from Guardian g, Student s where (s_rollnumber= ''.$std_ro.'') and g.g_ID = s.g_ID" ;
$q4="select g.g_ID,g_name,g_cnic,g_gender,g_num,g_address,g_mail,g_income,g_emp_ID
from Guardian g, Student s where (s_rollnumber= ''.$std_ro.'') and g.g_ID = s.g_ID" ;
$q2a="select
f.m_ID,m_name,m_cnic,m_num,m_address,m_mail,m_income,m_isalive,m_emp_ID from
mother f where (f.m_ID= ''.$_POST["Search_ID"].'') or f.m_name = ''.$
_POST["Search_ID"].'''' ;
$q2="select
f.m_ID,m_name,m_cnic,m_num,m_address,m_mail,m_income,m_isalive,m_emp_ID from
mother f where (f.m_ID= ''.$_POST["Search_ID"].'') or f.m_name = ''.$
_POST["Search_ID"].'''' ;
$qS1A="select f_ID, g_ID from student where m_ID = ''.$ff_id.''' '' ;
    $q1a="select s_rollnumber,s_name,DOB,s_gender,sysdate, round((sysdate-DOB)/
365,1),s_bayformno,s_yearenrolled,s_pid from student where m_id= ''.$ff_id.''' and f_id = ''.$
mm_id.''''' ;
    $q1="select s_rollnumber,s_name,DOB,s_gender,sysdate, round((sysdate-DOB)/
365,1),s_bayformno,s_yearenrolled,s_pid from student where m_id= ''.$ff_id.''' and f_id = ''.$
mm_id.''''' ;
    $q1aa="select r.class_Id from Registration r, Student s where r.s_rollnumber= ''.$
row1[0].'' and s.s_rollnumber = r.s_rollnumber" ;
    $q4a="select
g.g_ID,g_name,g_cnic,g_gender,g_num,g_address,g_mail,g_income,g_emp_ID from Guardian
g, Student s where (s_rollnumber= ''.$std_ro.'') and g.g_ID = s.g_ID" ;
    $q4="select
g.g_ID,g_name,g_cnic,g_gender,g_num,g_address,g_mail,g_income,g_emp_ID from Guardian
g, Student s where (s_rollnumber= ''.$std_ro.'') and g.g_ID = s.g_ID" ;

```

Report 15_1

```

$q2a="select f.f_ID,f_name,f_cnic,f_num,f_address,f_mail,f_income,f_isalive,f_emp_ID from
Father f where (f.f_ID= ''.$_POST["Search_ID"].'') or f.f_name = ''.$_POST["Search_ID"].'''' ;
$q2="select f.f_ID,f_name,f_cnic,f_num,f_address,f_mail,f_income,f_isalive,f_emp_ID from
Father f where (f.f_ID= ''.$_POST["Search_ID"].'') or f.f_name = ''.$_POST["Search_ID"].'''' ;

```

```

$qS1A="select distinct m_ID, g_ID from student where f_ID = ''.$ff_id.'" " " ;
$q3a="select
m.m_ID,m_name,m_cnic,m_num,m_address,m_mail,m_income,m_isalive,m_emp_ID from
Mother m, Student s where m.m_ID = ''.$row1s[0].'" " " ;
$q3="select unique
m.m_ID,m_name,m_cnic,m_num,m_address,m_mail,m_income,m_isalive,m_emp_ID from
Mother m where (m.m_ID = ''.$row1s[0].'" " " " ;
$q1a="select s_rollnumber,s_name,DOB,s_gender,sysdate, round((sysdate-DOB)/
365,1),s_bayformno,s_yearenrolled,s_pid from student where f_id= ''.$ff_id.'" and m_id = ''.$
row1s[0].'" " " " ;
$q1="select s_rollnumber,s_name,DOB,s_gender,sysdate, round((sysdate-DOB)/
365,1),s_bayformno,s_yearenrolled,s_pid from student where f_id= ''.$ff_id.'" and m_id = ''.$
row1s[0].'" " " " ;
$q1aa="select r.class_Id from Registration r, Student s where r.s_rollnumber= ''.$row1[0].'" and
s.s_rollnumber = r.s_rollnumber" " ;

```

```

$q4a="select g.g_ID,g_name,g_cnic,g_gender,g_num,g_address,g_mail,g_income,g_emp_ID
from Guardian g, Student s where (s_rollnumber= ''.$std_ro.'"') and g.g_ID = s.g_ID" " ;
$q4="select g.g_ID,g_name,g_cnic,g_gender,g_num,g_address,g_mail,g_income,g_emp_ID
from Guardian g, Student s where (s_rollnumber= ''.$std_ro.'"') and g.g_ID = s.g_ID" " ;
$q2a="select
f.m_ID,m_name,m_cnic,m_num,m_address,m_mail,m_income,m_isalive,m_emp_ID from
mother f where (f.m_ID= ''.$_POST["Search_ID"].'"') or f.m_name = ''.$
_POST["Search_ID"].'" " " " ;
$q2="select
f.m_ID,m_name,m_cnic,m_num,m_address,m_mail,m_income,m_isalive,m_emp_ID from
mother f where (f.m_ID= ''.$_POST["Search_ID"].'"') or f.m_name = ''.$
_POST["Search_ID"].'" " " " ;
$qS1A="select f_ID, g_ID from student where m_ID = ''.$ff_id.'" " " " ;
$q1a="select s_rollnumber,s_name,DOB,s_gender,sysdate, round((sysdate-DOB)/
365,1),s_bayformno,s_yearenrolled,s_pid from student where m_id= ''.$ff_id.'" and f_id = ''.$
mm_id.'" " " " ;
$q1="select s_rollnumber,s_name,DOB,s_gender,sysdate, round((sysdate-DOB)/
365,1),s_bayformno,s_yearenrolled,s_pid from student where m_id= ''.$ff_id.'" and f_id = ''.$
mm_id.'" " " " ;
$q1aa="select r.class_Id from Registration r, Student s where r.s_rollnumber= ''.$row1[0].'" and
s.s_rollnumber = r.s_rollnumber" " ;
$q4a="select g.g_ID,g_name,g_cnic,g_gender,g_num,g_address,g_mail,g_income,g_emp_ID
from Guardian g, Student s where (s_rollnumber= ''.$std_ro.'"') and g.g_ID = s.g_ID" " ;
$q4="select g.g_ID,g_name,g_cnic,g_gender,g_num,g_address,g_mail,g_income,g_emp_ID
from Guardian g, Student s where (s_rollnumber= ''.$std_ro.'"') and g.g_ID = s.g_ID" " ;

```

STUDENT ADMISSION:

```

$sql_select="select * from Father" " ;
$q="insert into Father(f_name,f_cnic,f_num,f_address,f_mail,f_income,f_isalive,f_emp_ID)
values(''$_POST["F_name"].'"',''$_POST["F_CNIC"].'"',''$_POST["F_contact"].'"',''$_
_POST["F_add"].'"',''$_POST["F_email"].'"',''$_POST["F_inc"].'"',''$_POST["F_isalive"].'"',''$_
_POST["F_eid"].'"')";
$q="select * from Father where f_cnic="$_POST["F_CNIC"]" " ;

```

```
$q="insert into Father(f_name,f_cnic,f_num,f_address,f_mail,f_income,f_isalive,f_emp_ID)
values('".$_POST["F_name"]."', '".$_POST["F_CNIC"]."', '".$_POST["F_contact"]."', '".$_POST["F_add"]."', '".$_POST["F_email"]."', '".$_POST["F_inc"]."', '".$_POST["F_isalive"]."', '".$_POST["F_eid"]."');";
```

```
$sql_select="select * from Mother" ;
$q = "select * from Mother where m_name = '".$_POST["M_name"]."' and m_cnic = '".$_POST["M_CNIC"]."' ;
```

```
$q="insert into
Mother(m_name,m_cnic,m_num,m_address,m_mail,m_income,m_isalive,m_emp_ID) values('".$_POST["M_name"]."', '".$_POST["M_CNIC"]."', '".$_POST["M_contact"]."', '".$_POST["M_add"]."', '".$_POST["M_email"]."', '".$_POST["M_inc"]."', '".$_POST["M_isalive"]."', '".$_POST["M_eid"]."');";
```

```
$sql_select="select * from Guardian" ;
$q="insert into
Guardian(g_name,g_cnic,g_gender,g_num,g_address,g_mail,g_income,g_emp_ID) values('".$_POST["G_name"]."', '".$_POST["G_CNIC"]."', '".$_POST["G_Gender"]."', '".$_POST["G_contact"]."', '".$_POST["G_Address"]."', '".$_POST["G_email"]."', '".$_POST["G_inc"]."', '".$_POST["G_eid"]."');";
```

```
$q = "select * from Guardian where g_name = '".$_POST["G_name"]."' and g_cnic = '".$_POST["G_CNIC"]."' ;
```

```
$q="insert into
Guardian(g_name,g_cnic,g_gender,g_num,g_address,g_mail,g_income,g_emp_ID) values('".$_POST["G_name"]."', '".$_POST["G_CNIC"]."', '".$_POST["G_Gender"]."', '".$_POST["G_contact"]."', '".$_POST["G_Address"]."', '".$_POST["G_email"]."', '".$_POST["G_inc"]."', '".$_POST["G_eid"]."');";
```

```
$sql_select="select f_ID from Father where f_cnic='".$_POST["F_CNIC"]."'";
$sql_select="select m_ID from Mother where m_cnic='".$_POST["M_CNIC"]."'";
$sql_select="select g_ID from Guardian where g_cnic='".$_POST["G_CNIC"]."'";
$sql_select="select * from Student" ;
$q="insert into Student(s_name,s_bayformno,s_gender,DOB,f_ID,m_id,g_id,relation,s_pid)
values( '".$_POST["Name"]."', '".$_POST["bform"]."', '".$_POST["gender"]."', to_date('".$_POST["DOB"]."', 'yyyy/mm/dd'), '".$_row1[0]."', '".$_row2[0]."', '".$_row3[0]."', '".$_POST["G_relation"]."', '".$_basename($_FILES["fileToUpload"]["name"])."');";
$sql_select="select s_rollnumber from student where s_bayformno='".$_POST["bform"]."'";
$q="insert into Registration(challanNumber,s_rollnumber,R_status) values ( '".$_POST["fFinal"]."', '".$_row3[0]."',0);";
$q = "select * from Student where s_name = '".$_POST["Name"]."' and s_bayformno = '".$_POST["bform"]."' ;
$q="insert into Student(s_name,s_bayformno,s_gender,DOB,f_ID,m_ID,g_ID,relation,s_pid)
values( '".$_POST["Name"]."', '".$_POST["bform"]."', '".$_POST["gender"]."', to_date('".$_POST["DOB"]."', 'yyyy/MM/dd'), '".$_row1[0]."', '".$_row2[0]."', '".$_row3[0]."', '".$_POST["G_relation"]."', '".$_basename($_FILES["fileToUpload"]["name"])."');";
```