

Patient Name:

Accession #

Client:



ATTN: DIALOGUE TORONTO 1
175-110 CUMBERLAND ST.
TORONTO, ON
M5R 3V5

199
1

Date of Service: 09-SEP-24
Printed: 11-SEP-24

Reference #:

Report status:

FINAL

Requesting physician:

TEST NAME

RESULT

FLAG

REFERENCE RANGE

UNITS

TEST LOCN.

CHLAMYDIA - N. GONORRHOEAE - TRICHOMONAS VAGINALIS

=====

SOURCE:

URINE

KL

DATE OF COLLECTION

09-SEP-2024

TIME OF COLLECTION

13:52

CHLAMYDIA TRACHOMATIS

NEGATIVE

Please note that the volume of urine sample received in the lab was outside of the manufacturer recommended range. Urine volume of 20 - 30 ml is recommended for optimal sensitivity of CT/GC and TV molecular testing at LifeLabs. A negative result indicates that nucleic acids from the target pathogen is absent or below the detection limit of the assay. Testing performed using a Health Canada approved Nucleic Acid Amplification Test (NAAT).

NEISSERIA GONORRHOEAE

NEGATIVE

Please note that the volume of urine sample received in the lab was outside of the manufacturer recommended range. Urine volume of 20 - 30 ml is recommended for optimal sensitivity of CT/GC and TV molecular testing at LifeLabs. A negative result indicates that nucleic acids from the target pathogen is absent or below the detection limit of the assay. Testing performed using a Health Canada approved Nucleic Acid Amplification Test (NAAT).

PUBLIC HEALTH TEST

I74

Specimen referred to: Public Health Laboratories (PHL). Test results will be sent directly to the requesting physician from PHL. For result inquiries, call 1-877-604-4567.

PUBLIC HEALTH TEST

2

PND = Pending

* = Not previously reported

~ = Edited Result

Patient Name:

Accession #

Client:



ATTN: DIALOGUE TORONTO 1
175-110 CUMBERLAND ST.
TORONTO, ON
M5R 3V5

199
1

Date of Service: 09-SEP-24
Printed: 11-SEP-24

Reference #:

Report status:

FINAL

Requesting physician:

TEST NAME

RESULT

FLAG

REFERENCE RANGE

UNITS

TEST LOCN

Specimen referred to: Public Health Laboratories (PHL). Test results will be sent directly to the requesting physician from PHL.
For result inquiries, call 1-877-604-4567.

PUBLIC HEALTH TEST

Specimen referred to: Public Health Laboratories (PHL). Test results will be sent directly to the requesting physician from PHL.
For result inquiries, call 1-877-604-4567.