



CHAPTER I.



CHAPTER I.

1

2

3

4

5

6

7

8

9

10

11

12

13

1

17 2

.

2

:

- .
 - .
 - .
 - .
 - .
 - .
- ' ()

3

	()	
	14	- - -
	18	- - -
	16	- - -

※

[illegible]

0.00
0.00
0.00
0.00
0.00
0.00
0.65
0.91
0.92
0.00
1.00
0.00
0.00
0.00
1.69
0.00
0.28
0.14
0.18
0.24
0.24
0.24
1.75
0.56
1.40
0.70
0.59
3.79
15.28

7

[4] 1

[4] 1

		()					
		3.58	-	-		○	
		3.58	-	-		○	
		0.13	0.28	0.16			○
		0.10	0.25	0.17			○
		0.10	0.27	0.17			○
		0.10	0.28	0.19			○
		0.04	0.16	0.11			○
		0.02	0.16	0.07			○
		0.10	0.21	0.13			○
		0.09	0.23	0.09			○
		0.04	0.11	0.17			○
		0.08	0.16	0.18			○
		0.04	0.18	0.11			○
		0.04	0.11	0.13			○
		0.04	0.11	0.13			○
		0.04	0.10	0.10			○
		0.04	0.35	0.20		○	
	.	0.04	0.23	0.10		○	
	.	0.04	0.21	0.13		○	
.		0.04	0.29	0.17		○	
		0.04	0.29	0.17		○	
		0.04	0.29	0.17		○	
		0.04	1.13	1.25		○	
		0.04	0.52	0.40		○	
		0.04	0.96	1.00		○	
		0.10	0.75	0.50		○	
. .		0.04	0.47	0.42		○	
		0.42	2.46	2.71		○	

[4] 2 , , .
()

[4] 2 , ,					
		()			
()					
10,000 15,000	1.00	300 500 ()	0.20	5	1.00
15,000 30,000	1.10	500 1,000	0.20	5 10	1.05
30,000 60,000	1.40	1,000 2,000	0.40	10 15	1.09
60,000 100,000	1.80	2,000 2,500	0.60	15 20	1.14
100,000 200,000	2.00	2,500 3,000	0.80	20 25	1.18
200,000	2.50	3,000	1.00	25	1.20

	()	×	-	50%
	()	×	-	50%
		×	-	
	(, 42 kW)	×	-	50%
		○	9	50%
	(· ,)	○	11	
	(·) (, 0.75 kW)	○	28	20%
	()	×	-	
	()	×	-	
	()	×	-	
	(· 7.3 kW (,))	○	23	20%
	()	×	-	20%
	(,)	×	-	20%
	(,)	×	-	20%
	(0.75 kW)	○	53	20%
	(, ,)	×	-	
		○		
.	(0.75 kW)	○		
	.	○		
.	(0.75 kW)	○		
	.	○		
		○		
		○		
		○		
		○		
	()	○		
	(BEMS, , ,)	○		
. .	. .	○		

- - : 50% ,
 - : 50% ,
 - :
 - : 50% , , , , , , 42 kW
 - : 50%
 - :
 - (·) : 20% , · ,
(0.75kW)
 - (, ,)
 - : 20% ,
(7.3kW ())
 - : 20% ,
- - : 20% ,
 - : 20% , (10%)
- - : 20% , , 0.75kW
 - : , ,
- - : 1
- ·
 - , 1 (0.75kW)
 - · : , 1
- ·
 - · 1
 - 1
(, 0.75kW
- - : 1
 - : 1
- - 1
- - (VAV, CAV) 1
- - (,) 1
- - (BEMS, , , ,) 1
- · ·
 - , , 1
- ※
 - · · · · [1]
- - 1 12 1 ,
- ※
 - [1] 12 1 ,

[illegible]

	HX-1			1	3~13F	1,293,000 kcal/hr	B7F	
	HX-2			1	14~24F	1,293,000 kcal/hr	B7F	
	HX-3			1	25~35F	769,000 kcal/hr	B7F	
	HX-5			1	3~13F	278,000 kcal/hr	B7F	
	HX-6			1	3~13F	278,000 kcal/hr	B7F	
	HX-7			1	14~24F	278,000 kcal/hr	B7F	
	HX-8			1	14~24F	278,000 kcal/hr	B7F	
	HX-9			1	25~35F	209,000 kcal/hr	B7F	
	HX-10			1	25~35F	209,000 kcal/hr	B7F	
	ET-1			1		1,000 LIT	B7F	
	ET-2			1		1,000 LIT	B7F	
	ET-3			1		600 LIT	B7F	
	ET-4			1		800 LIT	B7F	
	ET-5			1		300 LIT	B7F	
	ET-6			1		500 LIT	B7F	
	ET-7			1		400 LIT	B7F	
	ET-8			1		200 LIT	B7F	
	ET-9			1		150 LIT	B7F	
	ET-10			1		150 LIT	B7F	
	ET-11			1		150 LIT	B7F	
	P-1-1		IN-LINE	1		11 kW	B7F	
	P-1-2		IN-LINE	1		11 kW	B7F	1
	P-2-1		IN-LINE	1		11 kW	B7F	
	P-2-2		IN-LINE	1		11 kW	B7F	1

I.

	P-3-1		IN-LINE	1		7.5 kW	B7F	1
	P-3-2		IN-LINE	1		7.5 kW	B7F	
	P-5-1			1		7.5 kW	B7F	
	P-5-2			1		7.5 kW	B7F	
	P-5-3			1		7.5 kW	B7F	
	P-6-1			1		11 kW	B7F	
	P-6-2			1		11 kW	B7F	
	P-6-3			1		11 kW	B7F	
	P-7-1			1		18.5 kW	B7F	
	P-7-2			1		18.5 kW	B7F	
	P-8-1			1		3 kW	B7F	
	P-8-2			1		3 kW	B7F	
	P-9-1			1		5.5 kW	B7F	
	P-9-2			1		5.5 kW	B7F	
	P-10-1		IN-LINE	1		2.2 kW	B7F	1
	P-10-2		IN-LINE	1		2.2 kW	B7F	
	P-11-1		IN-LINE	1		2.2 kW	B7F	
	P-11-2		IN-LINE	1		2.2 kW	B7F	1
	P-12-1		IN-LINE	1		0.55 kW	B7F	1
	P-12-2		IN-LINE	1		0.55 kW	B7F	
	P-13-1		IN-LINE	1		0.55 kW	B7F	
	P-13-2		IN-LINE	1		0.55 kW	B7F	
	P-14-1		IN-LINE	1		3.0 kW	B7F	
	P-14-2		IN-LINE	1		3.0 kW	B7F	
PAC-1		STAND TYPE	1	B1F	11,180 kcal/h	(B1F)		
	PAC-2		STAND TYPE	1	B7F	5,160 kcal/h	(B7F)	

	PAC-3			1	2F MDF	3,440 kcal/h	(2F)	
	PAC-4-1		STAND TYPE	1		12,470 kcal/h	101 PH	
	PAC-4-2		STAND TYPE	1		12,470 kcal/h	101 PH	
	PAC-4-3		STAND TYPE	1		12,470 kcal/h	101 PH	
	PAC-4-4		STAND TYPE	1		12,470 kcal/h	101 PH	
	PAC-4-5		STAND TYPE	1		12,470 kcal/h	102 PH	
	PAC-4-6		STAND TYPE	1		12,470 kcal/h	102 PH	
	PAC-4-7		STAND TYPE	1		12,470 kcal/h	102 PH	
	PAC-4-8		STAND TYPE	1		12,470 kcal/h	102 PH	
	PAC-4-9		STAND TYPE	1		12,470 kcal/h	103 PH	
	PAC-4-10		STAND TYPE	1		12,470 kcal/h	103 PH	
	PAC-4-11		STAND TYPE	1		12,470 kcal/h	103 PH	
	PAC-4-12		STAND TYPE	1		12,470 kcal/h	103 PH	
	PAC-5-1		STAND TYPE	1	B7F	25,800 kcal/h	(B7F)	
	PAC-5-2		STAND TYPE	1	B7F	25,800 kcal/h	(B7F)	
	RC-1-1		/	1	101 1F	: 24,900 kcal/h, : 28,000 kcal/h	(B1F)	
	RC-1-2		STAND TYPE	1	102 1F	: 9,000 kcal/h, : 8,000 kcal/h	(1F)	
	RC-1-3		/	1	103 1F	: 24,900 kcal/h, : 28,000 kcal/h	(B1F)	
	RC-2-1			1	3F	: 19,800 kcal/h, : 22,300 kcal/h	101 3F	
	RC-2-2			1	3F	: 19,800 kcal/h, : 22,300 kcal/h	101 3F	
	RC-3		/	1	3F	: 24,900 kcal/h, : 28,000 kcal/h	102 3F	
	F-1-1		SIROCCO	1	B7F	685CMM, 12mmAq, 5.5kW	B7F	
	F-1-2		SIROCCO	1	B7F	685CMM, 12mmAq, 5.5kW	B7F	
	F-2-1		SIROCCO	1	B6F	565CMM, 11mmAq, 5.5kW	B6F	
	F-2-2		SIROCCO	1	B6F	565CMM, 11mmAq, 5.5kW	B6F	
	F-2-3		SIROCCO	1	B6F	565CMM, 11mmAq, 5.5kW	B6F	

	F-2-4		SIROCCO	1	B6F	565CMM, 11mmAq, 5.5kW	B6F
	F-2-5		SIROCCO	1	B5F	565CMM, 11mmAq, 5.5kW	B5F
	F-2-6		SIROCCO	1	B5F	565CMM, 11mmAq, 5.5kW	B5F
	F-2-7		SIROCCO	1	B5F	565CMM, 11mmAq, 5.5kW	B5F
	F-2-8		SIROCCO	1	B5F	565CMM, 11mmAq, 5.5kW	B5F
	F-2-9		SIROCCO	1	B4F	565CMM, 11mmAq, 5.5kW	B4F
	F-2-10		SIROCCO	1	B4F	565CMM, 11mmAq, 5.5kW	B4F
	F-2-11		SIROCCO	1	B4F	565CMM, 11mmAq, 5.5kW	B4F
	F-2-12		SIROCCO	1	B4F	565CMM, 11mmAq, 5.5kW	B4F
	F-2-13		SIROCCO	1	B3F	565CMM, 11mmAq, 5.5kW	B3F
	F-2-14		SIROCCO	1	B3F	565CMM, 11mmAq, 5.5kW	B3F
	F-2-15		SIROCCO	1	B3F	565CMM, 11mmAq, 5.5kW	B3F
	F-2-16		SIROCCO	1	B3F	565CMM, 11mmAq, 5.5kW	B3F
	F-2-17		SIROCCO	1	B2F	565CMM, 11mmAq, 5.5kW	B2F
	F-2-18		SIROCCO	1	B2F	565CMM, 11mmAq, 5.5kW	B2F
	F-2-19		SIROCCO	1	B2F	565CMM, 11mmAq, 5.5kW	B2F
	F-2-20		SIROCCO	1	B2F	565CMM, 11mmAq, 5.5kW	B2F
	F-3-1		SIROCCO	1	B1F	665CMM, 11mmAq, 5.5kW	B1F
	F-3-2		SIROCCO	1	B1F	665CMM, 11mmAq, 5.5kW	B1F
	F-3-3		SIROCCO	1	B1F	665CMM, 11mmAq, 5.5kW	B1F
	F-3-4		SIROCCO	1	B1F	665CMM, 11mmAq, 5.5kW	B1F
	F-5-1		SIROCCO	1	B7F /	450CMM, 22mmAq, 7.5kW	B7F
	F-5-2		AXIAL	1	B7F /	450CMM, 22mmAq, 7.5kW	B7F
	F-6-1		AXIAL	1	B7F /	173CMM, 19mmAq, 2.2kW	B4F
	F-6-2		AXIAL	1	B7F /	173CMM, 19mmAq, 2.2kW	B4F
	F-7		IN-LINE	1	B7F	215CMM, 30mmAq, 3.7kW	B7F

	F-8		SIROCCO	1	B7F	167CMM, 30mmAq, 2.2kW	
	F-16		SIROCCO	1	B1F ()	86CMM, 28mmAq, 1.75kW	(103)
	F-21		IN-LINE	1	1F-21	1.5kW	1
	F-22		SIROCCO	1	()	114CMM, 46mmAq, 3.7kW	(103)
	F-23		IN-LINE	1	2F-17	1.5kW	2
	F-24		SIROCCO	1	()	286CMM, 45mmAq, 7.5kW	(102)
	F-27-1		MIXED FLOW	1	101	100CMM, 24mmAq, 1.5kW	(101)
	F-27-2		MIXED FLOW	1	101	100CMM, 24mmAq, 1.5kW	(101)
	F-28		MIXED FLOW	1	101	94CMM, 24mmAq, 1.5kW	(101)
	F-29-1		MIXED FLOW	1	102	112CMM, 25mmAq, 1.5kW	(102)
	F-29-2		MIXED FLOW	1	102	112CMM, 25mmAq, 1.5kW	(102)
	F-30		MIXED FLOW	1	102	105CMM, 24mmAq, 1.5kW	(102)
	F-31-1		MIXED FLOW	1	103	119CMM, 25mmAq, 1.5kW	(103)
	F-31-2		MIXED FLOW	1	103	119CMM, 25mmAq, 1.5kW	(103)
	F-32		MIXED FLOW	1	103	113CMM, 25mmAq, 1.5kW	(103)
	F-47		IN-LINE	1	1F-22	0.5kW	1
	F-48		IN-LINE	1	2F-1	0.5kW	2
	F-49		IN-LINE	1	2F-2~4, 44	0.75kW	2
	F-50		IN-LINE	1	2F-9~13	1.5kW	2
	F-51		IN-LINE	1	2F-35	0.5kW	2
	F-52		IN-LINE	1	2F-34	1.5kW	2
	F-53		SIROCCO	1	()	286CMM, 45mmAq, 7.5kW	(101)
				1		1 , 1,2 , 3 (9)	1, 1,2
.	-	,		1	,	, ()	B7F
	T-1	.		1	STS (50t)	32300 X9500 X5700 =1,749	B7F
				1		, , PVC	PIPE SHAFT

				1			
				1		()	B7F
				1	, , , ,	SUS, , , PVC	PIPE SHAFT
				1			,
				1	, ,	+	PIPE SHAFT
				1	, , , ,	DDC +	
, ,				1	,		, , ,

10

:○

				2026				2027				2028				2029				2030			
				1	5	9	12	1	5	9	12	1	5	9	12	1	5	9	12	1	5	9	12
	HX-1			1	○							○								○			
	HX-2			1				○				○								○			
	HX-3			1				○								○				○			
	HX-5			1				○								○							
	HX-6			1				○								○							
	HX-7			1	○			○								○							
	HX-8			1	○							○				○							
	HX-9			1	○							○								○			
	HX-10			1	○							○								○			
	ET-1			1	○			○				○				○				○			
	ET-2			1	○			○				○				○				○			
	ET-3			1	○			○				○				○				○			
	ET-4			1	○			○				○				○				○			
	ET-5			1	○			○				○				○				○			
	ET-6			1	○			○				○				○				○			
	ET-7			1	○			○				○				○				○			
	ET-8			1	○			○				○				○				○			
	ET-9			1	○			○				○				○				○			
	ET-10			1	○			○				○				○				○			
	ET-11			1	○			○				○				○				○			
	P-1-1		IN-LINE	1				○												○			
	P-2-1		IN-LINE	1				○												○			

[illegible]

[illegible]

:○

					2026				2027				2028				2029				2030			
					1	5	9	12	1	5	9	12	1	5	9	12	1	5	9	12	1	5	9	12
	F-2-4		SIROCCO	1					○															
	F-2-5		SIROCCO	1					○															
	F-2-6		SIROCCO	1					○															
	F-2-7		SIROCCO	1					○															
	F-2-8		SIROCCO	1					○															
	F-2-9		SIROCCO	1					○															
	F-2-10		SIROCCO	1									○											
	F-2-11		SIROCCO	1									○											
	F-2-12		SIROCCO	1									○											
	F-2-13		SIROCCO	1									○											
	F-2-14		SIROCCO	1									○											
	F-2-15		SIROCCO	1									○											
	F-2-16		SIROCCO	1									○											
	F-2-17		SIROCCO	1	○																			
	F-2-18		SIROCCO	1									○											
	F-2-19		SIROCCO	1	○																			
	F-2-20		SIROCCO	1									○											
	F-3-1		SIROCCO	1									○											
	F-3-2		SIROCCO	1									○											
	F-3-3		SIROCCO	1													○							
	F-3-4		SIROCCO	1													○							
	F-5-1		SIROCCO	1													○							
	F-5-2		AXIAL	1													○							
	F-6-1		AXIAL	1													○							

:○

					2026				2027				2028				2029				2030			
					1	5	9	12	1	5	9	12	1	5	9	12	1	5	9	12	1	5	9	12
	F-6-2		AXIAL	1													○							
	F-7		IN-LINE	1													○							
	F-8		SIROCCO	1													○							
	F-16		SIROCCO	1													○							
	F-21		IN-LINE	1													○							
	F-22		SIROCCO	1													○							
	F-23		IN-LINE	1																○				
	F-24		SIROCCO	1																				
	F-27-1		MIXED FLOW	1	○																			
	F-27-2		MIXED FLOW	1	○																			
	F-28		MIXED FLOW	1	○																			
	F-29-1		MIXED FLOW	1	○																			
	F-29-2		MIXED FLOW	1	○																			
	F-30		MIXED FLOW	1	○																			
	F-31-1		MIXED FLOW	1	○																			
	F-31-2		MIXED FLOW	1	○																			
	F-32		MIXED FLOW	1	○																			
	F-47		IN-LINE	1																○				
	F-48		IN-LINE	1																○				
	F-49		IN-LINE	1																○				
	F-50		IN-LINE	1																○				
	F-51		IN-LINE	1																○				
	F-52		IN-LINE	1																○				
	F-53		SIROCCO	1																○				

:○

				2026				2027				2028				2029				2030				
				1	5	9	12	1	5	9	12	1	5	9	12	1	5	9	12	1	5	9	12	
				1	○				○				○				○				○			
				1	○				○				○				○				○			
1	○					○				○				○				○						
		1		○				○				○				○				○				
		1		○				○				○				○				○				
		1		○				○				○				○				○				
		1		○				○				○				○				○				
		1		○				○				○				○				○				
		1		○				○				○				○				○				
		1		○				○				○				○				○				
		1		○				○				○				○				○				

:

101 PH
101 PH
101 PH
102 PH
102 PH
102 PH
102 PH
103 PH
103 PH
103 PH
103 PH
(B7F)
(B7F)
(B1F)
(1F)
(B1F)
101 3F
101 3F
102 3F
B7F
B7F
B6F
B6F
B6F

:

B6F
B5F
B5F
B5F
B5F
B5F
B4F
B4F
B4F
B4F
B3F
B3F
B3F
B3F
B2F
B2F
B2F
B2F
B1F
B1F
B1F
B1F
B7F
B7F
B4F

:

B4F
B7F
(103)
1
(103)
2
(102)
(101)
(101)
(101)
(102)
(102)
(102)
(103)
(103)
(103)
1
2
2
2
2
2
(101)

	Infrared Camera	
	/	FLIR / E6-XT
		: -20°C ~ 500°C : 0.1°C

	Ultrasonic Flowmeter	
	/	WINSKO / WUF7100
		: 1 ~ 48 (DN25 ~ DN1200) : ±0.01 ~ ±12m/s : ±1% : ±0.001m/s

	Ultrasonic Flowmeter	
	/	Online-instruments / Ulsoflow309s
		: 2,000mm 120°C, & 10,000 : 0m/s ~ 15m/s, 50mm~2,000mm

	Digital Manometer	
	/	LUTRON / PS-9302
		: 0~50bar

Datachart Recorder		
	/	LUTRON / BTM-4208SD
		: 5 , 5 : K : -100 ~ 1,300°C : 1°C / 0.1°C
		, ,

Flue Gas Analyzer		
	/	TESTO / testo330-2LL
		: CO ₂ , O ₂ , CO, NO : -40~1,200°C

Psychrometer-Thermometer		
	/	/ KM410
		: -20~70°C : 0%~100%
		.

Standard Thermometer		
	/	/ DK-2000
		: -30~360°C

Infrared Thermometer		
	/	FLIR / TG54
		: -30 ~ 650°C

I.

	Infrared Thermometer	
	/	TESTO / testo830-T1
		: -30 ~ 400°C

	Digital Anemometer	
	/	TESTO / testo 425
		: : 0~20m/s, 70°C
		,

	Digital Pressure Anemometer	
	/	LUTRON / PM-9110D
		: 2,000mbar, 0.2kg

	AC Power Measuring Instrument	
	/	LUTRON / PC6011SD
		: AC 5~2,000A
		3

	AC Power Measuring Instrument	
	/	TESTO / testo540
		: 0Lux~99,999Lux

--	--	--

	Revolution Indicator	
	/	LUTRON / DT1236L
		: 1~19,999RPM, : 1~99,999RPM

	Ultrasonic Thickness Gauge	
	/	Leeb / Leeb-321
		: 0.7~252mm, 0.1

	Vernier Calipers	
	/	Sincon / SD500-300PRO
		: 0.01~300mm
		,

(CO ₂)	Carbon Dioxide Detector	
	/	/ KM410
		: 0 ~ 5,000ppm

(CO)	Carbon Monoxide Detector	
	/	/ KM410
		: 0 ~ 1,000ppm

I.

	Combustion gas analyzer	
	/	TESTO / testo 300
		O ₂ CO (H ₂ - / 8,000 ppm)
		O ₂ CO

	Fine Dust Measuring Instrument	
	/	LUTRON / PM-1063SD
		: PM2.5 / 5~95% / 50.0°C

	Water phone	
	/	/ NC-1000
		, 1.5m

	Endoscope Camera	
	/	YAYO / NTS-D5M
		5m
		,

	Water Quality Analyzer	
	/	LUTRON / YK2001PHA
		PH, , ORP, DO

I.

	Vibration Meter	
	/	LUTRON / VB-8206SD
		(0.5~199.9 m/s) (0.5~199.9 m/s) (10Hz~1kHz)
		, ,

	Sound Level Tester	
	/	testo / testo816-1
		: 30~130dB : 20Hz~8kHz

	Insulation Tester	
	/	HIOKI / IR4051-10
		5

	Coolant Refractometer	
	/	ATAGO / MASTER-BR
		(0~70%,-50~0°C) (0~70%,-50~0°C)

12

1)

2)

3)

4)

5)

-

-

:

-

:

-

*

/

.

*

.

*

.


6)

-

(119)

<

>



7)

-

.

<

>



-

-

-

-

-

-

-

,

,

13

1)

-
*
*
.
< >

.	.	.	1
.	()	.	
.	()	.	
.		.	
.	(RPM)	.	
.		.	

※ : (KOLAS-G-013:202)

-
-
-

2)

-

3)

-

4)

- ,