BS5837:2012 Tree Schedule

22 Market Lane, Bessacarr, Doncaster, ZZ29 6EP

Application reference: 92.73914.FUL

Tree / group	Species	Height (m)	Stem Ø (mm)	Crown spread N/E/S/W (m)	Clearance (m)	Age class	Condition physiology / structure	Category	RPA area (m²) / radius (m)
T1	Pedunculate oak (Quercus robur)	12	425	5 / 5 / 5 / 6	3	S/Mat	Fair / Fair	B2	82 / 5.10
T2	Lombardy poplar (Populus nigra 'Italica')	30	900	4 / 4 / 4 / 4	2.5	Mat	Good / Fair	B2	366 / 10.80
T3	Common plum (Prunus domestica)	5	139	3 / 3 / 2 / 3	1	Yng	Fair / Fair	C1	10 / 1.80
T4	Lawson's cypress (Chamaecyparis lawsoniana)	6	205	2 / 2 / 2 / 2	1	Yng	Good / Good	C1	18 / 2.40
G1	Lawson's cypress	Average 5	Average 500	See associated plans	0	Young	Good / Good	C2	See associated plans
G2	Lawson's cypress	Average 10	Average 500	See associated plans	0	Mat	Good / Fair	B2	See associated plans
G3	Cedar species, common pear, Irish yew	Minimum 4; maximum 5	Minimum 75; maximum 100	See associated plans	0	Mat	Good / Fair	C2	See associated plans
H1	Common hawthorn	Average 2.5	Minimum 75; maximum 100	See associated plans	1	S/Mat	Good / Fair	-	See associated plans

Tree observations and recommendations

22 Market Lane, Bessacarr, Doncaster, ZZ29 6EP

Application reference: 92.73914.FUL

Tree / group	Observations	Recommendations
T1	Off-site tree adjacent to the pavement. Minor to moderate deadwood throughout; showing signs of reduced vitality. Prominent street tree, highly visible and making a positive contribution to local amenity.	No work recommended at time of survey
T2	Appears to be off site in a neighbouring garden. Inspection was limited and measurements estimated. Very tall multi-stem tree, prominent in the landscape.	No work recommended at time of survey
T3	Young ornamental fruit tree with potential to grow into a good specimen.	No work recommended at time of survey
T4	Young tree very close to the northern boundary. Plenty of future growth can be expected.	No work recommended at time of survey
G1	Large line of trees straddling the south-western boundary. Previously topped. Provides screening to the neighbouring petrol station. Lateral branches extend approximately 3 m into the site.	Face off lateral branches by up to 0.5 m
G2	Overgrown and unmanaged group of leylandii trees straddling the south-western boundary. Screens the neighbouring petrol station and properties. Beginning to dominate the south-west corner; branches extend up to 4 m into the site.	Face off lateral branches and reduce height
G3	Young group of ornamental trees with potential to add local amenity value.	No work recommended at time of survey
H1	Off-site boundary hedge with gaps. Well maintained and controlled at 2.5 m height; spreads into the site by 0.5 m.	Face off lateral branches to the boundary line