

Table of Contents

- [DigiTax Nigeria API](#)
 - [Introduction](#)
 - [DigiTax API](#)
 - [DigiTax API Features](#)
 - [Using DigiTax API](#)
 - [API endpoint parameters](#)
 - [Guaranteed safety and integrity](#)
- [Prerequisites of using the API](#)
 - [Generate an API Key](#)
 - [License Key](#)
- [Feature: Callback URLs](#)
 - [Understanding Callback URLs](#)
 - [Where to use Callback URLs](#)
 - [Scenarios](#)
 - [Structure and example](#)
- [Transaction Status](#)
 - [DigiTax Queueing system](#)
 - [The different transaction statuses and what they mean](#)
 - [Transaction statuses](#)
 - [Invoice Status Details](#)
 - [Successful transmission requirements](#)
 - [Party details for transmission](#)
- [Errors and other HTTP response codes](#)
 - [Overview](#)
 - [DigiTax API HTTP response status codes](#)
 - [Further context and Possible action points](#)
 - [Successful responses](#)
 - [Client error responses](#)
- [Reference: HS/ HSN and Service codes - files](#)
 - [Overview](#)
 - [HS/ HSN Code Files](#)
 - [Service Code Files](#)
- [Feature: Detailed Sales](#)
 - [Overview](#)
 - [Party Details](#)
 - [Tax Calculation](#)
 - [Endpoint](#)
 - [Payload](#)
 - [Response](#)
 - [Credit and Debit Notes Support](#)
 - [Sample Debit Note Request](#)
- [API endpoints](#)
 - [Resources API endpoints](#)
 - [Business API endpoints](#)

- [Parties API endpoints](#)
- [Items API endpoints](#)
- [Invoices API endpoints](#)
- [Invoices Downloads API endpoints](#)
- [APP Invoices API endpoints](#)


DigiTax Nigeria API

[Link to Online documentation](#)

Introduction

Before you proceed, we encourage you to get an overview of [DigiTax Nigeria and FIRS e-Invoicing](#) and [FIRS and FIRS E-Invoicing System](#).

Use **DigiTax Nigeria API** to integrate your system with NRS E-Invoicing System for automation and to reduce platform-hopping



DigiTax API

Namiri Technologies, through our DigiTax Platform, have developed a suite of solutions:

- DigiTax App (Compatible with Android POS),
- DigiTax Dashboard (Web Browser-based Desktop application)
- DigiTax API

The first two are powered by the DigiTax API 🚀

DigiTax API Features

The DigiTax API is built with various industry standards for API platforms in mind. These include:

- RESTful API
- OpenAPI (formerly Swagger): An open-source standard that allows a standardized way to generate, document, and test our APIs.
- Secure authentication with cryptographically signed JWTs (JSON Web Tokens)

- [Standard HTTP response codes](#) for errors and successful requests

Using DigiTax API

To use this API, you'll need access to DigiTax Dashboard environment to get an API Key. You can test our solutions (DigiTax Dashboard, DigiTax App and DigiTax API) for free using test businesses.

These are the steps required to get up and running on the API - [Prerequisites of using DigiTax API](#)

 You can test our solutions before committing.

For commercial conversations, get in touch with our team

API endpoint parameters

For some API endpoints like [Create item](#), body parameters (also called query parameters) are passed along with the GET, POST, PUT and DELETE requests.

The responses contain attributes related to the passed-in query parameters, which unveil the data model used in the application.

Guaranteed safety and integrity

We comply with industry and security best practices.

 DigiTax is built with the best industry practices and to the highest security standards

Prerequisites of using the API

[Link to Online documentation](#)

 You can test the DigiTax API before reaching out to us

We've designed the developer experience to be Hands-off. Meaning you can get started with your first API call without engaging with our team. Should you need our support or want to onboard your business to LIVE, reach out to us.

The following are the steps to creating a sandbox business and getting an X-API-Key (for testing before you go LIVE):


1. [Sign up on DigiTax](#)
2. Create a profile.
3. Create a sandbox business.
4. Generate an API Key under the "Integrations" tab. See screenshots below.
5. Use the copied API Key as **X-API-Key** in your header when making API calls through the interactive online API docs [here](#) OR via your integration during testing.

See screenshots below.


Generate an API Key

In a Sandbox/ LIVE business,

- 1. Navigate to the "Integrations" menu tab
- 2. Select "Add API KEY"



3. Enter a name and select "Api key"

A screenshot of a web application dialog box titled "Create an API key" with a close button (X) in the top right corner. The dialog contains two main sections. The first section, labeled "Name", has a text input field with the placeholder text "Please enter name of API key". Below the input field is a red error message: "Please enter name of API key". The second section, labeled "API Type", has a dropdown menu currently showing "Api Key" with a downward arrow icon. To the right of the dropdown is a green button labeled "Generate key". Below the dropdown is a large, empty gray rectangular box with a copy icon (two overlapping squares) in its top right corner. Below this box is a text instruction: "Please record the value that you generate for later use as you will not see it from this dashboard on subsequent visits". At the bottom left of the dialog is a green button labeled "Cancel", and at the bottom right is a gray button labeled "Save".

Create an API key ×

Name

Please enter name of API key

Please enter name of API key

API Type

Api Key | ▾

Generate key

Please record the value that you generate for later use as you will not see it from this dashboard on subsequent visits

Cancel Save

Please record the value that you generate for later use, as you will not see it from the dashboard on subsequent visits. Save it securely.

License Key

In step 3 above, under **API Type**, we have two options:

- Api Key
- License Key

Create an API key ✕

Name

Please enter name of API key

Please enter name of API key

API Type

License Key ▾

Generate key

Please record the value that you generate for later use as you will not see it from this dashboard on subsequent visits

Cancel Save

The **License Key** is used in some DigiTax Plugins.

Feature: Callback URLs

[Link to Online documentation](#)

Understanding Callback URLs

When you make a request to DigiTax API, we immediately return a response. The status of that transaction by default is **DRAFT**.

Below is a snippet of the response to a POST invoice request. The status property reads "DRAFT".

```
RESPONSE 201 LOG ✓

1 {
2   "id": "invoice_01K1X2Z26VPAVPTMTA3CGTWCQ8",
3   "created_at": "2025-08-05T12:23:12Z",
4   "updated_at": "2025-08-05T12:23:12Z",
5   "active": true,
6   "party_id": "party_01K1SMHY16R73ZZA7QYR6R44Y5",
7   "invoice_date": "2025-08-05",
8   "issue_date": "2025-08-05",
9   "is_valid": false,
10  "transmitted_at": null,
11  "signed_at": null,
12  "validated_at": null,
13  "invoice_type_code": "381",
14  "document_currency_code": "NGN",
15  "tax_currency_code": "NGN",
16  "invoice_number": "INV25-217-122312346-Q42FME",
17  "invoice_reference_number": "122312346Q42FME-E3A8906",
18  "buyer_reference": "",
19  "payment_status": "PENDING",
20  "status": "DRAFT",
21  "line_extension_amount": 100,
22  "tax_exclusive_amount": 97,
```

We save it into our queuing system to be **signed**. This step changes the status property from **DRAFT** to **COMPLETED**. This is apparent via the DigiTax Dashboard or when you make a **GET** request.


Below is a snippet of the response of a GET invoice request. The status property reads "COMPLETED".

```
RESPONSE 200 LOG ✓

1 {
2   "id": "invoice_01K1X2Z26VPAVPTMTA3CGTWCQ8",
3   "created_at": "2025-08-05T12:23:12Z",
4   "updated_at": "2025-08-05T12:23:13Z",
5   "active": true,
```

```
6   "party_id": "party_01K1SMHY16R73ZZA7QYR6R44Y5",
7   "invoice_date": "2025-08-05",
8   "issue_date": "2025-08-05",
9   "is_valid": true,
10  "transmitted_at": null,
11  "signed_at": "2025-08-05T12:23:13Z",
12  "validated_at": "2025-08-05T12:23:12Z",
13  "invoice_type_code": "381",
14  "document_currency_code": "NGN",
15  "tax_currency_code": "NGN",
16  "invoice_number": "INV25-217-122312346-Q42FME",
17  "invoice_reference_number": "122312346Q42FME-E3A89069-",
18  "buyer_reference": "",
19  "payment_status": "PENDING",
20  "status": "COMPLETED",
21  "line_extension_amount": 100,
22  "tax_exclusive_amount": 97,
23  "tax_inclusive_amount": 104.28,
24  "payable_amount": 104.28,
25  "tax_amount": 7.28,
26  "billing_reference": [],
27  "notes": "Sample invoice notes",
28  "qr_code_data": "Vo0Xpj/c15gM1jriqcKAsr/5nl8bkm1ZkKRc8",
29  "taxes": [
30    {
31      "tax_category_code": "STANDARD_GST",
32      "tax_amount": 7.28,
33      "taxable_amount": 97,
34      "tax_percentage": 7.5
35    }
36  ],
37  "items": [
38    {
39      "id": "invoiceitem_01K1X2Z26VPAVPTMTA3GH8TX1C",
```

Below is the invoice above as viewed on the dashboard



The screenshot shows the DigiTax Nigeria Business Profile interface. At the top, there's a header with the DigiTax logo, a user profile icon, and a 'Businesses' tab. Below the header, there's a navigation bar with tabs for Invoices, Downloads, Credit Notes, Debit Notes, Parties, Items, and Integrations. The 'Invoices' tab is active. Below the navigation bar, there's a search bar labeled 'Search by IRN or Invoice No.' and buttons for 'Add Invoice', 'Filter', and 'Generate Report'. A table of invoices is displayed with columns: Date, IRN No., Invoice No., Amount, Invoice Status, Payment Status, and Actions. The first invoice is dated '05 Aug, 2025 3:23:12 pm', has an IRN of '122312346Q42FME-E3A89069-20250805', an invoice number of 'INV25-217-122312346-Q42FME', an amount of 'N104.28', and a status of 'Created'. The payment status is 'PENDING'. An 'Invoice Status' dropdown menu is open, showing options: Created, Validated, Signed, and Transmitted.

Date	IRN No.	Invoice No.	Amount	Invoice Status	Payment Status	Actions
05 Aug, 2025 3:23:12 pm	122312346Q42FME-E3A89069-20250805	INV25-217-122312346-Q42FME	N104.28	Created	PENDING	...

The tax authority's system or DigiTax may take some time to sign an invoice, and it is not efficient to have you, as the API caller or consumer, wait for a response.

Callback URLs are useful since they inform you as soon as a particular event like a status change happens after data processing on the tax authority's system or DigiTax.

Where to use Callback URLs

We accept an optional `callback_url` property for the following endpoints:

- [Add invoice \(POST\)](#)
- Add credit note (POST)
- Add debit note (POST)

More details under [Scenarios](#) section below.

During testing, we encourage you to use a site like [webhook.site](#)

Our system will POST data to the callback URL when we have new information about the invoice, usually after syncing with the tax authority's system.

Scenarios

We send a callback when invoice has been signed.

When an invoice, credit note, or debit note has been synced to NRS (or signed), we also send a POST request to the `callback_url`. The request body contains a `data` object with details about the synced invoice, credit note, or debit note and an `event` property with the value `sale.sync`.

Structure and example

Example response when an invoice, credit note, or debit note has been synced to NRS (or has been signed)

```
{
  "data": {
    "id": "invoice_01K1X2Z26VPAVPTMTA3CGTWCQ8",
```

```
"original_invoice_id": null,
"created_at": "2025-08-05T12:23:12.351Z",
"updated_at": "2025-08-05T12:23:13.181Z",
"active": true,
"party_id": "party_01K1SMHY16R73ZZA7QYR6R44Y5",
"invoice_date": "2025-08-05",
"issue_date": "2025-08-05",
"is_valid": true,
"transmitted_at": null,
"signed_at": "2025-08-05T12:23:13.181Z",
"validated_at": "2025-08-05T12:23:12.785Z",
"invoice_type_code": "381",
"tax_point_date": null,
"document_currency_code": "NGN",
"tax_currency_code": "NGN",
"invoice_number": "INV25-217-122312346-Q42FME",
"invoice_reference_number": "122312346Q42FME-E3A89069-20250805",
"buyer_reference": null,
"payment_status": "PENDING",
"delivery_date": null,
"status": "COMPLETED",
"line_extension_amount": 100,
"tax_exclusive_amount": 97,
"tax_inclusive_amount": 104.28,
"payable_amount": 104.28,
"tax_amount": 7.28,
"billing_reference": null,
"dispatch_document_reference": null,
"receipt_document_reference": null,
"originator_document_reference": null,
"contract_document_reference": null,
"due_date": null,
"notes": "Sample invoice notes",
"qr_code_data":
"VoOXpj/c15gM1jriqcKAsr/5nI8bkm1ZkKRc8s2w23x7ldFVvL4ve8wA+GWHCpd/zmBn8K0I
DdHW9MKdawtBY4loisYvqoGCczfVP6YNamvgCtav39f3e7VGmsOahcPyrYTs+zM7R+v8I
mU/oXTwaf8zvplsYowpGE4Y3sXv+5WqZ4j361CWWiPFPuFzCORkdxU5tjCCxGJ2BqDFOBx
BGT4ei2Ie4FI2V6pdx9m5Crab63KiYjbOAj7SkWYbih7oL93N/4F/AHYsc4GYNvZyWxdzdx8
xLy4igBNpNZ/wsU5rmvAnuPZjFpREcCPriZD7Q302kK+j1GhHx6KbftVig==",
"taxes": [
  {
    "tax_category_code": "STANDARD_GST",
    "tax_amount": 7.28,
    "taxable_amount": 97,
    "tax_percentage": 7.5
  }
],
"items": [
  {
    "id": "invoiceitem_01K1X2Z26VPAVPTMTA3GH8TX1C",
    "created_at": "2025-08-05T12:23:12.351Z",
    "updated_at": "2025-08-05T12:23:12.351Z",
    "active": true,
    "item_id": "item_01K1SMDHV51XTR7MHT3TFFEYKA",
```

```
{
  "line_extension_amount": 100,
  "quantity": 1,
  "price_amount": 100,
  "discount_rate": 0.05,
  "fee_rate": 0.02,
  "discount_amount": 5,
  "fee_amount": 2,
  "tax_rate": 0.075
}
],
"event": "invoice.signed"
}
```

Transaction Status

[Link to Online documentation](#)

DigiTax Queueing system

DigiTax provides the following:

- Asynchronous functionality that automatically retries FIRS
- Get notifications on transaction statuses via [Callback URLs](#)
- Throttling traffic between the businesses throughput and the tax authority's system

These functionalities are possible due to the DigiTax Queueing system.

 You don't run the risk of double-entry

Every transaction that interacts with FIRS E-Invoicing System is first off entered into the DigiTax Queueing system to mitigate against possible FIRS:

- intermittency and downtime OR
- slow response rate

The different transaction statuses and what they mean

Since transactions are first off entered into the DigiTax Queueing system, we give you the following statuses. This is what they mean.

Transaction statuses

These are the possible options for the **status** property of a response from the invoices endpoints.

Status	Meaning	Action
--------	---------	--------

Status	Meaning	Action
pending	DigiTax Queueing system is queued after attempting to reach FIRS E-Invoicing System	Check in later. If you set up Callback URLs , DigiTax will post to your system when the FIRS E-Invoicing System sync is done.
completed	The completed invoice is signed	Check in later. If you set up Callback URLs , DigiTax will post to your system when it is done.
failed	FIRS E-Invoicing System rejected the transaction	Please initiate another transaction.

Invoice Status Details

These are depicted by timestamps both on the DigiTax Nigeria API and Dashboard.

On the API, these are:

- `created_at` property
- `validated_at` property
- `signed_at` property
- `transmitted_at` property

of a response from the invoices endpoints.

The timestamps above correspond to what you'd see on the Dashboard, under "Invoices" tab, when you click on the arrow icon next to the block under "Invoice Status". These are:

- **Created**
- **Validated**
- **Signed**
- **Transmitted**

The screenshot shows a modal titled "Invoice Status Details" with the following information:

- IRN no. 154530885MNH3N4-E3A89069-20250915
- Invoice no. INV25-258-154530885-MNH3N4

The timeline shows four steps, each with a green checkmark and a timestamp:

- Created**: 15 Sep, 2025 6:45:30 pm
- Validated**: 15 Sep, 2025 6:45:31 pm
- Signed**: 15 Sep, 2025 6:45:31 pm
- Transmitted**: 15 Sep, 2025 6:45:32 pm

A green arrow points from the "Signed" step to the "Transmitted" step. The background shows a table with the following columns: Date, IRN No., Invoice No., Amount, Invoice Status, Payment Status, and Actions. The row for the invoice shows a status of "PENDING" and a payment status of "PENDING".

Successful transmission requirements

For an invoice to be marked as transmitted:

1. A party needs to be added

2. The party needs to be onboarded on FIRS.

Party details for transmission

For testing purposes, please use the following properties:

Name: Namiri Technology Nigeria Limited
TIN: 08289985-9145
Email: firs-si@namiri.tech
Phone: +2347724935855
Street address: Broad Street
City: Benin City
Postal code: 111111

Errors and other HTTP response codes

[Link to Online documentation](#)

Overview

Conventional HTTP response codes are used to indicate the success or failure of an API request.

Responses are grouped in five classes:

- Informational responses (100 - 199)
- Successful responses (200 - 299)
- Redirection messages (300 - 399)
- Client error responses (400 - 499)
- Server error responses (500 - 599)

DigiTax API HTTP response status codes

For our interactive API, these are the main HTTP response status codes (Client error responses and Server error responses included):

- 200 OK
- 201 Created
- 400 Bad Request
- 401 Unauthorized
- 403 Forbidden
- 404 Not Found
- 409 Conflict
- 412 Precondition Failed

- 429 Too Many Requests
- 500 Internal Server Error
- 501 Not Implemented
- 502 Bad Gateway
- 503 Service Unavailable

 503 is unlikely for DigiTax

We pride ourselves to provide 99.99% uptime!

Head over to the [MDN reference on HTTP Status codes](#) for details on the entire list of HTTP response status codes.

Further context and Possible action points

Successful responses

HTTP response status codes	Scenario in DigiTax API	Action
200 OK	Typical for successful GET endpoint requests	Use the API response as needed
201 Created	Typical for successful POST endpoint requests	Use the API response as needed

Client error responses

HTTP response status codes	Scenario in DigiTax API	Further context and Possible action points
400 Bad Request	Typical for POST endpoint requests	Action: Update the request body, headers, and/or parameters and retry
401 Unauthorized	Typical for POST and GET endpoint requests	For example, if you use a wrong/ deactivated API Key, you get a 401 error with the response body as: <pre>{"message": "bad credentials"}</pre> Action: Check API Key or add one if you hadn't already. The message returned will advise otherwise.
403 Forbidden	Typical for POST endpoint requests	The user who generated the API Key is not allowed to perform the action or view the resource.

HTTP response status codes	Scenario in DigiTax API	Further context and Possible action points
404 Not Found	Possible in any endpoint	Action: Update the endpoint path or route
409 Conflict	Typical for POST endpoint requests	For example, <code>trader_invoice_number</code> should be unique across all sales/ credit notes and debit notes. If you repeat the value of an existing invoice in a POST request, the request will fail with this error. Action: Retry with a different, unique <code>trader_invoice_number</code>
412 Precondition Failed	Typical for POST endpoint requests	There are several actions that need Preconditions met. The message accompanying the error will advise. Below are examples. - (For Credit Notes) <code>credit note can only be created for signed invoices</code> - <code>item amount more than amount in original invoice</code> - (For Invoices) <code>items sent are more than those found, check that you haven't duplicated an item</code> - Which means that you have likely duplicated an item in the request. - (For Items) <code>tax category not found</code> Action: Update the request body and retry
429 Too Many Requests	Possible in any endpoint	Since all endpoints are rate-limited, you have reached the set user quota/ rate limit. Action: Retry later at a slower cadence
5XX (501, 502, 503, 504 ...)	Possible in any endpoint	Action: - Confirm that our team has issued an advisory on service interruption. - If so, retry once a resolution of the issue has been communicated. - If not, please retry. If a retry still returns a 5XX error, kindly reach out to our support team.

Reference: HS/ HSN and Service codes – files

Overview

An HS (Harmonized System) code or HSN (Harmonized System of Nomenclature) code is an internationally standardized numerical code that classifies traded products, used by customs around the world to categorize goods for import and export, developed by the World Customs Organization (WCO).

An HS/HSN code is required when registering an item as a good, while a Service code is required when registering an item as a service. This is applicable in the following endpoints:

- [POST - items endpoint](#)
- [POST - Create invoice with the party and items information](#)

HS/ HSN Code Files

1. The CSV file containing HS codes is accessible here.

You can download the file programmatically. Below is an example using CURL via terminal:

```
curl "https://raw.githubusercontent.com/namiri-tech/docs-rdme-ng/refs/heads/v1.0/assets/hs-codes.csv" > hs-codes.csv
```

2. The JSON file containing HS codes is accessible here.

You can download the file programmatically. Below is an example using CURL via terminal:

```
curl "https://raw.githubusercontent.com/namiri-tech/docs-rdme-ng/refs/heads/v1.0/assets/hs-codes.json" > hs-codes.json
```

Service Code Files

1. The CSV file containing Service codes is accessible here.

You can download the file programmatically. Below is an example using CURL via terminal:

```
curl "https://raw.githubusercontent.com/namiri-tech/docs-rdme-ng/refs/heads/v1.0/assets/service-codes.csv" > service-codes.csv
```

2. The JSON file containing Service codes is accessible here.

You can download the file programmatically. Below is an example using CURL via terminal:

```
curl "https://raw.githubusercontent.com/namiri-tech/docs-rdme-ng/refs/heads/v1.0/assets/service-codes.json" > service-codes.json
```


Feature: Detailed Sales

Overview

Party Details

For B2B transactions, the party's TIN, name, and email are mandatory. For B2C transactions, the party details are optional; leave the fields "party_tin", "party_name" and "party_email" as empty strings.

Tax Calculation

Within the item object, users are required to provide pre-calculated values for `total_amount`, `taxable_amount`, and `tax_amount`.

More details on, the `document_currency_code`, `tax_category_code`, `invoice_type_code` etc... can be found under the resource section [here](#).

Endpoint

```
https://api.digitax.tech/ng/v1/detailed-invoices
```

Payload

```
{
  "party_tin": "08289985-9145", //The Taxpayer Identification Number (TIN) assigned to
the buyer
  "party_name": "Namiri Technology", // The registered name of the buyer receiving the
invoice. This is the official business or individual name
  "party_email": "nrs-invoices@namiri.tech", // The buyer's official email address used for
communication regarding invoices and tax compliance
  "party_address": { // The buyer address is optional in this endpoint
    "street_name": "123 Main St",
    "city_name": "Lagos",
    "postal_zone": "100001",
    "country_code": "NGA"
  },
  "issue_date": "2025-08-15", //The date on which this invoice was issued in the format
YYYY-MM-DD
  "invoice_type_code": "381", // A code that specifies the type of invoice being issued
  "tax_point_date": "2025-08-15", //The actual date when the tax becomes applicable in
the format YYYY-MM-DD
  "document_currency_code": "NGN", // A code that specifies the default currency in
which the invoice is issued
  "buyer_reference": "#INV-005", //A reference number or code provided by the buyer to
track the invoice
  "due_date": "2025-08-07", //The date on which this invoice is due in the format YYYY-
MM-DD
}
```

```

"notes": "Sample invoice notes", // Additional invoice information that is not contained
explicitly in other structures
"callback_url": "https://example.com/callback", // The URL to call when we have new
information about the invoice, when the invoice is signed successfully or validation has
failed
"items": [
  {
    "item_code": "20107057", //A unique product code assigned to the item in the user's
system. It will be used as the unique product identifier
    "tax_category_code": "STANDARD_VAT", // The code for the tax category the item
belongs to. It must be one of the tax categories defined in the resources API
    "product_category": "Food and Beverage Products", // The category the product
belongs to. You can use the United Nations Standard Products and Services Code
(UNSPSC) as a guide
    "item_name": "Digitax Product 001", //The name of the good or service being sold
    "hsn_code": "2847.00", // The Harmonized System of Nomenclature (HSN) Code for
the product
    "item_description": "Sample item description", // A brief description of the item
    "quantity": 1, // The total number of items sold in the invoice line
    "unit_price": 10000, // The unit price of this line item before tax
    "discount_rate": 0.05, //The discount rate applied to the item. It must be a value
between 0 and 1, where 0 means no discount and 1 means a 100% discount on the price
    "fee_rate": 0.02, //The rate of any additional fees (e.g. service charge, delivery fee). It
must be a value between 0 and 1, where 0 means no fee and 1 means a 100% fee on the
price
    "tax_rate": 0.075, // The tax rate applied to the item. It must be a value between 0
and 1. For tax category codes that already have a defined tax rate, this value must match
the tax category's tax rate
    "taxable_amount": 9700, // The amount on which tax is calculated. It must be equal
to the line extension amount (unit price * quantity) plus fees minus discounts. This value
will be ignored unless the business has the permission to calculate tax
    "tax_amount": 727.5 // The tax amount for this line item. It must be equal to the
taxable amount multiplied by the tax rate. This value will be ignored unless the business
has the permission to calculate tax
  }
]
}

```

Response

```

{
  "id": "invoice_01K2PA6VKQRNK79S8DAKABJBFX",
  "created_at": "2025-08-15T07:30:48Z",
  "updated_at": "2025-08-15T07:30:50Z",
  "active": true,
  "party_id": "party_01JXCF3RQXFYCED9SNX55PQ48Y",
  "invoice_date": "2025-08-07",
  "issue_date": "2025-08-07",
  "is_valid": true,
  "transmitted_at": "2025-08-15T07:30:50Z",
  "signed_at": "2025-08-15T07:30:49Z",

```

```

"validated_at": "2025-08-15T07:30:48Z",
"invoice_type_code": "381",
"tax_point_date": "2025-08-07",
"document_currency_code": "NGN",
"tax_currency_code": "NGN",
"invoice_number": "INV25-227-073048567-93G8DF",
"invoice_reference_number": "07304856793G8DF-E3A89069-20250807",
"buyer_reference": "#INV-005",
"payment_status": "PENDING",
"status": "COMPLETED",
"line_extension_amount": 10000,
"tax_exclusive_amount": 9700,
"tax_inclusive_amount": 10427.5,
"payable_amount": 10427.5,
"tax_amount": 727.5,
"billing_reference": [],
"notes": "Sample invoice notes",
"qr_code_data":
"h4OYWkRDHs7FYojTBvI983xy2da+GyQdmrTc9VmLx4Wvzgt5ETiNp3y7fFzMDJJv9RW2Q
6cDvhro6KMW539wPUeW+FyMs1dvbkocZQBDXCdizyYSInqRZXPZNVGOcBjI8fs53LU5Ao
CbL4Bcg64UChgtJOzORtqiu4pzYhQSvidUoC9TZ18cZURWmPlkY20AciKFKofrvJQgOeS
X3vGoDo3wT/LTBND/FepRUsFOJIV6PqfasyEcXETQ1j6t8o7H0WqjJw7cE/5H4gUxGXr6Hm
+yCP1ErQkvVaAs/8mN1IYkwxIFaDgoMOj8AOY4YuRKOTk406V6DgWFKMPVL7VzA==",
"taxes": [
{
"tax_category_code": "STANDARD_VAT",
"tax_amount": 727.5,
"taxable_amount": 9700,
"tax_percentage": 7.5
}
],
"items": [
{
"id": "invoiceitem_01K2PA6VKQRNK79S8DAPNH5T9K",
"created_at": "2025-08-15T07:30:48Z",
"updated_at": "2025-08-15T07:30:48Z",
"active": true,
"item_id": "item_01K2PA6FW77HX3E6HTH3DAEVJC",
"line_extension_amount": 10000,
"quantity": 1,
"unit_price": 10000,
"discount_rate": 0.05,
"fee_rate": 0.02,
"discount_amount": 500,
"fee_amount": 200,
"tax_rate": 0.075
}
]
}

```

Credit and Debit Notes Support

The main difference between detailed credit and debit notes and the original credit and debit notes endpoints is that they use the `item_code` in place of the `item_id`. But the item details and party aren't passed because both were already created when creating the original invoice

Sample Credit Note Request

```
https://api.digitax.tech/ng/v1/credit-notes-with-item-codes
```

```
{
  "return_date": "2025-08-15",
  "issue_date": "2025-08-15",
  "tax_point_date": "2025-08-15",
  "document_currency_code": "NGN",
  "buyer_reference": "#CN-001",
  "invoice_id": "invoice_01JWR2VH5B3FC4JRXNJDQZCVE6",
  "due_date": "2025-08-15",
  "notes": "Sample credit note notes",
  "callback_url": "https://example.com/callback",
  "items": [
    {
      "item_code": "8000020107057",
      "quantity": 1,
      "unit_price": 10000,
      "discount_rate": 0.05,
      "fee_rate": 0.02,
      "tax_rate": 0.075,
      "taxable_amount": 9700,
      "tax_amount": 727.5
    }
  ]
}
```

Sample Debit Note Request

```
https://api.digitax.tech/ng/v1/debit-notes-with-item-codes
```

```
{
  "debit_date": "2025-08-15",
  "issue_date": "2025-08-15",
  "tax_point_date": "2025-08-15",
  "document_currency_code": "NGN",
  "buyer_reference": "#DN-001",
  "invoice_id": "invoice_01JWR2VH5B3FC4JRXNJDQZCVE6",
  "due_date": "2025-08-15",
  "notes": "Sample debit note notes",
}
```

```
"callback_url": "https://example.com/callback",
"items": [
  {
    "item_code": "8000020107057",
    "quantity": 1,
    "unit_price": 10000,
    "discount_rate": 0.05,
    "fee_rate": 0.02,
    "tax_rate": 0.075,
    "taxable_amount": 9700,
    "tax_amount": 727.5
  }
]
```

API endpoints

DigiTax Nigeria API endpoints are divided into 7 sections listed below. The OpenAPI spec is available for download [here](#).

- [Resources](#)
- [Business](#)
- [Parties](#)
- [Items](#)
- [Invoices](#)
- [Invoice Downloads](#)
- [APP Invoices](#)

Resources API endpoints

- [Get FIRS Countries](#)
- [Get FIRS Currencies](#)
- [Get FIRS Tax Categories](#)
- [Get FIRS Invoice Types](#)
- [Get FIRS Payment Means](#)
- [Get FIRS Local Governments](#)
- [Get FIRS States](#)

Business API endpoints

- [Get FIRS Info](#)

Parties API endpoints

- [Get FIRS Parties](#)
- [Create Party](#)
- [Get a business party](#)

Items API endpoints

- [Get FIRS Items](#)
- [Create Item](#)
- [Get a business item](#)

Invoices API endpoints

- [Get FIRS Invoices](#)
- [Create Invoice](#)
- [Get FIRS Credit Notes](#)
- [Create Credit Note](#)
- [Get FIRS Debit Notes](#)
- [Create Debit Note](#)
- [Get a business invoice](#)
- [Update an invoice payment status](#)
- [Get a business invoice by the invoice reference number](#)
- [Create invoice with the party and items information](#)
- [Create credit note with the item code in place of the item ID](#)
- [Create debit note with the item code in place of the item ID](#)

Invoices Downloads API endpoints

- [Get FIRS Invoice Downloads](#)
- [Get a FIRS Invoice Download](#)
- [Get a business invoice download by the invoice reference number](#)
- [Confirm a business invoice download's payment status](#)

APP Invoices API endpoints

- [Create Invoice by users who are using DigiTax as their Access Point Provider\(APP\) only](#)
- [Get APP Invoices](#)
- [Get an APP invoice](#)
- [Update an APP invoice payment status](#)