

DigiTax Nigeria API Spec

2026-01-07

DigiTax Nigeria API

Overview

DigiTax Nigeria Public API.

Terms of service

<https://digitax.tech/page/terms>

Version

3

License

Apache 2.0

Contact

DigiTax

<https://digitax.tech>

info@digitax.tech

GET /resources/countries

Get FIRS Countries.

Response 200:

A list of FIRS countries.

Content: `application/json` | `Array<Country>`

```
{
  name: string;
  alpha2: string;
  alpha3: string;
}
```

Response default:

GET /resources/currencies

Get FIRS Currencies.

Response 200:

A list of FIRS currencies.

Content: `application/json` | `Array<Currency>`

```
{
  symbol: string;
  name: string;
}
```

```

symbolNative: string;
decimalDigits: integer;
rounding: integer;
code: string;
namePlural: string;
}

```

Response default:

GET /resources/tax-categories

Get FIRS Tax Categories.

Response 200:

A list of FIRS tax categories.

Content: `application/json` | `Array<TaxCategory>`

```

{
  code: string; // The code representing the tax category.
  name: string; // The name of the tax category.
  tax_rate: number; // The tax rate(between 0 and 1) applied to the category for tax categories that
    have a defined rate.
  has_rate: boolean; // Indicates whether the tax category has a rate defined.
}

```

Response default:

GET /resources/invoice-types

Get FIRS Invoice Types.

Response 200:

A list of FIRS invoice types.

Content: `application/json` | `Array<CommonCode>`

```

{
  code: string;
  value: string;
}

```

Response default:

GET /resources/payment-means

Get FIRS Payment Means.

Response 200:

A list of FIRS payment means.

Content: `application/json` | `Array<CommonCode>`

```

{
  code: string;
}

```

```

    value: string;
  }

```

Response default:

GET /resources/local-governments

Get FIRS Local Governments.

Response 200:

A list of FIRS local governments.

Content: `application/json` | `Array<LocalGovernment>`

```

{
  name: string;
  code: string;
  state_code: string;
}

```

Response default:

GET /resources/states

Get FIRS States.

Response 200:

A list of FIRS states.

Content: `application/json` | `Array<State>`

```

{
  name: string;
  code: string;
}

```

Response default:

GET /info

Get FIRS Info.

Response 200:

FIRS Info.

Content: `application/json` | `Branch`

```

{
  id: string;
  created_at: string;
  updated_at: string;
  active: boolean;
  is_test: boolean;
  service_id?: string;
  taxpayer_id?: string;
}

```

```

taxpayer_name: string;
taxpayer_email: string;
tax_identification_number: string;
address: Address;
}

```

Response default:

GET /parties

Get FIRS Parties.

Request Parameters:

Response 200:

A list of FIRS parties.

```

Content: application/json | {
  cursor: Pagination;
  data: Array<Party>;
}

```

Response default:

POST /parties

Create Party.

Request Body:

```

Content: application/json | {
  tax_identification_number: string; // The Taxpayer Identification Number (TIN) assigned to the
    buyer.
  email: string; // The buyer's official email address used for communication regarding invoices and
    tax compliance.
  name: string; // The registered name of the buyer receiving the invoice. This is the official
    business or individual name.
  phone?: string; // The buyer's contact number with the country code prefix (+234 for Nigeria).
  address: Address;
}

```

Response 201:

Party created.

Content: application/json | Party

```

{
  id: string; // The ID of the party on DigiTax.
  created_at: string; // The date and time when the party was created.
  updated_at: string; // The date and time when the party was last updated.
  active: boolean; // Indicates whether the party is active on the DigiTax system or not.
  tax_identification_number: string; // The Taxpayer Identification Number (TIN) assigned to the
    buyer.
  name: string; // The registered name of the buyer receiving the invoice. This is the official
    business or individual name.
}

```

```

    phone?: string; // The buyer's contact number with the country code prefix (+234 for Nigeria).
    email: string; // The buyer's official email address used for communication regarding invoices and
                  tax compliance.
    address?: Address;
  }

```

Response default:

GET /parties/{party_id}

Get a business party.

Retrieves information about a party given their ID on DigiTax.

Request Parameters:

party_id: string;

Response 200:

Success.

Content: application/json | [Party](#)

```

{
  id: string; // The ID of the party on DigiTax.
  created_at: string; // The date and time when the party was created.
  updated_at: string; // The date and time when the party was last updated.
  active: boolean; // Indicates whether the party is active on the DigiTax system or not.
  tax_identification_number: string; // The Taxpayer Identification Number (TIN) assigned to the
    buyer.
  name: string; // The registered name of the buyer receiving the invoice. This is the official
    business or individual name.
  phone?: string; // The buyer's contact number with the country code prefix (+234 for Nigeria).
  email: string; // The buyer's official email address used for communication regarding invoices and
    tax compliance.
  address?: Address;
}

```

Response default:

GET /items

Get FIRS Items.

Request Parameters:

Response 200:

A list of FIRS items.

```

Content: application/json | {
  cursor: Pagination;
  data: Array<Item>;
}

```

Response default:

POST /items

Create Item.

Request Body:

Content: `application/json` | {

- `tax_category_code`: `string`; // The code for the tax category the item belongs to. It must be one of the tax categories defined in the resources API.
- `product_category`: `string`; // The category the good or service belongs to.
- `item_name`: `string`; // The name of the good or service being sold.
- `hsn_code`: `string`; // The Harmonized System of Nomenclature (HSN) Code for the good or the International Standard Industry Classification (ISIC) code for the service. HSN Reference.
- `unit_price?`: `number`; // The cost of a single unit of the item. This field is deprecated to allow the item to be sold in multiple currencies. Invoices will use the unit price defined in the invoice payload.
- `currency_code?`: `string`; // The currency in which the item is priced. This field is deprecated to allow the item to be sold in multiple currencies. Invoices will use the currency code defined in the invoice payload.
- `description`: `string`; // A brief description of the item.
- `display_name?`: `string`; // The name of the good or service being sold.
- `price_unit?`: `string`; // The unit of measurement for the price of the item.
- `item_code?`: `string`; // A unique product code assigned to the item in the user's system. It will be used as the unique product identifier.
- `is_service?`: `boolean`; // Indicates whether the item is a service (true) or a good (false). It defaults to false if not provided.

}

Response 201:

Item created.

Content: `application/json` | Item

```
{
  id: string; // The ID of the item on DigiTax.
  created_at: string; // The date and time when the item was created.
  updated_at: string; // The date and time when the item was last updated.
  active: boolean; // Indicates whether the item is active on the DigiTax system or not.
  tax_category_code: string; // The code for the tax category the item belongs to. It must be one of
    the tax categories defined in the resources API.
  product_category: string; // The category the good or service belongs to.
  item_name: string; // The name of the good or service being sold.
  hsn_code: string; // The Harmonized System of Nomenclature (HSN) Code for the good or the
    International Standard Industry Classification (ISIC) code for the service. <a href="https://
    ng.docs.digitax.tech/reference/reference-hs-service-code-files">HSN Reference</a>.
  item_number: string; // The unique item number of the item on DigiTax.
  unit_price?: number; // The cost of a single unit of the item. This field is deprecated to allow the
    item to be sold in multiple currencies. Invoices will use the unit price defined in the invoice
    payload.
  currency_code?: string; // The currency in which the item is priced. This field is deprecated to
    allow the item to be sold in multiple currencies. Invoices will use the currency code defined in
    the invoice payload.
  description: string; // A brief description of the item.
  display_name?: string; // The name of the good or service being sold.
  item_code?: string; // A unique product code assigned to the item in the user's system. It will be
    used as the unique product identifier.
  is_service: boolean; // Indicates whether the item is a service (true) or a good (false).
}
```

Response default:**GET** /items/{item_id}

Get a business item.

Retrieves information about an item given their ID on DigiTax.

Request Parameters:

item_id: **string**;

Response 200:

Success.

Content: **application/json** | **Item**

```
{
  id: string; // The ID of the item on DigiTax.
  created_at: string; // The date and time when the item was created.
  updated_at: string; // The date and time when the item was last updated.
  active: boolean; // Indicates whether the item is active on the DigiTax system or not.
  tax_category_code: string; // The code for the tax category the item belongs to. It must be one of
    the tax categories defined in the resources API.
  product_category: string; // The category the good or service belongs to.
  item_name: string; // The name of the good or service being sold.
  hsn_code: string; // The Harmonized System of Nomenclature (HSN) Code for the good or the
    International Standard Industry Classification (ISIC) code for the service. <a href="https://
    ng.docs.digitax.tech/reference/reference-hs-service-code-files">HSN Reference</a>.
  item_number: string; // The unique item number of the item on DigiTax.
  unit_price?: number; // The cost of a single unit of the item. This field is deprecated to allow the
    item to be sold in multiple currencies. Invoices will use the unit price defined in the invoice
    payload.
  currency_code?: string; // The currency in which the item is priced. This field is deprecated to
    allow the item to be sold in multiple currencies. Invoices will use the currency code defined in
    the invoice payload.
  description: string; // A brief description of the item.
  display_name?: string; // The name of the good or service being sold.
  item_code?: string; // A unique product code assigned to the item in the user's system. It will be
    used as the unique product identifier.
  is_service: boolean; // Indicates whether the item is a service (true) or a good (false).
}
```

Response default:**GET** /invoices

Get FIRS Invoices.

Request Parameters:**Response 200:**

A list of FIRS invoices.

Content: **application/json** | {
 cursor: **Pagination**;

```
data: Array<Invoice>;  
}
```

Response default:

POST /invoices

Create Invoice.

Request Body:

Content: application/json | {
 party_id?: string; // The buyer or recipient of the goods or services.
 payee_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on DigiTax.
 bill_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on DigiTax.
 ship_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on DigiTax.
 tax_representative_party_id?: string; // The party ID of the tax agent handling invoicing and compliance for the business if there is one.
 invoice_date: string; // The date on which the invoice was created in the format YYYY-MM-DD.
 issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
 issue_time?: string; // The time at which this invoice was issued in the format HH:MM:SS.
 invoice_type_code: string; // A code that specifies the type of invoice being issued.
 tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
 document_currency_code: string; // A code that specifies the default currency in which the invoice is issued.
 buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
 trader_invoice_number: string; // An invoice number assigned by the supplier to uniquely identify the invoice in their system.
 accounting_cost?: string; // Represents the accounting category or cost center assigned to the transaction.
 payment_terms_note?: string; // Describes the terms and conditions of payment.
 invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or services were delivered. This helps track multi-day deliveries on a single invoice.
 payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when payment is due.
 allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges (charge).
 billing_document_reference?: InvoiceDocumentReference; // Links the invoice to a previous billing document (e.g., credit note, debit note, or a prior invoice).
 dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a referenced dispatch advice. Refers to the document used to track the dispatch of goods.
 receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice associated with an invoice. Links the invoice to a receipt document.
 originator_document_reference?: InvoiceDocumentReference; // A reference to an originator document associated with an invoice. Identifies the original document that initiated the invoice.
 contract_document_reference?: InvoiceDocumentReference; // A reference to a contract associated with an invoice. Links the invoice to a contract governing the transaction.
 additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional documents associated with an invoice. Used as a general reference field for any related documents.
 due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-DD.
 notes?: string; // Additional invoice information that is not contained explicitly in other structures.
 callback_url?: string; // The URL to call when we have new information about the invoice, when

```

    the invoice is signed successfully or validation has failed.
    items: Array<object>; // A list that captures details about each good or service being invoiced.
}

```

Response 201:

Invoice created.

Content: **application/json** | **Invoice**

```

{
  id: string; // The ID of the invoice on DigiTax.
  original_invoice_id?: string; // The ID of the original invoice that was credited or debited on
    DigiTax if this is a credit or debit note.
  created_at: string; // The date and time when the invoice was created.
  updated_at: string; // The date and time when the invoice was last updated.
  active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
  party_id: string; // The buyer or recipient of the goods or services.
  payee_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
    on DigiTax.
  bill_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on
    DigiTax.
  ship_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
    on DigiTax.
  tax_representative_party_id?: string; // The party ID of the tax agent handling invoicing and
    compliance for the business if there is one.
  invoice_date: string; // The date on which the invoice was created in the format YYYY-MM-DD.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  is_valid: boolean; // Indicates whether the invoice payload is valid.
  transmitted_at: string; // The date and time when the invoice was transmitted to the party.
  signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
  validated_at: string; // The date and time when the invoice payload was validated.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-
    MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice
    is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  invoice_number: string; // The unique invoice number of the invoice on DigiTax.
  invoice_reference_number: string; // A unique tracking number assigned to each invoice on the
    FIRS system.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  trader_invoice_number?: string; // An invoice number assigned by the supplier to uniquely identify
    the invoice in their system.
  payment_status: string; // Indicates whether the invoice has been paid or is still pending.
  delivery_date?: string; // The date on which the goods or services were delivered.
  status: string; // The current status of the invoice.
  line_extension_amount: number; // The total amount of all invoice items before tax and any
    discounts or charges.
  tax_exclusive_amount: number; // The total invoice amount before tax is added.
  tax_inclusive_amount: number; // The total invoice amount after tax is added.
  payable_amount: number; // The final amount the buyer must pay after applying discounts,
    charges and tax.
  tax_amount: number; // The total tax amount applied to the invoice.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the
    transaction.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
    services were delivered. This helps track multi-day deliveries on a single invoice.
  payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when

```

payment is due.

allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges (charge).

billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).

dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a referenced dispatch advice. Refers to the document used to track the dispatch of goods.

receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice associated with an invoice. Links the invoice to a receipt document.

originator_document_reference?: InvoiceDocumentReference; // A reference to an originator document associated with an invoice. Identifies the original document that initiated the invoice.

contract_document_reference?: InvoiceDocumentReference; // A reference to a contract associated with an invoice. Links the invoice to a contract governing the transaction.

additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional documents associated with an invoice. Used as a general reference field for any related documents.

due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-DD.

notes?: string; // Additional invoice information that is not contained explicitly in other structures.

qr_code_data?: string; // Encrypted QR code data from FIRS.

taxes?: Array<TaxBreakdown>;

items: Array<InvoiceItem>;

}

Response default:

GET /credit-notes

Get FIRS Credit Notes.

Request Parameters:

Response 200:

A list of FIRS credit notes.

Content: application/json | {
 cursor: Pagination;
 data: Array<Invoice>;
 }

Response default:

POST /credit-notes

Create Credit Note.

Request Body:

Content: application/json | {
 return_date: string; // The date on which this credit note was created in the format YYYY-MM-DD.
 issue_date: string; // The date on which this credit note was issued in the format YYYY-MM-DD.
 issue_time?: string; // The time at which this credit note was issued in the format HH:MM:SS.
 tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
 document_currency_code: string; // A code that specifies the default currency in which the credit

```

    note is issued.
    buyer_reference?: string; // A reference number or code provided by the buyer to track the credit
    note.
    trader_invoice_number: string; // An invoice number assigned by the supplier to uniquely identify
    the credit note in their system.
    invoice_id: string; // The DigiTax ID of the invoice that is being credited.
    accounting_cost?: string; // Represents the accounting category or cost center assigned to the
    transaction.
    payment_terms_note?: string; // Describes the terms and conditions of payment.
    invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
    services were delivered. This helps track multi-day deliveries on a single invoice.
    payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
    payment is due.
    allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
    charges (charge).
    dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
    referenced dispatch advice. Refers to the document used to track the dispatch of goods.
    receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
    associated with a credit note. Links the credit note to a receipt document.
    originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
    document associated with a credit note. Identifies the original document that initiated the credit
    note.
    contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
    associated with a credit note. Links the credit note to a contract governing the transaction.
    additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
    documents associated with an invoice. Used as a general reference field for any related
    documents.
    due_date?: string; // The date on which the credit note is due for payment in the format YYYY-MM-
    DD.
    notes?: string; // Additional credit note information that is not contained explicitly in other
    structures.
    callback_url?: string; // The URL to call when we have new information about the credit note,
    when the credit note is signed successfully or validation has failed.
    items: Array<object>;
  }

```

Response 201:

Credit note created.

Content: **application/json** | **Invoice**

```

{
  id: string; // The ID of the invoice on DigiTax.
  original_invoice_id?: string; // The ID of the original invoice that was credited or debited on
  DigiTax if this is a credit or debit note.
  created_at: string; // The date and time when the invoice was created.
  updated_at: string; // The date and time when the invoice was last updated.
  active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
  party_id: string; // The buyer or recipient of the goods or services.
  payee_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
  on DigiTax.
  bill_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on
  DigiTax.
  ship_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
  on DigiTax.
  tax_representative_party_id?: string; // The party ID of the tax agent handling invoicing and
  compliance for the business if there is one.
  invoice_date: string; // The date on which the invoice was created in the format YYYY-MM-DD.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
}

```

```

is_valid: boolean; // Indicates whether the invoice payload is valid.
transmitted_at: string; // The date and time when the invoice was transmitted to the party.
signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
validated_at: string; // The date and time when the invoice payload was validated.
invoice_type_code: string; // A code that specifies the type of the invoice.
tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
document_currency_code: string; // A code that specifies the default currency in which the invoice is issued.
tax_currency_code: string; // The currency in which tax amounts are calculated.
invoice_number: string; // The unique invoice number of the invoice on DigiTax.
invoice_reference_number: string; // A unique tracking number assigned to each invoice on the FIRS system.
buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
trader_invoice_number?: string; // An invoice number assigned by the supplier to uniquely identify the invoice in their system.
payment_status: string; // Indicates whether the invoice has been paid or is still pending.
delivery_date?: string; // The date on which the goods or services were delivered.
status: string; // The current status of the invoice.
line_extension_amount: number; // The total amount of all invoice items before tax and any discounts or charges.
tax_exclusive_amount: number; // The total invoice amount before tax is added.
tax_inclusive_amount: number; // The total invoice amount after tax is added.
payable_amount: number; // The final amount the buyer must pay after applying discounts, charges and tax.
tax_amount: number; // The total tax amount applied to the invoice.
accounting_cost?: string; // Represents the accounting category or cost center assigned to the transaction.
payment_terms_note?: string; // Describes the terms and conditions of payment.
invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or services were delivered. This helps track multi-day deliveries on a single invoice.
payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when payment is due.
allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges (charge).
billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a referenced dispatch advice. Refers to the document used to track the dispatch of goods.
receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice associated with an invoice. Links the invoice to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator document associated with an invoice. Identifies the original document that initiated the invoice.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract associated with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional documents associated with an invoice. Used as a general reference field for any related documents.
due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-DD.
notes?: string; // Additional invoice information that is not contained explicitly in other structures.
qr_code_data?: string; // Encrypted QR code data from FIRS.
taxes?: Array<TaxBreakdown>;
items: Array<InvoiceItem>;
}

```

Response default:

GET /debit-notes

Get FIRS Debit Notes.

Request Parameters:**Response 200:**

A list of FIRS debit notes.

Content: `application/json` | {
 cursor: Pagination;
 data: Array<Invoice>;
}

Response default:**POST /debit-notes**

Create Debit Note.

Request Body:

Content: `application/json` | {
 debit_date: `string`; // The date on which this debit note was created in the format YYYY-MM-DD.
 issue_date: `string`; // The date on which this debit note was issued in the format YYYY-MM-DD.
 issue_time?: `string`; // The time at which this debit note was issued in the format HH:MM:SS.
 tax_point_date?: `string`; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
 document_currency_code: `string`; // A code that specifies the default currency in which the debit note is issued.
 buyer_reference?: `string`; // A reference number or code provided by the buyer to track the debit note.
 trader_invoice_number: `string`; // An invoice number assigned by the supplier to uniquely identify the debit note in their system.
 invoice_id: `string`; // The DigiTax ID of the invoice that is being debited.
 accounting_cost?: `string`; // Represents the accounting category or cost center assigned to the transaction.
 payment_terms_note?: `string`; // Describes the terms and conditions of payment.
 invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or services were delivered. This helps track multi-day deliveries on a single invoice.
 payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when payment is due.
 allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges (charge).
 dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a referenced dispatch advice. Refers to the document used to track the dispatch of goods.
 receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice associated with a debit note. Links the debit note to a receipt document.
 originator_document_reference?: InvoiceDocumentReference; // A reference to an originator document associated with a debit note. Identifies the original document that initiated the debit note.
 contract_document_reference?: InvoiceDocumentReference; // A reference to a contract associated with a debit note. Links the debit note to a contract governing the transaction.
 additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional documents associated with the debit note. Used as a general reference field for any related documents.
 due_date?: `string`; // The date on which the debit note is due for payment in the format YYYY-MM-

```

    DD.
    notes?: string; // Additional debit note information that is not contained explicitly in other
    structures.
    callback_url?: string; // The URL to call when we have new information about the debit note,
    when the invoice is signed successfully or validation has failed.
    items: Array<object>;
  }

```

Response 201:

Debit note created.

Content: `application/json` | [Invoice](#)

```

{
  id: string; // The ID of the invoice on DigiTax.
  original_invoice_id?: string; // The ID of the original invoice that was credited or debited on
  DigiTax if this is a credit or debit note.
  created_at: string; // The date and time when the invoice was created.
  updated_at: string; // The date and time when the invoice was last updated.
  active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
  party_id: string; // The buyer or recipient of the goods or services.
  payee_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
  on DigiTax.
  bill_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on
  DigiTax.
  ship_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
  on DigiTax.
  tax_representative_party_id?: string; // The party ID of the tax agent handling invoicing and
  compliance for the business if there is one.
  invoice_date: string; // The date on which the invoice was created in the format YYYY-MM-DD.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  is_valid: boolean; // Indicates whether the invoice payload is valid.
  transmitted_at: string; // The date and time when the invoice was transmitted to the party.
  signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
  validated_at: string; // The date and time when the invoice payload was validated.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-
  MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice
  is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  invoice_number: string; // The unique invoice number of the invoice on DigiTax.
  invoice_reference_number: string; // A unique tracking number assigned to each invoice on the
  FIRS system.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  trader_invoice_number?: string; // An invoice number assigned by the supplier to uniquely identify
  the invoice in their system.
  payment_status: string; // Indicates whether the invoice has been paid or is still pending.
  delivery_date?: string; // The date on which the goods or services were delivered.
  status: string; // The current status of the invoice.
  line_extension_amount: number; // The total amount of all invoice items before tax and any
  discounts or charges.
  tax_exclusive_amount: number; // The total invoice amount before tax is added.
  tax_inclusive_amount: number; // The total invoice amount after tax is added.
  payable_amount: number; // The final amount the buyer must pay after applying discounts,
  charges and tax.
  tax_amount: number; // The total tax amount applied to the invoice.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the
  transaction.
}

```

```

payment_terms_note?: string; // Describes the terms and conditions of payment.
invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
    services were delivered. This helps track multi-day deliveries on a single invoice.
payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
    payment is due.
allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
    charges (charge).
billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
    documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
    referenced dispatch advice. Refers to the document used to track the dispatch of goods.
receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
    associated with an invoice. Links the invoice to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
    document associated with an invoice. Identifies the original document that initiated the invoice.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
    associated with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
    documents associated with an invoice. Used as a general reference field for any related
    documents.
due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-
    DD.
notes?: string; // Additional invoice information that is not contained explicitly in other structures.
qr_code_data?: string; // Encrypted QR code data from FIRS.
taxes?: Array<TaxBreakdown>;
items: Array<InvoiceItem>;
}

```

Response default:

GET /invoices/{invoice_id}

Get a business invoice.

Retrieves information about an invoice, credit note or debit note given their ID on DigiTax.

Request Parameters:

invoice_id: **string**;

Response 200:

Success.

Content: **application/json** | **Invoice**

```

{
  id: string; // The ID of the invoice on DigiTax.
  original_invoice_id?: string; // The ID of the original invoice that was credited or debited on
    DigiTax if this is a credit or debit note.
  created_at: string; // The date and time when the invoice was created.
  updated_at: string; // The date and time when the invoice was last updated.
  active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
  party_id: string; // The buyer or recipient of the goods or services.
  payee_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
    on DigiTax.
  bill_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on
    DigiTax.
  ship_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
    on DigiTax.
}

```

tax_representative_party_id?: **string**; // The party ID of the tax agent handling invoicing and compliance for the business if there is one.
 invoice_date: **string**; // The date on which the invoice was created in the format YYYY-MM-DD.
 issue_date: **string**; // The date on which this invoice was issued in the format YYYY-MM-DD.
 issue_time?: **string**; // The time at which the invoice was issued in HH:MM:SS format.
 is_valid: **boolean**; // Indicates whether the invoice payload is valid.
 transmitted_at: **string**; // The date and time when the invoice was transmitted to the party.
 signed_at: **string**; // The date and time when the invoice was submitted to FIRS for signing.
 validated_at: **string**; // The date and time when the invoice payload was validated.
 invoice_type_code: **string**; // A code that specifies the type of the invoice.
 tax_point_date?: **string**; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
 document_currency_code: **string**; // A code that specifies the default currency in which the invoice is issued.
 tax_currency_code: **string**; // The currency in which tax amounts are calculated.
 invoice_number: **string**; // The unique invoice number of the invoice on DigiTax.
 invoice_reference_number: **string**; // A unique tracking number assigned to each invoice on the FIRS system.
 buyer_reference?: **string**; // A reference number or code provided by the buyer to track the invoice.
 trader_invoice_number?: **string**; // An invoice number assigned by the supplier to uniquely identify the invoice in their system.
 payment_status: **string**; // Indicates whether the invoice has been paid or is still pending.
 delivery_date?: **string**; // The date on which the goods or services were delivered.
 status: **string**; // The current status of the invoice.
 line_extension_amount: **number**; // The total amount of all invoice items before tax and any discounts or charges.
 tax_exclusive_amount: **number**; // The total invoice amount before tax is added.
 tax_inclusive_amount: **number**; // The total invoice amount after tax is added.
 payable_amount: **number**; // The final amount the buyer must pay after applying discounts, charges and tax.
 tax_amount: **number**; // The total tax amount applied to the invoice.
 accounting_cost?: **string**; // Represents the accounting category or cost center assigned to the transaction.
 payment_terms_note?: **string**; // Describes the terms and conditions of payment.
 invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or services were delivered. This helps track multi-day deliveries on a single invoice.
 payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when payment is due.
 allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges (charge).
 billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
 dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a referenced dispatch advice. Refers to the document used to track the dispatch of goods.
 receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice associated with an invoice. Links the invoice to a receipt document.
 originator_document_reference?: InvoiceDocumentReference; // A reference to an originator document associated with an invoice. Identifies the original document that initiated the invoice.
 contract_document_reference?: InvoiceDocumentReference; // A reference to a contract associated with an invoice. Links the invoice to a contract governing the transaction.
 additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional documents associated with an invoice. Used as a general reference field for any related documents.
 due_date?: **string**; // The date on which the invoice is due for payment in the format YYYY-MM-DD.
 notes?: **string**; // Additional invoice information that is not contained explicitly in other structures.
 qr_code_data?: **string**; // Encrypted QR code data from FIRS.
 taxes?: Array<TaxBreakdown>;
 items: Array<InvoiceItem>;

}

Response default:**PUT /invoices/{invoice_id}/payment-status**

Update an invoice payment status.

Update an invoice payment status.

Request Parameters:invoice_id: **string**;**Request Body:**

```
Content: application/json | {
  payment_status: string; // The payment status of the invoice.
  reference?: string; // The reference number of the payment.
}
```

Response 200:

Success.

Content: **application/json** | Invoice

```
{
  id: string; // The ID of the invoice on DigiTax.
  original_invoice_id?: string; // The ID of the original invoice that was credited or debited on
    DigiTax if this is a credit or debit note.
  created_at: string; // The date and time when the invoice was created.
  updated_at: string; // The date and time when the invoice was last updated.
  active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
  party_id: string; // The buyer or recipient of the goods or services.
  payee_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
    on DigiTax.
  bill_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on
    DigiTax.
  ship_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
    on DigiTax.
  tax_representative_party_id?: string; // The party ID of the tax agent handling invoicing and
    compliance for the business if there is one.
  invoice_date: string; // The date on which the invoice was created in the format YYYY-MM-DD.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  is_valid: boolean; // Indicates whether the invoice payload is valid.
  transmitted_at: string; // The date and time when the invoice was transmitted to the party.
  signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
  validated_at: string; // The date and time when the invoice payload was validated.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-
    MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice
    is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  invoice_number: string; // The unique invoice number of the invoice on DigiTax.
  invoice_reference_number: string; // A unique tracking number assigned to each invoice on the
    FIRS system.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
```

```

trader_invoice_number?: string; // An invoice number assigned by the supplier to uniquely identify
the invoice in their system.
payment_status: string; // Indicates whether the invoice has been paid or is still pending.
delivery_date?: string; // The date on which the goods or services were delivered.
status: string; // The current status of the invoice.
line_extension_amount: number; // The total amount of all invoice items before tax and any
discounts or charges.
tax_exclusive_amount: number; // The total invoice amount before tax is added.
tax_inclusive_amount: number; // The total invoice amount after tax is added.
payable_amount: number; // The final amount the buyer must pay after applying discounts,
charges and tax.
tax_amount: number; // The total tax amount applied to the invoice.
accounting_cost?: string; // Represents the accounting category or cost center assigned to the
transaction.
payment_terms_note?: string; // Describes the terms and conditions of payment.
invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
services were delivered. This helps track multi-day deliveries on a single invoice.
payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
payment is due.
allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
charges (charge).
billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
referenced dispatch advice. Refers to the document used to track the dispatch of goods.
receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
associated with an invoice. Links the invoice to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
document associated with an invoice. Identifies the original document that initiated the invoice.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
associated with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
documents associated with an invoice. Used as a general reference field for any related
documents.
due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-
DD.
notes?: string; // Additional invoice information that is not contained explicitly in other structures.
qr_code_data?: string; // Encrypted QR code data from FIRS.
taxes?: Array<TaxBreakdown>;
items: Array<InvoiceItem>;
}

```

Response default:

GET /invoices/irn/{invoice_reference_number}

Get a business invoice by the invoice reference number.

Retrieves information about an invoice, credit note or debit note given their invoice reference number on DigiTax.

Request Parameters:

invoice_reference_number: string;

Response 200:

Success.

Content: [application/json](#) | [Invoice](#)

```
{
  id: string; // The ID of the invoice on DigiTax.
  original_invoice_id?: string; // The ID of the original invoice that was credited or debited on
    DigiTax if this is a credit or debit note.
  created_at: string; // The date and time when the invoice was created.
  updated_at: string; // The date and time when the invoice was last updated.
  active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
  party_id: string; // The buyer or recipient of the goods or services.
  payee_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
    on DigiTax.
  bill_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on
    DigiTax.
  ship_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
    on DigiTax.
  tax_representative_party_id?: string; // The party ID of the tax agent handling invoicing and
    compliance for the business if there is one.
  invoice_date: string; // The date on which the invoice was created in the format YYYY-MM-DD.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  is_valid: boolean; // Indicates whether the invoice payload is valid.
  transmitted_at: string; // The date and time when the invoice was transmitted to the party.
  signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
  validated_at: string; // The date and time when the invoice payload was validated.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-
    MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice
    is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  invoice_number: string; // The unique invoice number of the invoice on DigiTax.
  invoice_reference_number: string; // A unique tracking number assigned to each invoice on the
    FIRS system.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  trader_invoice_number?: string; // An invoice number assigned by the supplier to uniquely identify
    the invoice in their system.
  payment_status: string; // Indicates whether the invoice has been paid or is still pending.
  delivery_date?: string; // The date on which the goods or services were delivered.
  status: string; // The current status of the invoice.
  line_extension_amount: number; // The total amount of all invoice items before tax and any
    discounts or charges.
  tax_exclusive_amount: number; // The total invoice amount before tax is added.
  tax_inclusive_amount: number; // The total invoice amount after tax is added.
  payable_amount: number; // The final amount the buyer must pay after applying discounts,
    charges and tax.
  tax_amount: number; // The total tax amount applied to the invoice.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the
    transaction.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
    services were delivered. This helps track multi-day deliveries on a single invoice.
  payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
    payment is due.
  allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
    charges (charge).
  billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
    documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
  dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
    referenced dispatch advice. Refers to the document used to track the dispatch of goods.
}
```

```

receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
associated with an invoice. Links the invoice to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
document associated with an invoice. Identifies the original document that initiated the invoice.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
associated with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
documents associated with an invoice. Used as a general reference field for any related
documents.
due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-
DD.
notes?: string; // Additional invoice information that is not contained explicitly in other structures.
qr_code_data?: string; // Encrypted QR code data from FIRS.
taxes?: Array<TaxBreakdown>;
items: Array<InvoiceItem>;
}

```

Response default:

POST /detailed-invoices

Create invoice with the party and items information.

Request Body:

```

Content: application/json | {
  party_tin?: string; // The tax identification number of the buyer of the goods or services.
  party_name?: string; // The taxpayer name of the buyer of the goods or services. It must be
provided for invoices that have the party_tin provided.
  party_email?: string; // The email address of the buyer of the goods or services. If it is not
provided and the party_tin is provided, we will use firs-invoices@namiri.tech as the party's
email address.
  party_address?: Address; // The address of the buyer of the goods or services. If not provided
and the party_tin is provided, we will use a default address.
  payee_party_tin?: string; // The tax identification number of the party to whom the payment goes
to; if it goes to someone else.
  payee_party_name?: string; // The taxpayer name of the party to whom the payment goes to; if it
goes to someone else. It must be provided for invoices that have the payee_party_tin provided.
  payee_party_email?: string; // The email address of the party to whom the payment goes to; if it
goes to someone else. If it is not provided and the payee_party_tin is provided, we will use firs-invoices@namiri.tech as the party's email address.
  payee_party_address?: Address; // The address of the party to whom the payment goes to; if it
goes to someone else. If not provided and the payee_party_tin is provided, we will use a
default address.
  bill_party_tin?: string; // The tax identification number of the party to whom the payment goes to;
if it goes to someone else.
  bill_party_name?: string; // The taxpayer name of the party to whom the payment goes to; if it
goes to someone else. It must be provided for invoices that have the bill_party_tin provided.
  bill_party_email?: string; // The email address of the party to whom the payment goes to; if it goes
to someone else. If it is not provided and the bill_party_tin is provided, we will use firs-invoices@namiri.tech as the party's email address.
  bill_party_address?: Address; // The address of the party to whom the payment goes to; if it goes
to someone else. If not provided and the bill_party_tin is provided, we will use a default address.
  ship_party_tin?: string; // The tax identification number of the party to whom the payment goes to;
if it goes to someone else.
  ship_party_name?: string; // The taxpayer name of the party to whom the payment goes to; if it
goes to someone else. It must be provided for invoices that have the ship_party_tin provided.
  ship_party_email?: string; // The email address of the party to whom the payment goes to; if it

```

goes to someone else. If it is not provided and the ship_party_tin is provided, we will use first-invoices@namiri.tech as the party's email address.

ship_party_address?: Address; // The address of the party to whom the payment goes to; if it goes to someone else. If not provided and the ship_party_tin is provided, we will use a default address.

tax_representative_party_tin?: string; // The tax identification number of the tax agent handling invoicing and compliance for the business if there is one.

tax_representative_party_name?: string; // The taxpayer name of the tax agent handling invoicing and compliance for the business. It must be provided for invoices that have the tax_representative_party_tin provided.

tax_representative_party_email?: string; // The email address of the tax agent handling invoicing and compliance for the business. If it is not provided and the tax_representative_party_tin is provided, we will use first-invoices@namiri.tech as the party's email address.

tax_representative_party_address?: Address; // The address of the tax agent handling invoicing and compliance for the business. If not provided and the tax_representative_party_tin is provided, we will use a default address.

issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.

issue_time?: string; // The time at which this invoice was issued in the format HH:MM:SS.

invoice_type_code: string; // A code that specifies the type of invoice being issued.

tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.

document_currency_code: string; // A code that specifies the default currency in which the invoice is issued.

buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.

trader_invoice_number: string; // An invoice number assigned by the supplier to uniquely identify the invoice in their system.

accounting_cost?: string; // Represents the accounting category or cost center assigned to the transaction.

payment_terms_note?: string; // Describes the terms and conditions of payment.

invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or services were delivered. This helps track multi-day deliveries on a single invoice.

payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when payment is due.

allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges (charge).

billing_document_reference?: InvoiceDocumentReference; // Links the invoice to a previous billing document (e.g., credit note, debit note, or a prior invoice).

dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a referenced dispatch advice. Refers to the document used to track the dispatch of goods.

receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice associated with an invoice. Links the invoice to a receipt document.

originator_document_reference?: InvoiceDocumentReference; // A reference to an originator document associated with an invoice. Identifies the original document that initiated the invoice.

contract_document_reference?: InvoiceDocumentReference; // A reference to a contract associated with an invoice. Links the invoice to a contract governing the transaction.

additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional documents associated with an invoice. Used as a general reference field for any related documents.

due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-DD.

notes?: string; // Additional invoice information that is not contained explicitly in other structures.

callback_url?: string; // The URL to call when we have new information about the invoice, when the invoice is signed successfully or validation has failed.

items: Array<object>; // A list that captures details about each good or service being invoiced.

}

Response 201:

Invoice created.

Content: [application/json](#) | [Invoice](#)

```
{
  id: string; // The ID of the invoice on DigiTax.
  original_invoice_id?: string; // The ID of the original invoice that was credited or debited on
    DigiTax if this is a credit or debit note.
  created_at: string; // The date and time when the invoice was created.
  updated_at: string; // The date and time when the invoice was last updated.
  active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
  party_id: string; // The buyer or recipient of the goods or services.
  payee_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
    on DigiTax.
  bill_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on
    DigiTax.
  ship_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
    on DigiTax.
  tax_representative_party_id?: string; // The party ID of the tax agent handling invoicing and
    compliance for the business if there is one.
  invoice_date: string; // The date on which the invoice was created in the format YYYY-MM-DD.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  is_valid: boolean; // Indicates whether the invoice payload is valid.
  transmitted_at: string; // The date and time when the invoice was transmitted to the party.
  signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
  validated_at: string; // The date and time when the invoice payload was validated.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-
    MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice
    is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  invoice_number: string; // The unique invoice number of the invoice on DigiTax.
  invoice_reference_number: string; // A unique tracking number assigned to each invoice on the
    FIRS system.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  trader_invoice_number?: string; // An invoice number assigned by the supplier to uniquely identify
    the invoice in their system.
  payment_status: string; // Indicates whether the invoice has been paid or is still pending.
  delivery_date?: string; // The date on which the goods or services were delivered.
  status: string; // The current status of the invoice.
  line_extension_amount: number; // The total amount of all invoice items before tax and any
    discounts or charges.
  tax_exclusive_amount: number; // The total invoice amount before tax is added.
  tax_inclusive_amount: number; // The total invoice amount after tax is added.
  payable_amount: number; // The final amount the buyer must pay after applying discounts,
    charges and tax.
  tax_amount: number; // The total tax amount applied to the invoice.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the
    transaction.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
    services were delivered. This helps track multi-day deliveries on a single invoice.
  payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
    payment is due.
  allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
    charges (charge).
  billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
    documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
  dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
    referenced dispatch advice. Refers to the document used to track the dispatch of goods.
}
```

```

receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
associated with an invoice. Links the invoice to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
document associated with an invoice. Identifies the original document that initiated the invoice.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
associated with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
documents associated with an invoice. Used as a general reference field for any related
documents.
due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-
DD.
notes?: string; // Additional invoice information that is not contained explicitly in other structures.
qr_code_data?: string; // Encrypted QR code data from FIRS.
taxes?: Array<TaxBreakdown>;
items: Array<InvoiceItem>;
}

```

Response default:

POST /credit-notes-with-item-codes

Create credit note with the item code in place of the item ID.

Request Body:

```

Content: application/json | {
  return_date: string; // The date on which this credit note was created in the format YYYY-MM-DD.
  issue_date: string; // The date on which this credit note was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which this credit note was issued in the format HH:MM:SS.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-
MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the credit
note is issued.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the credit
note.
  trader_invoice_number: string; // An invoice number assigned by the supplier to uniquely identify
the credit note in their system.
  invoice_id: string; // The DigiTax ID of the invoice that is being credited.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the
transaction.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
services were delivered. This helps track multi-day deliveries on a single invoice.
  payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
payment is due.
  allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
charges (charge).
  dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
referenced dispatch advice. Refers to the document used to track the dispatch of goods.
  receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
associated with a credit note. Links the credit note to a receipt document.
  originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
document associated with a credit note. Identifies the original document that initiated the credit
note.
  contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
associated with a credit note. Links the credit note to a contract governing the transaction.
  additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
documents associated with the credit note. Used as a general reference field for any related

```

```

documents.
due_date?: string; // The date on which the credit note is due for payment in the format YYYY-MM-DD.
notes?: string; // Additional credit note information that is not contained explicitly in other structures.
callback_url?: string; // The URL to call when we have new information about the credit note, when the credit note is signed successfully or validation has failed.
items: Array<object>;
}

```

Response 201:

Credit note created.

Content: **application/json** | [Invoice](#)

```

{
  id: string; // The ID of the invoice on DigiTax.
  original_invoice_id?: string; // The ID of the original invoice that was credited or debited on DigiTax if this is a credit or debit note.
  created_at: string; // The date and time when the invoice was created.
  updated_at: string; // The date and time when the invoice was last updated.
  active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
  party_id: string; // The buyer or recipient of the goods or services.
  payee_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on DigiTax.
  bill_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on DigiTax.
  ship_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on DigiTax.
  tax_representative_party_id?: string; // The party ID of the tax agent handling invoicing and compliance for the business if there is one.
  invoice_date: string; // The date on which the invoice was created in the format YYYY-MM-DD.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  is_valid: boolean; // Indicates whether the invoice payload is valid.
  transmitted_at: string; // The date and time when the invoice was transmitted to the party.
  signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
  validated_at: string; // The date and time when the invoice payload was validated.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  invoice_number: string; // The unique invoice number of the invoice on DigiTax.
  invoice_reference_number: string; // A unique tracking number assigned to each invoice on the FIRS system.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  trader_invoice_number?: string; // An invoice number assigned by the supplier to uniquely identify the invoice in their system.
  payment_status: string; // Indicates whether the invoice has been paid or is still pending.
  delivery_date?: string; // The date on which the goods or services were delivered.
  status: string; // The current status of the invoice.
  line_extension_amount: number; // The total amount of all invoice items before tax and any discounts or charges.
  tax_exclusive_amount: number; // The total invoice amount before tax is added.
  tax_inclusive_amount: number; // The total invoice amount after tax is added.
  payable_amount: number; // The final amount the buyer must pay after applying discounts, charges and tax.
  tax_amount: number; // The total tax amount applied to the invoice.
}

```

```

accounting_cost?: string; // Represents the accounting category or cost center assigned to the
transaction.
payment_terms_note?: string; // Describes the terms and conditions of payment.
invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
services were delivered. This helps track multi-day deliveries on a single invoice.
payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
payment is due.
allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
charges (charge).
billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
referenced dispatch advice. Refers to the document used to track the dispatch of goods.
receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
associated with an invoice. Links the invoice to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
document associated with an invoice. Identifies the original document that initiated the invoice.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
associated with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
documents associated with an invoice. Used as a general reference field for any related
documents.
due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-
DD.
notes?: string; // Additional invoice information that is not contained explicitly in other structures.
qr_code_data?: string; // Encrypted QR code data from FIRS.
taxes?: Array<TaxBreakdown>;
items: Array<InvoiceItem>;
}

```

Response default:

POST /debit-notes-with-item-codes

Create debit note with the item code in place of the item ID.

Request Body:

```

Content: application/json | {
  debit_date: string; // The date on which this debit note was created in the format YYYY-MM-DD.
  issue_date: string; // The date on which this debit note was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which this debit note was issued in the format HH:MM:SS.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-
MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the debit
note is issued.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the debit
note.
  trader_invoice_number: string; // An invoice number assigned by the supplier to uniquely identify
the debit note in their system.
  invoice_id: string; // The DigiTax ID of the invoice that is being debited.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the
transaction.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
services were delivered. This helps track multi-day deliveries on a single invoice.
  payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
payment is due.
}

```

```

allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
charges (charge).
dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
referenced dispatch advice. Refers to the document used to track the dispatch of goods.
receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
associated with a debit note. Links the debit note to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
document associated with a debit note. Identifies the original document that initiated the debit
note.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
associated with a debit note. Links the debit note to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
documents associated with the debit note. Used as a general reference field for any related
documents.
due_date?: string; // The date on which the debit note is due for payment in the format YYYY-MM-
DD.
notes?: string; // Additional debit note information that is not contained explicitly in other
structures.
callback_url?: string; // The URL to call when we have new information about the debit note,
when the invoice is signed successfully or validation has failed.
items: Array<object>;
}

```

Response 201:

Debit note created.

Content: application/json | Invoice

```

{
  id: string; // The ID of the invoice on DigiTax.
  original_invoice_id?: string; // The ID of the original invoice that was credited or debited on
  DigiTax if this is a credit or debit note.
  created_at: string; // The date and time when the invoice was created.
  updated_at: string; // The date and time when the invoice was last updated.
  active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
  party_id: string; // The buyer or recipient of the goods or services.
  payee_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
  on DigiTax.
  bill_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on
  DigiTax.
  ship_party_id?: string; // If the payment goes to someone else, this field captures that party's ID
  on DigiTax.
  tax_representative_party_id?: string; // The party ID of the tax agent handling invoicing and
  compliance for the business if there is one.
  invoice_date: string; // The date on which the invoice was created in the format YYYY-MM-DD.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  is_valid: boolean; // Indicates whether the invoice payload is valid.
  transmitted_at: string; // The date and time when the invoice was transmitted to the party.
  signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
  validated_at: string; // The date and time when the invoice payload was validated.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-
  MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice
  is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  invoice_number: string; // The unique invoice number of the invoice on DigiTax.
  invoice_reference_number: string; // A unique tracking number assigned to each invoice on the
  FIRS system.
}

```

```

buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
trader_invoice_number?: string; // An invoice number assigned by the supplier to uniquely identify
    the invoice in their system.
payment_status: string; // Indicates whether the invoice has been paid or is still pending.
delivery_date?: string; // The date on which the goods or services were delivered.
status: string; // The current status of the invoice.
line_extension_amount: number; // The total amount of all invoice items before tax and any
    discounts or charges.
tax_exclusive_amount: number; // The total invoice amount before tax is added.
tax_inclusive_amount: number; // The total invoice amount after tax is added.
payable_amount: number; // The final amount the buyer must pay after applying discounts,
    charges and tax.
tax_amount: number; // The total tax amount applied to the invoice.
accounting_cost?: string; // Represents the accounting category or cost center assigned to the
    transaction.
payment_terms_note?: string; // Describes the terms and conditions of payment.
invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
    services were delivered. This helps track multi-day deliveries on a single invoice.
payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
    payment is due.
allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
    charges (charge).
billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
    documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
    referenced dispatch advice. Refers to the document used to track the dispatch of goods.
receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
    associated with an invoice. Links the invoice to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
    document associated with an invoice. Identifies the original document that initiated the invoice.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
    associated with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
    documents associated with an invoice. Used as a general reference field for any related
    documents.
due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-
    DD.
notes?: string; // Additional invoice information that is not contained explicitly in other structures.
qr_code_data?: string; // Encrypted QR code data from FIRS.
taxes?: Array<TaxBreakdown>;
items: Array<InvoiceItem>;
}

```

Response default:

GET /invoice-downloads

Get FIRS Invoice Downloads.

Get FIRS Invoice Downloads.

Request Parameters:

Response 200:

A list of FIRS invoice downloads.

Content: **application/json** | {

```

    cursor: Pagination;
    data: Array<InvoiceDownload>;
  }

```

Response default:

GET /invoice-downloads/{download_id}

Get a FIRS Invoice Download.

Retrieves information about an invoice download given their ID on DigiTax.

Request Parameters:

download_id: **string**;

Response 200:

Success.

Content: **application/json** | InvoiceDownload

```

{
  id: string; // The ID of the invoice download on DigiTax.
  invoice_reference_number: string; // The Invoice Reference Number (IRN) of the invoice
    download.
  payment_status: string; // The payment status of the invoice download.
  acknowledged_at?: string; // The date and time when the invoice download was acknowledged.
  issue_date: string; // The date on which the invoice was issued by the supplier in the format YYYY-
    MM-DD.
  issue_time?: string; // The time at which this invoice was issued in the format HH:MM:SS.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-
    MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice
    is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  delivery_date?: string; // The date on which the goods or services were delivered.
  line_extension_amount: number; // The total amount of all invoice items before tax and any
    discounts or charges.
  tax_exclusive_amount: number; // The total invoice amount before tax is added.
  tax_inclusive_amount: number; // The total invoice amount after tax is added.
  payable_amount: number; // The final amount the buyer must pay after applying discounts,
    charges and tax.
  tax_amount: number; // The total tax amount applied to the invoice.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the
    transaction.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
    services were delivered. This helps track multi-day deliveries on a single invoice.
  payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
    payment is due.
  allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
    charges (charge).
  billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
    documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
  dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
    referenced dispatch advice. Refers to the document used to track the dispatch of goods.
  receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice

```

associated with an invoice. Links the invoice to a receipt document.

originator_document_reference?: [InvoiceDocumentReference](#); // A reference to an originator document associated with an invoice. Identifies the original document that initiated the invoice.

contract_document_reference?: [InvoiceDocumentReference](#); // A reference to a contract associated with an invoice. Links the invoice to a contract governing the transaction.

additional_document_reference?: [Array<InvoiceDocumentReference>](#); // A reference to additional documents associated with an invoice. Used as a general reference field for any related documents.

due_date?: **string**; // The date on which the invoice is due for payment in the format YYYY-MM-DD.

notes?: **string**; // Additional invoice information that is not contained explicitly in other structures.

taxes: [Array<TaxBreakdown>](#);

items: [Array<InvoiceDownloadItem>](#);

accounting_customer_party: **object**; // The buyer or recipient of the goods or services.

accounting_supplier_party: **object**; // The seller or supplier issuing the invoice.

bill_party?: **object**; // If the payment goes to someone else, this field captures that entity's details.

ship_party?: **object**; // If the payment goes to someone else, this field captures that entity's details.

payee_party?: **object**; // If the payment goes to someone else, this field captures that entity's details.

tax_representative_party?: **object**; // If a business has a tax agent handling invoicing and compliance, their details are entered here.

}

Response default:

GET /invoice-downloads/irn/{invoice_reference_number}

Get a business invoice download by the invoice reference number.

Retrieves information about an invoice download given their invoice reference number on DigiTax.

Request Parameters:

invoice_reference_number: **string**;

Response 200:

Success.

Content: **application/json** | [InvoiceDownload](#)

```
{
  id: string; // The ID of the invoice download on DigiTax.
  invoice_reference_number: string; // The Invoice Reference Number (IRN) of the invoice
    download.
  payment_status: string; // The payment status of the invoice download.
  acknowledged_at?: string; // The date and time when the invoice download was acknowledged.
  issue_date: string; // The date on which the invoice was issued by the supplier in the format YYYY-
    MM-DD.
  issue_time?: string; // The time at which this invoice was issued in the format HH:MM:SS.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-
    MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice
    is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  delivery_date?: string; // The date on which the goods or services were delivered.
  line_extension_amount: number; // The total amount of all invoice items before tax and any
    discounts or charges.
```

```

tax_exclusive_amount: number; // The total invoice amount before tax is added.
tax_inclusive_amount: number; // The total invoice amount after tax is added.
payable_amount: number; // The final amount the buyer must pay after applying discounts,
    charges and tax.
tax_amount: number; // The total tax amount applied to the invoice.
accounting_cost?: string; // Represents the accounting category or cost center assigned to the
    transaction.
payment_terms_note?: string; // Describes the terms and conditions of payment.
invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
    services were delivered. This helps track multi-day deliveries on a single invoice.
payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
    payment is due.
allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
    charges (charge).
billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
    documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
    referenced dispatch advice. Refers to the document used to track the dispatch of goods.
receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
    associated with an invoice. Links the invoice to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
    document associated with an invoice. Identifies the original document that initiated the invoice.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
    associated with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
    documents associated with an invoice. Used as a general reference field for any related
    documents.
due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-
    DD.
notes?: string; // Additional invoice information that is not contained explicitly in other structures.
taxes: Array<TaxBreakdown>;
items: Array<InvoiceDownloadItem>;
accounting_customer_party: object; // The buyer or recipient of the goods or services.
accounting_supplier_party: object; // The seller or supplier issuing the invoice.
bill_party?: object; // If the payment goes to someone else, this field captures that entity's details.
ship_party?: object; // If the payment goes to someone else, this field captures that entity's details.
payee_party?: object; // If the payment goes to someone else, this field captures that entity's
    details.
tax_representative_party?: object; // If a business has a tax agent handling invoicing and
    compliance, their details are entered here.
}

```

Response default:

GET [/invoice-downloads/{download_id}/confirm](#)

Confirm a business invoice download's payment status.

Confirms an invoice download's payment status on FIRS given their ID on DigiTax.

Request Parameters:

download_id: string;

Response 200:

Success.

Content: [application/json](#) | [InvoiceDownload](#)

```

{
  id: string; // The ID of the invoice download on DigiTax.
  invoice_reference_number: string; // The Invoice Reference Number (IRN) of the invoice
  download.
  payment_status: string; // The payment status of the invoice download.
  acknowledged_at?: string; // The date and time when the invoice download was acknowledged.
  issue_date: string; // The date on which the invoice was issued by the supplier in the format YYYY-
  MM-DD.
  issue_time?: string; // The time at which this invoice was issued in the format HH:MM:SS.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-
  MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice
  is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  delivery_date?: string; // The date on which the goods or services were delivered.
  line_extension_amount: number; // The total amount of all invoice items before tax and any
  discounts or charges.
  tax_exclusive_amount: number; // The total invoice amount before tax is added.
  tax_inclusive_amount: number; // The total invoice amount after tax is added.
  payable_amount: number; // The final amount the buyer must pay after applying discounts,
  charges and tax.
  tax_amount: number; // The total tax amount applied to the invoice.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the
  transaction.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
  services were delivered. This helps track multi-day deliveries on a single invoice.
  payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
  payment is due.
  allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra
  charges (charge).
  billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
  documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
  dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
  referenced dispatch advice. Refers to the document used to track the dispatch of goods.
  receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
  associated with an invoice. Links the invoice to a receipt document.
  originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
  document associated with an invoice. Identifies the original document that initiated the invoice.
  contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
  associated with an invoice. Links the invoice to a contract governing the transaction.
  additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
  documents associated with an invoice. Used as a general reference field for any related
  documents.
  due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-
  DD.
  notes?: string; // Additional invoice information that is not contained explicitly in other structures.
  taxes: Array<TaxBreakdown>;
  items: Array<InvoiceDownloadItem>;
  accounting_customer_party: object; // The buyer or recipient of the goods or services.
  accounting_supplier_party: object; // The seller or supplier issuing the invoice.
  bill_party?: object; // If the payment goes to someone else, this field captures that entity's details.
  ship_party?: object; // If the payment goes to someone else, this field captures that entity's details.
  payee_party?: object; // If the payment goes to someone else, this field captures that entity's
  details.
  tax_representative_party?: object; // If a business has a tax agent handling invoicing and
  compliance, their details are entered here.

```

}

Response default:**POST /app-invoices**

Create Invoice by users who are using DigiTax as their Access Point Provider(APP) only.

Request Body:

Content: `application/json` | {

- `irn: string;` // A unique tracking number assigned to each invoice on the FIRS system.
- `payment_status?: string;` // Indicates whether the invoice has been paid or is still pending.
- `issue_date: string;` // The date on which this invoice was issued in the format YYYY-MM-DD.
- `issue_time?: string;` // The time at which the invoice was issued in HH:MM:SS format.
- `due_date?: string;` // The date on which the invoice is due for payment in the format YYYY-MM-DD.
- `invoice_type_code: string;` // A code that specifies the type of invoice being issued.
- `tax_point_date?: string;` // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
- `document_currency_code: string;` // A code that specifies the default currency in which the invoice is issued.
- `tax_currency_code: string;` // The currency in which tax amounts are calculated.
- `accounting_cost?: string;` // Represents the accounting category or cost center assigned to the transaction.
- `note?: string;` // Additional invoice information that is not contained explicitly in other structures.
- `buyer_reference?: string;` // A reference number or code provided by the buyer to track the invoice.
- `order_reference?: string;` // The order number tied to an invoice.
- `actual_delivery_date?: string;` // The date the goods or services were delivered.
- `payment_terms_note?: string;` // Describes the terms and conditions of payment.
- `invoice_delivery_period?: DeliveryPeriod;` // Defines the start and end dates for when goods or services were delivered. This helps track multi-day deliveries on a single invoice.
- `allowance_charge?: Array<AllowanceCharge>;` // Defines any discounts (allowance) or extra charges (charge).
- `invoice_line: Array<LineItem>;` // It captures details about each item or service being invoiced.
- `tax_total: Array<TaxTotal>;` // The total tax charged on the invoice.
- `accounting_customer_party?: APPIInvoiceParty;` // The buyer or recipient of the goods or services.
- `accounting_supplier_party: APPIInvoiceParty;` // The seller or supplier issuing the invoice.
- `bill_party?: APPIInvoiceParty;` // If the payment goes to someone else, this field captures that entity's details.
- `ship_party?: APPIInvoiceParty;` // If the payment goes to someone else, this field captures that entity's details.
- `payee_party?: APPIInvoiceParty;` // If the payment goes to someone else, this field captures that entity's details.
- `tax_representative_party?: APPIInvoiceParty;` // If a business has a tax agent handling invoicing and compliance, their details are entered here.
- `billing_reference?: Array<InvoiceDocumentReference>;` // A list of references to previous billing documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
- `dispatch_document_reference?: InvoiceDocumentReference;` // An optional identifier of a referenced dispatch advice. Refers to the document used to track the dispatch of goods.
- `receipt_document_reference?: InvoiceDocumentReference;` // A reference to a receipt advice associated with an invoice. Links the invoice to a receipt document.
- `originator_document_reference?: InvoiceDocumentReference;` // A reference to an originator document associated with an invoice. Identifies the original document that initiated the invoice.
- `contract_document_reference?: InvoiceDocumentReference;` // A reference to a contract associated with an invoice. Links the invoice to a contract governing the transaction.
- `additional_document_reference?: Array<InvoiceDocumentReference>;` // A reference to additional documents associated with an invoice. Used as a general reference field for any related

```

documents.
payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
payment is due.
legal_monetary_total: LegalMonetaryTotal; // The total amount the buyer has to pay, including or
excluding taxes. It ensures that the buyer knows exactly how much to pay, whether taxes are
included or not.
callback_url?: string; // The URL to call when we have new information about the debit note,
when the invoice is signed successfully or validation has failed.
}

```

Response 201:

APP Invoice created.

Content: [application/json](#) | [APPInvoice](#)

```

{
  id: string; // The ID of the invoice on DigiTax.
  irn: string; // A unique tracking number assigned to each invoice on the FIRS system.
  payment_status: string; // Indicates whether the invoice has been paid or is still pending.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-DD.
  invoice_type_code: string; // A code that specifies the type of invoice being issued.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the transaction.
  note?: string; // Additional invoice information that is not contained explicitly in other structures.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  order_reference?: string; // The order number tied to an invoice.
  actual_delivery_date?: string; // The date the goods or services were delivered.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or services were delivered. This helps track multi-day deliveries on a single invoice.
  allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges (charge).
  invoice_line: Array<LineItem>; // It captures details about each item or service being invoiced.
  tax_total: Array<TaxTotal>; // The total tax charged on the invoice.
  accounting_customer_party?: APPInvoiceParty; // The buyer or recipient of the goods or services.
  accounting_supplier_party: APPInvoiceParty; // The seller or supplier issuing the invoice.
  bill_party?: APPInvoiceParty; // If the payment goes to someone else, this field captures that entity's details.
  ship_party?: APPInvoiceParty; // If the payment goes to someone else, this field captures that entity's details.
  payee_party?: APPInvoiceParty; // If the payment goes to someone else, this field captures that entity's details.
  tax_representative_party?: APPInvoiceParty; // If a business has a tax agent handling invoicing and compliance, their details are entered here.
  billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
  dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a referenced dispatch advice. Refers to the document used to track the dispatch of goods.
  receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice associated with an invoice. Links the invoice to a receipt document.
  originator_document_reference?: InvoiceDocumentReference; // A reference to an originator document associated with an invoice. Identifies the original document that initiated the invoice.
}

```

```

contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
associated with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
documents associated with an invoice. Used as a general reference field for any related
documents.
payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
payment is due.
legal_monetary_total: LegalMonetaryTotal; // The total amount the buyer has to pay, including or
excluding taxes. It ensures that the buyer knows exactly how much to pay, whether taxes are
included or not.
callback_url?: string; // The URL to call when we have new information about the debit note,
when the invoice is signed successfully or validation has failed.
is_valid: boolean; // Indicates whether the invoice payload is valid.
created_at: string; // The date and time when the invoice was created.
updated_at: string; // The date and time when the invoice was last updated.
transmitted_at: string; // The date and time when the invoice was transmitted to the party.
signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
validated_at: string; // The date and time when the invoice payload was validated.
active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
}

```

Response default:

GET /app-invoices

Get APP Invoices.

List all APP invoices, with pagination.

Request Parameters:

Response 200:

A list of APP invoices.

```

Content: application/json | {
  cursor: Pagination:
  data: Array<APPInvoice>:
}

```

Response default:

GET /app-invoices/{app_invoice_id}

Get an APP invoice.

Retrieves information about an invoice created in the Access Point Provider integration.

Request Parameters:

app_invoice_id: string;

Response 200:

Success.

Content: application/json | APPInvoice

```

{
  id: string; // The ID of the invoice on DigiTax.
  irn: string; // A unique tracking number assigned to each invoice on the FIRS system.
  payment_status: string; // Indicates whether the invoice has been paid or is still pending.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-DD.
  invoice_type_code: string; // A code that specifies the type of invoice being issued.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the transaction.
  note?: string; // Additional invoice information that is not contained explicitly in other structures.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  order_reference?: string; // The order number tied to an invoice.
  actual_delivery_date?: string; // The date the goods or services were delivered.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or services were delivered. This helps track multi-day deliveries on a single invoice.
  allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges (charge).
  invoice_line: Array<LineItem>; // It captures details about each item or service being invoiced.
  tax_total: Array<TaxTotal>; // The total tax charged on the invoice.
  accounting_customer_party?: APPIInvoiceParty; // The buyer or recipient of the goods or services.
  accounting_supplier_party: APPIInvoiceParty; // The seller or supplier issuing the invoice.
  bill_party?: APPIInvoiceParty; // If the payment goes to someone else, this field captures that entity's details.
  ship_party?: APPIInvoiceParty; // If the payment goes to someone else, this field captures that entity's details.
  payee_party?: APPIInvoiceParty; // If the payment goes to someone else, this field captures that entity's details.
  tax_representative_party?: APPIInvoiceParty; // If a business has a tax agent handling invoicing and compliance, their details are entered here.
  billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
  dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a referenced dispatch advice. Refers to the document used to track the dispatch of goods.
  receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice associated with an invoice. Links the invoice to a receipt document.
  originator_document_reference?: InvoiceDocumentReference; // A reference to an originator document associated with an invoice. Identifies the original document that initiated the invoice.
  contract_document_reference?: InvoiceDocumentReference; // A reference to a contract associated with an invoice. Links the invoice to a contract governing the transaction.
  additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional documents associated with an invoice. Used as a general reference field for any related documents.
  payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when payment is due.
  legal_monetary_total: LegalMonetaryTotal; // The total amount the buyer has to pay, including or excluding taxes. It ensures that the buyer knows exactly how much to pay, whether taxes are included or not.
  callback_url?: string; // The URL to call when we have new information about the debit note, when the invoice is signed successfully or validation has failed.
  is_valid: boolean; // Indicates whether the invoice payload is valid.
  created_at: string; // The date and time when the invoice was created.

```

```

updated_at: string; // The date and time when the invoice was last updated.
transmitted_at: string; // The date and time when the invoice was transmitted to the party.
signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
validated_at: string; // The date and time when the invoice payload was validated.
active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
}

```

Response default:

PUT /app-invoices/{app_invoice_id}/payment-status

Update an APP invoice payment status.

Update the payment status of an invoice created in the Access Point Provider integration.

Request Parameters:

app_invoice_id: string;

Request Body:

```

Content: application/json | {
  payment_status: string; // The payment status of the invoice.
  reference?: string; // The reference number of the payment.
}

```

Response 200:

Success.

Content: application/json | APPInvoice

```

{
  id: string; // The ID of the invoice on DigiTax.
  irn: string; // A unique tracking number assigned to each invoice on the FIRS system.
  payment_status: string; // Indicates whether the invoice has been paid or is still pending.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-DD.
  invoice_type_code: string; // A code that specifies the type of invoice being issued.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the transaction.
  note?: string; // Additional invoice information that is not contained explicitly in other structures.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  order_reference?: string; // The order number tied to an invoice.
  actual_delivery_date?: string; // The date the goods or services were delivered.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or services were delivered. This helps track multi-day deliveries on a single invoice.
  allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges (charge).
  invoice_line: Array<LineItem>; // It captures details about each item or service being invoiced.
  tax_total: Array<TaxTotal>; // The total tax charged on the invoice.
  accounting_customer_party?: APPInvoiceParty; // The buyer or recipient of the goods or services.
}

```

```

accounting_supplier_party: APPIInvoiceParty; // The seller or supplier issuing the invoice.
bill_party?: APPIInvoiceParty; // If the payment goes to someone else, this field captures that
entity's details.
ship_party?: APPIInvoiceParty; // If the payment goes to someone else, this field captures that
entity's details.
payee_party?: APPIInvoiceParty; // If the payment goes to someone else, this field captures that
entity's details.
tax_representative_party?: APPIInvoiceParty; // If a business has a tax agent handling invoicing
and compliance, their details are entered here.
billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a
referenced dispatch advice. Refers to the document used to track the dispatch of goods.
receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
associated with an invoice. Links the invoice to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator
document associated with an invoice. Identifies the original document that initiated the invoice.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract
associated with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
documents associated with an invoice. Used as a general reference field for any related
documents.
payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when
payment is due.
legal_monetary_total: LegalMonetaryTotal; // The total amount the buyer has to pay, including or
excluding taxes. It ensures that the buyer knows exactly how much to pay, whether taxes are
included or not.
callback_url?: string; // The URL to call when we have new information about the debit note,
when the invoice is signed successfully or validation has failed.
is_valid: boolean; // Indicates whether the invoice payload is valid.
created_at: string; // The date and time when the invoice was created.
updated_at: string; // The date and time when the invoice was last updated.
transmitted_at: string; // The date and time when the invoice was transmitted to the party.
signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
validated_at: string; // The date and time when the invoice payload was validated.
active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
}

```

Response default:

Schemas

Country

```
{
  name: string;
  alpha2: string;
  alpha3: string;
}
```

Currency

```
{
  symbol: string;
  name: string;
  symbolNative: string;
  decimalDigits: integer;
  rounding: integer;
  code: string;
  namePlural: string;
}
```

TaxCategory

```
{
  code: string; // The code representing the tax category.
  name: string; // The name of the tax category.
  tax_rate: number; // The tax rate(between 0 and 1) applied to the category for tax categories that have
    a defined rate.
  has_rate: boolean; // Indicates whether the tax category has a rate defined.
}
```

CommonCode

```
{
  code: string;
  value: string;
}
```

Address

```
{
  street_name: string; // The street name where the buyer's business is located.
  city_name: string; // The city where the buyer's business is registered.
  postal_zone: string; // The postal code of the buyer's business location.
  country_code: string; // The country code representing the party's registered country.
  local_government_code?: string; // The local government code of the party. It is temporarily optional;
    and will be made mandatory in a future release.
  state_code?: string; // The state code of the party. It is temporarily optional; and will be made
    mandatory in a future release.
}
```

LocalGovernment

```
{
  name: string;
  code: string;
  state_code: string;
}
```

State

```
{
  name: string;
  code: string;
}
```

Branch

```
{
  id: string;
  created_at: string;
  updated_at: string;
  active: boolean;
  is_test: boolean;
  service_id?: string;
  taxpayer_id?: string;
  taxpayer_name: string;
  taxpayer_email: string;
  tax_identification_number: string;
  address: Address;
}
```

Party

```
{
  id: string; // The ID of the party on DigiTax.
  created_at: string; // The date and time when the party was created.
  updated_at: string; // The date and time when the party was last updated.
  active: boolean; // Indicates whether the party is active on the DigiTax system or not.
  tax_identification_number: string; // The Taxpayer Identification Number (TIN) assigned to the buyer.
  name: string; // The registered name of the buyer receiving the invoice. This is the official business or
    individual name.
  phone?: string; // The buyer's contact number with the country code prefix (+234 for Nigeria).
  email: string; // The buyer's official email address used for communication regarding invoices and tax
    compliance.
  address?: Address;
}
```

Item

```
{
  id: string; // The ID of the item on DigiTax.
  created_at: string; // The date and time when the item was created.
  updated_at: string; // The date and time when the item was last updated.
}
```

```

active: boolean; // Indicates whether the item is active on the DigiTax system or not.
tax_category_code: string; // The code for the tax category the item belongs to. It must be one of the
    tax categories defined in the resources API.
product_category: string; // The category the good or service belongs to.
item_name: string; // The name of the good or service being sold.
hsn_code: string; // The Harmonized System of Nomenclature (HSN) Code for the good or the
    International Standard Industry Classification (ISIC) code for the service. <a href="https://
    ng.docs.digitax.tech/reference/reference-hs-service-code-files">HSN Reference</a>.
item_number: string; // The unique item number of the item on DigiTax.
unit_price?: number; // The cost of a single unit of the item. This field is deprecated to allow the item to
    be sold in multiple currencies. Invoices will use the unit price defined in the invoice payload.
currency_code?: string; // The currency in which the item is priced. This field is deprecated to allow the
    item to be sold in multiple currencies. Invoices will use the currency code defined in the invoice
    payload.
description: string; // A brief description of the item.
display_name?: string; // The name of the good or service being sold.
item_code?: string; // A unique product code assigned to the item in the user's system. It will be used
    as the unique product identifier.
is_service: boolean; // Indicates whether the item is a service (true) or a good (false).
}

```

Invoice

```

{
  id: string; // The ID of the invoice on DigiTax.
  original_invoice_id?: string; // The ID of the original invoice that was credited or debited on DigiTax if
    this is a credit or debit note.
  created_at: string; // The date and time when the invoice was created.
  updated_at: string; // The date and time when the invoice was last updated.
  active: boolean; // Indicates whether the invoice is active on the DigiTax system or not.
  party_id: string; // The buyer or recipient of the goods or services.
  payee_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on
    DigiTax.
  bill_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on
    DigiTax.
  ship_party_id?: string; // If the payment goes to someone else, this field captures that party's ID on
    DigiTax.
  tax_representative_party_id?: string; // The party ID of the tax agent handling invoicing and compliance
    for the business if there is one.
  invoice_date: string; // The date on which the invoice was created in the format YYYY-MM-DD.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  is_valid: boolean; // Indicates whether the invoice payload is valid.
  transmitted_at: string; // The date and time when the invoice was transmitted to the party.
  signed_at: string; // The date and time when the invoice was submitted to FIRS for signing.
  validated_at: string; // The date and time when the invoice payload was validated.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-MM-
    DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice is
    issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  invoice_number: string; // The unique invoice number of the invoice on DigiTax.
  invoice_reference_number: string; // A unique tracking number assigned to each invoice on the FIRS
    system.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  trader_invoice_number?: string; // An invoice number assigned by the supplier to uniquely identify the
    invoice in their system.
}

```

```

payment_status: string; // Indicates whether the invoice has been paid or is still pending.
delivery_date?: string; // The date on which the goods or services were delivered.
status: string; // The current status of the invoice.
line_extension_amount: number; // The total amount of all invoice items before tax and any discounts
or charges.
tax_exclusive_amount: number; // The total invoice amount before tax is added.
tax_inclusive_amount: number; // The total invoice amount after tax is added.
payable_amount: number; // The final amount the buyer must pay after applying discounts, charges
and tax.
tax_amount: number; // The total tax amount applied to the invoice.
accounting_cost?: string; // Represents the accounting category or cost center assigned to the
transaction.
payment_terms_note?: string; // Describes the terms and conditions of payment.
invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or
services were delivered. This helps track multi-day deliveries on a single invoice.
payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when payment
is due.
allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges
(charge).
billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a referenced
dispatch advice. Refers to the document used to track the dispatch of goods.
receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
associated with an invoice. Links the invoice to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator document
associated with an invoice. Identifies the original document that initiated the invoice.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract associated
with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
documents associated with an invoice. Used as a general reference field for any related documents.
due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-DD.
notes?: string; // Additional invoice information that is not contained explicitly in other structures.
qr_code_data?: string; // Encrypted QR code data from FIRS.
taxes?: Array<TaxBreakdown>;
items: Array<InvoiceItem>;
}

```

InvoiceItem

```

{
  id: string; // The ID of the invoice item on DigiTax.
  created_at: string; // The date and time when the invoice item was created.
  updated_at: string; // The date and time when the invoice item was last updated.
  active: boolean; // Indicates whether the invoice item is active.
  item_id: string; // The ID of the item being sold, as it appears on DigiTax.
  line_extension_amount: number; // The total amount for this item before tax.
  quantity: number; // The total number of items sold.
  unit_price: number; // The cost of one unit of the item.
  discount_rate?: number; // The discount rate(between 0 to 1) applied to the item.
  fee_rate?: number; // The rate(between 0 to 1) of any additional fees (e.g. service charge, delivery fee)
applied to the item.
  discount_amount?: number; // The actual discount value in currency applied to the item based on the
discount rate.
  fee_amount?: number; // The actual fee charged in currency based on the fee rate.
  tax_rate: number; // The tax rate(between 0 to 1) applied to the item.
}

```

Pagination

```
{
  next: string;
  previous: string;
  page_size: integer;
}
```

InvoiceDocumentReference

```
{
  irn: string; // The Invoice Reference Number (IRN) of the document.
  issue_date: string; // The date on which the document was issued in the format YYYY-MM-DD.
}
```

TaxBreakdown

```
{
  tax_category_code: string; // The tax category code that this tax breakdown applies to.
  tax_amount: number; // The actual tax applied on the taxable amount.
  taxable_amount: number; // The total value of goods/services on which tax is calculated.
  tax_percentage: number; // The tax rate applied to the taxable amount, expressed as a percentage.
}
```

InvoiceDownload

```
{
  id: string; // The ID of the invoice download on DigiTax.
  invoice_reference_number: string; // The Invoice Reference Number (IRN) of the invoice download.
  payment_status: string; // The payment status of the invoice download.
  acknowledged_at?: string; // The date and time when the invoice download was acknowledged.
  issue_date: string; // The date on which the invoice was issued by the supplier in the format YYYY-MM-DD.
  issue_time?: string; // The time at which this invoice was issued in the format HH:MM:SS.
  invoice_type_code: string; // A code that specifies the type of the invoice.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  delivery_date?: string; // The date on which the goods or services were delivered.
  line_extension_amount: number; // The total amount of all invoice items before tax and any discounts or charges.
  tax_exclusive_amount: number; // The total invoice amount before tax is added.
  tax_inclusive_amount: number; // The total invoice amount after tax is added.
  payable_amount: number; // The final amount the buyer must pay after applying discounts, charges and tax.
  tax_amount: number; // The total tax amount applied to the invoice.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the transaction.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or services were delivered. This helps track multi-day deliveries on a single invoice.
}
```

```

payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when payment
is due.
allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges
(charge).
billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing
documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a referenced
dispatch advice. Refers to the document used to track the dispatch of goods.
receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice
associated with an invoice. Links the invoice to a receipt document.
originator_document_reference?: InvoiceDocumentReference; // A reference to an originator document
associated with an invoice. Identifies the original document that initiated the invoice.
contract_document_reference?: InvoiceDocumentReference; // A reference to a contract associated
with an invoice. Links the invoice to a contract governing the transaction.
additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional
documents associated with an invoice. Used as a general reference field for any related documents.
due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-DD.
notes?: string; // Additional invoice information that is not contained explicitly in other structures.
taxes: Array<TaxBreakdown>;
items: Array<InvoiceDownloadItem>;
accounting_customer_party: object; // The buyer or recipient of the goods or services.
accounting_supplier_party: object; // The seller or supplier issuing the invoice.
bill_party?: object; // If the payment goes to someone else, this field captures that entity's details.
ship_party?: object; // If the payment goes to someone else, this field captures that entity's details.
payee_party?: object; // If the payment goes to someone else, this field captures that entity's details.
tax_representative_party?: object; // If a business has a tax agent handling invoicing and compliance,
their details are entered here.
}

```

InvoiceDownloadParty

```

{
  tax_identification_number: string; // The Taxpayer Identification Number (TIN) assigned to the party.
  name: string; // The registered name of the party. This is the official business or individual name.
  phone?: string; // The party's contact number with the country code prefix (+234 for Nigeria).
  email: string; // The party's official email address used for communication regarding invoices and tax
  compliance.
  address?: Address;
}

```

InvoiceDownloadItem

```

{
  line_extension_amount: number; // The total amount for this item before tax.
  quantity: number; // The total number of items sold.
  unit_price: number; // The cost of one unit of the item.
  discount_rate?: number; // The discount rate(between 0 to 1) applied to the item.
  fee_rate?: number; // The rate(between 0 to 1) of any additional fees (e.g. service charge, delivery fee)
  applied to the item.
  discount_amount?: number; // The actual discount value in currency applied to the item based on the
  discount rate.
  fee_amount?: number; // The actual fee charged in currency based on the fee rate.
  product_category: string; // The category the product belongs to.
  item_name: string; // The name of the good or service being sold.
  hsn_code: string; // The Harmonized System of Nomenclature (HSN) Code for the product or the
  International Standard Industry Classification (ISIC) code. <a href="https://ng.docs.digitax.tech/

```

```

    reference/reference-hs-service-code-files">HSN Reference</a>.
description?: string; // A brief description of the item.
sellers_item_identification?: string; // An identifier for the item as assigned by the seller.
service_category?: string; // The category the service belongs to.
isic_code?: string; // The International Standard Industry Classification (ISIC) code for the service.
}

```

APPIInvoice

```

{
  id: string; // The ID of the invoice on DigiTax.
  irn: string; // A unique tracking number assigned to each invoice on the FIRS system.
  payment_status: string; // Indicates whether the invoice has been paid or is still pending.
  issue_date: string; // The date on which this invoice was issued in the format YYYY-MM-DD.
  issue_time?: string; // The time at which the invoice was issued in HH:MM:SS format.
  due_date?: string; // The date on which the invoice is due for payment in the format YYYY-MM-DD.
  invoice_type_code: string; // A code that specifies the type of invoice being issued.
  tax_point_date?: string; // The actual date when the tax becomes applicable in the format YYYY-MM-DD.
  document_currency_code: string; // A code that specifies the default currency in which the invoice is issued.
  tax_currency_code: string; // The currency in which tax amounts are calculated.
  accounting_cost?: string; // Represents the accounting category or cost center assigned to the transaction.
  note?: string; // Additional invoice information that is not contained explicitly in other structures.
  buyer_reference?: string; // A reference number or code provided by the buyer to track the invoice.
  order_reference?: string; // The order number tied to an invoice.
  actual_delivery_date?: string; // The date the goods or services were delivered.
  payment_terms_note?: string; // Describes the terms and conditions of payment.
  invoice_delivery_period?: DeliveryPeriod; // Defines the start and end dates for when goods or services were delivered. This helps track multi-day deliveries on a single invoice.
  allowance_charge?: Array<AllowanceCharge>; // Defines any discounts (allowance) or extra charges (charge).
  invoice_line: Array<LineItem>; // It captures details about each item or service being invoiced.
  tax_total: Array<TaxTotal>; // The total tax charged on the invoice.
  accounting_customer_party?: APPIInvoiceParty; // The buyer or recipient of the goods or services.
  accounting_supplier_party: APPIInvoiceParty; // The seller or supplier issuing the invoice.
  bill_party?: APPIInvoiceParty; // If the payment goes to someone else, this field captures that entity's details.
  ship_party?: APPIInvoiceParty; // If the payment goes to someone else, this field captures that entity's details.
  payee_party?: APPIInvoiceParty; // If the payment goes to someone else, this field captures that entity's details.
  tax_representative_party?: APPIInvoiceParty; // If a business has a tax agent handling invoicing and compliance, their details are entered here.
  billing_reference?: Array<InvoiceDocumentReference>; // A list of references to previous billing documents associated with the invoice (e.g., credit notes, debit notes, or prior invoices).
  dispatch_document_reference?: InvoiceDocumentReference; // An optional identifier of a referenced dispatch advice. Refers to the document used to track the dispatch of goods.
  receipt_document_reference?: InvoiceDocumentReference; // A reference to a receipt advice associated with an invoice. Links the invoice to a receipt document.
  originator_document_reference?: InvoiceDocumentReference; // A reference to an originator document associated with an invoice. Identifies the original document that initiated the invoice.
  contract_document_reference?: InvoiceDocumentReference; // A reference to a contract associated with an invoice. Links the invoice to a contract governing the transaction.
  additional_document_reference?: Array<InvoiceDocumentReference>; // A reference to additional documents associated with an invoice. Used as a general reference field for any related documents.
  payment_means?: Array<PaymentMeans>; // Defines how the invoice will be paid and when payment

```

is due.

legal_monetary_total: LegalMonetaryTotal; // The total amount the buyer has to pay, including or excluding taxes. It ensures that the buyer knows exactly how much to pay, whether taxes are included or not.

callback_url?: **string**; // The URL to call when we have new information about the debit note, when the invoice is signed successfully or validation has failed.

is_valid: **boolean**; // Indicates whether the invoice payload is valid.

created_at: **string**; // The date and time when the invoice was created.

updated_at: **string**; // The date and time when the invoice was last updated.

transmitted_at: **string**; // The date and time when the invoice was transmitted to the party.

signed_at: **string**; // The date and time when the invoice was submitted to FIRS for signing.

validated_at: **string**; // The date and time when the invoice payload was validated.

active: **boolean**; // Indicates whether the invoice is active on the DigiTax system or not.

}

APPIInvoiceParty

{

tin: **string**; // The Taxpayer Identification Number (TIN) assigned to the taxpayer.

party_name: **string**; // The official business or individual name of the taxpayer.

telephone: **string**; // The buyer's contact number with the country code prefix (+234 for Nigeria).

email: **string**; // The buyer's official email address used for communication regarding invoices and tax compliance.

postal_address: InvoiceAddress;

business_description?: **string**; // A brief description of the business's line of business.

}

DeliveryPeriod

{

start_date: **string**; // The start date of the delivery period in YYYY-MM-DD format.

end_date: **string**; // The end date of the delivery period in YYYY-MM-DD format.

}

AllowanceCharge

{

charge_indicator: **boolean**; // Indicates if the entry is a charge (true) or an allowance (false).

amount: **number**; // Amount of the charge or allowance.

}

TaxTotal

{

tax_amount: **number**; // The total tax charged on the invoice.

tax_subtotal: Array<TaxSubtotal>; // This section breaks down the tax into different tax categories.

}

TaxSubtotal

{

```

taxable_amount: number; // The total value of goods/services on which tax is calculated.
tax_amount: number; // The actual tax applied on the taxable amount.
tax_category: InvoiceTaxCategory; // Specifies what type of tax is applied to this subtotal.
}

```

InvoiceTaxCategory

```

{
  id: string; // The tax category code that the tax subtotal applies to.
  percent: number; // The tax rate applied to the taxable amount, expressed as a percentage.
}

```

LegalMonetaryTotal

```

{
  line_extension_amount: number; // The total amount of all invoice items before tax and any discounts
    or charges.
  tax_exclusive_amount: number; // The total invoice amount before tax is added.
  tax_inclusive_amount: number; // The total invoice amount after tax is added.
  payable_amount: number; // The final amount the buyer must pay after applying discounts, charges
    and tax.
}

```

LineItem

```

{
  hsn_code: string; // The Harmonized System of Nomenclature (HSN) Code for the product or the
    International Standard Industry Classification (ISIC) code. <a href="https://ng.docs.digitax.tech/
    reference/reference-hs-service-code-files">HSN Reference</a>.
  product_category: string; // The category the product belongs to.
  discount_rate: number; // The percentage discount applied to the item.
  discount_amount: number; // The actual discount value in currency applied to the item.
  fee_rate: number; // The percentage of any additional fees (e.g., service charge, delivery fee).
  fee_amount: number; // The actual fee charged in currency based on the fee rate.
  invoiced_quantity: number; // The total number of items sold in the invoice line.
  line_extension_amount: number; // The total amount for this line item before tax.
  item: LineItemDetail; // The details of the item/service being sold.
  price: LineItemPrice; // The cost of a single unit of the item.
  service_category?: string; // The category the service belongs to. For services, this is a mandatory
    field; and its value is what should also be used for product_category.
  isic_code?: string; // The International Standard Industry Classification (ISIC) code for the service. For
    services, this is a mandatory field; and its value is what should also be used for hsn_code.
}

```

LineItemDetail

```

{
  name: string; // The name of the good or service being sold.
  description: string; // A brief description of the item.
  sellers_item_identification?: string; // An identifier for the item as assigned by the seller.
}

```

LineItemPrice

```
{  
  price_amount: number; // The cost of one unit of the item.  
  base_quantity: number; // The quantity that corresponds to the price amount.  
  price_unit: string; // Specifies the unit of measurement for the item price.  
}
```

PaymentMeans

```
{  
  payment_means_code: string; // The code that specifies the method of payment.  
  payment_due_date: string; // The date when the payment is due in YYYY-MM-DD format.  
}
```

InvoiceAddress

```
{  
  street_name: string; // The street name where the buyer's business is located.  
  city_name: string; // The city where the buyer's business is registered.  
  postal_zone: string; // The postal code of the buyer's business location.  
  country: string; // The Alpha2 country code representing the buyer's registered country.  
}
```