




- Processor**
- ATSAME53J18A-MF
- Sensors**
- Accelerometer (Accel)
 - Gyroscope (Gyro)
 - Magnetometer (Mag)
 - Pressure sensor (PT)
- Backup battery**
- AAA battery
 - > Holder: SMTU2032-LF
 - Power MUX: TPS2114PW

Processor
File: processor.kicad_sch


Sensors
File: sensors.kicad_sch

Headers & Utils
File: headers.kicad_sch


LDO




Power MUX





Backup battery



Mechanical



SD-CARD




Portal Space

Sheet: /
File: NAV_V3_final.kicad_sch


Title: Navigation

Size: A4 | Date: 2022-07-08
KiCad E.D.A. 8.0.1


Rev:
Id: 1/4




Magnetometer



Pressure sensor







Inertial Measurement Unit (IMU)




Sensors
Portal Space
Sheet: /Sensors/
File: sensors.kicad_sch

Title: Navigation


Size: A4	Date: 2022-07-08	Rev:
KiCad E.D.A. 8.0.1		Id: 3/4



RECOVERY GPIO (used for direct comms with recovery circuit)



LED



Headers & Utils

Portal Space

Sheet: /Headers & Utils/

File: headers.kicad_sch

Title: Navigation

Size: A4 Date: 2022-07-08

KiCad E.D.A. 8.0.1

Rev:

Id: 4/4