

## Help file on How to Create Stored Procedures

---

### Instructions:

- Use Naming Convention as per given example.
- Apply appropriate joins whenever it is required.
- Give Parameter name as same as the column names in table.
- Always use ORDER BY Clause in every Select Stored Procedures.

#### 1. SelectAll Procedure [For List Page]

```
CREATE PROCEDURE [dbo].[PR_City_SelectAll] AS
```

```
SELECT [dbo].[LOC_City].[CityID]  
      ,[dbo].[LOC_City].[CityName]  
      ,[dbo].[LOC_City].[StateID]  
      ,[dbo].[LOC_State].[StateName]  
      ,[dbo].[LOC_City].[Pincode]  
      ,[dbo].[LOC_City].[StdCode]  
      ,[dbo].[LOC_City].[CreationDate]  
      ,[dbo].[LOC_Country].[CountryName]
```

```
FROM [dbo].[LOC_City]
```

```
INNER JOIN [dbo].[LOC_State]
```

```
ON [dbo].[LOC_State].[StateID] = [dbo].[LOC_City].[StateID]
```

```
INNER JOIN [dbo].[LOC_Country]
```

```
ON [dbo].[LOC_Country].[CountryID] = [dbo].[LOC_State].[CountryID]
```

```
ORDER BY [dbo].[LOC_Country].[CountryName]
```

```
      ,[dbo].[LOC_State].[StateName]
```

```
      ,[dbo].[LOC_City].[CityName]
```

---

#### 2. SelectByPK Procedure [Edit time record fetch & fill controls]

```
CREATE PROCEDURE [dbo].[PR_City_SelectByPK]
```

```
@CityID int AS
```

```
SELECT
```

```
    [dbo].[LOC_City].[CityID]  
    ,[dbo].[LOC_City].[CityName]  
    ,[dbo].[LOC_City].[StateID]  
    ,[dbo].[LOC_City].[CountryID]  
    ,[dbo].[LOC_City].[Pincode]  
    ,[dbo].[LOC_City].[StdCode]  
    ,[dbo].[LOC_City].[CreationDate]  
    ,[dbo].[LOC_Country].[CountryName]
```

```
FROM [dbo].[LOC_City]
```

---

### 3. Insert Procedure [To add any new record]

```
CREATE PROCEDURE [dbo].[PR_City_Insert]
```

```
    @CityName          varchar(100),  
    @StateID            int,  
    @CountryID          int,  
    @Pincode            varchar(6),  
    @StdCode            varchar(5),  
    @CreationDate       datetime
```

```
AS
```

```
INSERT INTO [dbo].[LOC_City]
```

```
(  
    [CityName]  
    ,[StateID]  
    ,[CountryID]  
    ,[Pincode]  
    ,[StdCode]  
    ,[CreationDate]
```

```
)
```

```
VALUES
```

```
(  
    @CityName,  
    @StateID,  
    @CountryID,  
    @Pincode,
```

```
@StdCode,  
@CreationDate  
)
```

---

#### 4. UpdateByPK Procedure [To update/modify existing record]

```
CREATE PROCEDURE [dbo].[PR_City_UpdateByPK]  
    @CityID          int,  
    @CityName        varchar(100),  
    @StateID         int,  
    @Pincode         varchar(50),  
    @StdCode         varchar(5),  
    @CountryID       int,  
    @CreationDate    datetime  
AS  
  
UPDATE [dbo].[LOC_City]  
  
    SET [CityName] = @CityName,  
        [StateID] = @StateID,  
        [Pincode] = @Pincode,  
        [StdCode] = @StdCode,  
        [CountryID] = @CountryID,  
        [CreationDate] = @CreationDate  
  
WHERE [dbo].[LOC_City].[CityID] = @CityID
```

---

#### 5. DeleteByPK Procedure [To Delete record]

```
CREATE PROCEDURE [dbo].[PR_City_DeleteByPK]  
    @CityID          int  
AS  
DELETE  
FROM [dbo].[LOC_City]  
WHERE [dbo].[LOC_City].[CityID] = @CityID
```