

[Home \(/protparam/\)](/protparam/)[Documentation \(/protparam/protparam-doc.html\)](/protparam/protparam-doc.html)[Reference \(/protparam/protpar-ref.html\)](/protparam/protpar-ref.html)[Contact \(/contact\)](/contact)

ProtParam - Results

User-provided sequence:

<u>10</u>	<u>20</u>	<u>30</u>	<u>40</u>	<u>50</u>	<u>60</u>
MVHLTPEEKS	AVTALWGKVN	VDEVGGEALG	RLLVVYPWTQ	RFFESFGDLS	TPDAVMGNPK
<u>70</u>	<u>80</u>	<u>90</u>	<u>100</u>	<u>110</u>	<u>120</u>
VKAHGKKVLG	AFSDGLAHL	NLKGTFATLS	ELHCDKLHVD	PENFRLLGNV	LVCVLAHHFG
<u>130</u>	<u>140</u>				
KEFTPPVQAA	YQKVAGVAN	ALAHKYH			

[\[Documentation \(/protparam/protparam-doc.html\)\]](/protparam/protparam-doc.html) / [Reference \(/protparam/protpar-ref.html\)](/protparam/protpar-ref.html)

Number of amino acids: 147**Theoretical pI:** 6.74**Molecular weight:** 15998.41**Amino acid composition:** CSV format

Ala (A)	15	10.2%
Arg (R)	3	2.0%
Asn (N)	6	4.1%
Asp (D)	7	4.8%
Cys (C)	2	1.4%
Gln (Q)	3	2.0%
Glu (E)	8	5.4%
Gly (G)	13	8.8%
His (H)	9	6.1%
Ile (I)	0	0.0%
Leu (L)	18	12.2%
Lys (K)	11	7.5%
Met (M)	2	1.4%
Phe (F)	8	5.4%
Pro (P)	7	4.8%
Ser (S)	5	3.4%
Thr (T)	7	4.8%
Trp (W)	2	1.4%
Tyr (Y)	3	2.0%
Val (V)	18	12.2%
Pyl (O)	0	0.0%
Sec (U)	0	0.0%

(B)	0	0.0%
(Z)	0	0.0%
(X)	0	0.0%

Total number of negatively charged residues (Asp + Glu): 15**Total number of positively charged residues (Arg + Lys):** 14**Atomic composition:**

Carbon	C	729
Hydrogen	H	1128
Nitrogen	N	196
Oxygen	O	202
Sulfur	S	4

Formula: C₇₂₉H₁₁₂₈N₁₉₆O₂₀₂S₄**Total number of atoms:** 2259**Extinction coefficients:**Extinction coefficients are in units of M⁻¹ cm⁻¹, at 280 nm measured in water.

Ext. coefficient 15595

Abs 0.1% (=1 g/l) 0.975, assuming all pairs of Cys residues form cystines

Ext. coefficient 15470
Abs 0.1% (=1 g/l) 0.967, assuming all Cys residues are reduced

Estimated half-life:

The N-terminal of the sequence considered is M (Met).

The estimated half-life is: 30 hours (mammalian reticulocytes, in vitro).

>20 hours (yeast, in vivo).

>10 hours (Escherichia coli, in vivo).

Instability index:

The instability index (II) is computed to be 6.16

This classifies the protein as stable.

Aliphatic index: 93.47

Grand average of hydropathicity (GRAVY):0.014

Expasy (<https://www.expasy.org>) is operated by the SIB Swiss Institute of Bioinformatics (<https://sib.swiss>)
[Terms of Use \(https://www.expasy.org/terms-of-use\)](https://www.expasy.org/terms-of-use) | [Privacy policy \(https://www.sib.swiss/privacy-policy\)](https://www.sib.swiss/privacy-policy)