

CYBERSNOVA



PROJECT REPORT

Prepared by
NAMRATA RAVINDRA PAWAR.

Field	Details
Full Name	Namrata Ravindra Pawar
Registration Number	CSN-SP-2026-155
Internship Domain	Cyber Security
Duration	1 month
Start Date	1 Sept 2026
End Date	30 Sept 2026
Mode	30 Sept 2026
Assigned Mentor	Internship Coordinator

Level 1=Beginner
Level

**PROJECT 2 — HIDDEN DIRECTORY &
FILE ENUMERATION**

2. Objective

The objective of this project was to perform directory and file enumeration against the provided vulnerable web application, identify accessible and restricted directories, files, and application endpoints, and analyze how exposed resources could increase the application's attack surface.

3. Target

<http://testasp.vulnweb.com/>

4. Tools Used


Tool	Purpose
Gobuster	Directory and file enumeration
cURL	Manual verification of discovered resources
Kali Linux	Testing environment

5. Target Verification

- ***Command used:***

`curl -i http://testasp.vulnweb.com/`

The server returned HTTP 200 OK, confirming that the target was accessible.

A screenshot of a Kali Linux virtual machine running in VMware Workstation. The terminal window shows the execution of the command `curl -i http://testasp.vulnweb.com/`. The output displays the HTTP response, including the status line `HTTP/1.1 200 OK`, headers like `Cache-Control: private`, `Content-Length: 3539`, `Content-Type: text/html`, `Server: Microsoft-IIS/8.5`, `Set-Cookie: ASPSESSIONIDCADDTTBTA=CDLEECHCKFONFMPECIBEBFAN; path=/`, `X-Powered-By: ASP.NET`, and the date `Date: Sat, 12 Sep 2026 11:54:56 GMT`. The terminal prompt is `(kali@kali)-[~/Desktop]`.

```
kali@kali:~/Desktop$ curl -i http://testasp.vulnweb.com/
HTTP/1.1 200 OK
Cache-Control: private
Content-Length: 3539
Content-Type: text/html
Server: Microsoft-IIS/8.5
Set-Cookie: ASPSESSIONIDCADDTTBTA=CDLEECHCKFONFMPECIBEBFAN; path=/
X-Powered-By: ASP.NET
Date: Sat, 12 Sep 2026 11:54:56 GMT

(kali@kali)-[~/Desktop]$
```


Figure 1: Verification of target website accessibility using cURL

Directory Enumeration Using Gobuster

Gobuster was used to identify hidden directories and resources that were not directly visible from the main webpage.

- **command:**

gobuster dir -u http://testasp.vulnweb.com/ -w /usr/share/wordlists/dirb/common.txt



```
kali@kali: ~/Desktop
zsh: bad pattern: '^[[200-ls

(kali@kali) ~/Desktop
$ ls /usr/share/wordlists/dirb/
big.txt catala.txt common.txt euskera.txt extensions_common.txt indexes.txt mutations_common.txt others small.txt spanish.txt stress vulns

(kali@kali) ~/Desktop
$ gobuster dir -u http://testasp.vulnweb.com/ -w /usr/share/wordlists/dirb/common.txt

Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)

[+] Url: http://testasp.vulnweb.com/
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s


Starting gobuster in directory enumeration mode

_vti_cnf (Status: 301) [Size: 159] [→ http://testasp.vulnweb.com/_vti_cnf/]
aspnet_client (Status: 301) [Size: 164] [→ http://testasp.vulnweb.com/aspnet_client/]
avatars (Status: 301) [Size: 158] [→ http://testasp.vulnweb.com/avatars/]
cgi-bin (Status: 301) [Size: 158] [→ http://testasp.vulnweb.com/cgi-bin/]
cgi-bin/ (Status: 403) [Size: 1233]
HTML (Status: 301) [Size: 155] [→ http://testasp.vulnweb.com/html/]
html (Status: 301) [Size: 155] [→ http://testasp.vulnweb.com/html/]
images (Status: 301) [Size: 157] [→ http://testasp.vulnweb.com/images/]
Images (Status: 301) [Size: 157] [→ http://testasp.vulnweb.com/images/]
javascripts (Status: 301) [Size: 159] [→ http://testasp.vulnweb.com/javascripts/]
robots.txt (Status: 200) [Size: 13]
t (Status: 301) [Size: 152] [→ http://testasp.vulnweb.com/t/]
T (Status: 301) [Size: 152] [→ http://testasp.vulnweb.com/T/]
templates (Status: 301) [Size: 160] [→ http://testasp.vulnweb.com/templates/]
Progress: 4613 / 4613 (100.00%)

Finished

(kali@kali) ~/Desktop
$
```

Figure 2: Gobuster directory enumeration using the common wordlist



```
kali@kali: ~/Desktop
Session Actions Edit View Help
Images (Status: 301) [Size: 157] [→ http://testasp.vulnweb.com/Images/]
jscripts (Status: 301) [Size: 159] [→ http://testasp.vulnweb.com/jscripts/]
robots.txt (Status: 200) [Size: 13]
t (Status: 301) [Size: 152] [→ http://testasp.vulnweb.com/t/]
T (Status: 301) [Size: 152] [→ http://testasp.vulnweb.com/T/]
templates (Status: 301) [Size: 160] [→ http://testasp.vulnweb.com/templates/]
Progress: 4613 / 4613 (100.00%)

Finished

(kali@kali)~[~/Desktop]
$ curl -i http://testasp.vulnweb.com/robots.txt
HTTP/1.1 200 OK
Content-Type: text/plain
Last-Modified: Mon, 06 May 2019 12:45:52 GMT
Accept-Ranges: bytes
ETag: "3629faa394d51:0"
Server: Microsoft-IIS/8.5
X-Powered-By: ASP.NET
Date: Sat, 12 Sep 2026 12:03:30 GMT
Content-Length: 13

User-agent: *
```

Figure 3: Additional Gobuster results and robots.txt verification

- **Observation:**

The enumeration revealed several directories and web resources that were not immediately visible from the application's main page. These results were subsequently verified manually using cURL to determine whether the resources were accessible or restricted.

File and Extension Enumeration

To identify potentially interesting files, Gobuster was also executed with common web-related extensions.

- **command:**

```
gobuster dir -u http://testasp.vulnweb.com/ -w  
  /usr/share/wordlists/dirb/common.txt -x  
  asp,aspx,txt,bak,old
```

- **Observation:**

File enumeration revealed several ASP-based application endpoints. These resources were manually checked to understand their accessibility and role within the application.

Verification of Discovered Resources


After the Gobuster scan, selected resources were manually verified using cURL. This was done to determine whether the discovered resources were accessible, redirected, or restricted.

- **Verification of `/_vti_cnf/` :**

```
curl -i http://testasp.vulnweb.com/_vti_cnf/
```

- **Security Impact:**

Exposing configuration and metadata files can provide attackers with useful information about the structure, technologies, and resources of a web application. This information can make further reconnaissance easier and increase the application's attack surface.



```
kali@kali: ~/Desktop
$ curl -i http://testasp.vulnweb.com/_vti_cnf/
HTTP/1.1 200 OK
Cache-Control: private
Content-Type: text/html
Server: Microsoft-IIS/8.5
Set-Cookie: ASPSESSIONIDCADD7BTA=0HGIF0HCEEEDAKHLLIKIKN; path=/
X-Powered-By: ASP.NET
Date: Sat, 12 Sep 2016 13:16:26 GMT
Content-Length: 926

vti_encoding:SR|utf8-nl
vti_timelastmodified:TR|05 Oct 2007 10:01:19 -0000
vti_extenderversion:SR|4.0.2.8912
vti_cachetdtn:TR|05 Oct 2007 10:01:19 -0000
vti_filesizes:RI|3663
vti_cachedlinkinfo:VX|Q|styles.css H|http://www.acunetix.com/SIImages/logo.gif H|Templatize.asp H|Default.asp H|Search.asp
vti_cachedsrcellinks:VX|FQUS|acuforum/styles.css NHHS|http://www.acunetix.com/FSUS|acuforum/Images/logo.gif FHUS|acuforum/T
aut.asp FHUS|acuforum/Search.asp
vti_cachedtitle:SR|acuforum forums
vti_title:SR|acuforum forums
vti_cachedbodystyles:SR|<body>
vti_cachedhasbots:BR|false
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_metatags:VR|HTTP-EQUIV=Content-Type text/html; charset=iso-8859-1
vti_backlinkinfo:VX|acuforum/login.asp acuforum/register.asp acuforum/search.asp acuforum/default.asp acuforum/showthread.asp
m/templatize.asp
```

Figure 4: Exposed FrontPage metadata in the `/_vti_cnf/` directory

- **Verification of Restricted Directories:**

```
curl -i http://testasp.vulnweb.com/cgi-bin/
```

Several directories discovered during enumeration were manually checked using cURL. Some of the discovered directories returned HTTP 403 Forbidden, indicating that the directories existed but direct access was restricted.

Examples included:

1. /cgi-bin/
2. /avatars/
3. /HTML/
4. /images/
5. /jscripts/
6. /templates/
7. /t/

- **Observation:**

The presence of a directory in enumeration results does not necessarily mean that its contents are publicly accessible. HTTP 403 responses indicated that access controls were applied to several discovered directories.

Discovered Application Endpoints

During manual verification, several application endpoints were identified through the enumeration results and links exposed by the application.


8.1 showforum.asp?id=1

- **showforum.asp?id=1:**

`curl -i "http://testasp.vulnweb.com/showforum.asp?id=1"`

- **Observation:**

The id parameter is used to access a specific forum resource. Enumeration of valid parameter values can reveal additional application content and endpoints.



```
kali@kali:~/Desktop
$ curl -i "http://testasp.vulnweb.com/showforum.asp?id=1"
HTTP/1.1 200 OK
Cache-Control: private
Content-Type: text/html
Server: Microsoft-IIS/8.5
Set-Cookie: ASPSESSIONIDCCBSRDTA=PAD1JFLCAHBD1MPPDHVFGOL; path=/
X-Powered-By: ASP.NET
Date: Sat, 12 Sep 2020 15:53:07 GMT
Content-Length: 3077

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
<html>
<!-- InstanceBegin template="/Templates/MainTemplate.dwt.asp" codeOutsideHTMLOutsideLocked="false" -->
<head>
<!-- InstanceBeginEditable name="doctype" -->
<title>acuforum Weather</title>
<!-- InstanceEndEditable -->
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
<!-- InstanceBeginEditable name="head" -->
<!-- InstanceEndEditable -->
<link href="styles.css" rel="stylesheet" type="text/css">
</head>
<body>
<table width="100%" border="0" cellpadding="10" cellspacing="0">
<tr bgcolor="#000080">
<td width="300px"><a href="https://www.acunetix.com/"></a>
</td>
<td align="right" valign="middle" bgcolor="#000080" class="disclaimer">TEST and Demonstration site for <a href="https://www.acunetix.com/vulnerability-scanner/">Acunetix Web Vulnerability Scanner</a></td>
</tr>
<tr>
<td colspan="2"><div class="membar"><a href="Templatize.asp?item=html/about.html" class="menu">about</a> - <a href="Default.asp" class="menu">forums</a>
- <a href="Search.asp" class="menu">search</a>
- <a href="/Login.asp?RetURL=%2Fshowforum%2Easp%3Fid%3D1" class="menu">login</a> - <a href="/Register.asp?RetURL=%2Fshowforum%2Easp%3Fid%3D1" class="menu">register</a>
- <a href="https://www.acunetix.com/vulnerability-scanner/sql-injection/" class="menu">SQL scanner</a> - <a href="https://www.acunetix.com/webstesecurity/sql-injection/" class="menu">SQL vuln help</a>
</div></td>
</tr>
<tr>
<td colspan="2"><!-- InstanceBeginEditable name="MainContentLeft" -->
<div class="path">

```

Figure 4: Accessing the Weather forum using the id parameter

- **Templatize.asp?item=html/about.html:**

curl -i "http://testasp.vulnweb.com/Templatize.asp?item=html/about.html"

- **Observation:**

The discovery of a parameterized content-loading endpoint provides additional information about the application's structure and should be considered during security assessment.




Figure 6: Verification of the parameterized Templatize.asp endpoint

Key Finding — Information Disclosure

The most significant finding identified during the enumeration process was the publicly accessible `/_vti_cnf/` directory. The directory returned HTTP 200 OK and exposed Microsoft FrontPage metadata containing information about the application's structure and referenced resources.

Information Exposed:

The response disclosed:


- Application modification information
- FrontPage extension version
- File-size information
- Cached links and resources
- Application pages such as:
 1. login.asp
 2. register.asp
 3. search.asp
 4. default.asp
 5. showforum.asp
 6. showthread.asp
 7. templatize.asp

- **Security Risk:**

Exposing internal metadata can assist an attacker during reconnaissance by revealing application technologies, resource names, and the structure of the web application. This information may be used to identify additional targets for further security testing.

- **Recommendation:**

Sensitive configuration and metadata directories should not be publicly accessible. Unnecessary files should be removed, access should be restricted, and web-server configuration should prevent exposure of internal metadata directories.



```
kali@kali: ~/Desktop
$ curl -i http://testasp.vulnweb.com/_vti_cnf/
HTTP/1.1 200 OK
Cache-Control: private
Content-Type: text/html
Server: Microsoft-IIS/8.5
Set-Cookie: ASPSESSIONIDCADTTBTA=DHGIFOHCEEEIDAKHLLIKIN; path=/
X-Powered-By: ASP.NET
Date: Sat, 12 Sep 2026 13:16:26 GMT
Content-Length: 926

vti_encoding:SR|utf8-nl
vti_timelastmodified:TR|05 Oct 2007 10:01:19 -0000
vti_extenderversion:SR|4.0.2.8912
vti_cachetdmt:TX|05 Oct 2007 10:01:19 -0000
vti_filesize:IR|3663
vti_cachedlinkinfo:VX|Q|styles.css H|http://www.acunetix.com/ S|Images/logo.gif H|Templatize.asp H|Default.asp H|Search.asp
vti_cachedvcrellinks:VX|FQUS|acuforum/styles.css NHHS|http://www.acunetix.com/ FSUS|acuforum/Images/logo.gif FHUS|acuforum/T
ault.asp FHUS|acuforum/Search.asp
vti_cachedtitle:SR|acuforum forums
vti_title:SR|acuforum forums
vti_cachedbodystyle:SR|<body>
vti_cachedhasbots:BR|false
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_metatags:VR|HTTP-EQUIV=Content-Type text/html;\ charset=iso-8859-1
vti_backlinkinfo:VX|acuforum/login.asp acuforum/register.asp acuforum/search.asp acuforum/default.asp acuforum/showthread.asp
m/templatize.asp

kali@kali:~/Desktop
```

Figure 7: Information disclosure through the publicly accessible `/_vti_cnf/` directory

• Results:

The directory and file enumeration identified multiple web resources within the target application.

Resource	Result	Observation
/_vti_cnf/	200 OK	FrontPage metadata exposed
/robots.txt	200 OK	Accessible; no disallowed paths
/db.asp	200 OK	Empty response
/login.asp	200 OK	Login functionality exposed
/register.asp	200 OK	Registration functionality
/search.asp	200 OK	Search functionality
/showforum.asp?id=1	200 OK	Forum content accessible
/showthread.asp?id=0	200 OK	Thread content accessible
/Templatize.asp?item=...	200 OK	Parameterized content endpoint
/cgi-bin/	403	Access restricted
/avatars/	403	Access restricted
/templates/	403	Access restricted

The enumeration therefore provided a clearer view of the application's accessible resources and attack surface.

- **Conclusion:**

The Hidden Directory and File Enumeration project demonstrated how directory and file enumeration can reveal resources that are not immediately visible from a web application's homepage. Gobuster was used for automated enumeration, while cURL was used to manually verify selected findings. The assessment identified several accessible application endpoints and restricted directories. The most notable finding was the publicly accessible `/_vti_cnf/` directory, which disclosed application metadata and resource information. The exercise highlighted the importance of restricting unnecessary files and directories and minimizing information exposed by web applications.